Catalogus
Coleopterorum Europae,
Caucasi et Armeniae rossicae.

Auctoribus

Dr. L. v. Heyden, E. Reitter & J. Weise

cum aliis sociis coleopterologicis.

Edidit

Edmund Reitter.

Berlin,
R. Friedländer & Sohn.

Mödling,
Edmund Reitter.

Caen,
Revue d'Entomologie.

1891.

Vorwort.

Der vorliegende Catalog will eine systematische Uebersicht der bis jetzt beschriebenen europäischen Käferarten, sowie eine Aufzählung ihrer wichtigsten Synonyme, das genaue Citat ihrer Beschreibungen und ein Bild ihrer Verbreitung geben.

Die Grenzen des behandelten Gebietes fallen mit den politischen zusammen, werden also im Osten durch das Uralgebirge, den Ural-Fluss und die Westküste des Caspischen Meeres bis Lenkoran, im Süden durch den Araxes, die Mündung des Tscharukh, das Schwarze und Mittelländische Meer gebildet und sind nur insoferne überschritten, als auch eine Anzahl von Thieren Aufnahme fand, die in neuester Zeit auf den Sporaden gesammelt wurden.

Bei dem Literaturnachweise sind in erster Linie die neuesten Arbeiten berücksichtigt; hinter Synonymen findet sich dagegen eine Angabe der Originalbeschreibung oder eines leicht zugänglichen Werkes, welche diese citirt. Sind mehrere Zahlen vorhanden, so bezieht sich die erste entweder auf den Band oder auf die Jahreszahl der bezeichneten Arbeit. Römische Ziffern nennen stets den Band; bei Jahreszahlen musste zuweilen die 18 weggelassen, also statt 1844 z. B. nur 44 gesetzt werden.

Aus Mangel an Raum ist die Angabe des Vaterlandes oft unter die allgemeinen Begriffe *E.md.*, *E.b.* *E.m.* zusammengefasst worden, auch wenn die Art in einem kleinen Theile des bezeichneten Gebietes noch nicht nachgewiesen ist. Ebenso musste bisweilen der Raum hinter Synonymen und Varietäten benutzt werden, um die verschiedenen Fundorte der Art unterzubringen.

Varietäten und Synonyme sind im Drucke um drei bis vier Buchstaben eingerückt. Ein v. vor dem Namen bedeutet Varietät,

ein (v.) Subvarietät, ein r. Rufino, ein n. Nigrino, ein m. Monstrosität; ein × vor der Vaterlandsangabe zeigt an, dass die Art durch Schiffe, mit Sämereien etc. eingeschleppt wurde.

Eine einheitliche Ansicht über die Schreibweise mehrerer Namen, sowie über die Varietäten einer Species liess sich unter den Bearbeitern des Cataloges nicht erzielen, so dass die einzelnen Theile ungleichartig ausgefallen sind. Für den Inhalt eines Theiles ist der entsprechende Mitarbeiter allein verantwortlich.

Es sind bearbeitet worden:

von L. Ganglbauer die Carabiciden;
„ Dr. L. von Heyden die Dytisciden bis Heteroceriden incl. und die Cebrioniden bis Oedemeriden incl.;
„ Dr. Ed. Eppelsheim die Staphyliniden;
„ Edm. Reitter die Pselaphiden bis Elateriden incl. und nach Ganglbauer's System die Cerambyciden;
„ J. Weise die Curculioniden bis Coccinelliden.

Ausserdem haben die Herren L. Bedel und A. Fauvel an der Redaction des Werkes theilgenommen, wofür ihnen an dieser Stelle der herzlichste Dank ausgesprochen wird.

Avertissement.

Le présent Catalogue est le répertoire complet des espèces de Coléoptères décrites jusqu'à ce jour, avec la liste des principaux synonymes, la citation bibliographique des descriptions et la mention des pays d'origine.

Ses limites fauniques, conformes aux limites politiques, sont, à l'est, les monts Oural, le fleuve Oural et la côte occidentale de la mer Caspienne, jusqu'au Lenkoran, et, au sud, le fleuve Araxe, l'embouchure du Tcharouk, la mer Noire et la Méditerranée; elles ne sont dépassées que pour quelques insectes récoltés depuis peu dans l'Archipel des Sporades.

Dans les indications bibliographiques, les ouvrages les plus récents sont cités en première ligne; à la suite des synonymes se trouve la citation de la description originale ou celle d'un ouvrage facile à consulter, donnant cette même citation. Quand plusieurs nombres y figurent, les premiers s'appliquent soit à la tomaison des volumes, soit à l'année des publications. Les chiffres romains désignent toujours les volumes. Pour les dates d'ouvrages les deux premiers chiffres (18) sont souvent omis; au lieu de 1844, par exemple, on lira 44.

A défaut de place dans le texte, l'indication de patrie est souvent réduite aux abréviations courantes: *E.md.*, *E.b*, *E.m*, même lorsque l'espèce n' est pas signalée dans une petite partie de la région citée; dans certains cas la place restant libre à la suite des noms de synonymes ou de variétés, a pu être utilisée pour inscrire les diverses provenances de l'espèce.

Les noms des variétés et des synonymes sont en retrait de 3 à 4 lettres, au dessous du nom spécifique. Un v., précédent le nom, signifie variété, un (v.) sous-variété, un r., rufino, un n., nigrino, un m., monstruosité; un ×, avant l'indication de pays, désigne les espèces introduites par les navires, avec les grains, etc.

On remarquera parfois quelques divergences dans l'orthographe des noms ou le classement des variétés; on ne saurait les imputer aux auteurs du Catalogue, mais à ce fait que les différentes parties ont été traitées séparément. Chacun des collaborateurs est seul responsable de la tâche qu'il a assumée.

L. Ganglbauer a rédigé la texte des Carabiques;

le Dr. L. von Heyden, celui des Dytiscides aux Hétérocérides inclus, et des Cébrionides aux Elatérides inclus;

le Dr. Ed. Eppelsheim, les Staphylinides;

Edm. Reitter, la partie des Psélaphides aux Elatérides inclus et les Cérambycides (d'après la classification de Ganglbauer);

J. Weise, la partie des Curculionides aux Coccinellides.

MM. L. Bedel et A. Fauvel ont également pris part à la rédaction de cet ouvrage et nous leur en adressons ici un bien cordial remercîment.

A. Literatur-Angaben.

Citations bibliographiques.

A. = Annales de la Société Entomologique de France.
A'. = id. Bulletins de la Société Entomologique de France.
Ab. = L' Abeille, par S. de Marseul.
A. B. = Annales de la Soc. Ent. de Belgique.
Alg. = Lucas, Expl. scientifique de l'Algérie.
B. = Berliner Entomologische Zeitschrift.
B. It. = Bullet. Soc. Entom. Italiana.
B. H. = Bulletin de l'Académie d'Hippone.
B. M. = Bullet. Soc. Imp. Nat. Moscou.
B. N. = Bullet. Soc. Linnéenne de Normandie.
Bed. Fn. = Bedel, Faune du bassin de la Seine.
Brünn = Verhandlungen des Naturforschenden Vereines in Brünn.
C. Fr. et Col. Fr. = Mulsant, Coléoptères de France.
C. H. = Coleopterologische Hefte (von E. von Harold).
D. = Deutsche Entomologische Zeitschrift.
E. F. = Enumeratio Coleopterorum Fenniae.
Ech. = l'Échange (Lyon).
E. N. = Entomologische Nachrichten.
E. M. M. et M. M. = Entomologist's Monthly Magazine.
Er. Ent. = Erichson, Entomographien.
Et. = Etudes entomologiques par Motschulsky.
Exp. = Expédition de Morée, par Brullé.
Fn. = Fauna.
Fn. tr. = Fauna transcaucasica. (Faldermann)
F. B. = Fauna Baltica edit. II. (Dr. Seidlitz).
F. Tr. = Fauna Transsylvanica (Dr. Seidlitz).
F. S., Fn. S. et Fn. Su. = Paykull, Fauna Suecica.
Fg. et F. g. = Faune gallo-rhénane. (A. Fauvel.)
Finsk. = Oefvers. Finska Vetensk. Soc.
H. = Heer, Fauna Coleopterorum helvetica.
Hor. = Horae Soc. Ent. Rossicae, St. Petersburg.
I. D. = Insekten Deutschlands, begonnen von Erichson.
I. F. = Sahlberg, Insecta Fennica.
I. S. = Insecta Sardiniae. (Gené.)
I. S. = Gyllenhal, Insecta Suecica (Ad Staphylinidas).
K. E. et Käf. E. = Küster, Käfer Europas.
Led. = Schneider und Leder: Beiträge zur Kenntniss der kaukasischen Käfer-fauna, Brünn 1878.
M. M. = Entomologist's Monthly Magazine.
Mém. M. = Mémoires Soc. Nat. Moscou.
M. N. = Mem. Soc. Napoli.
Mor. = Expéd. de Morée, par Brullé.
N. e. = Fauvel, Notices entomologiques.
North. = Hardy and Bold, Cat. Northumberland.

Nq. ot. = Nunquam otiosus, von Schaufuss.
Op. = Opuscules entomol. par Mulsant et Rey. — Thomson: Opuscula entomologica.
P. N. = Petites nouvelles entomologiques. (Deyrolle, éditeur).
Proc. = Proceedings of the Ent. Soc. of London.
R. = Revue d'Entomologie, par Fauvel (Caen).
Radde Casp. = Radde, Fauna und Flora des südwestlichen Caspi-Gebiets. 1886.
Sch. M. = Mittheilungen der Schweizer Entomol. Gesellschaft.
Shp. M. = Sharp: On aquatic Coleoptera.
Sic. = Il Naturalista Siciliano.
Sk. = Thomson, Skandinaviens Coleoptera.
Sp. = Reise nach Spanien, von Heyden. Berlin 1870.
St. = Stettiner Entomologische Zeitung.
St. ent. = Studi entomologici, par Baudi et Truqui.
Sv. = Svenska Acad. Vörhandling.
T. = Bestimmungs-Tabellen der europaeischen Coleopteren.
Tr. = Transactions of the Entom. Soc. of London.
V. A. = Thomson, Öfvers. Vet. Acad. Förhandl.
W. = Wiener Entomologische Zeitung.
W. Mon. et W. e. Mt. = Wiener Entomologische Monatsschrift.
W. z. b. = Verhandl. d. zoologisch-botanischen Gesellschaft in Wien.
Z. b. W. = Verhandl. der Zool. bot. Gesellsch. Wien.

B. Vaterlands-Angaben.

Indications de patries.

A. = Austria.
Al. et Alp. = Alpes.
alp. = alpina.
And. = Andalusia.
Arag. = Aragonia.
Arm. = Armenia ross.
Ast. = Asturia.
b. = borealis.
Bal. = Baleares.
Ban. = Banat.
Bav. = Bavaria.
Boh. = Bohemia.
Bor. = Borussia.
Br. = Britannia.
B.-P. = Basses-Pyrénées.
C. = Corsica.
Ca. = Caucasus.
Car. et Carn. = Carniolia
Cp. et Carp. = Carpathi.
Casp. = Mare caspicum.
Cr. = Carinthia.
Cri. = Crimea.
Cro. = Croatia.
D. = Dalmatia.
Dan. = Dania.
E. = Europa.
F. = Fennia.
G. = Germania.
Ga. = Gallia.
Gr. = Graecia.
H. = Helvetia.
Hi. = Hispania.
Hib. = Hibernia.
Hu. = Hungaria.
Hr., Hrz. et Herz. = Herzegowina.
H-P. = Hautes-Pyrénées
I. = Italia.
Il. et Ill. = Illyria.
Is. et Ist. = Istria.
Ju. = Jura.
L. = Lapponia.
Lu. = Lusitania.
m. = meridionalis.
mar. = maritima.
md. = media.
MB. = Monte Baldo.
Med. = Mediterranea.
Mont. = Montenegro.
mont. = montanus.
Mt. et Mont. = Monte.
Mor. = Moravia.
MR. = Monte Rosa.
MV. = Monte Viso.
oc. et occ. = occidentalis.
o. et or. = orientalis.
P. = Pyrenaei.
Pe. = Pedemontium.
R. = Rossia.
S. = Sardinia.
Sc. = Scotia.
Serb. = Serbia.
Si. = Sicilia.
Sil. = Silesia.
St. = Styria.
Su. = Succia.
T. = Turcia.
Thur. = Thuringia.
Ti. = Tirolis.
Tr. = Transsylvania.
U. = Ural.

Cicindelidae.

Zusammengestellt von L. Ganglbauer in Wien.

Tetracha
Hope.

Grammognatha Motsch.

euphratica Dej. Spec. I. 7. *Hi.*
algeriana Guér.
v. armeniaca Dokht. Hor. 1885. 247. *Casp.*

Cicindela
(Linné) Dejean.

Schaum I. D. I. 1—34.

silvatica L. Schaum 12 *E. b. md. Ca.*
(v.) similis Westh. Käf. Westf. 2
v. fasciatopunctata Grm. Schm. 13 *T.*
maura L. Dej. Spec. I. 57 *Med. oc.*
arenaria F.
luctuosa Dej. Spec. V. 227 *Hi. C.*
concolor Dej. Spec. I. 226 *Med. or.*
Rouxi Barth.
aerea Chevr.
Ismenia Gory A. 1833. 174 *Med. or.*
quadrimaculata Loew
asiatica Brull. Arch. Mus. I 137 *Ca.*
campestris L. Schaum. 13 *E.*
(v.) affinis Fisch. Schaum 14
(v.) tartarica Mannh. Schaum. 15 *E. md.*
Saxeseni Endrul. Kr. E. N. 1888 81
farellensis Graëlls *Hi.*
(v.) funebris Sturm Schaum 15 *E. md.*
nigrita Kryn.
nigrescens Heer
obscurata Chaud.
(v.) palustris Mots. B. M. 1840. 179 *Ca.*
v. connata Heer Schaum 16
confluens Dietr.
v. pontica Schaum 760 *Ca.*
desertorum Fald.
dumetorum Motsch.
v. Olivieria Brull. Schaum 759 *Gr.*
v. Suffriani Löw. Schm. 18 *Cret. Cycl.*
v. nigrita Dej. Schaum 760 *C.*
guadarramensis Graëlls *Hi.*
v. saphyrina Gené Schaum 760 *S.*
v. maroccana F. Schaum 17 *Hi.*
desertorum Dej. Schaum 20 *Ca.*
dumetorum Fald.
Jaegeri Fisch.
trapezicollis Chaud.
hispanica Motsch.
?v. talyschensis Chd. En. Car. 51 *Ca. o.*
gallica Brull. *Alp. oc.*
chloris Dej. Schaum. 18
alpestris Heer
(v.) copulata Beuth. E. N. 90. 90
(v.) bilunata Heer Schm. 19
(n.) alpestris Beuth. E. N. 88. 81. *H.*
silvicola Latr. Dej. Schm. 20 *E. md.*
hybrida L. Schaum 21 *E. b. md.*
maculata Degeer
aprica Steph.
riparia Steph.
silvicola Curt.
integra Strm.
monticola Mén. *Ca.*
(v) Korbi Beuth. E. N. 88. 81. *Hi. m.*
v. riparia Latr. Dej. Schm. 24 *E. md.*
transversalis Latr. Dej.
montana Charp.
maritima Latr. Bed. F. S. I. 5 *E. md. [mar.*
baltica Motsch.
v. Sahlbergi Fsch. Schm. 27 *Hu. R. m.*
restricta Fsch. Chd. B. M. 63 203 *Casp.*
v. persica Fald. F. Tr. I. 4 *Casp.*
v. lateralis F. Chd. B. M. 63. 203 *R. m.*
Karelini Fisch.
caspia Mén.
Gebleri Fisch.
Pallasii Fisch.
lacteola Pall. Chd. B. M. 63. 204. *R. m. o.*
chersonensis Mot. B. M. 1845. 9 *Cherson*
soluta Latr. Dej. Sp. I. 70 *Hu. R. m.*
fracta Fisch.
assimilis Chaud.
xanthopus Fisch.
Sengstacki Beuth. E. N. 1890. 90.
Kraatzi Beuth l. c.
Nordmanni Chd. B. M. 1848. 442 *Chers.*
hispanica Gory A. 1833. 175 *Hi.*
turcica Schaum B. 1859. 43 *T.*
Sturmi Mén. Fald. Fn. Tr. I. 6 *R. m. Ca.*
caucasica Ad. Mém. Mosc. 1817. 280 *Ca.*
arabica Dej. Spec. V. 230
(v.) strigata Dej. Spec. I. 78 *Ca.*
araxicola Reitt. D. 1889. 273.
festina Motsch. Et. Ent. 1859. 120 *Ca.*
litterifera Chd. B. M. 1842. 801 *Casp.*
trisignata Dej. Spec. I, 77 *Med.*
pavefacta Dej. Spec I. 212
v. incompleta Fairm. A. 1885. B. 8 *Bulg.*
v. subsuturalis Souv. Fauv. F. g. II, 12
arenaria Fuessly. *E. md.*
literata Sulz.
lugdunensis Dej. Schaum 30
v. sinuata Panz. Schaum 29 *E. md. or.*
viennensis Schrank

contorta Fisch. Ent. Rss. III. 30 *R. m.*
v. figurata Chaud. A. 1835. 435. *Kirg.*
chiloleuca F Dej. Spec. I. 56 *Tr. R. m.*
marcens Zoubk.
circumscripta Fisch.
volgensis Dej. Spec. I. 81 *Tr. R. m.*
elegans Fisch.
stigmatophora Fisch. Ent.R. III. 42 *R.m.*
v. Seidlitzi Kr. D. 1890 *Ca. Tr.*
deserticola Fald B. M. 1836. 355 *R. m. o.*
Besseri Dej. Spec. II. 427 *R. m.*
v. Heydeni Kr. D. 1890 *R. m.*
v. recurvata Kr. D. 1890 *Cri.*
dilacerata Dej. Spec. V 237 *Gr.*
circumdata Latr. Dej. Spec. I. 82 *Med. oc.*
v. imperialis Klug. Jahrb. 26 *S.*
littorea Forsk. *Med. oc.*
tibialis Latr. Dej. Spec. I. 80
Goudoti Dej. Spec. V. 236
Lyoni Erichs.
flexuosa F. Dej. Spec I. 111. *Med. oc.*
v. sardea Dej. Spec. I. 120 *S.*
sardoa Gené
v. circumflexa Dej. Spec. V. 253 *Si.*
littoralis F. Mant. I. 185 *Si.*
barbara Cast.
rectangulata Beuthin E. N. 90, 94
v. Ragusae Failla Sic. VI. 157 *Si.*
v. lunulata F. *Med. E. md.*
nemoralis Oliv. *Ga.*
quadripunctata Rossi
littoralis Dej. Spec. I. 104
Ragusai Beuth. E. N. 90, 93.
Koltzei Beuth. l. c.
sexmaculata Beuth. l. c.
aphrodisia Baudi Rag. Sic. VI, 214 *Si.*
v. lugens Ragusa Sic. I, 5 *Si.*
Fischeri Ad. Dej Spec. I. 103 *Med. o.*
octopunctata Löw.
syriaca Trob.
caucasica Fisch.
palmata Motsch.
v. alasanica Motsch. B. M. 1839, 91 *Ca.*
atrata Pall. *R. m.*
Zwicki Fisch. Dej. Spec. I 135
v. distans Fisch. Dej. Sp. I. 134 *R. m.*
scalaris Serv Dej. Spec. I. 137
paludosa Duf. *Med. oc.*
sabulicola Waltl.
Dufouri Beuth. E. N. 1890. 92 *Catal.*
Hopfgarteni Beuth. l. c. *Catalon.*

Cylindera Westw.

Eumecus Motsch.

germanica L. Schm. 33 *E. md. Med.*
obscura F.
coerulea Herbst
anthracina Klug.
angustata Fisch.
v. subtruncata Chd. B. M. 1842. 802 *Csp.*
v. Steveni Dej. Schm. B. 1868. 81 *R. m.*
v. sobrina Gory Schaum. 34 *Ti. m.*
v. catalonica Beuth. E. N. 90. 92
gracilis Pall. Dej. Spec. I. 139. *R. m.*
v. tenuis Stev. Mém. Msc. II. 311 *R. m.*

Catoptria Guér.

melancholica F. *Med.*
aegyptiaca Dej. Spec. I. 96
hesperica Motsch.
v. connexa Chaud. En. Car. 54 *Casp.*
v. dignoscenda Chd. En. Car. 53 *Casp.*
v. orientalis Dej. Spec. I. 93 *Casp.*
v. dentilabris Chd. B. M. 1844. 403 *Casp.*

Carabidae.

Zusammengestellt von L. Ganglbauer in Wien.
Schaum, Ins. Deutsch I.

Carabini.

Calosoma

Weber.

inquisitor L. Schaum 113 *E.*
antiquum Fourcr.
v. coeruleum Ragusa
v. punctiventre Reiche A. 55. 567 *Gr.*
v. cupreum Dej. Mot. B. M. 65. 309 *Ca.*
v. clathratum Kol. Mel. Ent. 45. I. 33 *Ca.*

Callipara Motsch.

sycophanta L. Schaum. 113 *E.*
v. severum Chd. B. M. 1850. 422 *T.*
rapax Motsch.

Charmosta Motsch.

investigator Ill. Schaum. 114 *G. b. o. R.*
sericeum St. Fisch.
russicum Fisch.
leptophyum Fisch.
caspium Fisch.
denticolle Motsch.
rugulosum Motsch.
lugubre Motsch.

Callistrata Motsch.

denticolle Gebl. B. M. 1833. 274 *R.*
auropunctatum Gebl.
granulosum Motsch.

Campolita Motsch.

Maderae F. Bedel F. S. I 347 *Med.*
indagator F.

Herbsti Gmel.
auropunctatum Rossi
hortense Rossi
auropunctatum Hrbst. Bed. F. S. 347
sericeum F. Schaum 115 [*E. b. med.*
indagator Gyllh.
Duftschmidi Géh.
v. funestum Géh. Cat. 1885. 63 *Ca.*

Callisphaena Motsch.

reticulatum F. Schaum. 116 *E. b. md.*

Callisthenes Fisch.

Panderi Fisch. Faust Stett. 85, 45 *R. m.*
substriatum Motsch. Faust l. c. 43 *Ca.*
breviusculum Mannh. Fst. l. c. 43 *Ca.*
orbiculatum Motsch. Fst. l. c. 43 *Ca.*
Motschulskyi Fisch.
Reichei Guér. Rv. Mg. 1842. 271 *Ararat*
araraticum Chd. En. Car. 104.

Cechenus
Fischer

Cechenochilus Motsch.

Boeberi Ad. Dej. Spec. II. 185 *Ca.*
v. Fischeri Fisch. Ent. R. II. 49 *Ca.*
(v.) Heydenianus Starck W. 89. 55 *Ca. oc.*
longiceps Chd. En. Car. 102 *Ca.*

Iniopachys Sol.

pyrenaeus Serv. Dej. Spec. II 188 *P.*
v. punctatus Géh. Cat. 1885. 40 *H-P.*
v. costatus Kr. D. E. Z. 1878. 157 *P. o.*
costulus Géh. Cat. 1885. 40
auriculatus Putz. A. B. 1872. B. 70 *Ast.*

Procerus
Dejean.

gigas Creutz. Schm. 178 *St. m. Carn. Cro.*
scabrosus F. *Hu. m. Tr. Bosn. Gr.*
limbatus Haury Géh. Cat. 1885. 1
v. parnassicus Kr. K. D. 1884. 399 *Gr.*
scabrosus Oliv. Kr. B. M. 76. IV. *T.*
Olivieri Dej. Spec. II 24
aegyptiacus Motsch.
cribratus Motsch.
Dejeani Géh. Cat. 1885, 1
angusticollis Haller
v. tauricus Ad. Kr. B. M. 1876. 138 *Cri.*
aeneus Motsch. Käf. Russl. 86
viridissimus Kr. B. M. 76. IV. 139
purpureus Kr. l. c. 139
nigritulus Kr. l. c. 139

v. Sommeri Mnnh. B. M. 1844. 868 *T.*
bosphoranus Mot. Mag. Zool. 1844. 4
breviusculus Kr. B. M. 1876. IV. 136
dardanellicus Kr. Ksch. D. 1886. 421
caucasicus Ad. Kr. B. M 1876. 146 *Ca.*
tuberculosus Géh. Cat. 1885. 1
v. colchicus Mot. Mag. Zool. 1844. 7
Duponcheli Dej. Spec. V. 528 *Gr.*

Carabus
(Linné) Latreille.
Thoms. Opusc. Ent. VII; Géh. Cat. Carab. 1885.

Procrustes Bon.

coriaceus L. Ganglb. D. 1888. 384 *E.*
v. rugifer Kr. Ganglb. l c. 385 *Tr.*
v. rugulosus Ganglb. 385 *Rum.*
v. coriaceus L. Dej. Gnglb. 385 *E. b. md.*
v. excavatus Charp. G. 385 *P.*
v. angusticollis Motsch. G. 386 *Carn.*
♀ cordicollis Motsch.
v. imminutus Kr. G. 387 *Cro.*
v. sublineatus Géh. G. l. c. *R. m.*
v. spretus Dej. G. 387 *Cro. D.*
v. bannaticus Redtb. G. 388 *Hu.*
v. subrugosus Kr. G. 397 *Hu. m. Serb.*
v. Hopffgarteni Kr. G. 397 *Serb. Bosn. T.*
v. semipunctatus Haury G. 397 *Balk.*
v. rugosus Dej. G. 388 *Cro. Herz. Mont.*
proximus Reitt.
v. nitidior Reitt. G. 389 *D.*
v. dalmaticus Géh. G. 399 *D.*
v. graecus Dej. G. 391 *Gr.*
v. nitens Gaut. G. l. c. *Gr.*
v. Foudrasi Dej. G. 390 *Gr.*
obtritus Chaud.
v. deplanatus Motsch. G. 391 *Gr.*
v. Emgei Gglb. 393 *Gr.*
v. punctulatus Reiche G. 394 *Cycl.*
v. vicinus Waltl G. 393 *T.*
v. Kindermanni Waltl G. 394 *T.*
v. caraboides Waltl G. 396 *T.*
Banoni Dej. Sp. V. 530 *Gr.*

Macrogenus Motsch.

clypeatus Ad. Mém. Mos. V. 1817. 299 *Ca.*
Fischeri Fald. F. Tr. I. 14
? rectoimpressus Mot. K. Rsl. 88
talyschensis Mén. Cat. 1832, 104 *Ca. o.*
luctuosus Zoubk. B. M. 1837. IV, 62
caucasicus Géh. A. 1883. B. 114
? abhasicus Motsch. Käf. Russl. 88

Pachycranion Sol.

Schönherri Fisch. Thoms. 645 *R. m. o.*
melanchlorus Gebl.

Megodontus Sol.

caelatus F. Schaum 123 *Carn.*
v. Schreiberi Kr. D. 1877. 258 *Carn.*
v. macretus Kr. D. 1877. 258 *Veleb.*
v. procerus Reitt. W. 1885. 112 *Herz.*
(v.) ljubinjensis Haur. W. 1885. 112 *Hz.*
v. dalmatinus Duft Dej. II. 39 *D.*
Stroganovi Zoubk. Thoms. 664 *Ca.*
croaticus Dej. Schm. 125 *Crn. Cro. Bosn.*
v. carniolicus Géh. Cat. 1885. 10 *Carn.*
planicollis Küst. Thoms. 669 *Tr.*
septemcarinatus Mtsch. Thms. 666 *Ca.*
carinatus Motsch. B. M. 1839. 23
v. multicostis Reitt. W. 88. 24 *Ca. oc.*
v. septemlineatus Rtt. W. 88. 24 *Ca oc.*
v. subexaratus Reitt. W. 89. 64 *Ca. occ.*
exaratus Quens. Thoms. 666 *Ca.*
v. georgicus Géh. Cat. 1885. 44
v. fischtensis Rtt. W. 1888. 25 *Ca. oc.*
seriatus Motsch. Käf. Russl. 76 *Ca.*
Dejeani Fisch. Dej. II. 125 *Crim.*
Gyllenhali Fisch.
Blackistoni Newm.
violaceus Linn. Schaum 151 *E. b. md.*
v. Mülleri Haury Pt. N. 1878. 214 *Hi. b.*
v. purpurascens F. Dej. II, 126 *Ga.*
Palliardii Gradl. *G. oc.*
(v.) fulgens Charp. H. E. 1825. 184 *P.*
(v.) aurichalceus Kr. D. 1879. 160 *P.*
v. crenatus Strm. Schaum. 155 *G. oc.*
purpurascens Duft.
scaber Schauf.
v. exasperatus Duft. Schaum 154 *G.*
psilopterus Kr. D. 1879. 157
(v.) asperulus Kr. D. 1878. 306
(v.) subcrenatus Géh. Cat. 1885. 12
v. cyaneolimbatus Kr. D. 1879. 158 *Alp.*
cyaneomarginatus Kr. *oc.*
mixtus Géh.
v. picenus Villa Kr. D. 1878. 308 *I. b.*
v. violaceus L. Dej. II. 132 *G. b. md.*
(v.) glabrellus Dej. II. 133 *A.*
(v.) candisatus Duft. F. A. II. 23 *A.*
(v.) salisburgensis Kr. D. 1879. 158 *A.*
(v.) carbonatus Schauf. N. ot. 555 *Podol.*
(v.) Wolffi Dej. Spec. II, 134 *Hu. Tr.*
(v.) pseudoviolaceus Kr. D. 1886, 211
v. sublaevis Drap. A. B. 1819. 269 *Polon.*
Andrzejuscyi Fisch. Dej. Sp. II. 134
v. aurolimbatus Dej. Sp. V. 552 *R. m.*
Eversmanni Fisch. B. M. 1832. 436
(r.) castaneipennis Mén. Ct. 1832. 108 *Ca.*
v. obliquus Thms. Kr. D. 1878. 310 *A. St.*

? laevigatus Dej. Spec. II. 135
v. Neesii Hoppe Kr. D. 1878. 312 *Alp*
(r.) Kunzei Heer Käf. Schw. II. 12
v. Germari Strm. Schm. 154 *Carn. Ill*
detritus Drap. *Croat. Bosn. Hu*
v. azurescens Dej. Kr. D. 78. 314 *Cro. B*
v. rilvensis Kolb. E. N. 1887. 138 *Rum*

Lamprostus Motsch.

Tribax Thoms. nec Fisch.

Kraatz D. E. Z. 1879. 25—32; 385—386.

Calleyi Fisch. Kraatz 30 *Ca.*
Prevosti Gory
v. prasinus Mén. Kr. 385
v. Manderstjernae Motsch. Kr 385
v. nigrinus Motsch. Kr. 386 *Ca. or*
v. Renardi Chaud. Kr. 31 *Arm*
thermarum Motsch.
torosus Friv. Kr. 30 *Balk*

Lipaster Motsch.

Lamprocarabus Thoms.

Stjernvalli Mnnh. B. M. 1830. 55 *Arm*
sexpunctatus Schauf. Nq. ot. 82. 526
enops Schauf. Nq. ot. 1882. 526
v. Boschniacki Fald. F. Tr. I. 24
Raddeanus Schf. Nq ot. 1882. 526
v. Bartholomaei Mot. Kr. D. 1887. 80
v. Humboldti Fald. F. Tr. I. 26

Pachystus Motsch.

Melancarabus Thoms.

(Kraatz D. 1877, 247—256)

hungaricus F. Schaum 757 *Hu*
v. viennensis Kr. 252 *A*
v. mingens Quens. Kr. 254 *R. m*
v. gastridulus Fisch. Kr. 254 *Tauri*
♂ vomax Dej.
v. maeotis Fisch. Kr. 254 *Tauri*
v. maritimus Motsch. Kr. 254 „
? v. scythus Motsch. Kr. 255 *Cher.*
cribellatus Fisch.
thoracicus Kryn.
cavernosus Friv. Schm. B. 1859. 43 *Ba*
variolatus Costa
trojanus Dej. Kr. 251 *Gr. h*
v. Oertzeni Ganglb. D. 1888. 383 *Sp*
morio Mannh. Kr. 251 *T*
Carceli Gory
aethiops Crist.
pisidicus Peyron
v. Tamsi Mén. Kr. 251 *Ca. o*

cavernicola Kr. Ent. M. 1880. 157 *Dobr.*
graecus Dej. Kr. 249 *Gr.*
acuminatus Mén. *T.*

Hadrocarabus Thoms.

latus Dej. Ganglb. D. 1886. 373 *Hi.*
v. brevis Dej. G. 374 *Hi. cent.*
v. complanatus Dej. G. 374 *Hi. b.*
v. trabuccarius Fairm. G. 375 *Hi. b.*
v. aragonicus Ganglb. 375 *Zaragoza*
v. catalonicus Ganglb. 376 *Barc.*
v. alicantinus Ganglb. 376 *Alicante*
v. helluo Dej. G. 376 *Hi. m. o.*
v. albarracinus Ganglb. 377 *Sierr. d'Alb.*
v. alcaracinus Kr. D. 1886. 384 *Alcar.*
v. Gougeleti Reiche G. 377 *Hi. m.*
leptopus Thoms.
v. portalegrensis Ganglb. 378 *Portal.*
v. antiquus Dej. G. 379 *Lu. m.*
Luczoti Cast.
lusitanicus Schaum.
v. Vieirae Paulino G. 379 *Leiria*
v. Schaumi Gaubil G. 380 *Lu. b.*
lusitanicus Dej.
Hellwigi Schaum
descensus Schauf.
mediotuberculatus Schauf.
?v. Egesippi Laf. G. 381 *Oporto*
?v. castilianus Dej. Sp. II. 87 *Cast.*
macrocephalus Dej. G. D. 1886. 381 *Hi. b.*
brabeus Schauf.
v. cantabricus Chevr. G. 382 *Hi. b.*

Mesocarabus Thoms.

catenulatus Scop. Schaum 143 *E. b. md.*
intricatus Oliv.
problematicus Herbst
Beauvoisi Dej
v. Harcyniae Strm. D. I. III. 63
v. austriacus Strm. D. I III. 61
v. cyanescens Strm. D. I. III. 64
v. gallicus Géh. Cat. 1885. 15 *Voges.*
v. solutus Oberth. A. 1884. 147 *Ga.*
v. Trapeti Bleuse L. N. 1885. 54 *H-P.*
v. Mayeti Géh. Cat. 1885. 16 *Alp P.*
v. Mulsanti Géh. Cat. 1885. 16 *P.*
v. planiusculus Haury Géh. 1885. 16 *P.*
v. Brisouti Fauv. Cat. Gren. 1863. 2 *P. o.*
v. inflatus Kr. D. 1878. 158 *Ga. m.*
Dufouri Dej. Spec. V. 541 *Hi.*
v. Rosalesi Reiche A. 1863. 471 *Hi.*
Rossii Dej. Spec. II. 66 *I.*
(m.) Dragonetti Cost. Corr. Zool. 1837. I. 8
(r.) Costae Geh. Cat. 1885. 14
castanicipennis Cost. C. Zool. 1837. I. 8
v. Pirazzolii Géh. Cat. 1885. 14 *I. m.*
Genei Gené Thoms. 681 *C.*
polychaeta Thoms. 681 *? Ca.*

Chaetocarabus Thoms.

intricatus L. Schaum. 126 *E. md.*
cyaneus F.
giganteus Heer
gigas Heer
minor Haury
(v.) bohemicus Haury Le Nat. 81. 446
(v.) liburnicus Haury Le Nat. 81. 447
v. angustulus Haury Nat. 81. 447 *Ban.*
v. montenegrinus Kr. D. 76. 336 *Mont.*
Lefebvrei Dej. Spec. II. 177 *Si.*
♀ Bayardi Sol.
Kaadeni Schauf. Nq. ot. 1882. 447
v. silaensis Haury Le Nat. 81, 447 *Calab.*
Adonis Hampe Thoms. 655 *Gr.*
v. Merlini Schm. B. 1861. 396 *Morea*

Platycarabus Morav.

Plectes Thoms. ex parte, Platychrus Seidl.

depressus Bon. Schaum 172 *Alp. oc.*
(m) cychroides Baud. B. 64. 197 *Pe.*
v. lucens Schaum 173 *Monte Viso*
v. Bonellii Dej. Spec. II. 181 *Pe. [H.*
intermedius Heer Schm. 172 *Ti. Car.*
Heerianus Géh. *[Salisb.*
glacialis Gaut.
Fabricii Panz. Schm. 167 *Alp. sept. Carp.*
(v.) Bugnioni Chd. B M. 1837. 16 *H.*
Linderi Tourn. A. 1860. B. 26
(v.) Heeri Germ. Schaum 169 *H.*
(v.) malachiticus Thms. 661 *Carp.*
v. poloniensis Géh. Cat. 1876, 29 *Pol.*
polonicus Schaum 167
Creutzeri F. Schaum 169 *Alp. m. o.*
Tschapeki Géh. Cat. 1885, 38
Schencki Géh. Cat. 1885. 38
viridimicans Kr. D. 1878. 144
v. baldensis Schaum. 170 *M. B.*
v. Kircheri Germ. Schm. 170 *Ti.*
pseudonothus Kr. D. 1878. 144 *Velebit*

Pseudocechenus Moraw.

Platychrus Thoms. Cechenus Seidl.

irregularis Fabr. Schm. 173 *G. A. Alp.*
regularis Fisch. *Carp.*
♀ sculptilis Heer
v. bucephalus Kr. D. 1879. 170 *Carn.*

v. Montandoni Buyss. Le Nat. 1882.
Peronae Hopffg. 163 *Carp. o.*
brunnipes Beuth.

Tribax Fisch.

Tribacis Motsch. Plectes Thoms. ex parte
(Ganglb. D. 1886. 305. Reitt. D. 1889. 245.)

Bibersteini Mén. Reitt. 247 *Ca. c. o.*
v. Herminae Reitt. 217 *Ca. c. o.*
? Kasbekianus Kr.
v. agnatus Gglb. D. 1889. 321 *Ca. oc.*
v. Kolenatii Chaud. Reitt. 218 *Ca.*
Puschkini Kolenati
v. suramensis Kr. Reitt. 248 *Grusia*
macropus Chaud. Reitt. 248 *Achalzich*
Kraatzi Chaud. Reitt. 248 *Achalzich*
platypterus Ganglb. 333
Puschkini Ad. Reitt. 248 *Ca. cent.*
Adamsi Fisch.
v. Kamberskyi Reitt. 248
circassicus Ganglb. Reitt. 249 *Ca. oc.*
v. Justinae Reitt. 249
mingrelicus Reitt. 248, 249 *Mingr.*
osseticus Ad. Reitt. 246 *Ca. c.*
v. Mussini Germ. Reitt. 246
? v. platessa Motsch. Ganglb. 325 *Mt. [Kadory*
regularis Motsch.
nothus Ad. Ganglb. 326 *Ca. cent.*
deplanatus Fisch.
v. planipennis Chaud. Reitt. 246
Lederi Reitt. 246 *Swan.*
Fausti Dohrn Reitt. 246 *Daghestan*

Plectes Fisch. Motsch.

Neoplectes Reitt.
(Ganglb. D. 1886. 305. Reitt. D. 1889, 241.)

ibericus Fisch. Ganglb. 316 *Ca. c.*
v. Lafertei Chaud. Ganglb. 314 *Ca. c.*
refulgens Chaud.
nigrovirescens Reitt 242.
nigrocyaneus Reitt. 242
? v. Mellyi Chaud. Gnglb. 317 *Ca. c.*
Basilianus Starck W. 1890. 73 *Ca. oc.*
Starckianus Gglb. 317 Reitt. 243 *Ca. oc.*
obtusus Ganglb. 319 Reitt. 243 *Ca. oc.*
Adelaidae Starck W. 1889, 56
Prometheus Reitt. 242 *Ca. oc.*
Wolffianus Reitt. 242
Zugmayeriae Reitt. 242
v. Ganglbaueri Reitt. 243
imperator Starck W. 1890, 71 *Ca. oc.*
Starcki Heyd. Reitt. 243 *Ca. oc.*
compressus Gglb. 318
(m.) monstruosus Starck W. 1890, 74
v. Schneideri Reitt. 243 *Circ.*
v. latitans Reitt. 243 *Ca.*
v. synallactes Ganglb. Reitt. 243 *Ca.*
Reitteri Retowski Reitt. 244 *Ca.*
(v.) Retowskii Reitt. 244
v. laevisternis Starck W. 1890, 75
v. paradoxus Starck W. 1890, 75
protensus Schaum Reitt. 244 *Mingr.*
Koltzei Rost D. 1889. 423
Richteri Rost D. 1889. 423
Plasoni Gglb. 322. Reitt. 244 *Mingr.*
Komarowi Reitt. 245 *Swanet.*
compressus Chd. Reitt. 245 *Swan. Im.*
rebellis Reitt. Gglb. 324
cordicollis Gglb. Reitt. 245 *? Elbr.*
Steveni Mén. Reitt. 245 *? Elbr.*
Schamyli Hampe Reitt. 245 *? Elbr.*
invictus Chaud.
caucasicus Mots. Gglb. 324 (sp. dub.) *Elbr.*

Sphodristocarabus Géh.

Sphodristus Thoms.
(Ganglbauer D. 1887. 129.)

Riedeli Mén. Gglb. D. 1886. 313 *Ca. o.*
cupreus Chaud.
v. convallium Starck W. 89. 56
Bohemani Mén. Ganglb. 140 *Talysch*
elegantulus Motsch.
Adamsi Ad. Ganglb. 130—141 *Ca.*
v. Hollbergi Mannh. Gglb. 132 *Daghest.*
Adamsi Fisch.
Bohemanni Kr.
separandus Kr.
Eichwaldi Motsch.
v. varians Fisch. Gglb. 133 *Ca. c.*
subcyaneus Kr.
Hollbergi Kolen.
Eichwaldianus Géh.
scintillus Reitt.
(n.) decoloratus Reitt. W. 84. 143
v. incatenatus Manh. Gglb. 135 *Arm.*
mutabilis Géh.
subincatenatus Kr.
repletus Reitt. *Swan.*
confusus Motsch.
Sieversi Ganglb.
(v.) laevistriatus Gglb. 136 *Ca. oc.*
v. armeniacus Mnnh. Gglb. 136 *Ar.*
fulminans Kr.
(v.) Korbianus Ganglb. 136 *Batum*
v. Adamsi Ad. Gglb. 137 *Ca. b.*
chiragricus Fisch.
porphyrobaphes Ganglb.
v. Eichwaldi Fisch. Gglb. 138 *Ca. c.*
Scovitzi Fald.

Adamsi Motsch.
Thomsonianus Géh.
elegantulus Kr.
v. janthinus Gglb. 140 *Ca. oc.*

Chrysocarabus Thoms.

hispanus F. Dej. Spec. II. 174 *Ga. m.*
(v.) gabalicus Géh. Cat. 1885. 41 *Lozère.*
rutilans Dej. Spec II. 173 *P. o.*
Olympiae Sella Thoms. 695 *Pe.*
(v.) Stierlini Heyd. M. Schw. 1881. 198
Sellae Stierl M. Schw. 1881. 142
splendens F. Dej. Spec. II. 171 *P.*
carolinus F.
basilicus Chevr.
viridis Dej. (artef.)
v. Troberti Kr. B. 1860. 61 *P.*
v. Whitei Dej. A. 1852. 249 *Astur.*
lineatus Dej. Spec. II. 117 *Astur.*
v. lateralis Chevr. Rv. Mag. 1840. 10 *Lu.*
(v.) bilineatus Géh. Cat. 1885. 42
auronitens F. Géh. L. N. 82. 2—4 *E. md.*
(n.) atratus Heer F. H. 26
(v.) intercostatus Grdl. Käf. Pass. II 26. *Ti.*
(v.) subcatenulatus Westh. Käf. Westf. 7
(v.) nigripes Heyd. D. 1875. 383 *H.*
v. Putzeysi Mors. A. B. 1843. 129 *Belg.*
v. cupreonitens Chevr. R. Mag. 61 143
subfestivus Oberth. A. 1884. 147 *Ga.*
purpureus Oberth. 147
Bleusei Oberth. 147
(n.) melas Oberth. 147
v. costellatus Géh. 5 *Ga. m.*
cyanellus Géh. 5
v. Escheri Pall. Schaum 129 *Carp. o.*
rugosipennis Géh.
Fussi Birthl.
(n.) opacus Haury P. Nouv. 78. 213 *Tr.*
(v.) laevipennis Seidl. Fn. Tr. 9 *Tr.*
v. festivus Dej. Spec. II. 115 *Ga.*
? Zwicki Heer Käf. Schw. II. 12 *?H.*
v. Farinesi Dej. Spec. II. 115 *Corbierès*
v. punctatoauratus Germ. Dej. Sp. 113 *P.*
montanus Géh. 7
Pandellei Géh. 7
(n.) lugubris Géh. 7
Solieri Dej. Spec. II. 119 *Alp. oc.*
(v.) Clairi Géh. Cat. 1885. 41 *Alp. m.*

Hygrocarabus Thoms.

variolosus F. Ent. Syst. I. 145 *E. md.*
nodulosus Creutz Schaum 123
Weigeli Panz.

Ctenocarabus Thoms.

galicianus Gory Deyr. A. 1839. 308 *Hi.*
gallaecianus Chevr.

Rhabdotocarabus Seidl.

melancholicus F. Syst. El. I. 177 *Maroc.*
v. costatus Germ. Ins Spec. 3 *P. Hi. Lu.*
melancholicus Dej. Spec. II. 122
pyrenaeensis Géh. Cat. 1885. 44

Eurycarabus Géh.

Macrothorax Thoms. ex parte.

rugosus F. Ent. Syst. I. 130 *Marocco*
barbarus Dej. Spec. II. 98
v. celtibericus Grm. Dej. Sp. II. 97 *Lu.*
Braunani Schauf. Nq. ot. II. 194
v. baeticus Deyr. A. 1852. 247 *Hi.*
andalusiacus Géh. Cat. 1885. 34
morbillosus F. Baudi Sic. VIII. 174 *Hi.*
v. alternans Pall. Baudi 174 *C. S.*
v. Servillei Sol. Baudi 174 *Si.*
planatus Chaud. B. M. 1843. IV. 744 *Si.*
Thomsoni Fairm. 1857. 726

Hemicarabus Géh.

nitens L. Schaum. 129 *E. b. md.*
(v.) niger Semenow Hor. XX. 234 *R.*
(v.) fennicus Géh. Cat. 1885. 24 *E. b*

Autocarabus Seidl.

auratus L. Schaum 127 *E. md. oc. G. b.*
sulcatus Degeer
(n.) catalaunicus Géh. Cat. 1885. 43
(r.) Brullei Géh. Cat 1885. 43
(v.) atripes Géh. Cat 1885. 43 *B. Alp.*
v. Honnorati Dej. Spec. II. 113 *Alp. oc*
v. ligericinus Frm. A. F. 1886. B. 21. *Loz.*
v. Lasserrei Doué Kr. D. 1860. 62 *Ga. m.*
v. lotharingus Dej. Spc. II. 488 *Ga. m. o.*
v. siculus Ragusa Sic. 1883. 62 *? Si.*

Carabus Thoms. s. str.

Limnocarabus Géh.

clathratus Linn. Schaum. 130 *E. md. b.*
adspersus Gmel.
aeneopunctatus Voet.
stygius Gnglb. W. E. Z. 1890. 117 *Ca. o.*
Menetriesi Fisch. Dej. Spec. V. 550 *G. b. R.*
granulatus L. Schm. 133. Kr. D. 78. 129
cancellatus F. [*E. b. md.*
campestris Ad.
(v.) rubripes Géh. Cat. 1876
rufofemoratus Letzn.

haematomerus Kr. *G.*
v. forticostis Kr. 130 *G.*
v. parallelus Fald. Fn. Tr. I. 19 *Ca.*
v. Leander Kr. 132 *Ca.*
v. interstitialis Duft. Schm. 134 *Ill. Ti.*
? palustris Dej. Spec. II. 483 *Tosc.*
(v.) parvicollis Kr. 129 *St.*
v. debilicostis Kr. 130 *Pe.*
v. aetolicus Schaum Kr. 131 *Gr.*
Ssommeri Thoms. Op. 698
v. culpturatus Mén. Kr. 133 *Ca.*
? v. corticalis Motsch. Ins. Sib. 98 *Ca.*

(Eucarabus Géh.)

cancellatus Illig. Schaum 135 *E. b. md.*
granulatus F.
verrucosus Heer
(v.) femoralis Géh. Cat. 1885. 31
rufofemoratus Letzn.
haematomerus Kr.
rufipes Kr.
v. dolens Kr. Z. E. Bresl. 1879. 62 *P.*
v. tarnensis Géh. Cat. 1885. 31 *Tarn.*
v. carinatus Charp. Schaum 136. *Ga.*
fusus Pall. *H. G.*
v. tuberculatus Dej. Schm. 136 *G. Pol. R.*
Letzneri Kr. Z. E. Bresl. 1879. 61 *Sil.*
confluens Fisch. Ent. Russ. III. 189
semistriatus Fisch. Ent. Russ. II. 253
v. graniger Pall. Schm. 137 *Ban. Tr.*
moestus Dej. Spec. V. 534
Mühlfeldi Géh. Cat. 1885. 30
szobroniensis Géh. l. c. 30
(v.) scythicus Schaum 137 *Ban.*
v. Nicanor Haury Pt. N. 78. 213 *Ban.*
v. excisus Dej. Schm. 136 *A.*
v. assimilis Duft. Kr. Bresl. 79, 213 *Hu.*
v. nigricornis Dej. Sp. II. 102 *St.*
v. emarginatus Duft. Kr. D. 1877. 259
affinis Duft. *Carn.*
Duftschmidi Géh.
oblongus Sturm *Carn.*
Dahli Schaum. *Cr.*
maximus Haury *Bosn.*
(v.) Bohatschi Reitt. D. 81. 269 *Lomb.*
v. trentinus Kr. D. E. Z. 77. 264 *Trient.*
v. intermedius Dej. Spec. II. 104 *D.*
corpulentus Kr. Ent. Mon. II. 180
vagans Oliv. Dej. Spec. II. 84 *Ga. m. or.*
italicus Dej. Spec. II. 85 *Ti. m. I. b.*
? Dahli Heer Fn. Helv. 556
Ullrichi Germ. Schm. 131 Kr. D. 1878. 134
morbillosus Panz. *A. G.*

Leuckarti Petri Pr. Schässb. 85. 9
(v.) viridulus Kr. 134
(v.) parvus Géh. Cat. 1885, 29
v. Stussineri Haury Géh. Cat. 29 *Car.*
v. rhilensis Kr. D. 1876. 141 *Rhil*
v. parallelus Kr. D. 1878. 136 *Ban.*
v. viridilimbatus Kr. D. 1878. 136 *Bana*
v. robustus Kr. 141 *Bana*
v. fastuosus Pall. Kr. 138 *Bana*
cupreonitens Kr. 139
superbus Kr. 140
glaucus Haury
v. arrogans Schm. B. 1857. 44 *Serb. [D*
catenatus Panz. Schm. 144 *Ill. Cro. Bosn*
albanensis Géh. Cat. 1885. 32 *[Ti. m*
subvirescens Motsch. B. M. 1865. 2..
v. alternatus Haury W. 1885. 114 *Croat.*
v. Herbsti Dej. Spec. II. 70 *Cro. [Idria*
Korlevići Hoffm.
subvirens Haury W. 1885. 113
Parreyssi Pall. Dej. Sp. II. 72 *Cr. Bosn.*
v. Gattereri Geh. 1882. 263 *P.*
Cristoforii Spence Thoms. 703
(n.) Nicolasi Reitt. D. 1888. 417

(Eutelocarabus Géh.)

Deyrollei Gory Deyr. A. 1852. 241 *Hi. P.*
(n.) luctuosus Géh. Cat. 1885. 23
arvensis Herbst Schm. 142 *E. b. md.*
Schrickelli Dej. Sp. II. 77
(v.) pomeranus Oliv. Dej. Spec. II. 76
Seileri Heer K. Schw. II. 10
ruficrus Géh. Cat. 1885. 24
v. silvaticus Dej. II. 77 *E. md. oc.*
v. alpicola Heer Käf. Schw. II. 10 *Alp.*
(v.) aeratus Géh. Cat. 1885. 24 *St.*
aereus Dej. II. 77
Stscheglovi Mannh. Hum. Ess. 55 VI. 23 *U.*
uralensis Motsch. Ins. Sib. 96
v. Zakarschevskii Motsch. B. M. 45. 13 *E.*
cumanus Fisch. Dej. Spec. II. 3 *Ca.*
laetulus Reitt. W. 1888. 25
(v.) submicans Reitt. 25
v. sobrinus Mén. Cat. Cauc. 1832. 105
obsoletus Sturm Verh. Herm. 86. 69
Sacheri Thoms. *[Carp.*
aureocupreus Reitt.
v. euchromus Pald. Birthl. 86. 69 *Tr.*
(v.) carpathicus Pald. Birthl. 69 *[Ban.*
(v.) nagyagensis Birthl. 69
(v.) Fussi Birthl. 69

(Morphocarabus Géh.)

Hummeli Fisch. Ent. Russ. II. 69 *U.*

monilis F. Schaum 138 *E. md. oc.*
affinis Panz.
catenulatus Oliv.
regularis Wissm.
(m.)rugatinus Géh. Le Nat. 1880. 332
(v.) femoratus Géh. 331
v. taunicus Heyd. Ber. Offenb. 71. 44 *G.*
v. alticola Bellier Le Nat. 80. 301 *Ga.*
v. nigritulus Kr. D. 1881. 331 *Ga.*
v. anomalus Géh. Le Nat. 1880. 332
v. consitus Panz. Schaum 138 *[Pilatus*
granulatus Oliv.
morbillosus Latr.
Kronii Hoppe
interpositus Géh. 331
sabaudus Géh. 331
varicolor Joerin Gerb. Schw. M. 8. 169
v. Schartowi Heer Käf. Schw. II. 12 *Jur.*
(v.) rubricrus Géh. Cat. 1885. 18
rufofemoratus Motsch.
v. helveticus Heer Käf. Schw. II. 12 *H.*
? v. versicolor Friv. Mag. Tud. 35. 253
simulator Kr. D. 1876. 139 *Serb.*
serbicus Hopffg. E. N. 1878. 97
Scheidleri Panz. Schaum 146 *A. G.*
v. Preyssleri Duft. Schm. 148 *Mor. Boh.*
Morawitzi Kr.
ambitiosus Schauf.
viridicinctus Schauf.
improbus Schauf.
superbus Schauf.
v. Scheidleri Panz. Schaum 146 *A.*
coeruleus Panz.
purpuratus Strm.
virens Strm.
aeneipennis Strm.
dominus Reitt.
limbifer Reitt.
? repercussus Drap. A. B. 1819 *Carp.*
? gibbicollis Mots. B. M. 65. 286 *Hu.*
v. excellens F. Schm. 149 *Podol. R. m.*
Goldeggi Duft.
v. styriacus Kr. D. 1887. 343 *St.*
v. praecellens Pall. 2 Dec. Car. 17 *Slavon.*
v. Illigeri Dej. Spec. II. 41 *Croat.*
parallelus Kr. 1878. 147
? Stentzi Villa Col. Eur. Dupl. 1835. 32
Kollari Palld. 2. Dec. Car. 1825. 7 *Hu. m.*
v. Zawadszkyi Kr. Thms. 707 *Carp. b. o.*
v. comptus Dej. Birthl. Verh. Herm. 86.
Merkli Kr. E. M. 1880. 52 [55 *Tr.*
v. Hopffgarteni Kr. Birthl. 61 *Tr. m. oc.*
v. Schaumi Birthl. 61 *Serb.*
v. incompsus Kr. E. M. 1880. 52 *Tr. m. or.*
v. Hampei Küst. Birthl. 62 *Tr. c.*
(v.) aurosericeus Kr. Birthl. 61 *Tr. c.*
v. Rothi Dej. Birthl. V. Herm. 85. 69
aequistriatus Kr. D. 78. 299 *Tr. m.*
Birthleri Reitt.
(v) varistriatus Kr. D. 78. 299
(v.) quadricatenatus Kr. D. 78. 299
(v.) latestriatus Kr. D. 78. 299
(m.)rugulosus Birthl. 74
v. Kollari Palld. Kr. D. 1878. 145 *Hu.*
(v.) magnificus Kr. 145 *[m. o.*
v. Frivaldszkyi Kr. D. 1887. 50 *Hu*
Hermanni Mannh. Dej. Spec. V. 539 *U.*

(Trachycarabus Géh.)

Estreicheri Fisch. Dej. Spec. II. 48 *Pol.*
modestus Fisch. *R. m.*
adoxus Fisch.
v. Jägeri Mén. Ac. Pet. VI. 26 *R. m.*
v. accuratus Chd. B. M. 63. 208 *Odessa*
scabriusculus Oliv. Schm. 145 *E. md. o.*
agrestis Creutz.
curvatus Motsch.
v. minutus Motsch. Käf. Russl. 83
v. erythropus Fisch. Schaum 146
Hoffmanni Motsch. B. M. 1845. 16
v. Lippi Dej. Schm. 146 *Banat Tr.*
v. inapertus Motsch. B. M. 1865. IV. 289
Karelini Fisch. B. M. 1830. 186 *R. m.*
Besseri Fisch. Dej. Spec. II. 153 *Pol.*
v. Krynickii Fisch. Ent. Rs. III. 216 *R. m.*
v. thoracicus Fisch. l. c. III. 207 *Odessa*
v. bosphoranus Fisch. Ent. II. 87 *R. m.*
carbonarius Motsch. Käf. Russl. 82
v. haeres Fisch. Ent. Rs. II. 89 *Riasan*
fossulatus Dej. Spec. II. 498
campestris Fisch. Dej. Spec. II. 154 *R. m.*
errans Fisch. Ent. III. 217
Perrini Dej. Sp. V. 536
orbicollis Motsch. Ins. Sib. 118
parallelus Fisch. B. M. 1844. I. 21
cribricollis Motsch. Ins. Sib. 117
planatus Motsch. Ins. Sib. 117
planus Géh. Cat. 85. 51
Wiedemanni Mén. Bull. Ac. Petr. I, 149 *T.*
turcicus Motsch. B. M. 1865. 288
v. Gotschii Chd. En. Car. Cauc. 77 *Arm.*
Victor Fisch. B. M. 1836. 350 *Ca.*
Motschulskyi Kol. Melet. Ent. I. 31
v. inconspicuus Chd. B. M. 1848. 449
sibiricus Fisch. Dej. Sp. II. 150 *U.*

montivagus Palld. Dej. Spec. V. 546 *Hu. m.*
v. blandus Friv Mag Fud. 1865, 173 *Hu. b.*
v. velepiticus Hmpe. Stett. 1850. 346 *Cro.*
illyricus Kr. E. Mon. 1880. 56 *Ill.*
illyriensis Géh. Cat. 1885. 82
v. sutomorensis Reitt. W. 1885. 82 *Mont.*
monticola Dej. Spec. II. 157 *Alp. oc.*
nemoralis Müll. Schaum 160 *E. b. md.*
hortensis Panz. Dej. Sp. II. 156
(v.) prasinotinctus Heyd. D. 1880. 282 *P.*
v. contractus Géh. Cat. 1885. 49 *P.*

alysidotus Illig. Dej. Spec. II, 63 *Ga. I. b.*

glabratus Payk. Schaum 156 *E. b. md.*
(v.) punctatocostatus Haury W. 85. 115 *A.*
v. extensus Kr. D. 1885, 244 *Hu. m. o.*
(m.) breviusculus Kr. D. 1887, 151 *Tr.*

marginalis F. Schm 156 *E. md. o. R. m.*
chrysochloros Fisch.
decorus Seidl. Fn. Tr. 14 *Tr.*
cribratus Quens. Dej. Spec. II. 139 *Ca.*
cribellatus Fisch. Ent. I. 89
scrobiculatus Ad. Mém. M. V. 289
foveolatus Ad. Mém. M. V. Tab. 16
v. remotus Reitt. W. 88, 25 *Ca. oc.*

(Oreocarabus Géh.)

Roseri Fald. Reitt. D. 1883. 58 *Armen.*
swaneticus Reitt. D. 1883. 57 *Ca. c.*
imitator Reitt. D. 1883, 57 *Ca. c.*
Stählini Ad. Reitt. D. 1883. 56 *Ca.*
? sphodrinus Fisch. B. M. 1840, 20
Königi Ganglb. Hor. 1886. 269 *Ca. oc.*
gemellatus Mén. Cat. 107 (sp. dub.) *Ca. or.*

errans Gory Deyr. 1852. 239 *Lu. b.*
v. Luetgensi Beuth. E. N. 85, 157 *Lu.*
pedator Reitt. W. VI. 214
guadarramus Laf. Deyr. A. 52, 239 *Hi. c.*
Steuarti Deyr. A. 1852. 240 *Lu.*
Heydeni Oliveira Mel. Ent. 1876. 20 *Lu.*
Ghilianii Laf. Deyr. A. 1852, 252 *Lu.*
Preslii Dej Spec. V. 556 *Gr.*

(Orinocarabus Kr.)

hortensis L. Schaum 159 *E. b. md.*
v. alternans Kr. E. N. 1887. 167
v. Dürckianus Gnglb. Soc. Ent. 90. 151
v. Neumayeri Schm. 159 *D.*
Putzeysianus Géh. Cat. 1876. 13 *Alp. mar.*
Putzeysi Thoms. Op. 715
maritimus Schm. Kr. M. Sch. 78. 324

pedemontanus Ganglb. *Alp. mar.*
Putzeysi Kr. M. Sch. 1878. 32[illegible]
silvestris Panz. Schm. 162 Kr. D. 7[illegible]
concolor Panz. [419 *E. m[illegible]*
v. nivosus Heer K. Schw. II. 14 *[illegible]*
nivalis Heer Kr. Schw. 1878. 31[illegible]
v. Hoppei Grm. Kr. D. 1878. 420 *St. C[illegible]*
glacialis Mill. ex parte
Milleri Thoms. ex parte
angustatus Redtb.
Redtenbacheri Géh.
v. transsilvanicus Dej. Spec. II. 166
glacialis Mill ex parte *Cp. c. or.*
Milleri Thoms. ex parte
Hoppei Kr. ex parte
lombardus Kr. M. Sch. 1878. 325 *Lomb.*
castanopterus Villa ex parte
cenisius Kr. M. Schw. 1878. 322 *Mt. Cenis*
v. Sellae Kr. l. c.
Fairmairei Thoms. Op. 717 *Mt. V.*
Baudii Kr. M. Sch. 1878. 320
brevicornis Kr. D. 1878. 145. 427 *St. Cr.*
Hoppei Schaum ex parte
(v.) puncticollis Kr. l. c. 429
v. tyrolensis Kr. l. c. 429 *Ti.*
alpestris Sturm Kr. D. 1878. 425 *A. St.*
olivaceus Géh. *Cr. Carn. Ill.*
v. illyricus Kr. l. c. 425 *Ill.*
Bertolinii Kr. D. 1878. 432 *Alp. Trien.*
concolor F. Kr. M. Sch. 1878. 326 *Alp. [illegible]*
alpinus Dej Kr. l. c. 313—319
v. bernhardinus Kr. 316 *Bernh.*
v. mimethes Kr. 316 *M. R.*
v. amplicollis Kr. 318 *Lomb.*
v. castanopterus Villa Kr. l. c. *Lomb.*
carinthiacus Sturm Kr. D. 78. 430 *Ill Ca.*
Latreillei Dej Stierl. M. Sch. 81, 154 *H.*
v. Bremii Stierl l. c.
Linnei Panz. Schaum 166 *Carp.*
(v.) angustatus Panz. Schaum 167
(v.) Scopolii Dej. Spec. II. 170 *Hu.*
v. Macairei Dej. Spec. II. 171 *Banat.*
v. polonicus Motsch. Käf R. 82 *Polon.*
truncaticollis Eschsch. Motsch. B. M.
? Chaudoiri Sahlb. [1845. IV. 337 *U.*
? tristis Motsch. Käf. Russ. 79 *U. b.*

(Ischnocarabus Kr.)

bessarabicus Fsch. Dej Sp II. 147 *R. m.*
concretus Fisch. Ent. Russ. II. 102

(Oreocarabus Géh.)

convexus F. Schaum 158 *E. b. m.*
striolatus Fisch.
aemulus Fisch.
simplicipennis Dej.

Merkli Hopffg. E. N. 1878. 128 *Tr.*
gracilior Géh. Cat. 1885. 49 *Tr.*
pygmaeus Géh. Cat. 1885. 49 *Tr.*
(r.) rufulus Haury Géh. Cat. 1885. 16 *Balk.*
v. Hornschuchi Hoppe Schm. 159 *Cr.*
v. dilatatus Dej. Schm. 159 *Cro. Ill.*
v. Weisei Reitt. W. 1883. 1 *Bos. D. m.*
v. perplexus Schm. B. 1857. 123 *Gr.*
v. rhinopterus Hmp. Wg. R. 52. 308 *Arm.*
v. acutangulus Chd. L. N. 79. 109 *Arm.*
v. oblongulus Mtsch. B. M. 1865. 286 *Ca.*
v. turcomanicus Mtsch Käf. R. 81 *Trcm.*
biseriatus Chd. En. Carab. Cauc. 87 *Ca.*
? decolor Fisch. Ent. R. II. 72
scabripennis Chd. B. M. 1850. 156 *Arm.*
reticulatus Hampe W. R. 1852. 308

maurus Ad. Fisch. Ent. R. I. 24 *Ca.*
gemellus Fisch.
? Osculatii Osc. Note viagg. Pers 72
r. discoideus Reitt.
v. Hochhuthi Chd. En. Carab. 103
pumilio Küst. Käf. Europ. VI, 23 *Ca.*

Faminii Dej Spec. II, 62 *Si.*

Cychrus

Fabricius.

cylindricollis Pini Gest. A. G. 74. 537 *Lomb.*
angustatus Hppe Schm. 183 *Cr. Ti. H. Pe.*
Bowelini Heer
Schmidti Chaud. Schaum 184 *Carn.*
italicus Bon. Dej. II. 6 *Ti. m. I. b.*
rostratus Petagna
meridionalis Chd. B. M. 1861. I. 3 *I. m.*
Costae Emery B. It. 1872. 166
rostratus Costa
rostratus L. Schaum 184. Kr. D. 79. 60
coadunatus Degeer [*E. b. md.*
torulosus Fisch.
prymnaeus Fisch.
angustatus Heer
convexus Heer
caraboides Bedel nec L.
elongatus Thoms.
v. elongatus Hoppe *Ill. Carn. St. H.*
v. pyrenaeus Kr D. 1879. 61 *P.*
v. pygmaeus Chd. Kr. 61 *Carp. Sud. Alp.*
rostratus Thoms.
lapponicus Géh.
v. sabaudus Fauv. F. g. II. 30 *Savoyen*
semigranosus Pall. Schm. 188 *Ban. Tr.*
v. balcanicus Hopffg. E. N. 81. 21 *Balk.*
Hampei Gestro A. Gen. 1874. 542 *?I. m.*

intermedius Hampe Stett. 1850. 346
aeneus Fisch. Dej. II. 11 *Ca.*
signatus Fald. Fn. Tr. I. 13
granulatus Mtsch. Käf. Russ. 91. 19
v. Starcki Reitt W. 1888. 19 *Ca. oc.*
v. Ballionis Retow. W. 1888. 244
attenuatus F. Schaum 187 *E. md.*
proboscideus Oliv.
carniolicus Mtsch. B. M. 1865. 311
v. intermedius Heer Schaum 188 *H.*
cordicollis Chaud. Schm. 188 *Pe.*
angulicollis Sella B. It. 1874. 82 *Pe.*
spinicollis Duf. Thoms. Arch. Ent. 1857.
acuticollis Duf. ibid. [382 *Astur.*
Dufouri Chd. A. 1869. 47 *P.*

Nebriini.

Leistus

Frölich.

Pogonophorus Latr.

Reitter Wien. Ent. Zeit. 1885. 213 219.

spinibarbis F. Reitt. 214 *E. md.*
coeruleus Latr.
? v. Koziorowiczi Brûl. A. 1873. 253
? v. rufipes Chd. B M. 1843. 747 *Med.*
abdominalis Reiche A. 1855. 564
afer Coqu. A. 1858, 716
punctatus Reitt. W. 214 *Gr. Monten.*
expansus Putz. Reitt. W. 214 *Lu.*
montanus Steph. Schm 755 *E. md.*
rhaeticus Heer
puncticeps Fairm.
parvicollis Chd. Rtt. W. 214 *D. m. Gr.*
v. atticus Reitt. W. 215 *Gr.*
magnicollis Motsch. Reitt. W. 215 *Bosn.*
megaloderus Chaud. [*Monten. Gr.*
fulvibarbis Dej. Rtt. W. 215 *E. md. m.*
Janus Newm.
indentatus Newm.
Revelierei Muls.
Oberthüri Reitt W. 215 *Lu.*
sardous Baudi Reitt. W. 216 *S.*
crenatus Fairm. Reitt. W. 215 *Si.*
rufomarginatus Duft. Rtt. W. 216 *E. md.*
nitidus Duft. Reitt. W. 216 *E. md.*
lenkoranus Reitt. W. 217 *Ca.*
fulvus Chaud. Reitt. W. 217 *Ca. T.*
ferrugineus L. Reitt. W. 217 *E. md.*
spinilabris Panz.
testaceus Fisch.
rufescens Clairv.
rufescens F. Reitt. W. 217 *E. md.*

terminalis Panz.
praeustus F.
Bructeri Panz.
caucasicus Chd. Reitt. W. 217 *Ca. T.*
femoralis Chd. Reitt. W. 219 *Ca.*
gracilis Fuss Reitt. 215 *Tr.*
v. pyrenaeus Kr. Reitt. W. 215 *P.*
ovipennis Chd. Reitt. W. 216 *Alp. oc.*
punctipennis Fauv.
piceus Fröhl. Reitt. W. 218 *E. md.*
Frölichi Duft.
analis Dej.
fuscoaeneus Panz.
alpicola Fuss Verh. Herm. 1860. 32 *Tr.*
piceus var. Reitt. W. 218
constrictus Schauf. Reitt. W. 218 *Lu. b.*
angustus Reitt. W. 218 *Ca.*
oopterus Chaud. Reitt. W. 219 *Lu. b.*
v. Barnevillei Chd. Reitt W. 219
angusticollis Dej. Reitt. W. 219 *Lu.*
v. angulatus Brûl. Reitt. W. 219
denticollis Reitt. D. 1887. 527 *Ca. oc.*

Eurynebria

Ganglbauer.

complanata L. *Med.*
arenaria F. Dej. Spec. II. 223
v. Kotschyi Redtb. D. W. Ac. I. 47

Nebria

Latreille, Ganglbauer.

Alpaeus Bon.

livida L. Schaum 92 *E. b. md.*
sabulosa F.
v. lateralis F. Schaum 94
Mniszechi Chd. B. M. 1854. II. 351 *Ca.*
psammodes Rossi Dej. Sp. II. 222 *Med. oc.*
v. Schreibersi Dej. Spec. V. 573 *Si.*
picicornis F. Schaum 95 *E. md.*
erythrocephala Sturm
v. luteipes Chd. B. M. 1850. III. 159 *Ca.*
Jockischi Sturm Schm. 97 *E. md. mont.*
Gyllenhali Duft.
v. nigricornis Villa Col E. Dupl. 1833, 33
Höpfneri Heer Schaum 557
Parreyssi Chaud.
nigerrima Chd. En. Carab. Cauc. 107 *Ca.*
?parallelopipeda Mot. B. M. 65. 277 *Ca.*
Gyllenhali Schönh. Schm. 98 *E. b. md.*
Jockischi Duft.
aethiops Steph.
Marshallana Steph.
impressa Newm.

nivalis Daws.
subacuminata Chaud
baltica Motsch.
v. rufescens Stroem 1765 *E. b. Sil. Ti-*
arctica Dej. Schaum 99
hyperborea Gyllh.
Besseri Fisch.
v. Balbi Bon. Schaum 99 *Alp. Su* [illegible]
nivalis Heer
v. geniculata Gredl. Käf. Pass. 30 *Ti-*
nivalis Payk. Schaum 100 *E. b.*

Volxemi Putz. A. B. 1874. 49 *Lu.*
testacea Oliv. Enc. Meth. VIII. 147 *Gr.*
Heldreichi Schaum B. 1857. 121
rubicunda Quens. Luc. Expl. Alg. 41 *Hi.*
Genei Gené Mém. Ac. Turin. 1839. 46 *S.*
Heegeri Dej. Spec. II. 238 *Hu. m. Tr.*
brevicollis F. Schaum 96 *E. md. m.*
rufipes Goeze
infida Rossi
fuscata Bon.
varicornis Newm.
lata Newm.
rufomarginata Marsh.
cursor Bed. Fn. S. 1. 17
v. salina Fairm. Fn. Fr. 14 *Ga. m.*
v. iberica Oliveira Mel. Ent. 21 *Lu.*
v. sicula Rag. N. Sic. I. 181 *Si.*
v. Tamsi Dej. Spec. V. 573 *Taur.*
Faldermanni Mén. Fald. F. Tr. I. 33 *Ca.*
andalusiaca Ramb. Schaum 97 *Med. oc.*
barbara Chaud.
variabilis Luc.
v. degenerata Schauf. Rv. Z. 62. 491 *Hi. c.*
sobrina Schauf. A. 1862. 309 *Hi. oc.*
Hemprichi Klug. Reiche A. 1855. 563 *Gr.*
Heydeni Dej. Spec. V. 576 *Ins. Jon.*
Kratteri Dej. Spec. V. 577 *I. m.*
violacea Costa
turcica Chd. B. M. 1843. IV. 750 *T.*
Bonellii Ad. M. M. V. 301 *Ca.*
Marshalli Dej. Spec. II. 255
v. cechenoides Reitt D. 1885. 353
viridipennis Reitt. D. 1885. 353 *Ca. oc.*
commixta Chd. B. M. 1850. III. 160. *Arm.*
Schlegelmilchi Ad. M. M. V. 285 *Ca.*
intricata Dej. Spec. II. 254
exarata Fisch. B. M. 1844. I. 27
retrospinosa Heyd. W. 1885. 186 *Ca. oc.*
Fischeri Fald. F. Tr. I. 31 *Ca.*
verticalis Fisch. E. R. III. 249
rufomarginata Fisch. E. R. III 248 *Ca.*
elongata Fisch. Chd. En. Car. Cauc. 110 *Ca.*

oblonga Motsch. Käf. R. 72 *Ca.*
patruelis Chd. En. Car. Cauc. 111 *Ca.*
v. Motschulskyi Chd. En. Car. 112 *Ca.*
Lederi Reitt. W. 1880. 81 *Ca. oc.*
caucasica Mén. Fald. F. Tr. I. 34 *Ca.*
Gaugeri Chd. B M. 1843. IV. 750 ?
planulata Rtt. D. 1885. 354 *Ca. c. oc.*
v. tristicula Rtt. W. 1888. 82 *Ca. oc.*
Gotschi Chd. En. Car. Cauc. 113 *Ca.*
tenella Motsch. Käf. R. 72 *Ca.*
longicornis Motsch. Käf. R. 71 *Ca.*
transsilvanica Germ. Dej. Spec. II. 249 *Tr.*
femoralis Chd.
Dahli Sturm Schaum 100 *Alp. m. o.*
v. Bonellii Dej. Spec. II. 240
v. littoralis Dej. Spec. II. 240
v. velebitica Heyd. D. 1884. 171 *Cro.*
tibialis Bon. Dej. Spec. II. 578 *I. b.*
♂ gagates Bon. Mém. Tur. 1809. 74
Olivieri Dej. Spec. II. 242 *P. o.*
rubripes Dej. Spec. II. 241 *Ga. m.*
fasciatopunctata Mill. Schm. 104 *St. Cr.*
Reichi Dej. Spec. II. 243 *Tr.*
v. basipes Reitt. W. 1887. 224
bissenica Bielz.
rhilensis Friv. Term. Füz. III. 230 *Balk.*
Fussi Bielz. V. Herm. I. 176 *Carp. o.*
fuscipes Fuss V. Herm. I. 16
rivosa Mill. W. z. b. 1868. 5
hybrida Rottbg. B. 1874. 326 *Balk.*
Orsinii Villa Costa F. Nap. II. 21 *I. md.*
Lareyniei Fairm. R. Z. 1858. 455 *C.*
Vuillefroyi Chaud. A. 1866. 116 *Hi.*
punctatostriata Schauf. N. ot. 368 *Lu.*
Giradelsi Oliveira Mel. Ent. 1876. 22
Pazi Seidl. B. 1867. 178 *Sierra de Bejar*
Lafresnayei Serv. Dej. Spec. II. 245 *P.*
gagates Fauv.
v. Foudrasi Dej. Spec. V. 246 *P.*
pedemontana Vuillefr. Ab. V. 289 *Pe.*
pictiventris Fauv. R. 88. 220 *H-Alp.*
fulviventris Bassi A. 1834. 463 *I. b.*
leistoides Heer F. H. 557 *Mt. Brevent*
crenatostriata Bassi A. 1834. 464 *Alp. oc.*
Hellwigi Panz. Schaum 102 *Alp. or.*
v. fuscipes Schaum 103 *St.*
v. stigmula Dej. Schaum 103 *St.*
v. styriaca Schaum 103 *St.*
v. Dejeani Dej. Schaum 104 *St.*
carpathica Bielz Dan. D. 90. 139 *Carp. or.*
tatrica Mill. W. M. 1859. 304 *Carp. c.*
taygetana Rottb. B. 1874. 325 *Gr.*
bosnica Ganglb. D. 1889. 45 *Bosn. m.*
Germari Heer Daniel D. 90. 137 *H. Ti. Cr.*
Bremii Germ. Daniel D. 1890. 136 *H.*

---

cordicollis Chaud. Dan. D. 1890. 125 *M. R.*
Escheri Heer K. Schw. II. 17 *H. c.*
gracilis Daniel D. 1890. 125 *Susten*
rhaetica Dan. D. 1890. 122 *Sust. V. Piora*
fontinalis Dan. D. 1890. 121 *Veltlin Alp.*
delphinensis Dan. D. 1890. 119 *Dauph.*
laticollis Dej. Dan. D. 1890 118 *Pe.*
Lariollei Germiny A. 1864. 419 *P.*
atrata Dej. Otto W. 1889. 43 *Tauern.*
austriaca Gnglb. W. 1889. 147 *A. St. Car.*
brunnea Otto W. 1889. 42 *Salisb. Ti.*
castanea Bon. Otto W. 1889. 41 *Alp.*
ferruginea Bon. Mém. Turin 1809. 76
v. umbrina Heer K. Schw. II. 18 *H.*
v. depressa Heer F. Helv. 557 *H.*
v. planiuscula Chd B M. 1837. 18 *M. R.*
v. brunnea Duft. Dej. Ganglb. W. 1889.
ferruginea Sturm. [147 *Alp. A.*
? v. lugdunensis Chd. B. M. 1837. 17 *Lyon.*
? v. picea Dej. Spec. II. 250 *H.*
Schusteri Ganglb. W. 1889. 148 *Koralpe*
lombarda Dan. D. 1890. 128 *Veltl. Alp.*
Kraatzi Müll. D. 1889. 424 ex parte
diaphana Dan. D. 1890. 130 *Alp. Trient.*
Kraatzi Müll. D. 1889. 424 ex parte
angusticollis Bon. Dan. D. 90. 133. *Alp. oc.*
Chevrieri Heer Dan D. 1890. 131 *? Wallis*
angustata Dej. Dan. 90. 133 *? Pe.*

Pelophila

Dejean.

borealis Payk. Dej. Spec. II. 263 *E. b.*
v. arctica Dej. Spec. II. 265
ochotica Sahlb. Nordv. Sib. Col. 8 *L.*

Notiophilini.

Notiophilus

Duméril.

(Putz. Mem. Ac. Liég. 1866 153; L'Abeille XIX. 22)

aquaticus Linn. Schaum 62 *E. b. md.*
semipunctatus F. Fauv. F. g. II. 90
aestuans Motsch. B. M. 1864. 194
? v. strigifrons Baudi B. 1864. 196 *Pe.*
bigeminus Thoms. A' 1883. 112 *E. b. md.*
longipennis Putz. Ab. XIX. 24 *Armen.*
palustris Duft. Schaum 63 *E. b. md.*
v. Germinyi Fauv. Cat. Gren. 63. 1. *P. or.*
laticollis Chaud. Putz. Alp. XIX. 26 *Taur.*
rufipes Curt. Schaum 67 *E. md. Med.*
fulvipes Motsch.
biguttatus F. Schaum 64 *E.*

semipunctatus Sturm
lateralis Motsch B. M. 64. 192 *Ca.*
quadripunctatus Dej. Schm. 67 *E. md. m.*
punctulatus Wesm. *[oc.*
metallicus Costa *I.*
substriatus Waterh. Bed. Fn. Sn. I. 18
puncticollis Küst. *[E. md. m.*
subopacus Chd.
punctulatus Schaum. 65
geminatus Dej. Schaum. 66 *Med.*
v. marginatus GenéPutz. Ab. XIX. 29 *S.*
orientalis Reitt. D. 1889. 251 *Sporad*
interstitialis Rtt. D. 1889. 251 *Gr.*

Trachypachyni.

Trachypachys
Motschulsky.

Zetterstedti Gyllh. Ab. XIX. 34 *L.*

Omophronini.

Omophron
Latreille.
Epactius Schneid.

limbatus F. Schaum 58 *E.*
dubius Herbst
coccinelloides Petagna
rotundatus Chd Ab. XIX. 22 *Ca.*
variegatus Oliv. Dej. Spec. II 259 *Hi.*

Elaphrini.

Blethisa
Bonelli.

multipunctata L. Schaum 77 *E. b. md.*
Eschscholtzi Zoubk. Dej. Spec. V. 585
foveata Gebl. *[Casp.*
victor Fisch.

Diachila
Motschulsky.
Arctobia Thoms.

arctica Gyllh. Dej. Spec. V. 585 *L.*
polita Fald. Ab. XIX. 34 *F.*

Elaphrus
Fabricius.

uliginosus F. Schaum 70 *E. b. md.*
impressifrons Chd. *Ca.*

v. pyrenaeus Fairm. Fn. Fr. I. 7 *P.*
cupreus Duft. Schaum. 71 *E. b. m*
riparius Oliv.
uliginosus Illig.
(n.) arcticus Dej. Spec. II. 272 *I*
lapponicus Gyllh. Dej. Spec. II 273 *E.*
angustus Chd. B. M. 1850 III. 161 *R. m*
riparius L. Schaum. 72 *E*
paludosus Oliv.
baschkiricus Motsch. Ins. Sib. 72 *U*
aureus Müll. Schaum 74 *E. md*
littoralis Dej Spec. II. 275
smaragdinus Reitt. D. 1887. 241 *Morav*
Ullrichi W. Redtb. Schaum. 77 *E. md*
Beranecki Reitt. D. 1887. 242

Lorocerini.

Lorocera
Latreille.

pilicornis F. Schaum 315 *E. b. md.*
aenea Latr.

Scaritini.

Scarites
Fabricius.
(Chaudoir An. Belg. XXIII 1880. 1—130)

eurytus Fisch. Chd. A. B. 1880. 70 *Ca.*
bucerdo Mén.
exasperatus Klug
laetus Fald
oblongus Chaud.
impressicollis Zoubk. Chaud. A. B. 1880
parallelogrammus Motsch. [78 *R. m.*
Motschulskyi Chaud.
salinus Dej. Chd. A. B 1880. 78 *R. m.*
sabuleti Fisch.
Fischeri Zoubk.
crenulatus Chaud.
arenarius Bon. Chd. A. B. 1880. 100 *Md.*
terricola Bon.
laevigatus Fisch.
volgensis Fisch.
persicus Chd.
compressus Coquer.
buparius Forst. A. B. 1880. 103 *Med.*
gigas F.
giganteus Gmel.
Pyracmon Bon.
v. 6-punctatus Chd. B. M. 1843. 722

bucida Pall. Chd. A. B. 1880. 104 *Casp.*
interruptus Fisch.
grandis Fisch.
bulimus Motsch.
platynotus Fisch.
Polyphemus Bon. Chd. A B. 80. 105. *Md.oc.*
saxicola Bon Chd. A. B. 1880. 116 *Med.*
hespericus Dej.
collinus Ramb.
Levaillanti Luc.
costulatus Fairm.
laevigatus F. Chd. A. B. 1880. 120 *Med.*
littoralis Creutz.
sabulosus Oliv.
arenarius Petagn.
tauricus Chaud.
hispanus Motsch.
v. thelonensis Bon. Mem. Tur. 13. 475 *I*

Distichus Motsch.
(Adialampus Gozis ex parte.)

planus Bon. Chd. A. B. 1880. 53 *Med.*
sexpunctatus Mén.
punctatostriatus Redt.
bisquadripunctatus Klug.

Dyschirius
Bonelli.

Putzeys Ann. Soc. Ent. Belg. 1866.

digitatus Dej. Schaum 198 *G.*
thoracicus Rossi Schaum 198 *E.*
arenosus Steph.
niger Ahr.
riparius Mannh.
v. numidicus Putz A. B. 1866. 74 *Med.*
rugicollis Fairm. Lab.
latipennis Seidl. Ver. Herm 1867. 44 *Tr.*
obscurus Gyllh. Schaum 200 *E md. mar.*
hemiolcus Chd. Putz A. B. 1866. 77 *Ca.*
abbreviatus Chaud.
caspius Putz. A. B. 1866. 78 *Casp.*
impunctipennis Daws. Putz. 1866. 66 *E.*
inermis Daws. Schm 202 *[md. b. mar.*
arenosus Putz.
laevistriatus Fairm.
lapponicus Thoms. Sc. Col. I. 13
chalceus Erichs. Schaum 204 *E. md.*
oblongus Putz.
nitidus Schioedte
nitidus Schaum 205 *E.*
inermis Curt.
? v. ovipennis Putz. 1866. 68 *Ga.*

politus Dej. Schaum 206 *E.*
elongatus Ahr.
metallicus Ahr.
strumosus Putz Schaum 208 *E. md. m. or.*
extensus Putz. Schaum 209 *G.*
macroderus Chaud. Schaum 209 *Med.*
protensus Putz.
cylindricus Dej. Schaum 207 *Med.*
angustatus Ahr. Schaum 210 *E. md.*
sabulicola Boisd. Lac.
pusillus Er.
jejunus Daws.
uliginosus Putz. Schaum 212 *G. ?*
pusillus Dej. Schaum 210 *R. m.*
v. clypeatus Putz. 1866. 59 *Si.*
v. nanus Putz. 1866. 60 *Odessa*
punctatus Dej. Schaum 202 *Med.*
morio Putz. 1866. 52
crenulatus Putz. 1866. 71
minutus Putz. 1866. 85
impressus Putz 1866. 83
misellus Schaum 217
micans Gaut. A. 1863. 488
ruficornis Putz. Schaum 213 *E. md. Ca.*
liguriensis Putz. A. B. 1873. 12 *I.*
substriatus Duft. Schaum 217 *Alp. I. Ca.*
bimaculatus Bon.
bipunctatus Grimm.
salinus Schaum 213 *E.*
aeneus Ahr.
punctipennis Putz.
striatopunctatus Putz.
punctatus Steph.
rufipes Steph.
aeneus Dej. Schaum 215 *E.*
paludosus Ahr.
ahenus Ahr.
aereus Ahr.
gibbus Ahr.
tristis Steph.
punctatus Heer
ruthenus Motsch.
subcylindricus Motsch.
remotepunctatus Putz. 1866. 83
chalybaeus Putz. Schaum 201 *Med.*
hispanus Putz. 1866. 94
dentipes Putz. 1866. 80
subaeneus Woll.
euphraticus Putz. 1866. 96
recurvus Putz. 1866. 87 *R. m.*
intermedius Putz. Schaum 216 *E. md.*
silvaticus Thoms.
apicalis Putz. Schaum 217 *Med.*
Bonellii Putz. Schaum 220 *A. R. m.*

Lafertei Putz. 1866. 48 *E. md.*
semistriatus Schaum 221 *G.*
gracilis Heer K. Schw. II. 8 *H.*
dimidiatus Chd. Car. Cauc. 70 *Ca.*
semistriatus Dej Fauv F. g. II. 149 *G. oc. Ga.*
globosus Herbst Schaum 224 *E.*
gibbus F.
minimus Ahr.
laevicollis Ahr.
maritimus Boh.
remotus Marsh.
v. Tournieri Putz. 1866. 234
v. ruficollis Kol. Melet. Ent. I. 23
fulvipes Putz. 1866. 42 *Hi.*
rufoaeneus Chaud. Putz. 1866. 44 *Si.*
aemulus Putz.
algirinus Putz.
africanus Putz.
obsoletus Putz.
importunus Schaum 201 *Med.*
immarginatus Putz. 1866. 45
laeviusculus Putz. Schaum 222 *E. md.*
semistriatus Heer
rufipes Dej. Schaum 223 *E. md. or.*
luticola Chd. Schaum 218 *Med. Ca.*

---

rufilabris Motsch. B. M. 1864. III. 214 *Hi.*
tanaicensis Motsch I. S. 83 *R. m.*

Reicheiodes Ganglbauer.

rotundipennis Chd. Schaum 225 *Alp. o.*
Lederi Reitt. W. 1888. 85 *Ca.*
microphthalmus Heyd. Sp. 58 *Lu.*

Reicheia

Saulcy.

corcyrea Reitt. D. 1884. 103 *Corfu*
lucifuga Saulcy Ab. 6. 145 *Ga. m.*
palustris Saulcy Ab. 17. 78 *C.*
Usl*a*ubi Saulcy Ab. 17. 79 *I.*
praecox Schaum Ab. 6. 146 *Si.*
v. Baudii Ragusa
frondicola Reitt. D. 1881. 189 *D.*
mirabilis Putz.
Raymondi Putz. Ab. 6. 146 *S.*

Spelaeodytes

Miller.

mirabilis Mill. W. E. M. 1863. 28 *Herz.*

Clivina

Latreille.

(Putz. Ann. Soc. Ent. Belg 1866.)

fossor L. Putz. 111 *E.*
arenaria F.
v. prolixa Kiesw. B. 1857. 125 *Gr.*
collaris Herbst. Bed. Fn. S. 47 *E.*
ovipennis Chd. Putz. 112 *Ca.*
v. infuscata Chd. En. Car. Cauc. 69
transcaucasica Putz. 113 *Ca.*
ypsilon Dej. Putz. 113 *E. md. Med. or.*
v. scripta Putz. 113 *Si.*
sicula Baudi B. 1864. 200. Putz. 116 *Hi.*
laevifrons Chd. Putz. 137 *Si.*
lernaea Schaum 288 *Gr.*
subcylindrica Peyr.

Siagonini.

(Chaudoir Bull. Mosc. 1876, 62–125.)

Siagona

Latreille.

europaea Dej. Chd. 91 Fn. S. 43 *Med.*
v. Oberleitneri Dej. Spec. V. 477 *Gr.*
Dejeani Ramb. Chaud. 110 *Hi.*
rufipes Dej. Chaud. 111 *Hi.*
Jenissoni Dej. Chaud. 111 *Hi.*

Coscinia

Dejean.

transcaucasica Chaud. 120 *Ca.*
Semelederi Chaud. 124 *Ga.*
algerina Motsch.

Morionini.

Morio

Latreille.

olympicus Redtb. Russegg. Reise I. 2. 980
colchicus Chd. B. M. 1854. II. 329 *Ca.*
caucasicus Motsch.

Nomiini.

Nomius

Laporte.

pygmaeus Dej. Spec. V. 512 *Ga. Hu.*
graecus Lap. *Gr.*

Apotomini

Apotomus

Illiger.

rufus Oliv. Dej. Spec. I. 450 *Med.*
testaceus Dej. Spec. I. 451 *R. m.*
rufithorax Pecch. A. 1857. 445 *I.*

Carabidae.

Broscini.

(Putz. Stett. Ent. Zeit. 1868. 305.)

Broscus
Panzer.

nobilis Dej. Putz. 308 *Graec.*
rufipes Guér.
cephalotes L. Schaum 356 *E.*
vulgaris Dej. Spec. III. 428
v. semistriatus Fisch. Putz. 309
politus Dej. Putz. 312 *Si.*
crenicollis Schauf. *Bal.*
insularis Pioch. Putz. 312

Miscodera
Eschscholtz.

Leiochiton Curt.
arctica Payk. Schaum 360 *E. b. Alp.*
Readi Curt. *Sc.*

Broscosoma
Putzeys.

baldense Rosh. Putz. 353 *M.Baldo.*

Bembidiini.

(Jacquelin Duval A. 1851 p. 441—576, 1852 p. 101—236.)

Tachypus
Laporte.

Asaphidion Gozis.
pictus Kolenati Mel. Ent. I. 80 *Ca.*
Kolenatii Chd. B. M. 1850. III. 188
caraboides Schrk. Schm. 669. *E. md. Med.*
picipes Duft. Dej. Spec. V. 190
v. nebulosus Rossi Schaum 670 *Med.*
v. nigripes Motsch. K. R. 16 *Ca.*
v. splendidus Heyd. Sp. 64 *Hi.*
Rossii Schaum B. 1857. 150 *Med.*
nebulosus Schaum Stett. 1845. 403
pallipes Duft. Schaum 670 *E.*
cyanicornis Pand. Fauv. F. g. 162 *Ga. m.*
flavipes L. Schaum 671 *E.*
v. curtus Heyd. Sp. 65 *Hi.*
v. Stierlini Heyd. *Si.*
angulicollis Strl. Mith. Schw. 1879. 441
festivus Duval 1851. 467 *C.*

Cillenus
Samouelle.

Cillenum Curt.
lateralis Sam. Schaum 753 *E. md. oc. mar.*

Limnaeum
Stephens.

nigropiceum Marsh. Duv. 211 *E. mar. oc.*
sulcatulum Chd. E. C. Cauc. 233 *Taur.*
Abeillei Bed. Fn. Seine I. 36 *Ga. m. mar.*

Bembidion
Latreille.

Bracteon Bed.
striatum F. Schaum 677 *E. md.*
orichalcicum Duft. Dej. Spec. V. 86
suturale Motsch. Ab. XIX. 478 *Ca.*
foraminosum Sturm Schaum 677 *E. md.*
bipunctatum Duft.
striatum Duv. ex parte
velox L. Bed. Fn. S. 27 *E. b. md.*
impressum Panz. Schaum 676
striatum Payk.
Güntheri Seidl. F. B. 2. 64 *R. b.*
lapponicum Thoms. Sk. Col. I. 197 *L.*
argenteolum Ahr. Schaum 675 *E. b. md.*
v. azureum Gebl. B. M. VI. 27
littorale Oliv. Bed. Fn. S. 28 *E. b. md.*
paludosum Panz. Schaum 674
elegans Germ.

Platytrachelus Motsch.
Eudromus Kirby, Eurytrachelus Motsch.
laticolle Duft. Schaum 678 *E. md. o.*
inserticeps Chd. Ab. XIX. 478 *Ca.*
quadricolle Motsch. Ab. XVIII. 146 *U.*
apicale Mén. Fald. F. Tr. I. 102 *Ca.*
luteipes Motsch. Ab. XVIII. 147 *Ca.*

Chlorodium Motsch.
splendidum Sturm Schaum 689 *E. md. or.*
venustulum Dej. Spec. V. 76
colchicum Chaud. Ab. XIX. 482 *Ca.*

Neja Motsch.
pygmaeum F. Schaum 718 *E. md.*
orichalceum Panz.
orichalcicum Illig.
fornicatum Beck
chalcopterum Dej. Spec. V. 718
v. bilunulatum Bielz Schaum 718
ambiguum Dej. Duv. 496 *Med.*
bifoveolatum Ramb.
mauritanicum Luc.
v. variabile Waltl Duv. 496 *And.*
v. curtulum Duv. 498 *T.*
rugicolle Reiche A. 1855. 635
v. Palumboi Ragusa Sic. VI. 203 *Si.*

Metallina Motsch.

lampros Herbst Schaum 716 *E.*
rufipes Payk.
celere F. Dej. Spec. V. 157
triste F.
pygmaeum Payk.
felixianum Heer
lithuanicum Motsch. K. R. 13 *Lith.*
plumbeum Motsch. K. R. 13 *Pol.*
leucoscelis Chd. Ab. XIX. 480 *Ca.*
v. properans Steph. Duval 504
velox Er.
14 striatum Thoms. Op. 1871. 361
nigricorne Gyllh. Duv.507 *G.b.Belg.E.b.*

Princidium Motsch.

punctulatum Drap. Schm. 680 *E.md.Med.*
striatum Duft. Dej. Spec. V. 93
chlorophanum Sturm
aerosum Er.
velox Daws.
v. Dufouri Perris A. 1864. 276 *Hi.*
ruficolle Gyllh. Schaum 681 *E.b.md.o.*

Actedium Motsch.

pallidipenne Illig. Schaum 689 *E.b.mar.*
Andreae Gyllh. Dej. Spec. V. 96
Küsteri Schaum Stett. 1845. 404 *Med.*
Andreae Germ.
Paulinoi Heyd. Sp. 63 *Lu.*

Testedium Motsch.

bipunctatum L. Schaum 714 *E.*
pyritosum Rossi
(r.) rufobrunneum Heer Fn. Helv. 127
(v.) sexpunctatum Heer F. H. 127
v. nivale Heer F. H. 127 *Alp.*
v. gracile Ramb. F. And. 142 *And.*
laevifrons Schauf.
v. binotatum Motsch. K. R. 16 *Ca.*
v. glabricolle Motsch. K. R. 16 *Ca.*
v. rugiceps Chd. En. Car. Cauc. 198 *Ca.*
v. quadrifossulatum Schm. B. 62. 114 *Gr.*
flavoposticatum Duv. A. 1855. 669 *Hi.m.*
excellens Rosh. Th. And. 43
laetum Brul. Duv. 491 *Med.*
dives Luc.

Notaphus Steph.

dentellum Thunbg. Sk. C. I. 200 *E.b.md.*
flammulatum Clairv. Schaum 683
ustulatum Duft.
undulatum Sturm Dej. Spec. V. 63
majus Gyllh. ex parte
tinctum Zett.
Starki Schaum 683 *Bav. Cro*
varium Oliv. Schaum 684 *E*
ustulatum L. ex parte Dej. Sp. V. 64
flammulatum Duft.
adustum Schaum 686 *E.*
ustulatum Panz.
Sturmi Duft.
fumigatum Dej. Spec. V. 72
rupestre Daws.
obliquum Sturm Schaum 687 *E.b.md.*
fasciatum Motsch. Ins. Sib. 266
v. immaculatum Sahlb. Col. Fenn. 74
hamatum Kolen. Melet. En. I. 75 *Armen.*
ephippium Marsh. Schaum 687 *E.md.m.*
pallidipenne Dej. Spec. V. 74
guadarramense Gaut. Schw. II. 109 *Hi.*

Plataphodes Ganglb.

Fellmani Mannh. Duval 108 *E.b.Ty.*
aeruginosum Gebl.
v. ponojense J. Sahlb. E. F. 75 *L.*

Plataphus Motsch.

virens Gyllh. J. Sahlb. E. F. 76 *E.b.H.*
Pfeiffi Sahlb. Dej. Sp. V. 393
Hasti Sahlb. J. Sahlb. E. F. 76 *E.b.*
cupripenne Gem. Har. Sahlb. E. F. 77 *L.*
cupreum Motsch. I. Sib. 247
prasinum Duft. Schaum 682 *E.b.G.*
olivaceum Gyll.
Leachi Steph.
Eichhoffi Bach
litigiosum Motsch.
coelestinum Motsch.
(r.) Kolstroemi J. Sahlb. E. F. 78 *L.*
depressum Mén. Duval 108 *Ca.*
Gotschi Chd. En. Car. Cauc. 202 *Ca.*

Peryphus Steph.

macrophthalmum Reitt. W. 1890 *Ca.*
fasciolatum Duft. Schaum 705 *E.md.*
v. coeruleum Dej. Spec. V. 133 *Med.*
distinctum Luc. Expl. Alg. 84
cyaneum Chd. En. Carab. 204
atrocoeruleum Steph. Schm. 707 *E.md.o.*
cyanescens Wesm.
cumatile Schioedte *Dan.*
conforme Dej. Schaum 705 *Alp.*
tibiale Duft. Schaum 708 *E.md.m.*
complanatum Heer
cnemerythrum Steph.
affine Redtb. F. A. 2. 79
tricolor F. Schaum 703 *E.md.*

Erichsoni Duval 117
planipenne Duval 107 *T.*
peliopterum Chd. B. M. 1850. III. 182 *Ca.*
eques Sturm Schaum 704 *Alp. m.*
v. bulsanense Gredl. Käf. Tirol 60 *Ti.*
fulvipes Sturm Schaum 712 *E. md. b.*
distinctum Dej. Spec. V. 137
picipes Sturm
combustum Mén. Duval 572 *Ca.*
lividipenne Mén. Fald. Fn. Tr. I. 107
nobile Rottenbg. *Si. Gr.*
testaceipenne Mén. Fald. Fn. Tr. I. 106 *Ca.*
castaneipenne Duval 575 *T.*
multipunctatum Motsch. K. R. 10 *Ca.*
ripicola Duf. Duv. Glan. E. II. 157 *E. md. m.*
tricolor Duv. A. 1852. 120
v. scapulare Dej. Spec. V. 104
v. oblongum Dej. Schaum 702
dimidiatum Mén. Cat. 139
nigricolle Redtenb. F. A. 1. 111
v. testaceum Duft. Duv. Glan. II. 157
obsoletum Dej. Spec. V. 118
neglectum Daws.
v. parallelipenne Chd. BM. 1850. 183 *Ca.*
v. luridum Fald. Fn. Tr. 109 *Ca.*
fluviatile Dej. Schaum 696 *G. m. E. m.*
concinnum Steph. Schaum 700 *E. oc. mar.*
dorsuarium Bed. Fn. S. 31
Andreae F. Schaum 700 *E. m.*
cruciatum Dej. Spec. V. 114
v. distinguendum Duv. Schaum 698
v. Bualei Duv. 134 *E. md.*
puellum Duval
cruciatum Schioedte
anglicanum Sharp.
v. repandum J. Sahlbg. E. F. 78 *L.*
v. femoratum Sturm Schaum 700 *E. md.*
maritimum Steph.
fraxator Fald. *Ca.*
v. xanthomum Chd. B. M. 1850. 190 *Ca.*
basale Chd. En. Car. Cauc. 201
Chaudoiri Motsch. K. R. 11
v. persicum Mén. Fald. F. Tr. I. 111 *Ca.*
hispanicum Dej. Spec. V. 116 *Hi.*
dromioides Duval 135 *Si.*
lusitanicum Putz. Duv. 141 *Lu.*
quadriflammeum Reitt. D. 89. 274 *Ca.*
ustulatum L. Duval 143 *E.*
littorale Oliv. Schaum 697
rupestre F.
Andreae Er.
tetraspilotum Steph.
v. corpulentum Motsch. K. R. 11 *Ca.*
v. subcostatum Motsch. K. R. 11 *Ca.*

ovipenne Chd. En. Carab. Cauc. 200
oopterum Chaud. B. M. 1850. III. 190
fasciatum Chd. En. Carab. Cauc. 199 *Ca.*
rupestre L. Bedel Fn. S. 32 *E. b. md.*
bruxellense Wesm. Schaum 699
femoratum Gyllh.
obscurum Redtb.
caucasicum Motsch. *Ca.*
saxatile Gyllh. Schaum 701 *E. b. md.*
elegans Steph.
lunatum Duft. Schaum 695 *E. b. md.*
ustum Steph.
ustum Quens. Duval 150 *R. m.*
signatipenne Duval 151 *T.*
bisignatum Mén. Schaum 696 *Ca. Alp. m.*
terminale Heer *H.*
pulcherrimum Motsch. K. R. 10 *Ca.*
v. biguttatum Motsch. K. R. 9
adusticauda Costa *I.*
modestum F. Schaum 712 *E. md.*
cursor F.
perplexum Dej. Spec. V. 138
decorum Panz. Schaum 711 *E. md. b.*
agile Steph.
luridum Suffr.
siculum Dej. Duval 567 *Si.*
Lafertei Duv. 574 *S.*
parnassicum Mill. Verh. z. b.
grandipenne Schaum B. 1862. 113 *Gr.*
fraxator Mén. Cat. rais. 138 *Ca.*
dalmatinum Dej. Schm. B. 1862. 112 *Med.*
?saphyreum Gaut. Sch. M. III. 133 *Si.*
praeustum Dej. Spec. V. 120 *Med.*
?lucidipenne Gaut. Sch. M. II. 113 *C.*
Fauveli Ganglb. *Ga. m. Si.*
praeustum Duv. 576
Stephensi Crotch Cat. Brit. Col. *E. md.*
affine Steph. Schaum B. 1862. 113
heterocerum Seidl. F. Tr. 78
?heterocerum Thoms. Sk. Col. X. 290
nitidulum Marsh. Schaum 709 *E. b. md.*
rufipes Gyllh. Dej. Spec. V. 141
brunnipes Sturm
deletum Dej. Spec. V. 122
v. alpinum Dej. Spec. V. 143 *Alp.*
geniculatum Heer K. Schw. II. 51
brunnicorne Dej. Schaum 709 *E. md. m. or.*
v. Milleri Duval 1851. 563. Schm. 710
lateritium Mill.
cordicolle Duval 571 *T.*
monticola Strm. Schaum 711 *E. md.*
fuscicorne Dej. Spec. V. 139
hypocrita Dej. Duv. 518 *Med. oc.*
distans Rosh.

fastidiosum Duv. 563 *Istr. D.*
Steinbühleri Ganglb. *Istr. D.*
maritimum Küst. Käf. VIII. 41
Sahlbergi Dej. J. Sahlb. E. F. 82 *L. F.*
brunnipes Sahlb. Duval 564
Grapei Gyllh. Thoms. Sk. Col. I. 404 *E. b.*
aereum Duv. 508 *L.*
transsilvanicum Bielz V. Hrm. 52. 14 *Tr.*
v. cardionotum Putz. D. 75. 363 *Hu. b. o.*

Synechostictus Motsch.

Dahli Dej. Duv. 548 *Med.*
multisulcatum Reitt. W. 1890. 14 *Ca.*
sulcipenne Reitt. D. 1889. 273
cribrum Duv. 549 *Med. oc.*
elongatum Luc.
ruficorne Strm. Schaum 691 *E. md.*
rufipes Illig. Duv. 552
brunnipes Dej. Spec. V. 144
v. Millerianum Heyd. Ca. Col. Eur. Cauc.
basale Mill. W. z. b. 1868. 12 [3. 8
stomoides Dej. Schaum 692 *E. md.*
atroviolaceum Duv.
? basale Motsch. Ins. Sib. 242 *Ca.*
decoratum Duft. Fauvel F. g. II. 182 *E. md.*
albipes Strm. Schaum 693
crenatum Dej. Spec. V. 147
elongatum Dej. Schaum 692 *Med.*
puncticolle Dufour
v Nordmanni Chd. B. M. 1844. III. 542
effluviorum Peyr. A. 1858. 366 *Ca.*
moschatum Peyr. A. 1858 367
tarsicum Peyr. A. 1858. 368

Pseudolimnaeum Kr.

inustum Duv. A. 1857. 103 *E. md. oc.*
Biasiolii Gredl. Col. Ti. 1876. 104 *Ti.*
Eichhoffi Kr. D. 1888. 365 *G. oc.*
longicolle Motsch. Ab. 16. 54 *Ca.*
Lederi Reitt. W. 1888. 62 *Ca.*
circassicum Reitt. W. 1890 *Ca. oc.*

Talanes Motsch.

aspericolle Germ. Schm. 713 *E. md.*
lepidum Dej. Spec. V. 171
subfasciatum Chd. Schm. 714 *D. E. md. o.*

Emphanes Motsch.

minimum F. Schaum 719 *E.*
pusillum Gyllh. Duv. 525
minutum Serv.
v. rivulare Dej. Schaum 719 *Med.*
v. latiplaga Chaud. Schaum 720 *Med.*
tetraspilotum Schauf. W. z. b. 81. 620
normannum Dej. Schm. 720 *E. md. m. mar.*
volgense Beck. Ab. IV. 14 *R. m.*

Testediolum Ganglb.

glaciale Heer Schaum 715 *Alp. Carp.*
pyrenaeum Dej. Schaum 716 *P. Alp. oc.*
rhaeticum Heer K. Schw. II. 50
agile Duv. 511 *C.*
turcicum Gem. Cat. M. 423 *Bosn. T.*
versicolor Duv. 515
substriatum Chd. Car. Cauc. 205 *Ca.*
v. caucasicum Motsch. K. R. 13 *Ca.*
v. seriatum Motsch. K. R. 14 *Ca.*
v. angusticolle Motsch. K. R. 14 *Ca.*
v. armeniacum Chd. E. Car. Cauc. 205 *Ca.*

Nepha Motsch.

Menetriesi Kol. Mel. Ent. I. 76 *Ca.*
quadriguttatum F. Schaum 731 *E.*
v. quadriplagiatum Küst. K. XVIII. 16 *D.*
v. Genei Küst. K. Eur. IX. 21 *Si.*
v. speculare Küst. K. Eur. IX. 22 *Hi.*
v. tetragrammum Chd. Car. Cau. 208 *Ca.*
v. glabrum Motsch. K. R. 12 *R. m.*
ibericum Pioch. A' 1867. 80 *Hi. c.*
cantalicum Fauv. F. g. 188 *Cantal.*
laterale Dej. Spec. V. 185 *E. md. oc. Med. oc.*
callosum Küst. Duval 40
semipunctatum Graëlls
tetrasemum Chd. Car. Cauc. 207 *Ca. oc.*

Lopha Steph.

quadripustulatum Serv. Schm. 732 *E. md.*
quadriguttatum Oliv. [*Med.*
quadrimaculatum L. Schaum 733 *E.*
quadriguttatum Serv.
subglobosum Rossi
pulchellum Panz.
v. formosum Sahlb. E. F. 86
v. coarctatum Sahlb. E. F. 86
humerale Strm. Schaum 734 *E. b. md.*
pulchrum Gyllh.
bellum Sahlb.
tenellum Erichs. Schaum 720 *E. md. Med.*
Doris Duft.
v. triste Schilsky D. 1888. 181
Chaudoiri Chd. B. M 50. III. 179 *R. m.*
gilvipes Strm. Schaum 727 *E. b. md.*
Mannerheimi Dej. Sp. V. 167
Kollari Dej. Sp. V. 167
Schüppeli Dej. Schaum 727 *E. b.*
Sahlbergi Zett.

Trepanes Motsch.

Doris Gyllh. Schaum 728 *E. b. md.*
assimile Steph.
v. aquaticum Panz. Fn. Germ. 38
aquatile Illig.
minutum Duft.
quadriplagiatum Motsch. J. S. 250 *R. m.*
articulatum Gyll. Schaum 730 *E.*
poecilum Steph.

subglobosum Payk.
octomaculatum Goez. Bd Fn. 142 *E. md. m.*
Sturmi Panz. Schaum 729
pictum Duft.
maculatum Dej. Duv. 531 *Med.*

C a m p a Motsch.

fumigatum Duft. Schaum 736 *E. md.*
stictum Steph.
Dejeani Putz.
contaminatum J. Sahlb. E. F. 83 *E. b.*
guttulatum Chd. B. M. 1850. 189 *R. m.*
bisulcatum Chd. B. M. 1844. 452 *R. m.*
assimile Gyllh. Schaum 734 *E. b. md.*
guttula Duft.
Doris Steph.
Spencei Steph.
haemorrhoidale Steph.
castanopterum Steph.
Clarki Daws. Schaum 735 *E. b. md.*
Dejeani Heyd. *Taur.*
dentellum Dej. Duval 172

P h y l a Motsch.

obtusum Sturm Schaum 741 *E.*
immune Steph.
pusillum Steph.
gracile Steph.
v. rectangulum Duv. 184 *Sic.*

P h i l o c h t h u s Steph.

toletanum Perris A. 1864. 277 *Hi. md.*
vicinum Luc. Duval 178 *Med.*
crassicorne Putz. A. B. 1878. 77 *Ca.*
Mannerheimi Sahlb. Schaum 740 *E. b. md.*
haemorrhoum Steph.
unicolor Chaud.
grandicolle Motsch. K. R. 14
guttula F. Schaum 739 *E.*
bipustulatum Redtb. F. A. ed. 2. 81
biguttatum F. Schaum 737 *E.*
vulneratum Dej. Spec. V. 182
inoptatum Schaum B. 1857. 149 *Med.*
biguttatum Redt. F. A. ed. 3. 87 *A.*
iricolor Bed. Fn. S. I. 35 *E. md. oc. Med.*
lunulatum Fourc. Bed. Fn. S. I. 35 *E. md.*
riparium Oliv. Kr. B. 1873. 216 *Med.*
biguttatum Gyllh. Dej. Spec. V. 180
guttula Redtb. F. A. ed. II. 81
orbicolle Motsch. K. R. 14 *Armen.*

Ocys
Stephens.

harpaloides Serv. Bed. Fn. S. 96 *E. md.*
rufescens Guér. Schaum 742 [*Med.*
tempestivus Steph.
melanocephalus Steph.
quinquestriatus Gyllh. Schm. 742 *E. b.*
pumilio Duft. Dej. Sp. V. 48 [*md. Med.*
acrocolium Beck.
currens Steph.
v. subtilis Schaum B. 1857. 148 *Gr.*

Tachys
Stephens.
Reitter W. 1884. 116–124.

T a c h y u r a Motsch.

globulus Dej. Reitt. 117 *E. m.*
globosus Baudi Reitt W. 86. 332 *Casp.*
bisulcatus Nicol. Reitt. 117 *E. md. m.*
Focki Humm.
latipennis Sturm
silaceus Dej.
haemorrhoidalis Dej. Reitt. 118 *E. m.*
v. socius Schaum Reitt. l. c.
corsicus Gaut.
Lucasi Duv. Reitt. 118 *E. m.*
guttiger Reiche
unicolor Ragusa Sic. 1887. 140 *Si.*
sexstriatus Duft. Reitt. 118 *E. md.*
angustatus Dej.
v. inaequalis Kolen. Reitt. 118 *Ca.*
v. tetragraphus Reitt. 118 *E. Ca.*
v. crux Putz. Reitt. 119 *Hu. b. o.*
v. apristoides Rottbg. Reitt. 119 *Si.*
anomalus Kolen. Reitt. 119 *Ca.*
decoloratus Chaud. Reitt. 119 *Ca.*
quadrisignatus Duft. Reitt. 119 *E. b. md.*
parvulus Dej. Reitt. 120 *E. md. m.*
pulicarius Dej.
v. quadrinaevus Reitt. 120 *Gr. And.*
v. diabrachys Kolen. *Ca.*

T a c h y s s. str.

fulvicollis Dej. Reitt. 121 *D. Ga. m.*
subfasciatus Motsch.
pallidulus Mén.
sulcifrons Chaud.
rubicundus Chaud.
insularis Ragusa
bistriatus Duft. Reitt. 121 *E.*
v. elongatulus Dej. Reitt. l. c.
rufulus Rey
parallelus Motsch.
v. testaceus Motsch. Reitt. l. c.
luridus Rey
pygmaeus Fisch.
v. gregarius Chaud. Reitt. l. c.
nigrifrons Fauv.
v. caspicus Kolen. Reitt. l. c. *Ca.*

transparens Motsch.
scutellaris Steph. Reitt. 122 *E.m.mar.*
taurious Motsch.
v. dimidiatus Motsch. Reitt. l. c.
bipartitus Duv.
?vittatus Motsch. Reitt. l. c. *C.*
v. atratus Costa Att. Napol. 1883 *S.*
pallidus Reitt. 122 *Lenkoran*
cardioderus Chaud. Reitt. 123 *Ca.*
algiricus Luc. Reitt. 123 *And.*
andalusiacus Motsch.
dilatatus Rottenberg *Si.*
brevicornis Chd. Reitt. 123 *Ti. I. b. Ca.*
minutissimus Motsch. *Ga.*

Tachyta
Kirby.

Tachymenis Motsch.

nana Gyllh. Schaum 747 *E.*
quadristriata Illig.
minima Duft.
laticollis Motsch.

Limnastis
Motschulsky.

galilaeus Brûl. Rtt. W. 84. 124 *Ga. m. S. C.*
narentinus Reitt. W. 1884. 124 *D.*

Anillus
Duval.

coecus Duv. A. 1852. 222 *Ga. m.*
Mayeti Bris. A. 1878. B. 62 *Ga. m.*
hypogaeus Aubé A. 1861. 197 *Ga. m.*
convexus Saulcy A. 1864. 255 *Ga. m.*
florentinus Dieck. B. 1869. 344 *Tosc.*
corsicus Perris Ab. VII. 5 *C.*
frater Aubé Cat. Gren. 1863. 4 *Ga. m.*

Typhlocharis
Dieck.

baetica Ehl. D. 1883. 31 *Corduba*
Diecki Ehl. D. 1883. 31 *Hi. md.*

Geocharis
Ehlers.

cordubensis Dieck B. 1869. 344 *Corduba*
Masinissa Dieck B. 1869. 343 *And.*

Scotodipnus
Schaum.

Microtyphlus Lind.

Pandellei Saulcy Cat. Gren. 1867. 162 *P.*
taurinensis Baudi B. I. 1871. 34 *Turin*
guadarramus Ehl. B. 83. 32 *Guadarrama*
Schaumi Saulcy Cat. Gren. 1863. 6 *P. o.*
Revelierei Perris A. 1865. 505 *C.*
Aubei Saulcy Cat. Gren. 1863. 5 *Par.*
perpusillus Rottbg. B. 74. 239 *Salonichi*

Scotodipnus s. str.

Saulcyi Dieck B. 1869. 345 *Apenn.*
glaber Baudi B. I. 1871. 30 *Alp. mar.*
subalpinus Baudi B. I. 1871. 31 *Alp. Lep.*
hirtus Dieck B. 1869. 346 *Col di Tenda.*
affinis Baudi B. I. 1871. 32 *Mt. Lesima*
alpinus Baudi B. I. 1871. 33 *Alp. Cott.*

Dicropterus Ehlers.

brevipennis Friv. Term. Füz. 79. 4 *Hu. m. a.*
quadricollis Ehl. B. 1883. 32 *I. md.*

Trechini.

Aëpus
Samouelle.

marinus Ström. Bed. F. S. I. 39 *D. Ga. b. Br.*
fulvescens Sam.
Robini Laboulb. Bed. F. S. I. 39 *Ga. b. Br.*
fulvescens Brull.

Perileptus
Schaum.

Blemus Lap. Bedel.

areolatus Creutz. Schm. 664 *E md. Med.*
acuticornis Duf.
depressus Steph.
v. niger Heyd. D. 1880. 286 *Astur.*

Thalassophilus
Wallaston.

longicornis Strm. Schaum 635 *E. md.*
littoralis Dej. Spec. V. 7

Trechoblemus
Ganglbauer.

micros Herbst Schaum 634 *E. b. md.*
rubens Duft.
planatus Duft.
sericeus Fleisch.
flavus Sturm
v. quadricollis Putz. Stett. 1871. 15 *R. l.*

Lasiotrechus
Ganglbauer.

discus F. Schaum 633 *E. b. md.*
unifasciatus Panz.
Mariae Humm.

Trechus
Clairville, Ganglbauer.
Putzeys Stett. Ent. Zeit. 1870. 7—48. 145—201.

Trechus s. st.

Phanerophthalmus Motsch.

rivularis Gyllh. Schaum 656 *E.b.Br.G.b.*
incilis Daws.
rubens F. Schaum 638 *E. b. md.*
palpalis Duft.
paludosus Strm. Dej. Spec. V. 8
pallidus Strm.
amplicollis Fairm. Putz. 163 *Ga. m.*
sculptus Schaum 637 *Sil.*
quadristriatus Schrnk. Bed. F. S. 41 *E.*
minutus F. Schaum 640
rubens Dej. Spec. V. 12
tempestivus Panz.
politus Fald. *Ca.*
amaurocephalus Kol.
rufulus Motsch.
piciventris Graëlls
obtusus Er. Schaum 641 Putz. 179 *E. md.*
castanopterus Heer
obtusiusculus Ganglb. D. 1889. 48 *Bosn.*
infuscatus Chd. Putz. 181 *Arm.*
vicinus Putz. 179
nigrinus Putz. Schaum 642 *Alp. or.*
maurus Putz.
? tristis Duft.
liopleurus Chd. Putz. 178 *Arm.*
rufulus Dej. Putz. 177 *Med.*
planipennis Rosh. Th. And. 41 *And.*
Barnevillei Pand. Putz. 177 *Hi. b.*
Chaudoiri Levrat Soc. Lyon 1859. 43 *Si.*
austriacus Dej. Schaum 639 *A. I. b.*
platypterus Sturm Schaum 640 *G.*
utschderensis Reitt. D. 1890. 165 *Ca. oc.*
palpalis Dej. Schaum 643 *Alp. or. Carp.*
testaceus Duft.
? styriacus Grimm.
v. cardioderus Putz. 160 *Tr.*
Fairmairei Pand. Putz. 163 *I. b.*
binotatus Putz. 165
subnotatus Dej. Putz. 165 *Gr. Ill.*
v. pallidipennis Schaum B. 1860. 89
quadrinotatus Reitt. D. 1887. 242 *Creta*
quadrimaculatus Motsch. Käf. R. 7. *Ca.*
v. agilis Motsch. l. c.
Diecki Putz. 195 *Hi. m.*
Putzeysi Pand. Putz. 150 *Alp. mar.*
montanellus Gemm. Har. Putz. 46 *Sudet.*
montanus Putz. Schaum 643
splendens Gemm. Har. Putz. 46 *Sud.*

♂ micans Schaum 644 *Alp. or.*
latus Putz. Schaum 651 *Carp. Sud.*
constrictus Schaum 651 *St. Car.*
plicatulus Mill. Putz. 163 *Carp. or.*
banaticus Dej. Putz. 147 *Ban. Tr.*
Dejeani Putz. 148 *Tr.*
elongatulus Putz. 148 *Ca.*
Ithae Reitt. W. 1888. 83 *Ca.*
caucasicus Chd. Putz. 151 *Ca.*
mingrelicus Reitt. D. 1885. 355 *Ca.*
nivicola Chaud. Putz. 157 *Ca.*
maculicornis Chaud. Putz. 157 *Ca.*
fischtensis Reitt. W. 1888. 83 *Ca.*
alpigradus Reitt. W. 1888. 83 *Ca.*
suturalis Putz. 156 *Hi.*
oopterus Pioch.
Pandellei Putz. 150 *Hi.*
piciventris Pand.
Uhagoni Crotch Putz. 194 *Hi.*
Bonvouloiri Pand. Putz. 152 *P.*
cantalicus Fauv. R. 88. 221 *Lioran*
distigma Kiesw. Putz. 43 *P.*
Grenieri Pand. Putz. 145 *H-P.*
Abeillei Pand. Ab. Cavern. 13 *P.*
pyrenaeus Dej. Putz. 155 *P. o.*
latebricola Kiesw. Putz. 155 *P.*
♀ pinguis Kiesw. Putz. 43
regularis Putz. 159 *Koralpe*
longobardus Putz. 158 *Lomb.*
Delarouzeei Pand. Putz. 155 *B.-Alp.*
Aubei Putz. 150 *MV.*
striatulus Putz. Schaum 650 *Sud. Carp.*
marginalis Schaum B. 1862. 264 *Tr.*
rhilensis Kaufm. W. 1884. 145 *Rhilo.*
pulchellus Putz. Schm. 655 *Sud. Carp.*
rotundatus Dej. Schaum 656 *St. Car.*
sinuatus Schaum 647 *Alp. or.*
modestus Putz. Stett. 1874. 79 *Pe.*
glacialis Heer Schaum 649. Putz. 36 *H.*
piceus Putz. Stett. 1847. 312 *Car.*
patruelis Putz. Stett. 1847. 310 *Car.*
Schaumi Pand. Mat. Gren. 67. 141 *H.*
? v. assimilis Heer Putz. 36 *H.*
? v. profundestriatus Heer Putz. 37 *H.*
? v. macrocephalus Heer Putz. 37 *H.*
? v. Pertyi Heer Putz. 37 *H.*
? v. brevipennis Heer Putz. 37 *H.*
Heeri Tourn. Stett. 1870. 194 *H.*
Hampei Ganglb. *A. St. Car.*
angustatus Hampe Stett. 1850. 347
laevipennis Schaum 648
glacialis Pand. Mat. Gren. 1867. 142
distinctus Fairm. Putz. 35 *H.-P.*
angusticollis Kiesw. Putz. 34 *P. c.*

mutatus Bedel A. 1876. B. 124 *H.-P.*
Kiesenwetteri Pand. Putz. 34
subcordatus Chaud. Putz. 39 *Ca.*
cavernicola Friv. Term.Füz.1881.26 *Cro.*
croaticus Dej.Schm.654 *Cro.Cr.Carn.*
alpicola Sturm D. I. VI. 95 *Alp. or.*
lithophilus Putz. Schaum 653
rotundipennis Duft. Schaum 652 *A. St.*
alpinus Dej. ex parte
limacodes Dej. Schaum 655 *Alp. or.*
? decorus Grimm. *St.*
elegans Putz. Schaum 647 *St.*
ovatus Putz. Schaum 646 *A. St.*
pallescens Redtb.
ochreatus Redtb.
macilentus Gemm. Har.
saxicola Putz. 27 *Astur.*
Lederi Putz. Schneid. Led. Cauc. 82 *Ca.*
planiusculus Fairm. 1861. 578 *P.*
Brucki Fairm. Putz. 28
politus Fairm. A. 1861. 578
oblongus Schaum
Schaufussi Putz. 29 *Lu.*
ochreatus Dej. Schaum 645 *A. St.*
Milleri Redtb.
complanatus Putz. Stett. 1872. 167 *Hi.*
strigipennis Kiesw. Putz. 26 *MR.*
Artemisiae Putz. 167 *Pe.*
grandiceps Reitt. D. 1885. 355 *Ca.*
exaratus Schaum 636 *St. Car.*
eximius Putz. 30
Longhii Com. Putz. 25 *Pe. Mte. Baldo.*
procerus Putz. 23 *Tr.*
corpulentus Weise D. 1875. 356 *Carp.or.*
subterraneus Mill. Putz. 24 *Carp. or.*
microphthalmus Mill. Putz. 22 *Tatra*
spelaeus Reitt. B. 1869. 361
ruthenus Reitt. D. 1876. 36 *Carp. or.*
microphthalmus Reitt. B. 1869. 363
baldensis Putz. 26 *MB.*
diaphanus Rottbg. B. 1874. 328 *Tayget.*
fulvus Dej. Putz. 17 *Hi. Lu. Ga.*
lapidosus Daws. *Br.*
Perezi Crotch
v. cephalotes Putz. 19 *P. o.*
fulvus Fairm.
Lallemanti Fairm. *Alg.*
galloprovincialis Ab.A'1876.8 *Ga. m. or.*
Raymondi Pand. Putz. 16
aveyronensis Fauv. R. 1882. 70 *Rodez*
Delhermi Saulcy Bul. Girond. 80. 60 *Ga.*
Beusti Schauf. Sitzb. Isis 1863. 149 *Hi.*
navaricus Vuillefr. A. 1869. 49 *B.-P.*

planiusculus Costa Ric. Ent. Mot. *D. I. m*

Anophthalmus Schmidt.

swaneticus Reitt. B. 1877. 289 *Ca*
circassicus Reitt. W. 1888. 84 *Ca.*
Nakeralae Rtt. Rev. mens. Ent. P. I. 71 *Ca.*
Krueperi Schaum B. 1862. 111 *Parnass*
Oertzeni Mill. z. b. W. 1863. 264 *Parn.*
siculus Baudi Nat. Sic. I. 116 *Si.*
balcanicus Friv. Term. Füz. 79. 231 *Balk.*
turcicus Friv. Term. Füz. 1880. 261 *T.*
Bielzi Seidl. Verh. Herm. 67. 45 *Carp. or.*
pilosellus Mill. z. b. W. 1868. 11
Budae Kenderesy Trm. Füz. 79. 6 *Hunyad.*
Hegedüsi Friv. Term. Füz. 80. 179 *Hu. m.*
dacicus Friv. Term. Füz. 1883. 9 *Hu. m. or.*
Merkli Friv. Term. Füz. 77. 246 *Hunyad.*
cognatus Friv. Term. Füz. 79. 1 *Bihar C.*
Milleri Friv. W. E. M. 82. 327 *Krassow. C.*
Herculis Friv. Term. Füz. 89. 159 *Banat*
paroecus Friv. Term. Füz. 78. 13 *BiharC.*
Redtenbacheri Friv. Term. 78. 13 *BiharC.*
Eurydice Schauf. A. 1881. B. 86 *Cro.*
Reitteri Mill. V. z. b. Wien 1880. 203 *Cro.*
Acherontius Schauf. A. 1881. B 86
Erichsoni Schauf. V. z. b. W. 64. 674 *Mont.*
dalmatinus Mill. W. E M 1861. 255 *D.*
v. suturalis Schauf. V. z. b. W. 64. 673
amabilis Schauf. V. z. b. Wien. 63. 1220 *D.*
Bilimeki Sturm Schaum 659 *Carn. inf.*
(v.) robustus Motsch. Et. Ent. XI. 43
(v.) oblongicollis Jos. B. 1870. 262
Hacqueti Sturm Schaum 659 *Carn. sup.*
(v.) oblongus Motsch. Et. Ent. XI. 45
oszailensis Bed. A. 1876. B. 124 *Cro.*
croaticus Hampe B. 1870. 332
likanensis Schauf. A. 1882. B. 125 *Cro.*
(v.) vexator Schauf. l. c.
Kiesenwetteri Schaum B. 1862. 419 *Cro.*
(v.) rectangularis Schauf. A. 1882. B. 126
Schmidti Strm. Schaum 661 *Carn.*
(v.) Motschulskyi Schmidt. V. z. b. 60. 671
(v.) trechoides Motsch. Et. Ent. XI. 44
(v.) cordicollis Motsch. Et. Ent. XI. 43
Schaumi Schmidt Schaum 661 *Carn.*
(v.) globulipennis Schmidt Schaum 660
(v.) planipennis Joseph B. 1870, 264
Scopolii Sturm Schaum 662 *Carn.*
hirtus Sturm Schaum 662 *Carn.*
♂ costulatus Motsch. Et. Ent. XI. 42
(v.) longicornis Motsch. l. c. 40
(v.) rostratus Motsch. l. c. 43
(v.) convexus Joseph B. 1870. 267

(v.)spectabilis Joseph B. 1870. 267
pubens Bed. A. 1876. B. 125 *Carn.*
pubescens Joseph B. 1870. 268
v. amplus Joseph l. c. 269
capillatus Joseph B. 1870. 269 *Carn. inf.*
Targionii Torre Gestro A. Gen. 1885. 146
Doriae Fairm. A. 1859. 25 *Lig.[Venetia*
liguricus Dieck B. 1869. 342
Picciolii Bedel A. 1876. B. 124 *Apennin*
Brucki Piccioli B. I. 1870. 306
Doderoi Gestro A. Gen. 1885. 139 *Lig.*
Ramorinii Gestro A. Gen. 87—88. 502 *Lig.*
Canevae Gestro A. Gen. 1885. 141 *Lig.*
Spagnolii Gestro A. Gen. 1885. 143 *Lig.*
Vaccae Gestro A. Gen. 1885. 532 *Lig.*
Gentilei Gestro A. Gen. 1885. 142. 531 *Lig.*
apenninus Gestro A. Gen. 1885. 533 *Lig.*
Carantii Sella Gestro A. Gen 85. 82 *Cuneo.*
Ghilianii Fairm. Gest. A. Gen. 85. 144 *M V.*
lantosquensis Ab. A' 1880. 128 *Pe.*
Clairi Ab. A' 1880. 129 *Alp. m.*
Lespesi Fairm. Cat. Gren. 1863. 4 *Ga. m.*
Mayeti Ab. A. 1875. 213 *Ardechè*
Simoni Ab. A' 1880. 129 *Hérault.*
delphinensis Ab. A. 1869. 406 *Drôme*
v. Villardi Bed. A' 1883. 37
Auberti Gren. A. 1864. 135 *Var*
Magdalenae Ab. A. 1869. 408
Raymondi Delar. A. 1859. 66 *Var*
gallicus Delarouz. A. 1857. B. 94 *B.-P.*
Orpheus Dieck B. 1869. 341 *Ariège*
consorranus Dieck Ab Cavern. 72. 16
Discontignyi Fairm. Cat. Gren 63. 3 *H.-P.*
orcinus Linder A. 1859. 72 *H.-P.*
Trophonius Ab. Cavern. 1872. 13 *Ariège*
Gounellei Bed. A. 1879. B. 136 *Drôme*
v. Argodi Ab. R. 1886. 140 *Ferrières*
obesus Ab. R. 1886. 140 *St. Même*
Rhadamanthus Lind. A. 1860. 611 *B.-P.*
Croissandeaui Argod. A' 1887. 169 *Ariège*
bucephalus Dieck B. 1869. 341 *Ariège*
Pandellei Lind. A. 1859. 72 *B.-P.*
Brisouti Ab. A. 1860. B. 8 *H.-P.*
Chaudoiri Bris. Cat. Gren. 1867. 161 *P.*
Minos Linder A' 1859. 258 *Ariège*

Aphaenops Bonv.

Pluto Dieck B. 1869. 339 *Ariège*
Leschenaulti Bonv. A. 1861. 568 *H.-P.*
crypticola Lind. A. 1859. 71 *H.-P.*
Tiresias Pioch. A. 1872. 443 *Ariège*
Cerberus Dieck B. 1869. 340 *Ariège*
v. Charon Dieck l. c.
v. inaequalis Ab. Cavern. 1872. 14

Aeacus Saulcy A. 1864. 254 *H.-P.*
Ehlersi Ab. Cavernic. 1872. 15 *Ariège*

Epaphius
Leach.

secalis Payk. Schaum 657 *E. b. md.*
testaceus F.

Pogonini.

Chaudoir A. B. XIV. 1870—71; 22—38.

Cardioderus
Dejean.

chloroticus Dej. Sp. III. 22 *R. m. Sib.*

Pogonus
Dejean.

pallidipennis Dej. Sp. III. 7 *Med. oc.*
luridipennis Germ Schaum 373 *E. md. m.*
Burelli Curtis
(v.) flavipennis Dej Sp. III. 8 *Hi.*
iridipennis Nic. Schaum 373 *E. md. Ca.*
brevicollis Mannh.
? apricans Motsch. K. Russl. 6 *R.*
(v.) fulvipennis Dej. Sp. V. 702
gilvipes Dej. Sp. III. 14. Chd. 26 *Med.*
apicalis Küst. K. E. XXV. 37
parallelus Chd. A. B. 27
reticulatus Schaum B. 1857. 136 *Gr.*
littoralis Duft. Dej. III. 11 *E. md. occ. Med.*
pilipes Germ.
aeruginosus Steph.
chalceus Marsh. Schaum 374 *E. md. Med.*
parallelopipedus Marsh.
halophilus Nic. Dej. Sp. III. 13
littoralis Steph.
v. viridanus Dej. Sp. III. 14 *Hi. Si.*
smaragdinus Waltl Chd. 28 *And.*
viridimicans Fairm. A. 1852. 69
orientalis Dej. Chd. 29 *R. m.*
riparius Dej. Sp. III. 16 *Med.*
transfuga Chaud. 30 *R. m.*
orientalis Gebl. B. M. 1847. I. 319
meridionalis Dej. Chaud. 31 *Med.*
salinus Motsch. Ins. Sib. 89
interstitialis Fairm. A. 1856. 523
atrocyaneus Dieck. Heyd. Sp. 60 *Cadix*
punctulatus Dej. Chaud. 31 *Med. or.*

Pogonistes Chd.

gracilis Dej. Spec. III. 18 *Med.*
rufoaeneus Dej. Chaud. 32 *Med. or.*

testaceus Dej. Spec. III. 20 *Med. oc.*
convexicollis Chaud. 33 *Odessa*
? cordicollis Motsch. K. Russl. 6
depressus Motsch. Chd. 34 *Bogdo*

Syrdenus
Chaudoir.

filiformis Dej. Spec. III. 21 *S. Ga. m.*
Grayi Wollast. Chaud. 35 *Lu.*
fulvus Baudi Chaud. 35 *Med. or.*

Patrobini.

Chaudoir A. B. 1870–71, 39–57.

Patrobus
Dejean.

septentrionis Dej. Chaud. 43 *E. md. b.*
picicornis Zett. Thoms. Sk. C. I 215
v. hyperboreus Dej. Spec. III 30
alpinus Curt. Brit. Ent. IV. 192
v. rubripennis Thoms. Sk. Col. I. 215
v. serenus Gredl. Käf. Tir. 28 *Ti.*
v. australis J. Sahlb. Enum. Fenn 91 *F.*
v. lapponicus Chaud. 45 *L.*
assimilis Chaud. A. B. 43 *E. b. G. b.*
clavipes Thoms. A. 1886. B 9
? campestris Motsch. Ins. Sib. 130
atrorufus Ström *E. b. md.*
excavatus Payk. Chaud. 41
rufipes Duft.
Napoleonis Reiche A. 1857. 8
styriacus Chaud. 41 *St. Cro.*
quadricollis Mill. Chaud. 42 *Carp. or.*

Deltomerus
Motschulsky.
Reitter, D. 1887, 241–245.

tatricus Mill. Reitt. 244 *Carp. oc.*
carpathicus Mill. Reitt. 244 *Carp. c.*
fulvipes Mot. B. M. 39. 84. Rtt. 244 *Ca. c.*
triseriatus Putz. Reitt. 244 *Ca. c.*
elegans Chaud. Reitt. 244 *Ca. c.*
Raddei Putz.
tibialis Reitt. 242 *Ca. oc.*
elongatus Dej. Reitt. 244 *Ca. c.*
dubius Chaud. A. B 54 *Imeretia*
validus Chaud. A. B. 55 *Armen.*
pseudoplatyuus Reitt. 243 *Ca. oc.*

Penetretus Motsch.

punctatissimus Fairm. Chaud. 53 *Hi.*
rufipennis Dej. Spec. III. 53 *P. Lu.*
nebrioides Vuillefr. A. 1866. 345 *Astur.*

Omphreini.

Omphreus
Dejean.

morio Dej. Spec. III. 94 *Mont.*
Beckianus Gglb. Soc. Ent. 88. N. 12 *Bosn.*
Krüperi Reitt. D. 1885. 357 *Gr.*

Anchonoderini.

Atranus
Leconte.

collaris Mén. Schaum B. 1860. 83 *Ca.*
ruficollis Gaut. A' 1857. 135 *Ga. m.*

Perigonini.

Perigona
Castelnau.
Trechicus Lec. Spathinus Nietn. Nestra Motsch.
Siltopia Cast. Pentoplogenius Moraw.
Putzeys Ann. Genova 1873. 218.

nigriceps Dej. Spec. V. 44 *Hi. Ga. m. It.*
fimicola Woll. Ins. Mad. 63 ×
umbripennis Lec.
Jansoniana Woll.
atriceps Fairm.
japonica Bat.
Beccarii Putz.
discalis Chaud.

Pterostichini.

Cardiomera
Bassi.

Genei Bassi A. 1834. 324 *S.*
Bonvouloiri Schaum B. 1860. 144 *P.*

Platynus
Bonelli.

Anchomenus Bon.

ruficornis Goeze Bedel F. S. I. 109 *E.*
flavipes Fourcr.
albipes F. Schaum 408
pallipes F. Dej. Sp. III. 118
pavidus Panz.
sordidus Steph.
v. antennatus Gaut. A. 1859. B. 210
*
melanocephalus Dej. Spec. III. 118 *Hi.*

Anchus Leconte.

obscurus Herbst Bedel F. S I. 110 *E. b. md.*

oblongus F. Schaum 409
taeniatus Payk.
pallidulus Chaud.

Platynus Bon. s. str.

scrobiculatus F. Schaum 403 *Alp. o.*
banaticus Friv. Mag. Tud. 65. 176 *Ban.*
proximus Friv. Term. Füz. 79. 230 *Balk.*
glacialis Reitt. Verh. Brünn 1876. 7 *Tr.*
depressus Dej. Spec. V. 717 *Alp. oc.*
complanatus Dej. Spec. III. 99 *Alp. oc.*
v. erythrocephalus Bassi A. 1834. 469
peirolerii Bassi A. 1834. 470 *MV.*
piceus Dej. Spec. III. 99
grandicollis Motsch. B. M. 64. 317 *Ca. c.*

Limodromus Motsch.

assimilis Payk. Bed. F. Sn. 109 *E. b. md. Ca.*
angusticollis F. Schaum 406
junceus Daws.
distinctus Chd. B. M. 1843. 762 *Tessin.*
? corsicus Tourn. B. 1860. 317 *C.*
Krynickii Sperk. Schm. 405 *G. b. or. R.*
uliginosus Er.
nigerrimus Chaud.
? magnicollis Mtsch. BM. 64. 318 *Petbg*
longiventris Mannh. Schaum 404 *G. R.*
Mannerheimi Dej. Spec. III. 104 *Su.*
morio Gebl.
anchomenoides Motsch. *R. b.*

Batenus Motsch.

livens Gyllh. Schaum 409 *E. b. md.*
memnonius Nic. Dej. Spec. III. 110
bipunctatus Sturm
mundus Germ.

Anchodemus Motsch.

cyaneus Dej. Schaum 407 *Alp. oc. P.*

Agonum Bon.

Bogemanni Gyll. Schm. 410 *Alp. A.. E. b.*
? morio Duft. F. A. II. 252
quadripunctatus Deg. Schm. 411 *Alp. E. b.*
ambiguus Mäkl.
foveolatus Illig.
cupratus Sturm.
stigmosus Lec.
impressus Panz. Schaum 413 *E. b. md.*
sexpunctatus L. Schaum 414 *E. b. md. Ca.*
duodecimpunctatus Müll.
v. montanus Heer F. H. 61
Motschulskyi Reitt. *Petrop. Ca.*
assimilis Motsch. B. M. 64. 322

ericeti Panz. Schaum 414 *E. b. md.*
bifoveolatus Sahlb. Dej. Spec. III. 142
fulgens Daws. *Br.*
? alpestris Heer F. H. 61
viridicupreus Goeze Bed. F. S. 111 *E. m.*
thoracicus Fourcr. *E. md.*
modestus Sturm.
nigricornis Panz.
v. austriacus F. Dej. Spec. III. 137
v. dalmatinus Dej. Spec. III. 138
cuprinus Motsch. Ins. Sib. 138
v. chrysopraseus Mén. Cat. rais. 119 *Ca.*
v. obscurus Chd. B. M. 1842. 822 *Ca.*
impressostriatus Motsch. B. M. 64. 323 *Ca.*
marginatus L. Schaum 412 *E.*
viridinitidus Goeze
lucorum Fourcr.
v. flavocinctus Suffr.
sordidus Dej. Spec. III. 155 *Med. o.*
fuscipennis Chd. B. M. 1850. III. 110
numidicus Luc. Expl. Alg. 54 *And.*
v. Reitteri Ragusa N. Sic. 85. 54 *Si. Ca.*
Mülleri Herbst Bedel F. S. I. 111 *E.*
parumpunctatus F. Schaum 415
laevis Daws.
(m.) plicicollis Nic. Col. agr. hal. 19
(m.) clandestinus Sturm I. D. V. 212
v. tibialis Heer K. Schw. II. 24
v. Melleti Heer K. Schw. II. 24
archangelicus J. Sahlb. En. Fenn. 118 *F.*
Sahlbergi Chd. B. M. 1850. III. 117 *Scot.*
Mattosi Paulino Cat. I. Port. 36 *Estrella*
chalconotus Mén. Fald. F. Tr. I. 48 *Ca.*
gracilipes Duft. Schaum 416 *E. b. md.*
elongatus Fisch. Dej. Spec. III. 146
lugens Duft. Schaum 418 *E. b. md.*
rugicollis Chd. En. Car. Cauc. 133 *Ca.*
longipennis Mannh. B. M. 44. 426 *Lenkor.?*
dolens Sahlb. Schaum 421 *E. b. G. b.*
tristis Dej. Spec. III. 149
latipennis Dej. Spec. III. 148
tarsatus Zett.
versutus Sturm Schaum 421 *E. b. md.*
laevis Dej. Spec. III. 151
lugubris Duft.
longicorne Chd. E. Car. Cauc. 134 *Ca.*
viduus Panz. Schaum 419 *E.*
obscurus Payk.
vernalis Payk.
v. moestus Duft. Schaum 419
afer Duft.
lugubris Dej.
angustatus Dej.
? laevis Gyllh. Ins. Suec. IV. 451

m. emarginatus Gyllh. Schaum 421
Dahli Borre A. B. 1879. 55 *E.oc.Med.*
niger Dej. Spec. III. 157. ex parte
atratus Fairm. Lab. Fn. Fr. I. 76
pusillus Schaum 424
atratus Duft. Schaum 423 *E.*
monachus Duft.
niger Dej. ex parte
lucidus Fairm. Lab. Fn. Fr. I. 78
lateralis Redtb. F. A. ed. 2. 36
Menetriesi Fld N. Mem. Mosc 1839. 2
v. extensus Mén. Mém. Ac. Petr. 1849. 2
lucidulus Schaum B. 1857. 138
?v. stenoderus Chd. B. M. 1850. III. 118 *Ca.*
chalconotus Chd. En. Car. Cauc. 135
curvipes Tourn. M. Schw. 1864. 266 *Si.*
viridescens Reitt. D. 1887. 256 *Gr.*

Europhilus Motsch.

antennarius Duft. Schaum 422 *E. md. o.*
subaeneus Dej. Spec. III. 158
scitulus Dej. Schaum 425 *E. md. oc.*
consimilis Steph.
micans Nic. Schaum 424 *E. b. md.*
pelidnus Duft. Dej Spec. III. 161
inauratus Eschsch.
cursitor Steph.
fuliginosus Panz. Schaum 426 *E. b. md.*
putridus Zett.
Simpsoni Steph.
pullus Steph.
striatus Steph.
fuscipennis Steph.
piceus L. Schaum 425 *E. b. md.*
picipes F. Dej. Spec. III. 164
lutescens Panz.
fuscipennis Nic.
canellipes Motsch. K. Sib. 134
gracilis Gyllh. Schaum 426 *E. b. md.*
atratus Steph.
consimilis Gyll. Thoms. Sk Col. I. 263 *L.*
Thoreyi Dej. Schaum 428 *E. md. b.*
pelidnus Steph.
v. puellus Dej. Schaum 427 *E. md.*
pelidnus Payk.
affinis Steph.
longicollis Boisd.
Lehmanni Chaud. B. M. 1837. 25
longulus Motsch. Ins. Sib. 133

Clibanarius Gozis.

dorsalis Pont. Bedel F. S. I. 112 *E.*
prasinus Thunbg. Schaum 407
bicolor Fourcr.
viridifulvus Goeze
viridanus Oliv.
viridis Gmel.
marchicus Herbst
cyanicollis Gebl B. Ac. Pet. 1841. 37

Olisthopus
Dejean.

Sturmi Duft. Schaum 431 *E. m*
flavipes Panz.
rotundicollis Fairm. Lab.
angustatus Motsch. B. M. 1864. 325 *C*
rotundatus Payk. Schm. 429 *E. b. md. C*
rotundicollis Marsh.
vafer Duft.
glabricollis Germ. Schaum 429 *Me*
punctulatus Dej. Spec. III. 179
hispanicus Dej. Spec. III. 179
graecus Brull. Exp. Mor. 124
orientalis Reiche A. 1855. 603
fuscatus Dej. Schaum 429 *Me*
sardous Küst. Käf. Eur. XII. 42
minor Reiche A. 1855. 605
dilatatus Motsch. B. M. 1864. 324 *Ca*
v. ibericus Motsch. l c.

Anchomenidius
Heyden.

astur Sharp. An. Madrid 1872. 259 *Astur*
melanocephalus Heyd. D. 1880. 29

Synuchus
Gyllenhal, Bedel.
Taphria Dej. Lac.

nivalis Panz. Schaum 399 *E. b. md. Lu.*
vivalis Illig. Dej. Spec. III. 85
impiger Panz.
v. silvalis Motsch. B. M. 1864. 303 *R.*

Pristodactyla
Chaudoir.

caucasica Chd. En. Car. Cauc. 126 *Ca.*
v. femoralis Reitt. W. 1888 88
Horsti Reitt. W. 1888. 88 *Ca.*
praestans Heyd. W. 1885 189 *Ca.*

Thermoscelis
Putzeys.

insignis Chd. En. Car. Cauc. 122 *Ca.*
v. Kamberskyi Reitt. W. 1888. 89 *Ca.*
Dobretsbergeri Reitt. D. 1890

Dolichus
Bonelli.

halensis Schall. *E. md. or.*
flavicornis F. Schaum 401

Bedelius
Ragusa.

circumseptusGerm.Putz.A.B.73.69 *Med.*
limbatus Dej. Spec. III. 72
lateralis Küst. Käf. Eur. 12. 34

Calathus
Bonelli.

Putzeys Ann. Soc. Ent. Belg. 1873, 19—96.

giganteus Dej. Putz. 40 *Gr.*
ovalis Dej. Spec. V. 708
corax Reitt. D. 1889. 253 *Gr.*
ellipticus Reitt. D. 1889. 254 *Gr.*
luctuosus Latr. Bed. F. Sn. 107 *Ga. m.*
gallicus Fairm. Putz. 41
glabricollis Dej. Putz. 42 *Il.*
zeelandicus Redtb. Reis. Nov. II. 17
Pirazzolii Putz. 43 *I. c.*
Bellieri Gaut. M. Schw. 1867. 284 *Etruria*
alternans Fald. Putz. 44 *Ca.*
laevicollis Gaut. Putz. 46 *Ca.*
montivagus Dej. Putz. 47 *Si.*
minutus Gaut. M. Schw. 66. 111 *Gallaecia*
v. Dejeani Ganglb. *Lu.*
luctuosus Dej. Putz. 48. nec. Latr.
v. hispanicus Gaut. M. Sch. 66. 168 *Hi. c.*
lugens Vuillfr. A. 1866. 346
v. Uhagoni Gaut. M. Schw. 70. 260 *Hi.*
v. sublaevis Vuillfr. A. 1866. 346 *Lu.*
baeticus Ramb. Putz. 53 *Hi. m.*
rotundatus Dej. Putz. 53 *Lu. Hi. b.*
rubripes Dej. Putz. 55 *Lomb.*
fuscipes Goeze Bedel F. Sn. 107 *E.*
leporinus Fourcr.
flavipes Payk.
cisteloides Panz. Schaum 390
frigidus F.
latus Serv.
violatus Germ.
planipennis Germ.
sulphuripes B. Laf.
rufipes B. Laf.
subsimilis Gaut. M. Schw. III. 259
v. intermedius Gaut. Putz. 57 *P. Hi.*
v. distinguendus Chaud. Putz 57 *Ca.*
v. punctipennis Germ. Putz. 58 *Med.*
graecus Dej. Spec. V. 708
algiricus Gaut. M. Sch. 1867. 164
v. testudinarius Gaut. M. Sch. 67. 249 *Si.*
v. syriacus Chd. Putz. 58 *Gr.*
orientalis Gaut. M. Schw. 1867. 246
v. thessalus Putz. 59 *Salonichi*
?v. longicollis Motsch. B. M. 1864. 313 *Ca.*
?v. reflexicollis Fld. N. M. Mosc. 39. 1 *Ca.*
uniseriatus Vuillfr. Putz. 61 *Hi.*
angularis Chd. Rev. Z. 1866. 100
liotrachelus Vuillfr. A. 1866. 347
v. Heydeni Putz. 52 *Lu.*
v. brevis Gaut. Putz. 52 *Lu.*
erratus Sahlb. Bed. F. Sn. 202 *E.*
fulvipes Gyllh. Putz. 62
ambiguus Payk. ex parte
flavipes Duft.
crocopus Steph.
Lasserrei Heer F. H. 55
v. marginicollis Chd. Car. Cauc. 123 *Ca.*
v. asturiensis Vuillfr. Putz. 63 *Ast.*
bipunctatus Gaut. M. Schw. 67. 347 *Lu.*
granatensis Vuillfr. Putz. 65 *Hi. Lu.*
depressus Gaut. M. Schw. 1866. 112
v. Tappesi Gaut. M. Schw. 67. 261 *Castil.*
fuscus F. Putz. 66 *E.*
rufipes F.
tardus F.
rufangulus Marsh.
ambiguus Payk. ex parte
v. dilutus Chd. B. M. 1842. IV. 822 *Ca.*
v. Chevrolati Gaut. M. Schw. 67. 264 *Hi.*
metallicus Dej. Putz. 70 *Hu. Tr.*
v. aeneus Putz. 70 *T.*
v. deplanatus Chaud. Putz. 71 *T.*
micropterus Duft. Schaum 397 *E. b. md.*
microcephalus Dej. Spec. III. 78
glabripennis Sturm
alpinus Redtb. F. A. ed. 2. 32
melanocephalus L. Schaum 396 *E.*
v. parisiensis Gaut. M. Schw. 67. 271 *Ga.*
v. alpinus Dej. Spec. III. 82 *Alp.*
obscuricollis Motsch. B. M. 1837. 22
v. nubigena Halid. Schm. 397 *Hibern.*
v. melanotus Putz. 76 *Asturia*
v. erythroderus Gaut.
ruficollis Gaut. M. Schw. 68. 322 *Si.*
?v. tricolor Reitt. D. 1887. 256 *Ca.*
mollis Marsh. Schaum 395 *E.*
ochropterus Duft. Dej. Spec. III. 79
v. peltatus Kol. Melet. Ent. I. 42
v. encaustus Fairm. A. 1868. 474
atticus Gaut. Putz. 73 *Gr.*
leptodactylus Putz. 75 *Gr.*
pluriseriatus Putz. W. 1890. 100 *Ca.*
obscuripennis Reitt. D. 1889. 18

sibiricus Gebl. B. M. 1841. IV. 578 *F.*
tarsalis J. Sahlb. En. Fenn. 114
Solieri Bassi Putz. 79 *I. S.*
femoralis Chd. Putz. 80 *Armenia*
corallipes Reitt. D. 1887. 255 *Ca.*

Amphigynus Halid.

piceus Marsh. Schaum 398 *E. occ.*
rotundicollis Dej. Spec. III. 75
augustatus Ramb. Fn. And. 84
rotundatus Duv.
brunneus Brull. Exp. Mor. 123 *Graec.*
orbicollis Motsch. B. M. 1864. 248 *Ca.*

Laemosthenes
Bonelli.

Schaufuss Monogr. Bearb. Sphodrini, Sitzungsber. Isis. 1865.

Aechmites Schauf.

conspicuus Waltl Schauf. 20 *T.*
grandis Motsch. K. Russl. 43
nitidus Motsch. B. M. 1864. IV. 315

Sphodroides Schauf.

picicornis Dej. Schauf. 51 *Si.*
melitensis Fairm. A. 1855. 308 *Malta*

Platynomerus Fald.

caspius Fald. Schauf. 24 *Casp.*

Laemosthenes Bon. Schauf.

complanatus Dej. Schauf. 54 *Med.*
chilensis Gory
rufitarsis Curt.
alatus Woll.
crassicornis Fairm.
barbarus Luc. Expl. Alg. 49 *Si.*
atrocyaneus Fairm. Schauf. 57
venustus Clairv. Schauf. 56 *Med.*
crenatus Redtb.

Pseudopristonychus Schauf.

cimmerius Fisch. Schauf. 22 *Med. or.*
elegans Brull. Exp. Mor. 122
major Br. Hist. Nat. IV. 272
curtulus Reitt. W. 1884. 272

Pristonychus Dej.

algerinus Gory Schauf. 84 *Med. oc.*
sardeus Küst. Käf. Eur. V. 18
australis Fairm. A. 1859. 23
curtulus Motsch. Käf. R. 44
violaccipennis Schauf. 84
punctatus Dej. Schauf. 95 *Hu.*
tauricus Dej. Schauf. 98 *Ca.*
inaequalis Fisch. Ent. II. 116
v. cyanipennis Dej. Spec. III. 57
sericeus Fisch. Schauf. 100 *Ca.*
longulus Motsch. Käf. R. 43
amoenus Fisch. B. M. 1844. I. 30
Mannerheimi Kol. Melct. Ent. I. 40 *Ca.*
cyanipennis Chaud.
gratus Fald. Fn. Tr. I. 42 *Ca.*
caucasicus Chd. En. Carab. Cauc. 132
Mannerheimi Schauf. 87
pretiosus Fald. Schauf. 88
hepaticus Fald. Schauf. 93 *Ca.*
convexus Kol. Mel. Ent. I. 40 *Ca.*
armeniacus Osc. Käf. Pers. 72
piceus Motsch. Schauf. 92
Schirmeri Chd. Stett. 1859. 128 *Ca.*
terricola Herbst Schauf. 82 *Tauria*
subcyaneus Illig. Schaum 386 *E. md.*
inaequalis Panz.
episcopus Drap.
marginatus Descourt
v. lithuanicus Motsch. Käf. R. 43 *Pol.*
v. cyanescens Frm. Schauf. 78 *Ga. m. P.*
v. baeticus Ramb. Pioch. A 72. 455 *Hi Lu.*
Polyphemus Ramb. Schauf. 80
Reichenbachi Schauf. 78
Krüperi Mill. z. b. W. 83. 263 *Parnass.*
angustatus Dej. Pioch. A. 1872. 455 *Alp. oc.*
oblongus Dej. Spec. III. 50. ex parte
v. obtusus Chd. Pioch.. 458
oblongus Dej. Pioch. A. 1872. 459 *P.*
pyrenaeus Duf. Schaum 116
hypogaeus Fairm. Schauf. 118
latus Schauf. 112
v. Jacquelini Boield. Pioch. A 72. 457 *P.*
v. latebricola Frm. Pioch. 72. 457 *Corb.*
v. Balmae Del. Pioch.. 457 *Montpelier*
v. ellipticus Schauf. Brûl. 457 *Hi. b.*
mauritanicus Dej. Schauf. 74 *Hi.*
pinicola Graëlls Schauf. 71 *Hi.*
carinatus Chd. Stett. 1859. 128 *Cors.*
parviceps Fairm. A. 1859. 270
carinulatus Schauf. 110
elongatus Dej. Schauf. 121 *Carn. Cro. D.*
v. robustus Schauf. 121 *Dalm.*
acutangulus Schauf. Mon. 144 *I.*

*

Köppeni Motsch. B. M. 1864. 315 *Tauria*
Königi Reitt. D. 1887. 253 *Ca. oc.*
circassicus Reitt. D. 1887. 254 *Ca. oc.*
suramensis Reitt. D. 1885. 360 *Ca.*
Lederi Reitt. D. 1885. 358 *Ca.*
Plasoni Reitt. D. 1885. 357 *Balk.*
elegans Dej. Schaum 384 *Carn.*

v. Küsteri Schauf. 69 *T. D.*
? elegans Küst. Käf. Eur. V. 23
macropus Chd. B. M. 1861. 10 *Lomb.*
parumstriatus Fairm. A. 72.47 *Patr. dub.*
bicolor Reitt. D. 1890. 165 *Arax.*

Antisphodrus Schauf.

Peleus Schauf. 61 *Hi. b.*
v. obscuratus Schauf. 61
v. Fairmairei Schauf. 60 *Burgos*
Ledereri Schauf. 61 *Ronda*
Schreibersi Küst. Jos. B. 69. 250-53 *Carn.*
(v.) Schmidti Mill. z. b. Wien. 1854. 24
(v.) dissimilis Schauf. 59
(v.) insignis Jos. B. l. c.
(v.) procerus Jos. l. c.
(v.) brevicollis Jos. l. c.
(v.) laticollis Jos. l. c.
(v.) parallelicollis Jos. l. c.
(v.) propinquus Jos. l. c.
(v.) retractus Jos. l. c.
(v.) impressifrons Jos. l. c.
(v.) rugosicollis Jos. l. c.
(v.) sulcicollis Jos. l. c.
(v.) sulcipennis Jos. l. c.
(v.) planipennis Jos. l. c.
(v.) nigropunctatus Jos. l. c.
paradoxus Jos. B. 1869. 255 *Carn.*
cavicola Schaum 382. Schauf. 67 *Car. Cro.*
exaratus Hampe B. 70. 331
bosnicus Reitt. D. 1889. 369 *Bosn.*
Redtenbacheri Schauf. 66 *D.*
gracilipes Schauf. z. b. Wien 62. 18
Erberi Schauf. 64 *D.*
Aeacus Mill. Schauf. 63 *D.*
v. modestus Schauf. 63
pseudapostolus Schauf. 67 *Car.*

Sphodropsis
Seidlitz.

Ghilianii Schm. Schf. Isis. 1865. 68 *Alp. m.*
glyptomerus Chd. Stett. 1859. 127
v. dilatatus Schauf. l. c. 68

Sphodrus
Clairville, Ganglbauer.

leucophthalmus L. Schaum 381 *E.*
planus F. Dej. Spec. III. 88
spiniger Payk.
obsoletus Rossi
v. cordicollis Mtsch. B. M. 64. 315 *Ca.*
v. siculus Motsch. B. M. 1864. 315 *Si.*

Taphoxenus Motsch.

gigas Fisch. Schauf. 16 *R. m.*
v. grossus Schauf. 18 *Sarepta*

Lychnifugus Motsch.

cellarum Ad. Schauf. 11 *Ca.*
longicollis Fisch. Dej. Spec. III. 92

Pseudotaphoxenus Schauf.
Rhopalomelus Motsch. nec Boh.

angusticollis Fisch. Schauf. 37 *R. m.*
Tillesii Fisch. Schauf. 33 *R. m.*
parallelus Dej. Spec. III. 92
rufitarsis Fisch. Schauf. 39 *R. m.*
ovalis Motsch. Schauf. 27 *Kirg.*

Platyderus
(Steph.) Schaum.
Chaudoir A. 1866. 105—115.
Piochard de la Brûl. A. 1875, 427—428.

lusitanicus Dej. Chaud. 106 *Lu.*
cincticollis Chevr. R. Z. 1840. 12
v. varians Schauf. Chaud. 107 *Hi. c.*
v. Portalegrae Vuillfr. Ab. 5. 293 *Port.*
(m.) Saëzi Vuillfr. Ab. 5. 293 *Lu.*
Vuillefroyi Dieck Heyd. Sp. 60 *Algesir.*
calathoides Dej. Chaud. 107 *Si.*
notatus Coqu. Chaud. 108
angulosus Reiche Cat. Alg. 15
ruficollis Marsh. Chaud. 110 *Ga. Br.*
depressus Dej. Spec. III, 251
jugicola Fairm. Lab. Fn. Fr. I. 89 *P.*
dilatatus Chaud. 111 *Ga. m.*
v. montanellus Graël. M. Md. 57. 117 *Hi.*
troglodytes Schauf. Isis. 62. 195 *Nav.*
nemoralis Chaud. 110 *Escorial*
subpunctatus Chaud. 110 *Valladolid*
subcrenatus Chaud. 113 *Reynosa*
(m.) quadricollis Chaud. 113 *Asturia*
(m.) emblema Mars. Ab. 6. 388 *Corduba*
v. depressus Ramb. F. And. 97 *And.*
rotundatus Chaud. A. 111 *Granada*
algesiranus Dieck Heyd. Sp. 61 *Hi. m.*
canaliculatus Chd. A. 111 *Si.*
sicanus Fairm. A. 1857. 728 *Si.*
neapolitanus Reiche Chd. 113 *I.*
graecus Reiche Chaud. 114 *Gr.*
minutus Reiche A. 1855. 614 *Gr.*
gregarius Reiche Chd. 112 *Hi. m.*
testaceus Ramb. Chd. 109 *Granada*
rufus Duft. Schaum 435. Chd. 112 *E. md. o.*
dalmatinus Mill. z. b. Wien. 1880. 203 *D.*
umbratus Mén. Chd. 109 *Ca.*
talyschensis Reitt. 1887. 253 *Ca.*

Lagarus
Chaudoir.
Actephilus Steph.

vernalis Panz. Schaum 450 *E.*
crenatus Duft.
rotundicollis Sturm
inquinatus Steph.
rufomarginatus Curt.
biimpressus Fuss. Verh. Herm. IX. 4
v. cursor Dej. Spec. III. 243
maritimus Gaub. R. Z. 1844. 340
ruthenus Motsch. B.M. 1865. IV. 244 *R.m.*
submetallescens Chd. Ab. XIX. 282 *R.m.*
submetallicus Chd. B. M. 1850. 138
distinguendus Hochh. B.M. 71. I. 207 *Kiew*

Poecilus
Bonelli.
Chaudoir L'Abeille XIV. 1876, 1—54.

Sogines Leach.

punctulatus Schall. Schm. 443. Chaud. 5
laevigatus Dufour. *E.md.*
anodon Chaud. 6 *Ca. o.*

Poecilus s. str.

dimidiatus Oliv. Schm. 445. Chd. 9 *E.md.*
Kugelanni Panz.
tricolor F.
crenatostriatus Steph.
Kamberskyi Reitt. 1889. 18 *Arax.*
Koyi Germ. Schm. 446. Chd. 10 *D. Ill.*
viaticus Dej. Spec. III, 216 *[Ga.m*
lossinianus Fairm. A. 1859. B. 216
aeneicollis Grimm. Chd. 11
marginalis Dej. Sp III. 218 Sdl. F. Tr. *E.md.*
Koyi var. Schaum 446. Chd. 12
lepidus Leske Schm. 447. Chd. 16 *E.b.md*
virens Müll.
vulgaris Scop.
viridanus Prell. K. Hamb. 12
silvaticus Prell. K. Hamb. 12
gressorius Dej. Chaud. 17 *Alp. oc.*
transalpinus Heer K. Schw. II. 28 *H.*
v. stenoderus Chaud. 18 *Ca.*
caucasicus Mtsch. Käf. Russ. 53 *Daghest.*
cupreus L. Chaud. 18 *E.*
puncticeps Thoms. Sk. Col. X. 35
cursorius Heer F. H. 69
rectangulatus Letzn.
beryllinus Prell. K. Hamb. 11
viridis Prell. K. Hamb. 11
obscurus Fald. F. Tr. I. 49
lugubris Motsch. I. Sib. 160
cantabricus Chd. 20 *Astur.*
recticollis Chd. 20
(v.) affinis Sturm Chd. 20 *Lu*
rufifemoratus Steph.
v. erythropus Fald. Chd. 20
cyaneus Gebl. B. Ac. Pet. 41. 371 *C*
v. graecus Heyd. D. 1887. 310 *Grae.*
coerulescens L. Bedel F. Sn. 99
medius Dej. Spec. III. 209 *E.*
versicolor Sturm Chaud. 23
pauciseta Thoms. Sk. Col. X. 35
metallicus Scop.
punctatostriatus Steph.
planicollis Motsch.
cupreoides Heer
subcyaneus Prell.
prasinus Paulin. Cat. Port. 42 *Azambuja*
cursorius Dej. Chd. 29 *Med.*
v. Reichi Waltl Chd. 30 *Hi.*
v. Gotschi Chaud. 30 *Ca.*
cyanellus Reiche A. 1855. 606
quadricollis Dej. Chd. 31 *Med. oc.*
cyaneus Gory
v. vicinus Levrat Ann. Lyon 1859. 1
numidicus Luc. Chaud. 31
striatopunctatus Duft. Chaud. 36 *E.md.*
subcoeruleus Schaum 448
coeruleovirens Sturm
subcoeruleus Quens. Chaud. 37
Karelini Chd. B. M. 1842, 823 *Casp.*
crenulatus Dej. Chaud. 38 *Hi. c.*
aerarius Coquer. Chaud. 40 *Hi.*
obscurus Fairm. Fn. Fr. 83 *Ga.m. Hi.b.*

Carenostylus Chd.

infuscatus Dej. Chaud. 51 *Med.*
v. purpurascens Dej. Spec. III. 224

Ancholeus Chd.

puncticollis Dej. Chaud. 45 *Hu. A.*
lissoderus Chaud. 46 *Casp.*
laevicollis Chaud. B. M. 1842. 823
nitens Chaud. 46 *R. m.*
splendens Gené Chaud. 47 *S.*
nitidus Dej. Chaud. 48 *Hi. md.*

Pseudopedius Seidl.

crenuliger Chaud. 49 *R. m.*
crenatostriatus Chd. En. Car. Cau. 138
tauricus Heyd. D. 1883. 71 *Tauria*
crenatus Dej. Spec. III. 226 *Med.*
glabratus Peyr. Chd. 50
v. baeticus Ramb. *Hi.*
pertusus Schaum W. E. M. 58. 272 *Med. o.*
curticollis Peyr. A. 1858. 375

sculpticollis Reitt. W. 1887. 258
planidorsis Reitt. W. 1887. 258 *And.*

Parapedius Seidl.

coarctatus Luc. Ab. 19. 266 *Hi.*
gratus Chaud. Stett. 1859. 114
decipiens Waltl Schaum B. 1860. 85 *Hi.*
crenatipennis Duval Gen. Col. I. 16
reticulatus Duval Gen. Col. I. 30

Pterostichus
Bonelli.

Feronia Latreille.

Pedius Motsch.

inquinatus Strm Schm. 451 *E.md.o.Med.o.*
inquietus Dej. Sp. V. 757
laevissimus Chd. Car. Cauc. 229
planatus Peyron A. 1858 376
Ehrhardti Now. Beschr. K. Krak. 73. 3
Marowighi Fairm. A. 1875. B. 220
siculus Levrat Belon Rev. Caen. 88. 71 *Si.*
? ineptus Cocqu. A. 1858. 767
Pommereaui Perris
inaequalis Marsh. Schaum 451 *E. md.*
longicollis Duft.
ochraceus Sturm
negligens Dej. Spec. III. 249
· Scalesi Steph.

Orthomus Chaud.

hispanicus Dej. Spec. III. 260 *Hi.*
quadrifoveolatus Chd. Stett. 59. 117 *Lu.*
Perezi Mart. [*Hi.*
barbarus Dej. Spec. III. 261 *Med. o.*
v. trapezicollis Chd. Stett. 59. 117 *Hi.*
v. velocissimus Waltl Rs. Sp. II. 53 *And.*
hespericus Mtsch. B. M. 49. 73 *And.*
v. balearicus Pioch. A. 67. B. 80 *Bal.*
?v. planidorsis Fairm. A. 71. 420 *P. o.*
v. longior Chd. B. M. 73. 105 *Med. or.*
v. berytensis Reiche A. 55. 618 *Med. or.*
Varini Gaut. Rev. Mag. Z. 1866. 178 *S.*

Lyropedius Seidl.

lyroderus Chd. En. Car. Cauc. 230 *Kertsch*

Derus Motsch.

advena Quens. Chd. Ab. XIV. 49 *R. m.*
lugubris Dej. Spec. III. 226
punctifrons Chd. B. M. 1850. II. 132

Adelosia Steph. Schaum.

macer Marsh. Bedel Fn. Sn. 98 *E. md.*
picimanus Duft. Schaum 449
monticola Nic.
siagonicus Mén. Mém. A. Pct. 49. 34 *U.*
sibiricus Gebl. Ledeb. Reise II. 42
anachoreta Mén. Fald. Fn. Tr. I. 59 *Ca.*

Lyperosomus Motsch.

Lyperus Chaud.

aterrimus Hrbst Schm 453 *E.b.md.Med.oc*
v. nigerrimus Dej. Spec. III. 291 *Hi.*
attenuatus Chevr. R. Z. 1840. 13
elongatus Duft. Schaum 453 *Med.*
meridionalis Dej. Spec. III. 289

Bothriopterus Chaud.

oblongopunctatus F. Schm. 464 *E.b.md.*
hafniensis Gmel.
octopunctatus Steph.
melanoscelis Chd. Ab. XIX. 299 *Ca.*
laevicollis Chd. B. M. 1842. IV. 824
angustatus Duft. Schaum 465 *E. b. md.*
vitreus Dej. Spec. III. 320 *E. b.*
borealis Zett. F. Lapp. 32 *L.*
orinomum Steph. Ill. Brit. I. 114 *Br.*
Bulweri Steph. Ill. Brit. I. 113 *Scot.*
arcticus Reiche A. 1857. B. 9 *Isl.*

Platysma Bon. Steph.

niger Schall. Schaum 454 *E. b. md.*
striatus Payk.
leucophthalmus Panz.
clavipes Scriba
Frischi Herbst
nigrostriatus Degeer
v. distinguendus Heer K. Schw. II. 34 *H.*
v. subcordatus Chd. B. M. 42. IV. 824 *Ca.*

Omaseus Dejean

vulgaris L. Schaum 455 *E. b. md.*
leucophthalmus F.
melanarius Illig. Dej. Spec. III. 271
furvus Sahlb.
ater Sahlb.
nigerrimus Sturm
v. pennatus Dej. Spec. III. 270
v. cribricollis Motsch. Käf. R. 47 *Volhyn.*
?v. lyperoides Gaut. Schw. 70. 142 *Vichy*
brevicornis Gaut. M. Schw. 1870. 136 *Ca.*
cardioderus Chaud. En. Car. Cau. 293 *Ca.*
Baeri Motsch. B. M. 1845. 22 *Mosk.*

Euryperis Motsch.

uralensis Motsch. Käf. R. 56 *U.*

Pseudomaseus Chaud.

nigrita F. Schaum 457 *E.*
confluens Panz.
(m.)excavatus Boud.Guér.Mag.Z.44.152
v. rhaeticus Heer K. Schw. II. 34 *H.*
confusus Chd. En. Car. Cauc. 140 *Ca.*
fuscicornis Reiche A. 1855. 620
crassipes Mén. Fald. F. Tr. I. 55 *Ca.*
anthracinus Illig. Schaum 458 *E.*
maurus F.
nigrita Panz.
biimpressus Küst. K. E. 26. 18
v. depressiusculus Chd.B.M.44.427 *Ca.*
deplanatus Chd. B. M. 42. IV. 825
pelviger Kol. Mel. E. I. 47
gracilis Dej. Schaum 458 *E. md.*
Güntheri Sturm
piceolus Chd. B. M. 1850. III. 138 *Volga*
minor Gyll. Schaum 459 *E. b. md.*
anthracinus Gyllh.
laevigatus Steph.
brunneus Sturm

Argutor Steph.
Phonias Gozis.

interstinctus Sturm Schaum 460 *E. b.*
ovoideus Sturm
eruditus Dej. Spec. III. 252
strenuus Duft.
strenuus Panz. Schaum 461 *E. b. md.*
erythropus Marsh.
gagates Duft.
pygmaeus Sturm.
solers Sturm
nigriceps Sturm
v. difficilis Chd En.Car.Cauc.140 *Lenk.*
v. dilatatus Motsch.B.M.65.IV.252 *Ca.*
v. maeoticus Motsch.B.M.65.255 *R.m*
v. lectulus Reitt. W. 1888. 87 *Ca. oc.*
Wasastjernae J. Sahlb. En. Fenn. 99 *F.*
diligens Sturm Schaum 462 *E. b. md.*
Heyeri Sturm
pullus Dej. Spec. III. 253
strenuus Erichs.
rotundicollis Duft.
politus Heer
v. minutus Motsch.B.M.65.IV.255 *R.m.*
?v. assimilis Hochh. B.M.71.209 *Kiew.*

Orites Schaum.

negligens Sturm Schm. 463 *Riesengeb.*
Sturmi Dej. Spec. V. 758
silesiacus Desb. Pet. N. 1872. 223 *Sil.*

Pseudocryobius Motsch.
(J. Sahlb. Bidrag. Nordv. Sib. Insect. 1880. 28.)

borealis J. Sahlb. En. Fenn. 100. l. c. 29 *L.*
arcticus J. Sahlb. l. c. 31 *R. b.*
infimus Mäkl. Öfv. Finsk Verh. 77. 296
fragilis Mäkl. Öfv. Finsk Verh. 77. 296 *R. b.*
gelidus Mäkl. Öfv. Finsk Verh. 77. 295 *R. b.*
deplanatus Motsch. Käf. Russl. 54 *L.*
Middendorffi J. Sahlb. En. Fenn. 102 *L.*
Stuxbergi Mäkl. J. Sahlb. l. c. 28 *F.*

Cryobius Chaud.

blandulus Mill. W. E. M. 1859. 308 *Tatra*

Pseudorthomus Chaud.

amaroides Dej. Spec. III. 266 *P.*
abacoides Dej. Spec. III. 267 *P.*
apenninus Dej. Spec. V. 760 *Ap. Alp. oc.*
unctulatus Duft. Schaum 490 *Alp. Carp.*
alpestris Heer F. H. 67
subsinuatus Dej. Schaum 491 *Alp. St.*
sinuatus Letzn. Bresl. Ges. 81. 207 *Sil.*

Haptotapinus Reitt.

crassiusculus Chd. Ab. V. 240 *T.*

Haptoderus Chaud.

pumilio Dej. Bed. F. Sn. I. 198 *G. Ga. H.*
spadiceus Dej. Schaum 491
nanus Heer K. Schw. II. 27
monticola Duf.
amoenus Dej. Chaud. Ab. V. 247 *P.*
glacialis Bris. Chaud. Ab. V. 247 *P. or.*
nivalis Bris. Cat. Gren. 1863. 2
Kiesenwetteri Chaud. Ab. V. 248 *P. or.*
parvulus Chaud. Ab. V. 247 *P.*
latiusculus Chaud. Ab. V. 249 *Arm.*
percontator Reitt. D. 1887. 248 *Ca. oc.*
quadraticollis Chd. En. Car. Cau. 140 *Arm.*
nemoralis Graëlls Chd. Ab. V. 250 *Hi.*
cantabricus Schauf. Chd. Ab. V. 250 *Hi. b.*
v. rudimentalis Chd. Ab. V. 250 *Ast.*
procerulus Heyd. D. 1880. 195 *Ast.*
Ehlersi Heyd. D. 1881. 231 *Ast.*
lagaroides Reitt. D. 1887. 249 *Ca. oc.*
iripennis Chaud. Ab. V. 250 *Ca.*
properans Chaud. Ab. V. 251 *T.*
pusillus Chaud. Ab. V. 252 *P.*
v. infimus Chaud. Ab. V. 253 *P. o.*
amblypterus Chaud. Ab. V. 253 *P.*
brevis Duft. Schaum 492 *Hu. Cro. Tr.*
striaticollis Dej. Spec. III. 268

Bielzi Fuss.Verh. Herm. IX. 5 *Tr.*
festinans Chaud. Ab. V. 244
acrogonus Chaud. B. M. 1843.769 *Tr.T.*
molopinus Chaud. Ab. V. 245 *T.*

*

pulchellus Fald. Fn. Tr. I. 60 *Ca.*
v. elegantulusChd.B.M.44.III.442*Arm*
rufipalpis Chd. En. Car. Cauc. 145 *Ca.*
stomoides Chd. Ab. 5. 251 *Ca.*
chefsuricus Putz. *Ca.*
platyderus Chd. B. M. 1850. III. 136 *Ca.*
laticollis Chd. En. Car. Cauc. 146
colchicus Chd. B. M. 1850. III. 137 *Ca.*
Königi Reitt. D. 1887. 249 *Ca.oc.*
validiceps Reitt. W. 1887. 228 *Ca.oc.*
Starcki Reitt. D. 1887. 250
Reitteri Starck W. 1889. 311 *Ca. oc.*

Lyrothorax Chaud.

caspius Mén. Fald. Fn. Tr. I. 56 *Casp.*

Pseudorites Ganglb.

nicaeensisVillaFairmA.56.518*Alp.mar.*

Pseudosteropus Chd.

cognatus Dej. Spec. V. 765. Schm.484 *Cr.*
Schmidti Chd. Ab. V. 246
placidus Gredl. ex parte

Steropus Dej.

Illigeri Panz. Schaum 469 *Alp. o.*
bispinosusGaut.A'58.68(sp. dubia)*Hi. b.*
rufitarsis Dej. Spec. III. 299 *Carp. o.*
convexus Chd.B. M.1843. IV.770*Hu.*
tenuimarginatus Chaud. Ab. 5. 222 *Tr.*
cordatusLetzn.Seidl.Fn. Tr.42*Sil.Carp.*
aethiops Panz. Schaum 468 *E. md.*
concinnus Curt.
monticola Crotch.
Mannerheimi Dej. Spec. V. 761 *U.*
aeneus Motsch.Solsky Hor.VIII. 234
Mannerheimi Motsch.Ins.Sib.152 *U.*
madidus F. Schaum 467 *E. md. oc.*
arrogans Steph.
v. concinnus Sturm Dej. Spec. III. 293
v. validus Dej. Spec. III. 294
v. amplicollis Fairm. Fn. Fr. I. 85 *Ga.*
globosus F. Dej. Spec. III. 297 *Hi.*
v. gagatinusGerm.Dej.Spec.III.296 *Hi.*
v. ebenus Quens. Schönh. Syn. I.191*Hi.*
Hoffmannseggi Dej. Spec. III. 295
arrogans Duft. F. A. II. 60
insidiatorPioch. Pet. N. 1872. 179 *Hi.*
LacordaireiPutz. Mém. Lièg.46.406*Ast.*

gallega Fairm. A. 1859. B. 150
GhilianiiPutz. Mém. Liège 46. 407 *And.*

Cophosus Dej.

cophosioides Dej. Spec. III. 269 *Hu. m.*
cylindricus Herbst Schaum 466*Hu.Mor.*
v. magnus Dej. Spec. III. 334 *Ban.*
v. filiformis Dej. Spec. III. 337 *Ban.*

Styracoderus Chd.

atramentariusRosh.Chd.B.M.74.26*And.*
Azarae Perez An. Madr. 72. 93 *Hi. md.*
MartineziVuillfr.An.Mad.73.290*Hi.md.*

Pterostichus Bon. Ganglbauer.

melas Creutz. Schaum 471 *E. md.*
maurus Sturm
fornicatus Kol.
v. depressus Dej. Spec. III. 274 *D.*
turcicus Mén. *T.*
v. italicus Dej. Spec. III. 274 *I.*
hungaricus Dej. Spec III. 274 *Hu. Tr.*
transsilvanicus Chd. B. M. 1861. I. 9
incommodus Schaum 470 *Morav.*
brevipennis Chevr. Rev. Z. 1840. 13 *Hi.*
Susae Vuillfr. Ab. V. 291
Kokeili Mill.Schaum 472 *St. Ti. Salisb.*

(Petrophilus Chaud.)

foveolatus Duft. Schaum 487 *Carp.*
latibula St.
v. interruptestriatusBielzSt.50.100 *Tr.*
Findeli Dej. Schaum 488 *Ban. Tr.*

(Lyperophorus Motsch.)

vermiculosusMén.Mid.Reis.1851.48*R.b.*

Ziegleri Duft. Schaum 485 *St. Cr.Carn.*
lineatopunctatusMil.Schm.485*St.A.sup.*

Mühlfeldi Duft. Schaum 488 *St. Car.*
obtusus Sturm
brachymorphus Chd. Stett. 59. 121
baldensis Schaum B. 1862. 163 *Ti.m.I.b.*
Brunni Gredl. Col. II. XI. 52

(Cheporus Latr.)

metallicus F. Schaum 488 *G. Alp.*
(v.) Burmeisteri Heer F. H. 79 *H.*
ignitus Kr. D. 1876. 417 *T.*

---

transversalis Duft. Schaum 489 *Alp.*
?dissimilisVill.Col.Eur.Dupl.33.33.*I*

Etelkae Ormay W. 1888. 165 *Tr.*
pedemontanus Ganglb. *I. b.*
italicus Chd. Ab. V. 231
?ellipticus Heer F. H. I. 560 *H.*

(Platypterus Chaud.)

Panzeri Panz. Schaum 486 *Alp.*
(m.)rugulosus Heer K. Schw. II. 30 *H.*
v. intermedius Heer K. Schw. II. 30 *H.*
v. Heeri Heer K. Schw. II. 30 *H.*
truncatus Dej. Spec. III. 347 *Alp. oc.*
dilatatusVillaCol.E.Dupl.35.47*Alp.mar*

(Arachnoideus Chaud.)

cribratus Dej. Spec. III. 354 *Alp. oc.*
flavofemoratus Dej. Spec. III. 352 *Pe.*
v. pinguis Dej. Spec. III. 353 *Pe.*
micans Heer Schaum 483 *Alp.oc.Ap.*
Lasserrei Dej. Spec. III. 341 *Alp.oc.*
?aterrimus Küst. Käf. Eur. I. 1*Ga.m.*
cristatus Duf. Bed. Fn. Sn.I.95 *E.md.oc.*
parumpunctatus Germ. Schaum 483
brunnipes Sturm.
v. pyrenaeus Chd. B. M. 37. 7. 34 *P.o.*
v. platypterusFairm Lab.Fn.Fr.I.98*P.*
v. cantabricusSchf.Heyd.D.80.284 *Hi.*
phaeopus Chaud. *I. b [b.*
picipes Chaud. Ab. V. 228
femoratus Dej. Spec. III. 345 *Alp.oc.P.*
rufipes Dej. Spec. III. 345 ex parte
v. cantalicus Chd. Ab. V. 230 *Lioran*
Hagenbachi Sturm Schaum 488 *Alp.oc.*
alpicola Muls. Rey. Op. Ent. II. 95
Honnorati Dej. Spec. III. 343 *Alp.oc.*
rufipes Dej. Spec. III. 345 ex parte
SellaeStierl.M.Schw.1881.142 *Alp.mar.*
vagepunctatusHeerK.Schw.II.31*Alp.oc.*
impressicollisFrm.Chd.Ab.V.230*Alp.oc*
rutilans Dej. Spec. III. 356 *Alp. oc.*
v. auratus Heer K. Schw. II. 32
fasciatopunctatusCreutz.Schaum *Alp.o.*
dux Schauf. Sitzb. Isis. 1862. 68 *Hi. oc.*
divaricus Putz. A. B. *Hi.b.*

(Linnoë Gozis.)

Dufouri Dej. Spec. III. 346 *P.*
BoisgiraudiDuf.Exc.Val.Oss.43. 22*H-P.*
Justusi W. Redtb. Schaum 481 *St.Car.*
Schaschli Chaud. *Cr.Carn Ill.*
planipennis Schaschl Schaum 482

---

nodicornis Fairm. Lab. Fn. Fr. I. 95 *Ain*

---

spinicollis Dej. Spec. III. 418 *Hi.b.P.o.*
microphthalmus Delar. A' 1857. 94

(Alecto Heyd.)

grajus Dej. Spec. III. 311 *P.*

(Adelopterus Reitt.)

ambiguus Fairm. Chd.Stett. 1859. 119 *C.*

(Phaon Heyd.)

rhilensis Rottbg. B. 1874. 327 *Balk.*

(Myosodus Fisch.)

obscurus Dej.Sp.III.348.Rtt.D.83.77 *Ca.*
regularis Fisch Ent. R. II. 123
v. ordinatusFisch. Chd.En.Car. C.147
swaneticus Reitt. D. 1883. 78 *Ca.*
obtusangulus Reitt. D. 1883. 78 *Ca.*
variabilis Mén. Fald. Fn. Tr. I. 58 *Ca.*
rudestriatus Reitt. D. 1883. 79 *Ca.*

---

nivicola Mén. Fald. Fn. Tr. I. 63 *Ca.*
montivagus Mén. Fald. 62

(Glyptopterus Chd.)

lacunosus Chaud. B. M. 1844. 442 *Ca.*
intricatus Motsch. B. M. 1845. I. 22
Schönherri Fald. Fn. Tr. I. 61 *Ca.*

Starcki Heyd. W. 1885. 187 *Ca. oc.*

---

corax Ganglb. D. 1889. 52 *Gr.*
Merkli Friv. Term. Füz. III. 231 *Balk.*
Brucki Schaum B. 1859. 47 *Serb. Bosn.*
Meisteri Reitt. D. 1885. 196 *Bosn.*
Reiseri Ganglb. D. 1889. 46 *Bosn.*
Walteri Reitt. W. 1883. 224 *Mont.*

Paulinoi Vuillfr. Ab. V. 292 *Lu.*
v. Volxemi Putz. A. B. 1874. 56 *Lu.*
cantaber Chd. Heyd. D. 1880. 285 *Hi.b.*
appendiculatus Gaut.
vectonicus Perez. Ins. nuev. 68. 57

(Oreophilus Chaud.)

multipunctatus Dej. Schaum 475 *Alp.oc.*
purpuratus Heer F. H. 77 *H.*
Spinolae Heer l. c.
(v.) erythropusVilla Col.Eur.Dpl. 33.33
v. nobilis Stierl. Fn. Col. Helv. 31 *MR.*
Spinolae Dej. Spec. III. 372 *Alp. oc.*
(v.) valesiacus Ganglb. *H.*
flavofemoratus Heer Fn. H. 77
Yvani Dej. Spec. III. 372 *Alp.oc.*
v. transversus Chd. Ab. V. 227 *Pe.*
maurus Duft. Schaum 473 *Alp.o.Carp.*
morio Duft.
conformis Duft.
(v.) erythromerus Ganglb. *Carp.*

madidus Sturm D. I. V. 49
Escheri Heer Chd. Ab. V. 223 *Alp. oc.*
biseriatus Schaum 473
validiusculus Chd. Ab. V. 225 *Alp. oc.*
maurus Heer F. H. 78
Baudii Chd. Ab. V. 225 *Alp. mar.*
parallelipennis Chd. Ab.V.226 *Alp.oc.*
parnassius Schaum B. 1859. 46 *Alp.oc.*
v. distinctus Chd. Ab. V. 227 *Pe.*

Peirolerii Heer F. H. 74 *H.Pe.*
planiusculus Chd. Stett. 1859. 122

Tamsi Dej. Spec V. 768 *Tauria*
caucasicus Mén. Fald. Fr. Tr. I. 52 *Ca.*
seriepunctatusChd.En.Car.Cauc.141*Ca.*
kasbekianus Kol. Mel. Ent. I. 48
inapertus Fald. Fn. Tr. I. 64 *Ca.*
Stierlini Gaut. M. Schw. 1868. 325
rufimanusChd.En.Car.Cauc.142 *Imeret.*
arator Fald. Fn. Tr. I. 65 *Ca.*
armenus Fald. Fn. Tr. I. 53 *Arm.*
incultus Kr. D. 1875. 417 *RhiloDagh.*

(Bryobius Chaud.)

externepunctatus Dej. Schm 476*Alp.oc.*
Jurinei Panz. Schaum 474 *Alp.*
Zahlbruckneri Dej. III. 368
v. Clairvillei Dej. Spec. III. 368 *H.*
Heydeni Heer K. Schw. II. 32
v. Heydeni Dej. Spec. III. 368 *Ban.Tr.*
v. Sacheri Friv. Mag. Tud. 65. 176 *Hu.*
bicolor Arag. Schaum 475 *Alp.oc.*
Xatarti Dej. Spec. III. 366 *P. Alp. oc.*
obtusus Heer K. Schw. II. 32
dubius Heer F. H. 76
Bualei Duf.
(n.) Nicolasi Heyd. D. 1889. 331 *H.-P.*
DurazzoiFauv.emend.Cat.C.g.rh.10*Alp.*
DuratiiVilla Col. Eur. Dupl. 1835.48
impressus Fairm. Lab. Fn. Fr. I. 99 *Pe.*

(Coscinioptera Chaud.)

variolatus Dej. Spec. III. 360 *St.*
fossulatus Germ. Fn. Ins. Eur. III. 4
v. carniolicus Ganglb. *Carn.*
Welensi Dej. Schaum 477

Calopterus Chaud.

Selmanni Duft. Schaum 478 *A.St.*
v. juvenilis Schaum 479 *A.St.*
Prevosti Dej. Spec. III. 364 *H.Jura*
Duvali Dej. Spec. III. 365
Selmanni Sturm
fossulatus Quens. Schaum 479 *Carp.*
interpunctatus Duft.
v. Welensi Drap. A.Brux. 1819. 47
Klugi Dej. Spec. III. 362 *Carp.or.*

Abax
Bonelli.

ater Vill. Bedel Fn. Sn. 93 *E.b.md.*
striola F. Schaum 493
dubius Cuv.
depressus Oliv.
clavipes Bergstr.
v. grandicollis Fairm. Fn. Fr. I. 93 *P.o.*
v. subpunctatus Dej.Spec. III. 380*Cro.*
v. inferiorSeidl.Fn.Tr.41 *E.md.*
parallelopipedus Dej. Spec. III. 382*Alp.*
exaratus Dej. Spec. III. 154 *Alp. oc.*
contractus Heer Fn. H. I. 561 *Alp. oc.*
curtulus Fairm. A. 1856. 520
Hetzeri Müll. D. 1884. 420 *Lomb.*
Beckenhaupti Duft. Schm 497 *Cr.Carn.*
v. Ecchelii Bert. B.I. 1887. 114 *Trient*
parallelus Duft. Schaum 496 *E.md.*
rectangulus Cuv.
oblongus Dej. Spec. V. 477 *I.*
continuus Baudi Pt. N. 1876. 43 *I.b.*
pyrenaeus Dej. Spec. III. 380 *P.*
Audouini Duf. Act. Soc. Lin.Bord.51
sexualis Fairm. A. 1881. B. 43 *Catalon.*
ovalis Duft. Schaum 494 *E.md.*
frigidus Fairm. Lab.
ellipticus Cuv.
carinatus Duft. Schaum 495 *E.md.*
v. porcatus Duft. Schaum 495
v. latus Dej. Schaum 496

Abacopercus Ganglb.

Schüppeli Pall. Schaum 498 *Ban.*
v. Rendschmidti Germ.Schm.497*Carp.*

Percus
Bonelli.

Kraatz Wien. Ent. Monatschr. 1858.

bilineatus Dej. Spec. III. 400 *I. m.*
lineatus Sol. A. 1835. 119
Reichei Fairm. Kr. W. E. M. 58. 163 *C.*
cylindricus Chaud. Ab. V. 242 *S.*
corsicus Serv. Dej. Spec. III. 397 *C.*
v. oblongus Motsch. B. M. 65. 237 *C.*
v. depressus Motsch. B. M. 65. 238 *C.*
Villae Kraatz W. E. M. 1858. 164 *Pe.*
brunneipennisCostaKr.W.E.M.58.165*I.*

Passerinii Dej. Spec. III. 399 *I.md.*
v. Genei Dej. Kr. W. E. M. 1858. 165
strictus Dej. Spec. III. 402 *S.*
angustiformis Sol. A. 1835. 120
grandicollis Serv. *C.*
loricatus Dej. Spec. III. 403
v. Ramburi Lap. A. 1832. 394
Paykulli Rossi Dej. Spec. III. 404 *I.*
Dejeani Dej. Kr. W. E. M. 58. 167 *I.*
lacertosus Dej. Spec. III. 406 *Si.*
siculus Dej. Spec. III. 407
Oberleitneri Dej. Spec. V. 799 *I.*
ovatus Motsch. B. M. 1865. 240
operosus Chaud. Stett. 1859. 123 *Cors.*
plicatus Dej. Spec. III. 401 *Bal.*
clathratus Schauf. Beitr. Fn. Bal. 8
v. majoricensis PerezUniv.Mad.69.203

Pseudopercus Motsch.
(Perez Arcas Revist. crit. esp. espan. Percus Madrid 1869.)

stultus Dufour Perez Arc. 14 *Hi.*
politus Dej. Perez Arc. 16 *Hi. Lu.*
stultus Rosh. Th. And. 35
Vandalitiae Reiche A. 1861. 363
Guiraoi Perez Arc. 19 *Hi. m.*
patruelis Duf. Per. Arc. 22 *Hi. b.*
glabrellus Motsch. B. M. 1865. 241
navaricus Dej. Perez Arc. 25 *P. Hi. b.*
patruelis Fairm. Lab. Fn. Fr. 101

Aphaonus
Reitter.

Starckianus Reitt. D. 1887. 500 *Ca. oc.*
Starcki Reitt. D. 1887. 251
cylindriformis Reitt. D. 1887.252 *Ca.oc.*
pseudopercus Reitt. W. 1889. 97 *Ca. oc.*

Tapinopterus
Schaum. Ganglbauer.
(Reitter Wien. Ent. Zeit. 1886, 170—174.)

imperialis Reitt. W. 1886. 172 *Morea*
DuponcheliDej.Reitt.W.86.172 *Tayget.*
protensusSchaum Reitt.W.86.173 *Gr.c.*
thessalicus Reitt. W. 1886. 173 *Thess.*
aetolicus Ganglb. D.89. 126 *Aetol.*
filigranus Mill. Reitt. W. 1886. 173 *Gr.*

extensusDej.Reitt.W.86.174 *Corf.Balk.*

Speluncarius Reitter.
Elasmopterus Kraatz.

speluncicolaChd. Reitt.W.86.171*Aetol.*
Oertzeni Kr. D. 1886. 431 *Gr.*
anophthalmus Reitt. l. c. 171 *D.*

Crisimus Habelm.

placidusRos.Habelm.B.1885.143 *MB.*
cognatus Schaum 484 ex parte

laticornisFairm.Reitt.W.86.174 *Gr.Ins.*
Johannis Peyr. A. 1856. 721
rhodius Mill.
v. kapparicola Ganglb. D. 89. 49 *Spor.*
balcanicus Friv. i. l. Ganglb. *Balk.*
cognatus Chd. D. 1876. 345
rebellis Reiche A. 1885. 621 *Gr.*
Tieffenbachi SchaumB. 1862. 106
v. kumanensis Reitt. D. 84. 40 *Morea*
olympicus Kr. D. 1875. 418 *Olymp*

Pterotapinus Heyd.

Fairmairei Chaud. Ab. V. 243 *T.*
cephalotes Gaut. M. Schw. III. 260
capitatus Chaud. B. M. 1850.III. 140*Ca.*

Nesosteropus Ganglb.

ovicollis Reitt. D. 1884. 40 *Euboea*
insularis Ganglb. D. 1889. 49 *Sporad.*
creticus Friv. A.Kir. mag.I.45.179*Creta*
Zebei Schaum B. 1857. 140

Myas
Dejean.

chalybaeus Pall.Dej.Sp.III.424 *Hu.m.*
rugosicollis Brull. Exp. Mor. 122 *Gr.*
Brullei Chaud. B. M. 1874. I. 24

Molops
Bonelli.
Ganglbauer D. E. Z. 1889, 113—125.

striolata F. Ganglb. 114*St.m.Carn.Cro.*
robusta Dej. Ganglb. 116 *Ban. Serb.*
dalmatina Dej. Ganglb. 115 *D.*
bosnica Ganglb. 116 *Bosn.*
simplex Chd. Ganglb. 116*Cro.Ban.Bos.*
croatica Kraatz. D. 1875. 371
parnassicola Kr. Ganglb. 118 *Gr.*
v. euboeica Ganglb. 118 *Euboea*
elata F. Ganglb. 116 *E.md.*
Cottellii Duft. Kr. D. 1875. 413
melaena Strm. D. I. IV. 171
plitvicensis Heyd. Ganglb. 117 *Cro.*
alpestris Dej. Ganglb. 118 *Hu.m.Cro.*
Cottellii Chaud. Ab. V. 255
graeca Chd. B. M. 1843. IV. 773 *Gr.*
(v.) rubripes Ganglb. 118 *E. md.or.*
obtusangula Ganglb. 118 *D.Bosn.Gr.*
Parreyssi Kr. Gglb. 118 *D. Mont. Herz.*

spartana Schaum Ganglb. 119 *Gr.*
bucephala Dej. Ganglb. 119 *Cro. D.*
dilatata Chaud. Ganglb. 120 *Balk.*
v. Heydeni Kr. Ganglb. 120 *RhiloDagh*
promissa Heyd. Ganglb. 120 *D.*
grandiceps Ganglb. 121 *Cro.*
longipennis Dej. Ganglb. 121 *Cro.*
latiuscula Kr. Ganglb. 122 *Cro.*
orthogonia Chaud. Ganglb. 122 *Ban.*
punctata Dej. Spec. III. 418
v. Sturmi Kr. D. 1875. 375 *Mold.*
picea Panz. Ganglb. 123 *E.md.*
terricola F. Schaum 502
madida Payk. Fn. Suec. I. 107 *Su.*
montana Heer Fn. H. 86
subtruncata Chaud. B. M. 43. IV. 474
Tournieri Gaut. A' 1859. 209 *MR.*
austriaca Ganglb. 123 *Alp.or.*
terricola Redtb. F. A. ed. I. 91
Cottellii Schaum 500 ex parte
ovipennis Kr. D. 1875. 414
melaena Kr. D. 1875. 414
ovalipennis Heyd. D. 1881. 248
ovipennis Chaud. Ganglb. 124 *Alp.m.o.*
brunnipes Dej. Spec. III. 418
Cottellii Schaum 500 ex parte
subtilis Kr. D. 1875. 415
v. medius Chaud. Ab. V. 257 *I. b.*
alpestris Redtb. F. A. ed. I. 91
Cottellii Redtb. F. A. ed. 3. 48
v. Hopffgarteni Heyd. D. 81. 247 *Cro.*
rufipes Chaud. Ganglb. 125 *T.*

Stenochoromus Mill.

montenegrina Mill. z.b.Wien. 66. 817 *Mt.*

Tanythrix Schaum.

marginepunctata Dej. Rtt. W. 83. 256 *MB.*
edura Dej. Reitt. W. 1883. 256 *MB.*
corpulenta Chaud. Stett. 1859. 125
Heydeni Hopffg. W. 1883. 119
senilis Schaum Reitt. W. 1883. 256 *MR.*

Stomis
Clairville.

pumicatus Panz. Schaum 433 *E.b.md.*
v. ovipennis Chd. En. Car. Cau. 150 *Ca.*
rostratus Sturm Schaum 434 *Alp.m.or.*
elegans Chd. B. M. 1861. I. 8 *Pe.*

Agelaea
Gené.

fulva Gené Schaum 379 *S.*

Abacetus
Dejean.

(Chaudoir Bull. Mosc. 1869, II. 355—400.)

Salzmanni Germ. Chd. 391 *Med. oc.*
rubripes Dej. Spec. III. 248
aequicollis Motsch. B. M. 1865. 229

Amarini.

Amara
Bonelli.

Zimmermann Gistls Faunus I. 1832. 1—40.
Putzeys L'Abeille XI 1870, 1—100.

Triaena Lec.

fulvipes Serv. Bedel Fn. Sn. 92 *A.E.m.*
striatopunctata Dej. Schm. 517. Putz. 7
valida Fairm. A. 1859. 21
rufipes Dej Schm. 517. Putz. 7 *E.md.Med.*
lepida Fairm. Lab. Fn. Fr. I. 107
v. reflexicollis Motsch. Ins. Sib. 183 *Ca.*
Chaudoiri Hochh. B. M. 1871. I. 211 *Kiew*
erythrocnemis Zim. Schm. 518. P. 8 *Hu. Gr*
floralis Gaubil Rev. Z. 44. 341 *Ga.m.*
concinna Zimm. Putz. 8 *E.md.Hi.C.*
lepida Zimm. Schaum 518
amabilis Hampe B. 1870. 331 *Cro.*
v. refulgens Reiche A. 1875. B. 179 *Si.*
strenua Zimm. Schm. 520. Putz. 10 *E.md.*
vectensis Daws. Ann. N. H. 49. 213 *Br.*
tricuspidata Steph.
tricuspidata Dej. Schm. 519. Ptz. 9 *E.md.*
(v.) lepidula Letzn. Z. Bres. 52. 252 *Sil.*
noctivaga Hochh. B. M. 71. I. 213 *Kiew*
plebeja Gyllh. Schm. 521. Putz. 10 *E.b.md.*
nitida Steph. Ill. Brit. I. 129
lapidicola Heer K. Schw. II. 39
varicolor Heer F. H. I. 92
cylindrella Schdte. Danm. El. I. 105
lenticularis Schdte. Kr. Tidskr. 37. 158

Amara s. str. Leconte.

similata Gyllh. Schm. 522 Putz. 12 *E.*
obsoleta Duft.
depressa Letzn. Z. Bresl. 1852. 264
ingenua Steph.
? agilis Ryland Newm. Ent. 41. 216 *Br.*
ovata F. Schm. 523. Putz. 13 *E.md.Lu.Ca.*
obsoleta Dej. Spec. III. 460
trivialis Duft.
pratensis Sturm
subaenea Steph.
incisa Grimm. St. Col. 31
(v.) adamantina Kol. Mel. Ent. I. 45 *Ca.*

(v.) bicolor Kol. l. c.
(v.) excepta Kol. l. c.
saphyrea Dej. Schm. 522. Putz. 14 *Hu. m.*
palustris Baudi B. 1864. 210 *S.*
curvicrus Thoms. Opusc. 72. 362 *Su. R. b.*
montivaga Strm. Schm. 524. Ptz. 15 *E. md.*
 communis F.
nitida Sturm Schm. 525. Putz. 20 *E. md.*
 formosa Schdte. Danm. El. 184
 ? laticollis Steph. Ill. Brit. I. 133
communis Panz. Schm. 526. Putz. 16 *E.*
 atrocoerulea Sturm
 ferrea Sturm
 vagabunda Duft.
 vulgaris Daws.
 obtusa Steph.
 plebeja Steph.
 ? Dalei Rylands Newm. Ent. 41. 216
(n.) atrata Heer F. H. I. 95
(v.) aenea Heer F. H. I. 95
(v.) alpicola Heer K. Schw. II. 39
convexior Steph. Bed. Fn. Sn. 91 *E.*
 continua Thoms Opusc. 1873. 529
 ? puncticollis Ryl. Newm. Ent. 41. 216
nigricornis Thoms. Putz. 17 *L.*
depressa Zimm. Putz. 18 *Borussia*
lunicollis Schdte. Schaum 528 *E. md. b.*
 vulgaris Panz. Dej. Putz. 18
 poeciloides Heer K. Schw. II. 40
 limbata Schdte. Danm. El. 188
 v. assimilis Chd. B. M. 44. III. 446 *Kiew*
intermedia Chd. En. Car. Cauc. 159 *Ca.*
 proxima Putz. 19
Schimperi Wenck. Putz. 20 *Ga. or.*
curta Dej. Schaum 527. Putz. 22 *E. b. md.*
 despecta Sahlb. Ins. Fenn. I. 245
 brunnicornis Heer F. H. 96
 aeruginosa Kol. Mel. Ent. I. 45
 ovalis Muls. Op. Ent. 61. 47 *Ga. m.*
dubia Motsch. Ins. Sib. 187 *U.*
littorea Thoms. Putz. 23 *Su.*
cyanocnemis Thoms. Putz. 24 *Norw.*
aenea Degeer Bedel Fn. Sn. 90 *E.*
 trivialis Gyllh. Schm. 531. Putz. 25
 vulgaris Duft. Schiödt. Danm. El. 190
 atra Steph. Ill. Brit. I. 134
 persica Chd. B. M. 1842. IV. 827
 ? maculipes Grimm. St. Col. 31
proxima Friv. Term. Füz. I. 134 *Hu. m.*
spreta Zimm. Schm. 530. Putz. 26 *E. b. md.*
 curta Steph.
famelica Zimm. Schm. 529. Ptz. 27 *E. b. md.*
 contrusa Schiödte Danm. El. 186
 vulgaris Thoms. Sk. Col. I. 249

eurynota Panz. Dej. Spec. III. 458 *E.*
 acuminata Payk. Schm. 532. Ptz. 24
 vulgaris F. Syst. El. I. 195
 v. Raymondi Putz. 25 *S.*
exsculpta Hausm. Grdl. Käf. Tir. 46 *T.*
familiaris Duft. Schm. 533. Putz. 28 *E.*
 cursor Sturm
 laevis Sturm
 perplexa Dej. Spec. III. 470
 lucida Steph.
 elegans Rylands Newm. Ent. 41. 216
 lapidaria Kol. Mel. Ent. I. 54
anthobia Villa Putz. 29 *E. md. Med.*
lucida Duft. Schm. 534. Putz. 28 *E.*
 gemina Zimm.
 erythropa Steph.
 infima Steph. [274 *Scotia*
 ? septentrionalis Curt. Ann. Mg. 1840.
tibialis Payk. Schm. 534. Putz. 29 *E. b. md.*
 viridis Duft.

Percosia Zimm.

equestris Duft. Bedel Fn. Sn. 87 *E.*
 patricia Duft. Schm. 549. Putz. 89
 plebeja Duft.
 mancipium Duft.
 nobilis Sturm
 v. zabroides Dej. Spec. III. 504
 v. dilatata Heer K. Schw. II. 35
 v. Cervini Stierl. M. Schw. 1879. 510
sicula Dej. Putz. 90 *Si.*
 Reichei Coqu. Putz. 90
pastica Dej. Putz. 90 *R. m.*
bullata Marsh. Ab. 1869. 389 *Sarepta*
laticollis Motsch. Käf. R. 58 *R.*

Celia Zimm.

rufoaenea Dej. Putz. 30 *Hi. c.*
Solieri Putz. 31 *? Helv.*
subelongata Motsch. B. M. 49. 74 *Hi. m.*

---

ingenua Duft. Schm. 536. Putz. 32 *E.*
 liberta Duft.
 lata Sturm
 subaenea Sturm
 collina Putz.
 cognata Putz.
 v. ruficornis Dej. Putz. 32 *Hi.*

---

complanata Dej. Putz. 33 *D.*
fusca Dej. Schm. 537. Putz. 33 *E. oc.*
uralensis Motsch. Ins. Sib. 191 *U.*
cursitans Zimm. Schm. 538. Ptz. 34 *E. md.*
 properans Zimm. 21

fuscicornis Zimm. 20
rufoaenea Letzn. Z. Bresl. 52. 284
Ougsbourgeri Heer K. Schw. II. 90
municipalisDft. Schm.539.Ptz.35 *E. md.*
modesta Dej. Spec. III. 482
melancholica Schiödt.Danm.El. 176
obscuricornis Motsch. B. M. 59. 223
ambulans Zimm. Putz. 36 *R.m.or. Car.*
inderiensis Motsch. Käf. R. 59
morio Mén. Fald. Fn. Tr. I. 74
taurica Motsch. B. M. 1845. 25 *Tauria*
viridescensRtt.Rev.Dokhtour.83.70 *Ca.*

---

misella Mill. Putz. 37 *Carp.*

---

erratica Duft. Schm. 540Putz.38 *E.b.md.*
vulgaris Gyllh. Ins. Suec. II. 138
punctulata Dej. Spec. III. 472
graculus Heer K. Schw. II. 37
rugulosa Heer F. H. I. 89
septentrionalisSchiöd.K.Tidsk.I.170
interstitialisDej.Sp.III.472.Ptz.39. *E.b.*
bipartitaMotsch. Schrenk. Reise 95
borealis Motsch. Ins. Sib. 184
v. puncticollisJ.Sahlb.En.Fenn.109 *F.*
QuenseliSchönh.Schm.542.Ptz.40 *E.b.*
monticola Zimm. Dej. Spec. V. 794
antennata Rosh. Beitr. Ins. Fn. 9
marginata Heer F. H. 90 *E.md.*
despecta Sahlb.
Schneideri Ptz. Schnd. Beitr.Cauc.72 *Ca.*
silvicolaZimm.Schm.544.Ptz.41 *E.b.G.b.*
maritima Schiödte Danm. El. 178
Quenseli Letzn. Z. Bresl. 1852. 288
longiceps Seidl. Fn.balt. ed.2.50 *Norw.b.*
testicola Zimm. Putz. 41 *Ca.*
rufoaenea Fald. Fn. Tr. III. 74
saxicola Zimm. Putz. 42 *Ca.*
propinqua Mén. Fald. Fn. Tr. I. 76
bifrons Gyllh. Schm. 546. Putz. 44 *E.*
livida Schiödte Danm. El. 179
rufocincta Sahlb. Ins. Fenn. I. 249
brunnea Sturm
orichalcica Müll. Daws.
discrepans Steph.
Zimmermanni Heer F. H. 91
abbreviata Chd. B.M. 52. IV. 828 *Ca.or.*
infima Duft. Schm. 545. Ptz. 49 *E.b.md.*
granaria Dej. Spec. III. 490
praetermissaSahlb.Bed.F.Sn.88 *E.b.md*
rufocincta Dej. Schm. 547. Putz. 50
pallens Sturm
grandicollis Zimm. 29
v. oreophila Zimm. 29

Acrodon Zimm.

brunneaGyllh.Schm.548.Ptz.51 *E.b.Alp.*
lapponica Sahlb.
Sahlbergi Zett.
amplicollis Mannh.
exclusa Sturm
indivisa Putz. A. B. 70-71. 137 *Belg.*

Liocnemis Zimm.

arenaria Putz. 44 *Hi. c.*
sabulosaDej.Schm 514.Putz.45 *Ga.G.Gr*
planiuscula Rosh. Laufk. Erl. 42. 29
Barnevillei Fairm. A. 1856. 521
polita Chd. En. Car. Cauc. 159 *Ca.*
fervida Cocqu. Putz. 46 *S.*
v. Henoni Fairm. Putz. 46 *Hi.*
nitidiuscula Putz. Ann. Madr. 73. 51 *Hi.*
affinis Dej. Putz. 52 *Hi.*
? Perezi Putz. 54
rotundata Dej. Putz. 57 *Hi.*
eximia Dej. Putz. 58 *Ga.m.Hi.*
brevis Dej. Spec. III. 493 *Hi.*
corpulenta Putz. 59 *Hi.*
sollicita Pant. An. Madrid 88. 236 *Hi.c.*
simplex Dej. Putz. 60 *Hi.*
dalmatina Dej. Schm. 515. Putz. 62 *D.*
dichroa Putz. 62 *Gr.*
cardionota Putz.Schn.Led.Cauc.73 *Ca.*
montana Dej. Putz. 64 *Med.*
distincta Ramb. Fn. And. 109
meridionalis Putz. 65 *Ga. m.*
atrovirens Putz. A. B. 1872. C *Hi.*
gravidula Rosh. Thier. And. 56.36 *And.*
testudinea Putz. 66 *Hi.m.*

---

cordicollis Mén. Putz. 70 *Ca.*
subdepressa Putz. 70 *Ca.*
planipennis Putz. 71 *Ca.*
daghestanica Chaud. *Ca.*
crenata Dej.Schm.515.Ptz.75 *E.md.Med.*
crenatostriataChd.E.Ca.Cau.161 *Ca.*
pyrenaea Dej. Putz, 72 *P. o.*
puucticollis Dej. Putz. 72 *P. o.*

Amathitis Zimm.

rufescens Dej. Spec. IV. 387 *Hi.*
aegyptia Zimm. 39

Bradytus Zimm.

apricaria Payk. Schm. 506. Putz. 87 *E.*
Petri Humm.
lata F.
analis F.

torrida Steph.
rhaetica Heer K. Schw. II. 41
v. convexilabris SchiödteDanm.El. 166
v. majuscula Chd. B. M. 50. III. 148 *Ca.*
fulva Degeer Schm. 505. Putz. 87 *E.*
pallida F.
ferruginea Payk.
concolor F.
iridipennis Heer Fn. H. 98
consularis Duft. Schm. 507. Putz. 87 *E.*
lata Gyllh. Ins. Suec. II. 133
crassa Steph.
nigra Chd. B. M. 1837. VII. 35
patrata Schiödt.Danm.El. 171
abdominalis Motsch.Ins. Sib. 181 *Casp.*
parvicollis Gebl. B. M. 1833. 269 *Casp.*
aeneomicans Chd. B.M. 1837. 36
lata Motsch. Ins. Sib. 178

Leiromorpha Ganglb.

cuniculina Dej. Schm. 515. Ptz. 74 *A.St.*
alpicola Dej. Schm. 516. Putz. 74 *A.St.*
frigida Putz. 73 *B.-Alp.*
lantoscana Fauv. R. 1888. 222*Alp.mar.*

Leironotus Ganglb.

glabrata Dej. Putz. 69. *G.occ.Ga.Hi.*
ooptera Putz. 67 *Hi. c.*
rotundicollis Schauf. Putz. 68 *Hi. c.*

Cyrtonotus Steph.

aulica Panz. Schm. 511. Putz. 81 *E.*
picea F.
bicolor Payk.
spinipes SchiödteDanm. El.166
v. caucasica Motsch. Ins. Sib. 178 *Ca.*
v. circassica Reitt. W. 88. 86 *Ca. oc.*
Helleri Gredl. Col. Heft. 1868. 60 *Ti.*
GebleriDej. Sp.V.799.Ptz. M.Lièg.1866.
uralensis Mots. Käf. R.62 [240*R.m.*
picea Motsch. Ins. Sib. 177 *U.*
convexiusculaMsh. Schm. 512. Ptz.82 *E.*
bistriata Putz. 82 *Lenkor.*
castaneaPutz.Mém.Liège66.244 *R.m.o.*
deserta Kryn. Putz. 83 *R.m.*
volgensis Chd. B. M. 1850. 149
cribricollis Chd. Putz. 83 *Tauria*
armeniacaMots.Ptz.M.Lièg.66.247*Arm.*
torrida Illig. Putz. 84 *E. b.*
daurica Motsch. Ins. Sib. 177
alpina F. Putz. 84 *E. b.*
cognata Putz. 85 *Norweg.*
caligata Putz.M.Liège1866.251 *R. b.*

Leirides Putz.

alpestrisVillaCol.Eur.Dupl.33.32 *Lomb*
helopioidesHeerK.Schw.508.Ptz. 76
latiuscula Chd. B. M. 1843. 776
nobilis Duft. Schm. 509. Ptz. 77 *A.St.*
contractula Sturm
spectabilis Schm. 510. Putz. 78 *St.Car.*
montana Chd. B. M. 1837. III. 37
nobilis Letzn. Z. Bressl. 52. 245
cardui Dej. Schm. 511. Putz. 79 *H.Pe.*
calathoides Putz. 79 *Ca.*

Harpalodema
Reitter.

lutescens Reitt. D. 1888. 419*Astrachan*
Fausti Reitt. D. 1888. 419 *Astrachan*
bradytoides Reitt. D. 1889. 274 *Arax.*
amaroides Reitt. D. 1890 *Arax.*
punctipennis Reitt.D.1889. 274 *Erivan*

Acorius
Zimmermann.

metallescens Dej. Spec. V. 795 *S.*
v. salinariusPant.An Mad.88.235 *Hi.c.*
Ghilianii Baudi B. 1864. 211 *Hi.m.*

Zabrus
Clairville.

Zimmermann Monogr. Zabr. 1831.
Schaum B. 1864. 171—194.

Eutroctes Zimm.

Pelobatus Fisch.

chalceus Fald. Schaum 172 *Ca.*
(v.) aureolus Fald. Fn. Tr. I. 72
(v.) lugubris Fald. Fn. Tr. I. 73
(v.) costipennis Fald. Fn. Tr. I. 70
heros Fald. Schaum 173 *Ca. m.*
congener Zimm. Mon. 19
oxygonus Chd. Schaum 172 *Kutais*
aurichalceus Ad. Schaum 173 *Ca.*
♂ Adamsi Fisch. Mém. Mosc. V.468
♀ Fussi Fisch. Mém. Mosc. V. 468
v. moestus Küst. Käf. Eur. 9. 12
v. punctipennis Chd. En.Car. Cauc.154
aciculatus Schaum 173 *Imeretia*
laevigatus Chd. En. Car. 152

Zabrus s. str. Zimm.

obesus Dej. Spec. III. 448. Zimm. 33 *P.*
v. neerensis Heyd. D. 1890. 331 *P.*
marginicollis Dej. Spec. III. 444 *Hi.*
gravis Dej. Spec. III. 442. Zimm. 37 *Hi.m.*
silphoides Dej. Spec. III. 443 *Hi.*

dentipes Zimm. 35
asturiensis Heyd. B. 1880. 296 *Astur.*
crepidoderus Schaum 174 *And.*
rotundicollis Ramb. Fn. And. 103
ambiguus Ramb. Fn. And. 105 *And.*
rotundatus Ramb. Fn. And. 103 *And.*
curtus Dej. Sp. III. 445. Zim. 40 *Ga.m.Hi.*
♀ curtoides Chd. B. M. 1837. III. 34
♀ pyrenaeus Fairm. Fn. Tr. I. 114
consanguineus Chevr. Rev. Z. 65. 349 *Hi.b.*
Theveneti Chevr. A' 1874. 78 *And.*
Castroi Mart. An. Madr. 73. 10 *Cuenca*
notabilis Mart. An. Madr. 73. 407 *Burgos*
neglectus Schaum 175 *Guadarrama*
arragonensis Heyd. D. 1883. 305 *Hi.*
inflatus Dej. Spec. III. 446 Zimm. 38 *Ga.m.*
angustatus Ramb. Schaum 175 *And.*
constrictus Graëlls Schaum 175 *Castil.*

---

flavangulus Chevr. Rev. Zool. 40. 14 *Lu.*
silphoides Zimm. 62. Schaum 188

---

pinguis Dej. Spec. V. 786. Zimm. 45 *Lu.*
Seidlitzi Schaum 177 *Guadarrama*
estrellanus Heyd. B. 1880. 296 *Lu.*

---

incrassatus Germ. Dj. Sp. III. 45. Zim. 50 *D.*
graecus Dej. Zimm. 47. Schm. 178 *Gr.*
punctatostriatus Brull. Silb R III. 281
striaticollis Gaut. M. Schw. 1868
v. intermedius Zimm. 49 *Gr.T.*
v. convexus Zimm. 50 *Ins. Ion.*
v. subtilis Schaum B. 62. 108 *Ins. Gr.*
validus Schaum B. 1864. 179 *Ins. Gr.*
taygetanus Heyd. D. 1883. 306 *Gr.*
robustus Zimm. 52 *Morea*
Fontenayi Dej. Spec. V. 786
punctiventris Schaum 179 *Gr.*
striatoporus Schaum 181 *Arm.*

---

femoratus Dej. Sp. III. 441. Schm. 181 *Gr.*
chiosanus Reitt. D. 1889. 256 *Chios*
tumidus Reiche A. 1855. 623 *Gr.*
Oertzeni Reitt. D. 1885. 356 *Creta*
v. creticus Reitt. D. 1889. 253 *Creta*
reflexus Schaum B. 1862. 108 *Gr.*
brevicollis Schaum B. 1857. 142 *Gr.*
rotundicollis Mén. Bul. Ac. Ptr. 36. 140 *Ca.*
Caramaniae Peyr. A. 1858. 378
rufipalpis Schaum 183 *Gr.*
hellenicus Heyd. D. 1883. 308 *Tayget.*
Trinii Fisch. Mém. Mosc. V. 466 *Ca.*
caucasicus Zimm. 55
nitidus Motsch. B. M. 1845. I. 21
obtusangulus Reitt. 1885. 356 *Ca.*
Araxidis Reitt. D. 1889. 17 *Ca.*
transfuga Schaum 185 *Ca.*
balcanicus Heyd. D. 1883. 309 *Balk.*
aetolus Schaum B. 1864. 186 *Gr.*

---

gibbosus Zimm. 57 *Ca.*
morio Mén. Cat. rais. 125
rufomarginatus Mén. Cat. rais. 125
v. vicinus Chd. B. M. 1844. 429 *Ca.*
v. propinquus Chd. B. M. 1844. 429 *Ca.o.*
cognatus Chd. En. Car. Cauc. 156 *Arm.*
tenebrioides Goeze Bedel Fn. Sn. 84 *E.*
piger Geoffr.
gibbus F. Zimm. 60. Schaum 553
v. elongatus Mén. Cat. rais. 126 *Ca.*
v. Costae Heyd. *I. m.*
elongatus Costa An. Aspir. nat. 2. I. 90
v. longulus Reiche A. 1855. 627 *Gr.*
piger Dej. Sp. III. 453. Zimm. 58 *Med.oc.D.*
Orsinii Dej. Spec. V. 788 *I.m.*

P e l o r Bon.

blapoides Creutz. Zimm. 66 *E.md.or.*
blaptoides Schaum 551
Steveni Fisch. Mém. Mosc. V. 467
v. tauricus Chd. B. M. 44. 443 *Tauria*
v. rugosus Mén. Cat. rais. 124 *Ca.*
foveolatus Schaum 188 *Arm.*
foveipennis Heyd. D. 1883. 307

P o l y s i t u s Zimm.

farctus Zimm. 71 *Si.Hi.*
puncticollis Dej. Spec. V. 787
globosus Gory A. 1833. 235

Harpalini.

Daptus
Fischer.

vittatus Fisch. Dej. Spec. IV. 19 *Med.*
pictus Fisch. Ent. Russ. II. 36 *R. m.*
vittiger Germ.
labiatus Motsch. B. M. 49. 69 *Hi.m.*
v. Kominecki Bielz. Vrh. Hrm. 51. 150 *Tr*

Acinopus
Latreille.

Piochard de la Brûlerie A. 1873. 255—266.

O s i m u s Motsch.
ammophilus Dej. Pioch. 256 *Hu.m.R.m.*
grandis Fald. Fn. Tr. I. 78 [*Ca.*
spinipes Fisch. B. M. 1844. I. 32

striolatus Zoubk. Pioch. 256 *Casp.*
nitidus Fald. Fn. Tr. I. 77

Acinopus s. str.

giganteus Dej. Pioch. 257 *And.*
subquadratus Brul. Pioch. 258 *Gr. I.m. S.*
quadricollis Sol.
ambiguus Dej. Pioch. 259 *Si. Malta*
picipes Oliv. Pioch. 260 *Med.*
megacephalus Ill. Dej. Spec. IV. 33
pasticus Germ. Reise Dalm. 194
tenebrioides Duft. Fn. Austr. II. 126
minutus Brull. Exp. Mor. 118
rufitarsis Fisch. B. M. 44. I. 31 *R.m.*
laevigatus Mén. Cat. rais. 128 *Ca.*
clypeatus Fisch. B. M. 1844. I. 31 *Casp.*
brevicollis Baudi Nat. Sic. I. 82. 85 *Si.*
elongatus Luc. Pioch. 261 *Si.*
cylindraceus Fairm. A. 1859. B. 51
pilipes Pioch. A. 67. B. 79. Pioch. 261 *Bal.*

---

megacephalus Ross. Pioch. 262 *Med. Casp*
bucephalus Dej. Spec. IV. 36
gutturosus Buq. Rev. Z. 1840. 421
sabulosus Sturm Ins. IV. 5
emarginatus Chd. B. M. 1842. 829
medius Reiche Cat. Col. Alg. 12

Acmastes
Schaum.

Quedenf. B. E. Z. 1883. 283.

Haroldi Schaum Journ. Ent. 63. 78 *Hi.m.*

Aristus
Latreille.

Ditomus Bedel.
Piochard de la Brûl. Abeille XI. 1873.
Separ. 12—29.

capito Dej. Pioch. 15 *Med. oc.*
v. Haagi Heyd. Reise Span. 59 *Hi.m.*
v. obscuroides Paulin. Cat. I. Port. 49 *Lu.*
obscurus Dej. Pioch. 17 *Med. o.*
clypeatus Rossi Pioch. 18 *Med. oc.*
bucephalus Oliv. Ent. III. 36. 12
sulcatus F. Dej. Spec. I. 446
eremita Dej. Pioch. 20 *Med. o.*
nitidulus Dej. Spec. I. 447
perforatus Reiche Saulcy A. 55. 589
sphaerocephalus Oliv. Pioch. 23 *Med. oc.*
trogositoides Duf. Ann. Brux. 20. 326
semicylindricus Pioch. 24 *Ca.*
opacus Er. Pioch. 27 *Ins. Lampedusa*

Ditomus
Bonelli. Piochard.

Sabienus Gozis.
Piochard de la Brûlerie Abeille XI. 1873.
Separ. 30—72.

Odontocarus Sol.

cephalotes Dej. Pioch. 39 *Hi. Lu.*
robustus Dej. Pioch. 43 *T. Gr.*
cordatus Dej. Pioch. 44 *Hi. Lu. Si. Cret.*
distinctus Dej. Spec. V. 521
baeticus Ramb. Pioch. 49 *Hi.m.*
v. sierranus Heyd. Pioch. 50 *Nevada*

Ditomus s. str.

calydonius Rossi Pioch. 51 *Med.*
dama Germ. Reise Dalm. 199
tricuspidatus F. Pioch. 53 *Med.*
calydonius Germ. Reise Dalm. 199
cornutus Dej. Spec. I. 440
Frioli Sol. A. 1834. 664
spinicollis Chd. B. M. 1843. IV. 743
♀ longicornis F. Syst. El. I. 214

Carterus Dej.

Odogenius Sol.

interceptus Dej. Pioch. 55 *Med. oc.*
rufipes Luc. Expl. Alg. 30
Lucasi Reiche A. 1861. 364
strigosus Reiche A. 1861. 364
mandibularis Reiche A. 1861. 364
dama Rossi Pioch. 57 *Med.*
siagonoides Brull. Exp. Mor. 117
barbarus Sol. A. 1834. 665
v. gilvipes Pioch. 59 *Med.*
fulvipes Dej. Pioch. 61 *Med. Ge.*
pilosus Dej. Spec. I. 443
Leachi Steph. Ill. Brit. I. 44 *Br.*
rotundicollis Ramb. Pioch. 62 *Med.*
dilaticollis Luc. Expl. Alg. 32
♀ affinis Ramb. Fn. And. 26
rufipes Chd. Pioch. 64 *Med. or.*
longipennis Chaud. Pioch. 67 *Ca.*
cribratus Reiche Saulcy A. 55. 588
angustipennis Chd. Pioch. 68 *Tauria Ca.*
microcephalus Ramb. Pioch. 70 *Hi. Lu.*
gracilis Ramb. Pioch. 71 *Hi. Lu.*
ruficornis Luc. Ann. Sc. Nat. 42. 62

---

depressus Brull. Exp. Morée 117 *Gr.*
Lefebvrei Brull. Exp. Morée 117 *Si.*

Eriotomus
Piochard.
Piochard de la Brûlerie Abeille XI. 1873. Separ. 72—79.

tomentosus Dej. Pioch. 74 *Hi. m.*
caucasicus Dej. Pioch. 76 *Ca.*
villosulus Reiche Pioch. 77 *Hi. m.*
  rubens Fairm. A. 1871. B. 72 *S.*

Pachycarus
Solier.
Piochard de la Brûlerie Abeille XI. 1873. Separ. 79—90.

Chilotomus Chd.
chalybaeus Fald. Pioch 81 *Casp.*

Pachycarus s. str.
aculeatus Reiche Pioch. 85 *Syra*
cyaneus Dej. Pioch. 86 *Gr.*
  atrocoeruleus Waltl Isis. 1838. 451
  cyanescens Chd. B. M. 50. II. 444
  Chaudoiri Reiche Saulcy 1855. 592
coeruleus Brull. Pioch. 88 *Gr.*

Penthus
Chaudoir.

tenebrioidesWaltlPioch.l.c.92 *Med. o.*
  tenebricosus Chd. B. M. 43. III. 389
brevicollis Reitt. W. 1884. 249 *Casp.*

Scybalicus
Schaum.

Apatelus Schaum.
oblongiusculusDej.Schm.560 *Ga.m.Hi.*

Ophonus
(Stephens) Bedel.

Carterophonus Ganglb.
ditomoidesDej.Spec.IV.199 *Med.*
dermatodes Fairm. A. 1868. 474 *Lu.*
  promissus Reiche
femoralis Coqu. A. 1858. 756 *Hi.m.Lu.*
  carteroides Fairm. A. 1868. 475
  Olcesei Fairm.

Ophonus s. str. Ganglb.
oblongus Schm. W. E. M. 58. 273 *Gr.*
  Langloisi Peyron A. 1858. 381
sabulicola Panz. Schaum572*E.md.Med.*
  azureus Oliv.
  obscurus Duft.
  coelestinusMtsch.Käf.R.31 *Tauria*
v. columbinus Dej. Spec. IV. 193 *Med.*
obscurus F. Schaum 572 *E.md.Med.*
  monticola Dej. Spec. IV. 195
  rotundicollis J. Sahlb.En.Fen.126 *F.*
diffinis Dej. Schaum 573 *E.md.*
v. rotundicollis Fairm. Schm. 574 *Med.*
  obscurus Sturm Dej. Spec. IV. 197
v. discicollisWaltlReis.Sp.Anh.55 *Hi.*
quadricollis Dej. Spec. V. 838 *Med.oc.*
  laminatus Fairm. A. 1858. 763
punctatulus Duft.Schaum 574 *E.md.*
  azureus Schiödte Danm. El. 127
  nitidulus Steph.
v. laticollis Mannh. Schm. 575 *E.md.*
obscuripesMotsch.Käf.Russl.32 *Tauria*
incisus Dej. Spec. IV. 201 *E.m.*
  longicollis Chd. B. M. 1843. IV. 784
CuniiFairm.Pant.Mdr.1888.215 *Hi.c.*
rupicola Sturm Schaum 578 *E.md.m.*
  subcordatus Dej. Spec. IV. 215
rectangulusThoms.Op.Ent.70.323 *Su.*
rufibarbis F. Bedel Fn. Sn. 71 *E.*
  brevicollis Dej. Schm. 579
  cribrellus Steph.
  subpunctatus Steph.
puncticollis Payk. Schaum. 578 *E.*
  foraminulosus Marsh.
v. parallelus Dej. Schaum 580*E.md.m.*
  Melleti Heer K. Schw. II. 11
cordatus Duft. Schaum 577 *E.md.D.*
  porosus Germ. Reise Dalm. 196
azureus F. Schaum 575 *E.md.Med.*
  chlorophanus Panz. Dej. Sp. IV. 205
v. minimus Motsch. B. M. 45. I. 45 *R.m.*
v. similis Dej. Schaum 575 *Med.*
v. cribricollis Dej. Schaum 576 *E.md.*
  crassiusculus Fairm. Lab. Fn. Fr. 126
  Fauveli Math. A. 1862. 244
v. ruficrus Mén. Fald. Fn. Tr. I. 83*Ca.*
v. coeruleipennisMén.Fld.F.Tr.I 82*Ca*
v. agnatus Chd. En. Car. Cauc. 167*Ca.*
v. atrocyaneusChd.B.M.42.830 *Ca.or.*
v. violaceus Reiche A. 1855. 628 *Si.*
  episcopalis Reiche Mars. Çat. ed. 3. 9
picicornis Fald. Fn. Tr. I. 86 *Ca.*
convexicollis Mén. Pioch. A. 75. 408*Ca.*
  annulatus Chd. B. M. 1837. 45
  pleuralis Reitt. D. 1887. 245
caucasicus Kol. Mel. Ent. 1845. 59 *Ca.*
meridionalis Dej. Spec. IV. 210 *Med.*
  subquadratus Dej. Spec IV. 210
v. cordicollis Dej. Spec. IV. 209 *R.m.*
longicollis Ramb. Fn. And. 119 *And.*
aterrimus Heyd. D. 1880. 296 *Astur.*

distinctus Ramb. Fn. And. 120 *And.*
pumilio Dej. Spec. IV. 212
rotundatus Dej. Spec. IV. 212 *D. Med. oc.*
signaticornis Duft. Schaum 581 *E. md.*
Janus Fairm. A. 1856. 524

Parophonus Ganglb.

maculicornis Duft. Schm. 580 *E. md. Med.*
v. complanatus Dej. Schaum 580
hirsutulus Dej. Spec. IV. 226 *Med. Ca.*
acutipennis Küst. Käf. Eur. 9. 7.
tataricus Mén. Mém. Ac. Petr. 49. 36 *Casp.*
v. interstitialis Reitt. Brünn 1889. 8
planicollis Dej. Spec. IV. 227 *Med.*
v. hispanus Ramb. Fn. And. 121 *And.*
v. fallax Peyron A. 1858. 384 *T.*
v. laeviceps Mén. Fald. Fn. Tr. I. 84 *Ca.*
v. suturalis Chd. En. Car. Cauc. 170 *Ca.*
suturifer Reitt. W. 1884. 33 *Gr.*
mendax Rossi Dej. Spec. IV. 229 *Med.*
fulvipennis Serv.
zigzag Costa Atti Nap. IX. 1882. 2 *Calab.*
pubipennis Küst. Käf Eur. 17. 9 (sp. dub.) *D.*

Cephalophonus Ganglb.

cephalotes Fairm. Fn. Fr. 54. 126 *Ga. m.*
Rayei Lind. A. 1864. 250 *Hu. m. Rum.*
planiusculus Kr. B. 73. 197 *Thuring.*
Zakharschewskyi Chd. *R. m.*

Pseudophonus Motsch.

pubescens Müll. Zool. Prod. 1776. 77 *E.*
ruficornis Fabr. Schaum 583
pulverulentus Rossi Fn. Etr. I. 213
fuscus Gmel.
rufipes Degeer
griseus Panz. Schaum 584 *E.*
bicolor Marsh.
Reichei Desbr. Not. Ent. Bon. 1866. 42

Harpalophonus Ganglb.

hospes Sturm Schaum 582 *E. md. or.*
v. Sturmi Dej. Schaum 582 *A. Hu.*
v. italus Schaum 583 *I.*
v. insularis Ragusa Si. 1886. 97 *Si.*
v. Gaudionis Reiche A. 1861 366 *T.*
v. terrestris Motsch. Käf. R. 31 *R. m. or.*
v. tauricus Motsch. Käf. R. 30 *Tauria*
Retowskii Heyd. D. 1883. 310
v. Steveni Dej. Spec. IV. 242 *R. m.*

Platus Motsch.

calceatus Duft. Schaum 584 *E. md.*
nonsignatus Kryn. B. M. 1832. V. 72

Harpalus
Latreille.

Artabas Gozis.

punctatostriatus Dej. Spec. IV. 319 *Me*
suturangulus Reitt. D. 87. 499 *Ca*
dispar Dej. Spec. IV. 267 *Med.*
agonoderus Putz. Schn. Led. Btr. Ca. 78 *Ca.*
ibericus Pantel An. Mad. 1888. 219 *H*

Harpalus s. str.

Erpeinus, Amblystus, Pheuginus Motsch. Actephilus Steph.

seriatus Chd. En. Car. Cauc. 175 *Ca*
virescens Fald. F. Tr. I. 89
pharisaeus Reiche A. 1885. 632
polyglyptus Schaum B. 1862. 110 *Gr*
miror Reitt. D. 1884. 41
metallinus Mén. Bull. Ac. Petr. 1836. 149 *T*
circumpunctatus Chd. E. Car. Cau. 171 *Ca.*
subsimilis Chd. En. Car. Cauc. 171
pexus Mén. Mém. Ac. Petr. 1849. 3
splendens Gebl. Ledeb. Reise 37 *Ca*
colchicus Motsch. Käf. R. 31
elegantulus Mén. Fald. Fn. Tr. I. 90
punctipennis Muls. Op. Ent. I. 185 *B-Alp*
anthracinus Fairm. Lab. Fn. Fr. 12
Mulsanti Mars. Ab. XIX. 231
aeneus F. Schaum 590 *E*
vulgaris Degeer
v. confusus Dej. Schaum 591 *E*
azureus Panz.
affinis Schrank
v. semipunctatus Dej. Sp. IV. 268 *E. md.*
limbopunctatus Fss. Pr. Hrm. 58. 4
v. interstitialis Gredl. Käf. Tir. 52 *Ti*
bifoveolatus Küst. Käf. Eur. IV. 25 *D.*
aeneipennis Fald. Chd. Car. Cauc. 172 *Ca*
psittaceus Fourcr. *E. md. Med.*
distinguendus Duft. Schm. 589
saxicola Dej. Spec. IV. 316 *Istr. Serb. Tau*
bosphoranus Reiche A. 1861. 366 *T.*
lateralis Dej. Spec. IV. 278 *Hi.*
oblitus Dej. Spec. IV. 273 *Med.*
v. patruelis Dej. Spec. IV. 275 *Ga. m.*
v. incertus Dej. Spec. IV. 318 *D.*
v. fastiditus Dej. Spec. IV. 276 *Hi.*
v. diversus Dej. Spec. IV. 273 *D.*
v. minutus Dej. Spec. IV. 277 *Hi.*
v. contemptus Dej. Spec. IV. 277 *Hi.*
quadratus Chd. En. Car. Cauc. 175 *Lenk.*
v. subtrunca... Chd. E. Car. Cauc. 174
transparens Motsch. Ins. Sib. 210
angulatus Ptz. Schneid. Led. Cauc. 77 *Ca.*

cupreus Dej. Spec. IV. 281 *Med.*
fastuosus Fald. Fn. Tr. I. 87 *Ca.*
euchlorus Mén. Bull. Ac. Petr. 36. 149 *T.*
siculus Dej. Spec. IV. 316 *Si.*
alacer Chevr. Rev. Zool. 1861. 207
microthorax Motsch *Hi.*
Perezi Vuillfr. Ab. V. 292
v. salinator Pant. An. Md. 1888. 224 *Hi.c*
aesculans Pant. l. c. 223 *Hi.c.*
smaragdinus Duft. Bed. Fn. Sn. 75 *E.*
discoideus Er. Schaum 591
♀ Petifii Duft.
Duftschmidi Sturm
perplexus Gyllh. Dej. Spec. IV. 314
caffer Steph.
compressus Motsch. Ins. Sib. 213 *Ca.*
rubripes Duft. Schaum 592 *E.*
♀ fulvipes Duft.
azureus Sturm
glabrellus Sturm
azurescens Gyllh.
chloropterus Steph.
ignavus Steph.
lentus Steph.
Petifii Steph.
subsinuatus Steph.
amoenus Heer F. H. 108
nobilitatus Fald. F. Tr. I. 86 *Ca.*
(v.) subtruncatus Rosh. Schm. 593 *G.*
v. sobrinus Dej. Schaum 593 *E.md.*
alpestris Redtb. Fn. Austr. ed. 2. 58
nigrocoeruleus Steph.
punctiger Steph.
marginellus Dej. Spec. IV. 338 *Alp.or.*
rubripes var. Schaum 593
? caffer Duft. Fn. Austr. II. 99
latus L. Schaum 594 *E.md.Ca.*
fulvipes F.
limbatus Duft. Dej. Spec. IV. 327
erythrocephalus F.
flaviventris Sturm
rugulosus Heer F. H. 113
acuminatus Steph.
lateralis Steph.
foveicollis Delh. Le Nat. 1885. 119
v. metallescens Rye M. M. XI. 84 *Br.*
quadripunctatus Dej. Schm. 595 *E.b.md.*
seriepunctatus Gyllh. [*Ca.*
laevipes Zett.
impressipennis Motsch. Ins. Sib. 213
luteicornis Duft. Schaum 595 *E.b.md.Ca.*
servus Steph.
sulcatulus Fald. Fn. Tr. I. 92
sulcipennis Fald. Fn. Tr. I. 92

fuliginosus Duft. Schaum 596 *E.b.md.*
nigritarsis Sahlb. ex parte
solitaris Dej. Spec. IV. 337
lapponicus Zett.
Chevrieri Heer Käf. Schw. II. 45
nigritarsis Sahlb. En. Fenn. 128 *L.*
Retowskianus Reitt. D. 87. 500 *Ca. oc.*
Retowskii Reitt. D. 1887. 246
chrysopus Reitt. 1887. 246 *Ca. oc.*
ellipticus Ball. B. M. 1878. 271 *R.m.o.*
fulvus Dej. Spec. IV. 323 *Hi.*
littoralis Ramb. Fn. And. 127 *And.*
atratus Latr. Bedel Fn. Sn. 76 *E.md.*
hottentotta Duft. Schaum 586
v. subsinuatus Duft. Schaum 586
cardioderus Putz. A. B. 1872. C. R. 71 *Ast.*
laevicollis Duft. Schaum 586 *E.md.mont.*
Satyrus Sturm
montanus Sturm
alpestris Heer Käf. Schw. II. 43
flavolimbatus Heer Käf. Schw. II. 43
v. nitens Heer Käf. Schw. II. 43 *H.*
neglectus Dej. Schaum 597 *E.*
piger Gyllh.
pumilus Steph.
rufitarsis Duft. Bed. Fn. Sn. I. 78 *E.md.Med*
rufipalpis Sturm.
ignavus Duft. Schaum 587 ex parte
annulicornis Steph.
notatus Steph.
obscuricornis Steph.
maculicornis Steph.
v. decipiens Dej. Spec. IV. 313 *E.md.*
v. impressipennis Dej. Spec. IV. 301 *And*
v. Ramburi Rosh. Th. And. 40 *And.*
rufitarsis Ramb. F. And. 129
?v. Bellieri Reiche A. 1861. 201 *C.*
honestus Duft. Bed. Fn. Sn. I. 78 *E.md.m.*
ignavus Schaum 587 ex parte
cuniculinus Duft.
nitidus Sturm.
atrocoeruleus Steph.
sulphuripes Germ. Schaum 589 *E.md.oc.*
Goudoti Dej. Spec. IV. 304 *B.-Alp.*
attenuatus Steph. Ill. Brit. I. 152 *E.md.oc.*
consentaneus Dej. Spec. IV. 302
maxillosus Dej. Spec. IV. 329
intermedius Desbr. A. 1865. 207
picilabris Steph. Ill. Brit. V. 381
hespericus Rosh. Thier. And. 31 *Nevada*
pygmaeus Dej. Spec. IV. 303 *Ga.m.Med.*
sarmaticus Motsch. Käf. R. 26 *R.m.*
tenebrosus Dej. Schaum 598 *E.md.Med.*
Wollastoni Daws.

litigiosus Woll.
femoralis Chd. En. Car.Cauc.177 *Ca.*
Chaudoiri Motsch. Käf. R. 27
v. Solieri Dej. Spec. V. 841
Bonvouloiri Vuillfr. A. 66. 348 *Castilia*
litigiosus Dej. Schaum 599 *Med.*
melancholicusDej.Schaum599 *E.md.*
ineditus Dej. Spec. IV. 362
decolor Fairm. Lab. Fn. Fr. 138
ovalis Reiche Thoms. A. 84. B. 34 *C.*
amplicollis Mén. Mém. Pet. 49. 38 *R.m.*
salinus Dej. Spec. IV. 341 *R.m.or.*
zabroidesDej.Spec.IV.343 *A.Hu.R.m.*
Lycaon Lind. A. 1860. 612 *Ga.m.*
dimidiatusRossiBed.Fn.Sn.74 *E.m.Med.*
caspius Stev. Schaum 604
corvus Duft.
depressus Duft.
melampus Duft.
Schreibersi Duft.
crassipes Duft.
simplex Duft.
hirtipes Duft.
semiviolaceus Dej. Spec. IV. 346
hypocrita Dej. Spec. IV. 349
thoracicus Steph.
grandicollis Reiche A. 1861. 367
autumnalis Duft. Bed. Fn. Sn. 76 *E.md.*
impiger Duft. Schaum 606
inunctus Sturm
seriepunctatus Sturm
reflexus Putz. Schneid.Led.Beitr.79 *Ca.*
Frölichi Sturm Schaum 602 *E.b.md.*
segnis Dej. Spec. IV. 365
tardus Bedel Fn. Sn. 76
fuscipalpis Sturm Schaum 609 *E.*
?contristatus Duft. Fn. Austr. II.102
v. subvirens Chd. En. Car. Cauc. 182
v. castilianusVuillfr.A.66.348 *Castilia*
taciturnus Dej. Schaum 602 *D.*
taphrioides Motsch.Ins.Sib.201 *Sib.*
serripes Quens. Schaum 602 *E.md.m.*
convexus Fairm. Lab. Fn. Fr. 139
fuscipalpis Steph.
stygius Steph.
tenebrosus Steph.
politusDej Schaum603 *G.m.E.md.or.Ca*
pastusMén.Mém.Ac.Petr.1849.39 *Casp.*
helopioides Fald. Fn. Tr. I. 96 *Ca.*
convexus Fald. Fn. Tr. I. 95 *Ca.*
faber Mén. Fald. Fn. Tr. I. 94 *Ca.*
fuscicornis Mén. Fald. Fn. Tr. I. 93 *Ca.*
tardus Panz. Schaum 600 *E.*
rufimanus Marsh. Bed. Fn. Sn. 77

fuliginosus Steph.
latus Steph.
tarsalis Mannh.
amaroides Fald. Fn. Tr. I. 97
v. angustior J. Sahlb.
flavicornisDej.Schaum601 *G.m.E.md.or.*
obscuricornis Sturm
lentus Sturm.
coracinus Sturm.
anxius Duft. Schaum 607 *E.*
piger Duft.
sericeus Duft.
nigripes Sturm
servus Sturm.
coracinus Steph.
femoralis Steph.
flaviventris Steph.
luteicornis Steph.
v. pumilus Dej. Spec. IV. 305 *H.*
v. ambigenus Reiche A. 53. B.30 *Laon.*
v. subcylindricus Dej. Sp. IV. 374 *Hi.*
angustitarsis Reitt. D.87. 247
v. armeniacus Chd.Car.Cauc.176 *Arm.*
?v. calathoidesMtsch.Kr.B.74.300 *R.m.*
?v. amariformisMtsch.Kr.B.74.300 *R.m.*
?v. kirgisicusMtsch.Ins.Sib.201 *Sarept.*
cyanellus Kraatz B. 1874. 300
modestus Dej. Bedel Fn. Sn. 77 *E.md.*
flavitarsis Dej. Schaum 610
?aestivus Duft. Fn. Austr. II. 105
simulans Sahlb. *L.*
servus Duft. Schaum 607 *E.b.md.*
complanatus Sturm
dilatatus Motsch. Ins. Sib. 205
sericeus Motsch. Ins. Sib. 204
v. ovatus Chd. B. M. 44. III. 450 *R.m.o.*
bucculentus Kraatz B. M. 1874. 299
obtusicollisPtz.Schnd.Led.B.Cauc.80 *Ca.*
picipennis Duft. Schaum 610 *E.b.md.*
vernalis F.
pumilus Sturm
funestus Serv.
v. multisetosus Thoms. A'1883.121 *Su.*
breviusculus Chd.Car.Cauc. 184 *Armen.*
rotundicollis Kolen. Mel. Ent. I. 65 *Ca.*
nigripennis Motsch. Ins. Sib. I. 221
borysthenicus Kryn. B. M.1832.74 *R.m.*
obtusus Gebl. B. M. 1833. 265

rufus Brüggem. Bed. Fn. Sn. 78 *E.md.*
ferrugineus F. Schaum 585
hirtipes Panz. Schaum 604 *E.b.md.*

Pangus
Leconte.
Microderes Fald.

scaritides Sturm Schaum 570 *E.md.or.*
Anderschi Duft.
v. Steveni Chd. Car. Cauc. 232 *Tauria*
brachypus Stev. Dej. Spec. IV. 381 *R.m.*
robustus Fald Fn Tr. I. 80 *Ca.*

Anisodactylus
Dejean.

heros F. Dej. Spec. IV. 134 *Med.oc.*
v. DejeaniBuqu.Luc.Expl.Alg.69 *S.*
binotatus F. Schaum 566 *E.*
calceatus Steph.
rufitarsis Steph.
v. spurcaticornis Dej. Schaum 566
v. atricornis Steph. Schm. B. 1860. 87
nigricornis Steph.
nemorivagus Duft. Schaum 567 *E.md.*
gilvipes Dej. Spec. IV. 143
signatus Panz. Schaum 565 *E.md.*

Dichirus Mannh.

intermedius Dej. Spec. IV. 139 *Med.*
poeciloidesSteph.Schaum567*E.md.Med*
virens Dej. Spec. IV. 135
subcyaneus Rey
v. confusus Ganglb.
pseudoaeneus Schaum 568. nec. Dej.
pseudoaeneus Dej. Spec. IV. 137 *R.m.*

Gynandromorphus
Dejean.

etruscus Quens. Dej. Spec. IV. 188 *Med.*
Rossii Ponza Mém. Turin 1805. 86

Diachromus
Erichson.

germanus L. Schaum 560 *E.md.m.*

Dichirotrichus
Duval.

obsoletus Dej. Spec. IV. 232 *Med.*
v. dorsalis Dej. Spec. IV. 233 *Ga.oc.*
v. pallidus Dej. Spec.IV. 234*Hi.Ga.m.*
v. lacustris Redtb. Schaum563*Hu.occ.*
v. desertus Mtsch. B.M. 49.III.71*R.m.*
v. chloroticus Dej. Spec. IV. 234 *Si.*
pubescens Payk. Schaum 562 *E.b.md.*
v. ustulatus Dej. Spec. IV. 235 *R.*
praeustus Dieck Heyd. Sp. 62 *Hi.m.*
barbarus Led. B. 1872. 136
ponojensisJ.Sahlb.En.Fenn.131 *L.F.*

rufithorax Sahlb. Schaum 625 *E.md.or.*
discicollis Dej. Spec. IV. 436 *R.m.*

Tachycellus
(Morawitz.) Seidlitz.

cognatusGyllh.Dej.Spec.IV.455 *E.b.md.*
Deutschi Sahlb. En. Fenn. 132
longiusculus Mannh. B.M.53.III.125
placidus Gyllh. Schaum 625 *E.b.md.*
affinis Sahlb. Ins. Fenn. 260
vespertinus Gyllh. Ins. Suec. II. 162
Godarti Jacqu. Rev. Caen. 82.262 *Ga.m.*
oreophilus Daniel D. 1890. 209 *Koralpe*

Bradycellus
Erichson.

distinctus Dej. Spec. IV. 470 *E.md.oc.*
brunnipes Steph.
cordicollis Wesm. A. B.1835.48
lusitanicus Dej. Spec. IV. 469 *And.Lu.*
verbasci Duft. Schaum 626 *E.md.Med.*
rufulus Dej. Spec. IV. 470
collaris Sturm ex parte
fulvus Daws. ex parte
harpalinus Dej. Schaum 627*E.md.Med.*
fulvus Fairm. Lab. Fn. Fr. 143
collaris Payk. Schaum 627 *E.b.md.*
v. caucasicusChd.En.Car.Cauc.187*Ca.*
similis Dej. Schaum 628 *E.b.md.*
circumcinctus Sahlb. Ins Fenn. 263
ruficollis Steph.
atratus Zett.

Stenolophus
Latreille.

teutonus Schrank Schaum 613 *E.*
vaporariorum F. Dej. Spec. IV. 407
anglicus Schiöd. Nat.Tidsskr.3.I.185
v. hirticornis Fisch. B. M. 1829. 188*R.*
v. abdominalisGenéM.Tur.36.170*Med.*
persicus Mannh. B. M. 1844. III.432
paragraphus Kol. Mel. Ent. I. 68
skrimshiranus Steph.Schaum615 *E.md.*
melanocephalus Heer F. H. 115
vaporariorum var. Dej.Spec. IV. 409
v. affinis Bach. Käferf. I.380 *G.*
discolor Fald. Fn. Tr. I. 99 *Ca.*
discophorus Fisch. Schaum 616 *E.*
v. flaviusculusMotsch.B.M.64.204 *Hu.*
v. Paulinoi Heyd. *Lu.*
nigricollisPaulinoCat.Ins.Port.59
v. unicolor Paul. Cat. Ins. Port. 59 *Lu.*
Steveni Kryn. B. M. 1832. 87 *Tr.R.m.*

dimidiatus Mén. Cat. rais. 135
nigricollis Bielz Stett. 1850. 100
obliquus Motsch. Käf. R. 22 *Georgia*
morio Mén. Fald. Fn. Tr. I. 98 *Ca.*
procerus Schaum W.E.M.58.274 *Gr.*
grandis Peyron A. 1858. 380
mixtus Herbst. Bedel Fn. Sn.82 *E.b.md.*
vespertinus Panz. Schaum 616
humeratus Muls. Opusc. E.XI.181
v. Ziegleri Panz. Fn. Germ. 108. 8
proximus Dej. Spec. IV. 420 *Med.*
?Ciffrei Barb.F.J.N.1885.21 *Beziers*

Egadroma Motsch.

marginatus Dej. Spec. IV. 427 *Med.*

Acupalpus
Latreille.

Reitter Wien. Ent. Zeit. 1884. 74–79.

Manicellus Motsch.

elegans Dej. Schaum 617 *E.md.Med.*
v. ephippium Dej. Spec. IV. 445
Chevrolati Gaubil Rev.Zool.46.56 *Ga.m.*

Acupalpus s. str.

flavicollis Sturm Reitt. 77 *E.b.md.Ca.*
nigriceps Dej. Spec. IV. 200
brunnipes Sturm Reitt. 77 *E.md.Med.*
atratus Dej. Spec. IV. 149
piceus Rottbg. Reitt. 74 *Si.*
interstitialis Reitt. 74 *Ban.A.*
planicollis Schaum Reitt. 74 *Gr.*
suturalis Dej. Schaum621.Rtt.75 *E.md.*
Reitteri Ragusa Nat. Sic. 1886. 158 *Si.*
paludicola Reitt. 75 *Gr.*
Oliveirae Reitt. 75 *Lu.*
dorsalis F. Schaum619.Reitt. 76 *E.Med.*
parvulus Sturm
derelictus Daws.
Gyllenhali Thoms.
v. maculatus Schaum 619 *E.m.*
v. notatus Muls. Rey Rtt. 76 *Med.occ.*
v. marginatus Luc. Expl.Alg.75 *Med.o.*
circumcinctus Reiche A. 1862. 79
Lucasi Gaubil Cat. syn. 39
v. cantabricus Pioch.A'67.80 *Reinosa*
v. vittatus Heyd. Reitt. 76 *Hi.Lu.*
v. salinus Baudi Reitt. 76 *Med.*
v. maroccanus Kr. Reitt. 76 *And.*
v. lusitanus Reitt. 76 *Lu.*
luteatus Duft. Reitt. 77 *E.md.Med.*
luridus Dej. Spec. IV. 454
pumilio Schaum B. 1857. 146
exiguus var. Schaum 620
flavicollis Steph.
nitidus Steph.
?flaviceps Motsch. Käf. R. 23
exiguus Dej. Reitt. 77 *E.md.*
meridianus L.Schaum621.Reitt.76 *E.*
cruciger F.
suturalis Steph.
cognatus Steph.
Degeeri Gmel.

Balius Schiödte.

Anthracus Motsch.

longicornis Schaum Reitt.78 *A.Cro.D.G.*
quarnerensis Reitt. W.84.78.1885.251 *D.*
lemovicensis Bleuse R.1882.44 *Limoges*
flavipennis Luc. Expl. Alg. 74 *C.*
corsicus Perr. Reitt. 78
consputus Duft.Schaum 623.Reitt.78 *E.*
ephippiger Duft.
cordicollis Chd. En. Car. Cauc. 232
dorsalis Thoms. Sk. Col. I. 288
insignis Reitt.D.1884.104.l.c.79 *Corcyra*
transversalis Schaum Reitt. 79 *Gr.b.*
pallipes Dej. Spec. IV. 450. Reitt. 79 *D.*

Amblystomus
Erichson.

Hispalis Ramb.

Reitter Wien. Ent. Zeit. 1883. 139–143.

mauritanicus Dej. Reitt. 140 *Med.occ.*
Solskyi Reiche A. 1864. 233
ruficornis Schauf. N. ot. III. 546 *Si.*
geniculatus Mtsch.Et.Ent.58.24 *And.*
v. albipes Reitt. 140 *And.*
levantinus Reitt. 140 *Gr.And.*
metallescens Dej. Reitt. 141 *Med.*
dilatatus Chd.En.Car.Cauc.188 *Ca.*
majoricensis Schauf.N.ot.545 *Bal.*
niger Heer Reitt. 141 *Med.*
escorialensis Gaut. Reitt. 142 *Hi.L.*
picinus Baudi Reitt. 142 *Med.or.*
macedo Schauf. N. ot. 546 *Maced.*
Raymondi Gaut. Reitt. 142 *Ga.m.S.*
sardous Baudi B. 1864. 233
rectangulus Reitt. 143 *D.Med.or.*

Licinini

Badister
(Clairville.) Dejean.

Amblychus Gyllh. Trimorphus Steph.

unipustulatus Bon.Schm.349 *E.md.Med.*
cephalotes Dej. Spec. II. 406

unipunctatus Duv.
v. teutonoides Preudh. A. B. XXVI. C. R.
bipustulatus F. Schaum 349 *E.*[33
crux minor Oliv.
v. lacertosus Sturm. Ins. III. 188
v. binotatus Fisch. Ent. R. III. 299
v. suturalis Steph. Ill. Brit. I. 73
v. microcephalus Steph. Ill. Brit. V. 373
v. anchora Mén. Cat. rais. 116 *Ca.*
sodalis Duft. Bedel Fn. Sn. 61 *E.*
humeralis Bon. Schaum 351
scapularis Steph.
confinis Steph.
v. dorsiger Duft. F. A. II. 151
xanthomus Chd. B. M. 44. 430 *Kiew*

Baudia Ragusa.

peltatus Panz. Schaum 352 *E. Med.*
chalybaeus Sturm
coruscus Fisch.
erro Newm.
maeoticus Kol. Mel. Ent. I. 38
anomalus Perris A. 1866. 182
v. dilatatus Chd. B. M. 1837. III. 20

Derostichus
Motschulsky.

caucasicus Motsch. Et. Ent. 1859. 123 *Ca.*

Licinus
Latreille.

silphoides Rossi Fn. Etr. I. 215 *Med.*
agricola Oliv. Dej. Spec. II. 394
granulatus Dej. Spec. II. 396 *E. md. Med.*
silphoides F. Schaum 343
v. brevicollis Dej. Spec. II. 397 *Med. oc.*
punctatulus Bedel A. 1888. 285
v. siculus Dej. Spec. II. 396 *Si.*
dalmatinus Chd. B. M. 43. IV. 761 *D.*
aegyptiacus Dej. Spec. II. 398 *Creta*
hierochonticus Reiche A. 55. 594
peltoides Dej. Spec. II. 398 *Lu.*
aequatus Dej. Spec. II. 399 *P.*
angustus Chevr. Rev. Z. 1840. 11 *Lu.*
planicollis Fauvel R. 1888. 221 *Alp. Ga.*
aequatus Dej. ex parte
Merkli Friv. Term. Füz. 1880. 260 *Olymp*
cassideus F. Schaum 344 *E. md.*
emarginatus Oliv.
depressus Sturm
v. latus Dej. Spec. V. 690 *I.*
Dohrni Fairm. Stett. 1863. 131 *Albania*
depressus Payk. Schaum 345 *E. md.*
cassideus Illig.

cossyphoides Duft.
cordatus Chd. B. M. 1861. I. 7 *Gr.*

Orescius Bedel.

Hoffmannseggi Panz. Schaum 346 *E. md.*
v. nebrioides Hoppe Schaum 346 *Carn.*
v. separatus Dej. Spec. II. 404 *Hu.*
oblongus Dej. Spec. II. 404 *Alp. Ga.*
Hoffmannseggi v. Fauv. C. g. rh. 88. 13
Oertzeni Reitt. D. 89. 251 *Gr.*

Rhembus
Latreille.

aegyptiacus Dej. Spec. V. 680 *And.*
aegyptius Klug. Symb. phys. III. 24

Oodini.

Oodes
Bonelli.

helopioides F. Schaum 339 *E. md.*
gracilis Villa Schaum B. 58. 379 *E. md. m.*
similis Chaud. Schaum 340
gracilior Lamb. Fairm. Fn. Fr. 60
parallelogrammus Mots. E. E. 58. 172
?v. parallelus Mtsch. Et. Ent. 58. 172 *Ca.*

Lonchosternus Laf.

hispanicus Dej. Spec. II. 379 *Hi.*
mauritanicus Luc. Expl. 45

Chlaeniini.

Chlaenius
Bonelli.

Chaud. Ann. Mus. Genova VIII. 1876.

Trichochlaenius Seidl.

chrysocephalus Rossi Chd. 232 *Med. oc.*
distinguendus Chd. B. M. 1843. 756
pubiger Dufour
aeneocephalus Dej. Chd. 230 *Med. or.*
v. gracilis Dej. Spec. V. 663 *Gr.*
v. auriceps Chd. B. M. 1842. IV. 818 *Ca.*
cyaneus Brull. Chd. 231 *And.*
azureus Dej. Spec. V. 664
macrocerus Chd. B. M. 1856. II. 252
Favieri Luc. A' 1858. 229
virens Ramb. Chd. 231 *Hi. m.*
coelestinus Chd. B. M. 1856. II. 251
montanus Luc. A' 1858. 228
infantulus Chd. 232 *Hi. m.*

Dinodes Bonelli.

azureus Duft. Chd.58 *G.m.Hu.Med.or.*
laticollis Chd. B. M. 1843. 757
v. decipiensDuf.A.Brux.20.326*Med.oc.*
rufipes Dej. Spec. II. 372 *Ga.m.*
rotundicollis Dej. Spec. II. 373
cruralis Fisch. Chd. 59 *R.m.*
angusticollis Chd. B. M. 1842. 819
v. Karelini Chd. B. M. 1842. 819 *Ca.*
v. Maillei Dej. Chd. 59 *Gr.*
nigripes Fald. Fn. Tr. I. 38 *Ca.*
delicatulus Laf. A. 1851. 265 *Gr.*

Chlaenius s. str.

viridis Mén. Chd. 72 *Ca.*
baeticus Ramb. Chd. 79 *Hi.*
pretiosus Rosh. Th. And. 30
fulgidicollis Duf. Chd. 80 *P.or.Hi.b.*
nigripes Dej. Spec. II. 353
Seoanei Fairm. A' 78. 132 *Ferrol*
Martinezi Ganglb. *Cuenca*
proximus Mart. An. Mad. 1873. 54
galaecianus Chaud. 80 *Galaecia*
dives Dej. Chd. 80 *Lu.*
Steveni Quens. Chd. 230 *R.m.*
Gotschi Chaud. 230 *Casp.*
angustatus Fisch. B. M. 1844. 29
angusticollis Mannh. B.M. 1844. 423
Lederi Reitt. D. 1888. 417 *Arax.*
coeruleus Stev. Chd. 228 *Ca.*
tristis Schall. Bedel Fn. Sn. I. 58 *E.b.md.*
holosericeus F. Schaum 334 *Med.or.*
carbonarius Rossi Fr. Etr. I. 216 *I.*
nigricornisF.Schm.333Chd.255*E.b.G.b.*
nitidulus Thunbg.
upsaliensis Gmel.
Geoffroae Brahm.
Wesmaëli Preudh. de Borre *Belg.*
v. melanocornisDej.Spec.II.350 *E.md.*
fulgidus Steph.
punctatus Motsch. Ins. Sib. 230
coeruleocephalus Mtsch.Ins Sib.229
erythropus Fisch. Ent. R. III. 283
v. fuscitarsis Schaum B. 1857. 135 *Gr.*
nitidulus Schrank Bed. Fn. Sn.57*E.md.*
Schranki Duft. Schm. 331. Chd. 256
v. nitens Fald. Chd. 256 *Ca.*
?cordicollis Motsch. B. M. 64. II. 37
v. tibialis Dej. Chd. 256 *E.md.*
uliginosus Hochh.
v. Kindermanni Chd. 256 *R.m.*
chrysothorax Kryn.Chd. 256 *TauriaCa.*
intermedius Chaud. 233 *Casp.*
fulvipes Chd. B. M. 1842. 818
coxalis Fisch. B. M. 1844. I. 29 *Georgia*
flavipes Mén. Chd. 263 *Ca.*
exutusFriv.A.KirMag.45.178 *Hu.D.*
persicusRedtb.Dkschr.W.Ac.50.47
vestitus Payk. Schaum 330. Chd. 261 *E.*
dubius Hoppe
viridipunctatus Bed. Fn. Sn. I. 57
v. distinctus Chd. B. M. 56. III. 240 *Lu.*
v. Oreteus Ragusa *Si.*
terminatus Dej. Chd. 209 *R.m.*
gratiosus Chd. B. M. 1837. III. 19
variegatusFourcr.Chaud.208 *E.md.oc.*
agrorum Oliv.Schaum329 *Ti.Istr.D.*
marginatus Fairm. Lab. Fn. Fr. I. 56
dimidiatus Chaud. 158 *Casp.*
palaestinus Reiche A. 1855. 595
festivus F. Schaum 328. Chd. 141*E.md.*
zonatus Panz. *Med.or.*
Fischeri Kryn. B. M. 1832. 77
tenuistriatus Kryn. B. M. 1832. 78
?v. caspius Motsch. Chd. 141 *Ca.*
velutinus Duft. Schm. 327. Chd.141*E.m.*
marginatus Rossi Fn. Etr. I. 212
cinctus Oliv. Ent. III. 35. 87 *Med.oc.*
v. auricollis Gené Chd. 141 *Med.oc.*
v. Borgiae Dej. Chd. 141 *Si.*
geniculatus Motsch. B. M. 64. IV. 344
v. Faillae Ragusa Sic. 1884. 303 *Si.*

Epomis Bonelli.

Dejeani Dej. Chd. 123 *Gr.Hu.*
armeniacusMtsch.B.M.64.344 *Arm.*
cicatricosusMtsch.B.M.64.IV.344 *Lenk.*
circumscriptus Duft. Chd. 124 *Med.*
cinctus Rossi Fn. Etr. I. 212
Karelini Motsch. B. M. 1843. 423
turcmenicus Mtsch. B. M. 64. IV. 345

Agostenus Bonelli.

sulcicollisPayk.Schm.335.Chd.257 *G.b.*
caelatusWeb.Schm.336.Chd.257*G.b.Su.*
quadrisulcatus Payk.
sulcicollis Payk

Pelasmus Motsch.

quadrisulcatusIll.Schm.337Chd.258*G.b.*

Chlaenites
Motschulsky.

spoliatusRossiSchm.329.Chd.88*E.m.md*

Callistus
Bonelli.

lunatus F. Schaum 325 *E.md.Med.*
crux minor Sulz.
eques Schrank
plateosus Fourcr.
Sulzeri Brahm.
v. gratiosus Chd. Schaum 326 *Casp.Lu.*

Panagaeini.

Panagaeus
Latreille.

crux major L. Schaum 320 *E.*
bipustulatus Oliv.
crux Gyllh.
equestris Fourcr.
nobilis Gmel.
vicinus Gory
(v.) trimaculatus Dej. Schaum 320
v. elongatus Chd. B.M.42.IV. 816 *Casp.*
bipustulatus F. Bedel Fn. Sn.53 *E.md.*
quadripustulatus Sturm Schaum321
(v.) trimaculatus Preudh. de Borre *Belg.*

Corsyrini.

Corsyra
Dejean.

fusula Fisch. Dej. Spec. I. 327 *R.m.*

Masoreini

Chaudoir Bull. Mosc. 1876. III. 1—84.

Masoreus
Dejean.

Wetterhali Gyllh. Schm. 306. Chd. 12 *E.*
laticollis Sturm
luxatus Dej. Spec. III. 537
v. axillaris Küst. Käf. Eur. 25. II. *Sard.*
v. testaceus Luc. Expl. Alg. 65 *Hi.*
aegyptiacus Dej. Spec. III. 538. Chd. 14 *Si.*
rotundipennis Reiche A. 1861. 361
v. affinis Küst. Chd. 14 *Hi.*
ruficornis Chd. B.M. 50. II. 452. Chd. 18 *Ca.*

Somoplatus
Dejean.

substriatus Dej. Chd. 6 ×*Marseille*
laticollis Boh.
fulvus Muls. Op. 69. 128 ×*Marseil. Cette*
Marseuli Chaud. 7
peregrinus Muls. Op. 69. 41 ×*Marseille*

Microus
Chaudoir.

Mocquerisi Chd. 8 ×*Rouen.*

Hypercosmeton
Reitter.

callistoides Reitt. W. 1889. 291 *Arax.*

Lebiini.

Lebia
Latreille.

Chaudoir Bull. Mosc. 1870. 111—255. 1871. I. 1—87.

Lamprias Bon.

fulvicollis F. Chd. 130 *D.I.Si.*
africana Sol. A. 1835. 114
Gerardi Buqu. A. 1840. 293
pubipennis Duft. Chd. 131 *Med.*
fulvicollis Dej. Spec. I. 255
thoracica Hoppe
cyanocephala L. Schaum 287. Chd. 131 *E.*
nigritarsis Steph.
v. formosa Com. Col. Prov. Novoc. 37. 7 *I.*
v. annulata Brull. Hist. Nat. Ins. IV. 213
pilosella Motsch. Et. Ent. 1862. 52
geniculata Mannh. B.M. 37. III. 33 *Ca.*
v. violaceipennis Mtsch. Et. Ent. 62. 51
v. femoralis Chd. B.M. 44. III. 436 *Taur.*
v. coeruleocephala Chaud. 133 *Si.*
v. numidica Luc. Chaud. 234 *Hi.*
chloriventris Motsch. Et. Ent. 1862. 51
chlorocephala Hoffm. Schm. 288. Chd. 137
rufipes Steph. *E.b.md.*
v. chrysocephala Mtsch. B.M. 64. 225 *Ga*
rufipes Dej. Chd. 137 *Med.oc.*
crassicornis Mtsch. B.M. 64. 226
fulvipes Jacquet L'Echange

Lebia s. str.

crux minor L. Schm. 288. Chd. 116 *E.md.*
Andreae Rossi Fn. Etr. I. 221
errata Rossi Mant. I. 91
crux major Ol.
v. caucasica Motsch. Ins. Sib. 65 *Ca.*
v. nigripes Dej. Spec. I. 262 *Med.*
v. nigricollis Gené M. Ac. Turin 39. 44 *S.*
trimaculata Vill. Bed. Fn. Sn. 117 *E.md.*
cyathigera Rossi Schm. 289. Chd. 168
anthophora Duf. Ann. Brux. 1820. 321
v. Destefanii Ragusa Sic. 1884. 316 *Si.*
trisignata Mén. Mém. Ac. Petr. 49. 23 *R.m.*
trimaculata Gebl. Ledeb. R. 33

marginata Fourcr. Bed. Fn. Sn. 117 *E.m.*
haemorrhoidalis F. Schm. 291. Chd.
ephippium Steph. [168
humeralis Dej. Schm. 291. Chd. 164 *A.D.I.*
turcica Duft. *R.m.*
axillaris Fisch. Ent. R. III. 103 *Ca.*
halomera Chd. 165. Seidl. Fn. Tr. 24 *Ca.*
lepida Brull. Reiche A. 1855. 576 *Graec.*
zonata Reiche
scapularis Fourcr. Bed. Fn. Sn. 117 *E.md.*
turcica F. Schm. 290. Chd. 169 *Med.*
bimaculata Fisch. Ent. Russ. III. 102
v. quadrimaculata Dej. Schaum 290
v. Poupillieri Chev. Rev. Zool. 59. 380 *Hi.*

Somotrichus
Seidlitz.

elevatus F. Bed. Fn. Sn. I. 114 *Mars. Rouen*
unifasciatus Dej. Spec. V. 389 ×
massiliensis Fairm. A. 1849. 419

Lionychus
(Wissmann) Schmidt-Göbel.

quadrillum Duft. Schaum 284 *E.md.m.*
(v.) bipunctatus Heer F. H. 12
(v.) striatulus Heer F. H. 12
v. major Mill. z. b. Wien 1868. 6 *Carp.or.*
Sturmi Gené Mém. Ac. Turin 36. 168 *C.S.*
maritimus Fairm. A. 1862. 548 *Ga.m.*
albonotatus Dej. Spec. I. 249 *Ga.m.Hi.*
albomaculatus Luc. Expl. Alg. 18
(v.) immaculatus Paulin. Cat. Ins. Port. *Lu.*
(v.) bimaculatus Paulin. Cat. Ins. Port. *Lu.*

Pseudotrechus
Rosenhauer.

mutilatus Rosh. Th. And. 24 *Algesiras*

Apristus
Chaudoir.

subaeneus Chd. En. Car. Cauc. 63 *Med.Ca.*
reticulatus Schaum B. 1857. 132
Prophetei Reiche A. 1861. 361
aereus Motsch. B. M. 1864. III. 233
striatipennis Luc. Expl. Alg. 17

Microdaccus
Chaudoir. Schaum.

opacus Schaum B. 1857. 133 *Gr.*

Metabletus
Schmidt-Göbel.

exclamationis Mén. M. Ac. Petr. 49 22 *Med*
fuscomaculatus Mtsch. Ins. Sib. 59 *Ca.*
patruelis Chd. En. Car. Cauc. 60 *Ca.*
virgatus Reiche A. 1855. 575
vittula Fairm. Rev. Z. 1859. 59
arenicola Woll. Ins. Mad. 6
obscuroguttatus Hrt. Geol. Vh. Lz. 141
binominis Reitt. W. 1886. 254 *Ca.*
obscuroguttatus Duft. Schaum 279 *E.md.*
spilotus Dej. Spec. I. 246
impunctatus Steph.
(v.) impressus Dej. Spec. I. 246
(v.) atratus Dej. Spec. I. 246
(v.) obsoletus Dej. Spec. I. 247 *Hi.*
v. valladolensis Gaut. M Schw. 66. 107 *Hi.*
tibialis Motsch. Ins. Sib. 59 *Ca.Kirg.*
paracenthesis Motsch. B. M. 1839. 91 *Ca.*
obliquesignatus Solsky Hor. 72. 178? *R.m.*
scapularis Dej. Sp. V. 354. D. 89. 501 *Hi.*
andalusiacus Ramb. Fn. And. 22
flavoaxillaris Motsch. B. M. 64. III. 231
signifer Reitt. D. 89. 501 *Corcyra*
Ramburi Pioch. A. 1869. 21 *Hi.*
lateplagiatus Fairm.
Myrmidon Reitt.
Myrmidon Fairm. A' 1859 103 *P.or.*
pallipes Dej. Schaum 280 *G.m.E.md.or.*
truncatellus L. Schaum 280 *E.*
nitidulus Pioch. A' 67. 79 *Guadarrama*
foveatus Fourcr. Bed. Fn. Sn. 352 *E.b.md.*
foveola Gyllh. Schaum 281
punctatellus Duft. Dej. Sp. I. 247
bipunctatus Rossi Fn. Etr. I. 225 *I.*
cupreus Waltl Reise II. 52 *Hi.*
foveolatus Dej. Spec. V. 360
Dejeani Rouget [*Mont.*
montenegrinus Küst. Käf. E. 10. 8. sp. dub.

Blechrus
(Motschulsky) Schaum.

glabratus Duft. Schaum 275 *E.md.Med.*
femoralis Marsh.
negrita Woll. Ins. Mad. 9
?minutulus Goeze Ent. Beytr. I. 665
?minutus Fourcr.
?interstitialis Küst. Schaum 276 *Hi.*
maurus Sturm Schaum 276 *E.*
angustatus Steph.
glabratus Woll. Ins. Mad. 9
?mauritanicus Luc. Expl. Alg. 76 *Hi.m*
exilis Schaum B. 1857. 132 *Graec.*
minutus Motsch. Ins. Sib. 60
confusus Bris. A. 1885. B. 102 *And.*
?hispanicus Motsch. B. M. 64. III. 231
Abeillei Bris. A. 85. B. 103 *Ga.m.Hi.Lu.*
escorialensis Bris. A. 1885. B. 103 *Hi.c.*
tantillus Motsch. Et. Ent. 1859. 121 *Hi.*

plagiatus Duft. Schaum 277 *E.md.Med.*
corticalis Duf. Dej. Sp. I. 245
lineellus Fisch. Ent. R. III. 93

Dromius
(Bonelli) Schaum.
Reitter Wien. Ent. Zeit. 1887. 285—288.

Paradromius Fowl.
longicepsDej.Schaum265.Rtt.285 *E.md.*
capitalis Fairm A. 1857. 726 *Beziers*

Dromius s. str.
linearis Oliv.Schm.265.Rtt.285 *E.md.*
punctatostriatus Duft. *Med.*
praeustus Stev. Mém. Mosc. II. 34
marginellusF.Schm.266.Rtt.286 *E.md.*
linearis Sturm
angustusBrull.Schm 266.Reitt285*E.md.*
testaceus Erichs. Käf. Brand. 30
agilis F. Schaum268. Reitt. 285*E.b.md.*
truncatus F.
atricapillus Panz.
v. bimaculatus Latr. Dej. Spec. I. 240
longulusFriv. Term. Füz. 1884. 280*Hu.*
meridionalis Dej. Reitt. 285 *E.md.oc.*
fenestratusF.Schm.269.Rtt.285 *E.b.md.*
colon Thunbg.
arcticus Oliv.
biguttatus Clairv.
Oberti Motsch. B. M. 64. III. 229*Livon.*
semiplagiatus Reitt. 286 *Ca.*
quadrimaculatusL.Schm.269.Rtt.286 *E.*
maxillosus Fourcr.
quadrinotatusPanz.Schm.270Rtt.286 *E.*
spilotus Illig.
nigricornis Brull.
v. biplagiatusHeyd.Jahrb.Nass.76.70
Putzeysi Paulino Reitt. 286 *Lu.*
bifasciatus Dej. Schm. 271. Rtt. 286 *E.*
quadrisignatus Dej.Schm.271.Rtt.287*E.*
melanocephalusDj Schm.274.Rtt.286*E.*
nigriventrisThoms.Bed.Fn.Sn.121 *E.*
fasciatus Dej. Spec. I. 238
notatus Schaum 272
oblitus Boield. A. 1859. 462
vectensisRyeM.Mag.1873.73*Angl.Ga.b.*
oblitus Sharp
sigmaRossiSchm.273.Reitt.287 *E.*
fasciatus F.
Sturmi Babingt.
bipennifer Babingt.
Königi Reitt. 287 *Ca.oc.*

borysthenicusMotsch.B..M.45.38 *R.m.*
rufilabrisFisch.Ent.Russ.III.96 *Tauria*
micros Fisch. Ent. Russ. III. 97 *Ca.*

Demetrias
(Bonelli) Bedel.

Aëtophorus Schm. Göb.
imperialis Germ. Schaum 259 *E.Med.*
v. ruficeps Schaum 260 *I.b.*

Demetrias s. str.
monostigmaSam.Bed.Fn.Sn.I.119 *E.*
unipunctatus Germ. Schaum 262
atricapillus L. Schaum 262 *E.Med.*
fulvus Fourcr.
elongatulus Duft. Dej. Spec. I. 232
obscurus Steph.
confusus Heer F. H. 8
obtusus Motsch. Ins. Sib. 55
angulatus Motsch. Ins. Sib. 56
punctatostriatusMtsch.B.M.64.230
longicornis Chd.En.Car. Cauc.58 *Lenk.*

Trichis
Klug.
maculataKlug.Symb.phys.III.t 21. *Hi.*

Glycia
Chaudoir.

Neotarus Reitt.
ornata Klug. Chd. B. M. 1850. 94 *Hi.*
Krüperi Reitt. D. 1884. 36 *Gr.*

Singilis
Rambur.
bicolor Ramb. Fn. And. 26 *And.*
soror Ramb. Fn. And. 27 *And.*

Phloeozetaeus Peyr.
fuscipennis Schm. 258. B. 1857. 134 *Gr.*

Plocionus
Plochionus Dej. (emend.)
pallensF.Chd.A.B 71.168 ×*Marseille*
Bonfilsi Dej. Spec. I.251 *Rouen*
Boisduvali Gory 1833. 189
valens Lec. New. Spec. Col. 5

Psammoxenus
Chaudoir.
sabulosus Mtsch.Chd.B.M.50.II.66 *R.m.*

Trymosternus
Chaudoir.

Chaudoir Berl. Ent. Zeit. 1873. 106—114.

onychinus Dej. Chd. 107 *Hi. Lu.*
 v. plicipennis Chd. 109 *Escorial*
minimus Vuillfr. Chd. 109 *Granada*
reflexímargo Chd. 110 *Sierra Nevada*
cordatus Ramb. Chd. 111 *Sierra Nevada*
truncatus Ramb. Chd. 112 *Gibraltar*

Cymindis
Latreille.

Tarus Motsch. Psammastes Motsch.
Chaudoir Berl. Ent. Zeit. 1873. 53—106.

canigoulensis Fairm. Chd. 56 *P.or.*
 v. Bauducri Perris *Ga.*
 v. Chaudoiri Fairm. Chd. 59 *Si.*
sinuata Reiche Chd. 60 *Morea*
 ?kalawrytana Reitt. D. 1883. 38
adusta Redtb. Chd. 60 *Gr.*
 corrosa Reiche A. 1855. 570
 russipes Muls. Opusc. Ent. I. 161
 v. pallida Reiche Chd. 61 *Gr.*
humeralis Fourcr. Schm. 295. Chd. 59 *E.b. [md.*
 sesquistriata Panz.
 humerosa Quens.
 Dianae F.
 hybrida Heer F. H. 554
 elongata Heer F. H. 554
?v. Servillei Sol. A. 1835. 112 *I.*
intermedia Chd. 78 *Ca.*
axillaris F. Pioch. A. 1875. 143 *E.md.*
 homagrica Duft. Dej. Spec. I. 208
 angularis Steph.
 laevigata Steph.
 macularis Steph.
 coadunata Steph.
 v. meridionalis Dej. Chd. 65 *Ga.m.*
 v. armoricana Chd. 66 *Ga.m.*
 v. Aubei Tourn. Chd. 81 *Jura*
 v. lineola Duf. Chd. 65 *Med.*
 lineata Dej. Spec. I. 207 ex parte
 v. distinguenda Chd. 63 *I.*
 v. leucophthalma Luc. Chd. 64 *Hi.*
 obtusicollis Motsch. B. M. 1849. II. 71
 v. palliata Fisch. Chd. 66 *Hu.R.m.*
 v. omiades Fald. Chd. 66 *Ca.*
 seriepunctata Redtb. Chd. 67
 v. Marmorae Gené Chd. 74 *S.*
 v. designata Reiche Chd. 68 *C.*
 v. lineata Quens. Chd. 74 *Hu.R.m.*
 v. dorsalis Fisch. Chd. 75 *Ca.*
 v. fascipennis Küst. Chd. 75 *Ga.m.Hi.*
 v. crenata Chd. 75 *Ca.*
 v. alpina Dej. Chd. 76 *Si.*
 ?sicelidis Reiche Col. Heft. III. 3
 v. etrusca Bassi Chd. 86 *Tosc.*
 cribricollis Reiche A. 1863. 472 *P.*
?v. angustata Costa Ab. XIX. 153 *I.m.*
corax Reitt. D. 89.251 *Gr.*
pallidula Chd. Chd. 71 *Lenkoran*
Andreae Mén. Chd. 71 *Ca.*
 imperialis Zoubk. B. M. 1837. 59
 discoidea Peyron. A. 1858. 390
discoidea Dej. Chd. 71 *Hi.*
decora Fisch. Chd. B. M. 50. II. 67 *R.m.or.*
 dorsalis Gebl. Ledeb. Reise II. 31
 obliqua Motsch. Käf. Russl. 41
picta Pall. Chd. B. M. 50. II. 63 *R.m.or.Ca.*
 cruciata Fisch. Dej. Spec. I. 203
Ganglbaueri Reitt. W. 1888. 90 *Ca.oc.*
cingulata Dej. Schm. 294. Chd. 79 *E.md.*
coadunata Dej. Schm. 294. Chd. 79 *Alp.*
acutangula Chd. 80 *B-Alp.*
limbatella Chd. 81 *P.or.*
alternans Ramb. Chd. 82 *Hi.Lu.*
 Gaubili Luc. Expl. Alg. 13
 v. Vogeli Schauf. Chd. 82 *Asturia*
 v. compostellana Reiche Chd. 83 *Hi.b.*
Ehlersi Putz. Stett. 1872. 168 *Asturia*
melanocephala Dej. Chd. 83 *P.o.Hi.b.*
 ruficollis Graëlls Mém. Map. geol. 36
?v. monticola Chevr. Chd. 84 *Escorial*
 Chevrolati Perez Arc.
 v. ruficeps Chd. 84 *Guadarrama*
affinis Ramb. Chd. 85 *Hi.m.*
singularis Rosh. Chd. 85 *And.*
baetica Ramb. Chd. 77 *And.*
Heydeni Paulin. Cat. Ins. Port. 83. 29 *Lu.*
scapularis Schaum 299. Chd. 86 *Alp.Hi.*
 axillaris Duft. Dej. Spec. I. 211 *Ca.*
Leachi Reiche Chd. 91 *I.m.*

---

angularis Gyllh. Schm. 300. Chd. 87 *E.b.*
 lunaris Duft. *Alp.*
 rectangula Motsch. Käf. R. 40

---

ornata Fisch. Dej. Spec. V. 87 *Taur.Gr.*

---

lateralis Fisch. Chd. B. M. 50. II. 78 *R.m.*
 v. obsoleta Fald. B. M. 1836. 359 *Ca.*
macularis Dej. Schaum 302 *E.b.G.*
 binotata Sturm D. I. VII. 13

Menas Motsch.

vaporariorum L. Schaum 303. Chd. 98 *E.b.*
humeralis Payk.
basalis Gyllh.
variolosa F. Bed. Fn Sn. 118 *E.m. Med.*
miliaris F. Schaum 301. Chd. 88
mollis Stroem
v. subcyanea Motsch. Käf. R. 40 *R.m.*
v. cyanoptera Chd. 88 *Hi. Si.*
?punctatissima Motsch. Chd. 90 *Si.*
violacea Chd. 88 *R.m.*
?perforata Motsch. Käf. R. 40
viridipennis Motsch. Chd. 89 *Ca.*
cylindrica Motsch. Chd. 89 *U.R.m.*

Cymindoidea
Laporte.

Platytarus Schaum.
Chaudoir Bull. Mosc. 1875. I. 9—19.

Famini Dej. Chd. 11 *Ga.m.Si.Gr.*
bufo Schaum Stett. 1847. 49
bufo F. Chd. 11 *Hi.Lu.*
mauritanica Dej. Spec. V. 312
v. sulcata Ramb. Fn. And. 19
carinulata Fairm. F. 1858. 752
gracilis Dej. Chd. 13 *And.*
protensa Rosenh. Th. And. 19

Helluonini.

Polystichus
Bonelli.

connexus Fourcr. Bed. Fn. Sn. 124 *E.md.*
vittatus Brull. Schaum 249 [*m.*
fasciolatus F. Dej. Spec. I. 194
fasciolatus Rossi Schm. 250 *Ga.m.I.m.Ca.*
discoideus Latr. Dej. Spec. I. 196

Dryptini.

Zuphium
Latreille.

olens F. Dej. Spec. I. 192 *Med.*
v. longiusculum Chd. B. M. 42. 802 *Ca.*
hungaricum Friv. Term. Füz. 77. 133 *Hu.m*
Faillae Reitt. Sic. VII. 1887. 9 *Si.*
Bocagei Paulino Ins. Port. 1876. 27 *Lu.*
Chevrolati Cast. Silb. Rev. I. 254 *Ga.m.*
numidicum Luc. Ex. Alg. 8
unicolor Germ. Fn. Ins. Eur. 19. t. 1 *Si.*

Drypta
(Latreille) Dejean.

dentata Rossi Schaum 248 *E.md.Med.*
emarginata Oliv. Dej. Spec. I. 183
v. angustata Chd. B. M. 42. IV. 804 *Casp.*
distincta Rossi Mantissa I. 83 *Med.*
cylindricollis F. Dej. Spec. II. 441
v. intermedia Ramb. Fn. And. 10 *And.*

Odacanthini.

Odacantha
Paykull.

melanura L. Schaum 254 *E.b.md.*
angustata F.
v. puncticollis Mannh. Schm. 254 *Ca.*

Brachynini.

Chaudoir Ann. Soc. Ent. Belg. 1876. 11-104.

Mastax
Fischer.

thermarum Stev. Fisch. E. R. III. 113 *Taur*
v. rufipes Motsch. B. M. 1845. I. 11 *Ca.*

Brachynus
Weber.

humeralis Ahr. Fn. Ins. Eur. 12. 9 *Med.oc.*
causticus Dej. Spec. I. 313
Bayardi Dej. Spec. V. 431 *Gr.*
biguttatus Chd. B. M. 1842. 808 *Ca.*
v. guttula Chd. B. M. 1842. IV. 808 *Ca.*
bipustulatus Quens. Dej. Spec. I. 323 *Med.*
bisignifer Costa *I.m.*
Emgei Reitt. D. 1884. 39 *Gr.*
exhalans Rossi Dej. Spec. I. 324 *Med.*
caspicus Dej. Spec. V. 432 *R.m.*
hamatus Fisch. Ent. Russ. III. 109
Eversmanni Mén. Cat. rais. 100
hebraicus Reiche A. 1855. 583
quadripustulatus Dej. Spec. V. 432 *R.m.*
quadriguttatus Gebl. Ledeb. R. III. 29
quadrimaculatus Zoubk. B. M. 33. 314
quadrinotatus Mén. Cat. rais. 99 *Ca.*
cruciatus Quens. Dej. Spec. I. 324 *Ca.*
incertus Brull. Hist. Nat. Ins. IV. 246 *Med.*
nigricornis Gebl. Dej. Spec. V. 429
atricornis Fairm. Lab. Fn. Fr. I. 42 *Ga.*
coerulescens Motsch. Ins. Sib. 66 *Ca.*
immaculicornis Dej. Pioch. A. 75. 157 *Med.*
v. ejaculans Fisch. Ent. Russ. III. 105 *R.*
graecus Dej. Spec. V. 430 *Gr.*
annulicornis Chd. B. M. 1842. 807
v. costulatus Motsch. Ins. Sib. 68 *Ca.*
talyschensis Motsch. Käf. R. 34 *Ca.*
crepitans L. Schaum 240 *E.*
obscurus Heer K. Schw. II. 6
explodens Steph.
glabratus Steph.

immaculicornis Steph.
v. strepitans Duft. Schaum 240 *G.*
v. obscuricornisBrull.Silb.Rev.34 110
v. efflans Dej. Spec. V. 430 *Lu. [Ga.m.*
v. longicollisWaltlReis.Span.II 52 *Hi.*
psophia Dej. Spec. I. 321 *E.m.Med.*
elegans Chd. B. M. 1842. IV. 807
v. plagiatusReicheCat. Col.Alg.1872.4
bombarda Dej. Spec. I. 321
berytensis Reiche A. 1855. 582
sclopeta F. Schaum 242 *E.md.Med.*
scutellaris Chd. B. M. 1842. IV. 809
v. suturalis Dej. *Hi.*
explodensDuft.Schaum241 *E.md.Med.*
v. strepensFisch.Ent.Russ.III.106 *R.*
bombarda Duft. Schaum 241 *A.Hu.*
tibialisMotsch.B.M.1845.34 *Tauria*
v. glabratus Dej. Schaum 242 *Ga.*
strepitans Fairm. Lab. Fn. Fr. 43
v. nitidulus Muls. Op.ent. I. 162 *Gr.*
?Palicari Cast. Et. Ent. 59 *Gr.*
v. obscuricornis Mén.Cat.rais.101 *R.m.*
v. variventrisSchf.Sitzb.Isis62.191 *Hi.*

---

sulcatulus Motsch. Käf. R. 35 *R.m.*
fulviventrisMotsch.B M.64.216 *Georgia*
joenius Patty Ab. 7. 37 *Si.*
siculus Patty Ab. 7. 37 *Si.*

---

italicus Dej. Spec. V. 409 *I.*
bellicosusDuf.Ann.Brux.1820.320 *Hi.*
jaculans Latr. Dej. Spec. I. 295
baeticus Ramb. Fn. And. 30 *And.*
angustatus Dej. Spec. V.410 *And.*
hispalensis Ramb. Fn. And. 31
andalusiacus Ramb. Fn. And. 32 *And.*
pygmaeus Dej. Spec. II. 461 *And.*
testaceus Ramb. Fn. And. 32
elongatus Tourn. M. Schw. 1864. 265 *Si.*

Pheropsophus
Solier.

hispanicus Dej. Spec. I. 303 *Hi.*
(v.) tricolor Schauf.

Aptinus
Bonelli.

displosorDuf.An.Mus.Paris1811.70 *Ga.*
ballistaGerm.Dej Spec.I.292 *[I.Hi.*
bombardaIllig.Wied.Arch.Zool.I.2.112
mutilatus F.Schm.237 *[Alp.or.Carp.*
atratus Dej. Spec. I. 294 (artefact)
acutangulus Chd. A. B. 176. 15 *Gr.*

lugubris Schaum B. 1862. 104 *Gr.*
alpinus Dej. Spec. V. 409 *Alp.oc.*
pyrenaeus Latr. Dej. Spec. I. 295 *P.*

Dytiscidae.

Seidl. T. 15. 1887. Sharp Monogr. 1882. Dublin.

Haliplini.

Brychius
Thomson.

glabratus Villa T. 28 *I.H.Ga.*
aequatus Aub.
elevatus Panz. T. 28 *E.*
cristatus J. Sahlb. T. 28 *F.R.*

Haliplus
Latreille.

varius Nicolai T. 20 *E.md.b*
pictus Mannerh.
maritimus Fairm.
obliquus F. T. 29 *E.*
amoenus Oliv.
lineatus Aub. T. 29 *E.m.*
confinis Bedel
badius Aub. T. 29 *E.m.*
parallelus Babingt.
mucronatus Bedel
siculus Wehncke T. 29 *Si.*
guttatus Aubé T. 30 *Ga.m.*
andalusiacus Wehncke T. 30 *Hi.*
variegatus Sturm T. 30 *E.*
fulvus F. T. 31 *E.md. b.*
ferrugineus Gyllh.
v. pyrenaeus Delar. T. 31 *P.*
lapponum Thoms. T. 31 *L.*
v. niger Seidl. T. 31 *F.*
flavicollis Sturm T. 31 *E.*
ferrugineus Bab.
rubidus Perris T. 31 *Ga.*
perforatus Schaum *P.*
laminatus Schall. T. 31 *E.md.*
cinereus Aub.
v. ater Redtb. T. 31 *A.*
ruficollis Degeer T. 32 *E.*
Heydeni Wehncke T. 32 *E.*
?foveostriatus Thoms.
multipunctatus Wehncke T. 32 *Hercyn.*
fulvicollis Er. T. 33 *E.*
furcatus Seidl. T. 33 *A.G.Liv.*
fluviatilis Aub. T. 33 *E.md.b.*
lineolatus Mannh.

v. maculatus Seidl. T. 33 *F.*
v. Mannerheimi Seidl. T. 33 *R.b.*
striatus Wehncke T. 34 *Su.F.G.b.*
immaculatus Gerh. T. 34 *G.*
fluviatilis Er.
v. Wehnckei Gerh. T. 34 *L.*
borealis Gerh.
v. lineolatus Wehncke T. 34 *G.*
transversus Thoms. T. 34 *Su.*
lineatocollis Marsh. T. 35 *E.*
transversalis Gaut.
Schaumi Solsky Hor. 1868. 29 *R.b.*
apicalis Thoms. D. 1880. 224 *Su.*

Cnemidotus
Illiger. Erichson.

rotundatus Aub. T. 35 *Ga.m.*
conifer Seidl. T. 35 *Si.Gr.*
caesus Duft. T. 35 *E.*
impressus Panz.

Pelobiini.

Pelobius
Schönherr.

Hygrobia Bed.

tardus Herbst T. 36 *E.*
Hermanni auct. non F.

Dytiscini.

Hydroporina.

Oxynoptilus
Schaum.

Hydrovatus Sharp.

cuspidatus Kunze T. 36 *E.m.*
clypealis Sharp T. 37 *S.C.Ga.m.*
simplex Sharp Mon. 322 *C.S.*

Hyphydrus
Illiger.

Hydrachna F. Hygrotus Latr.

ovatus L. T. 37 *E.*
ferrugineus L.
gibbus F.
ovalis Illig.
variegatus Aubé T. 38 *E.m.*
?v. minor Costa *I.m.*

Hygrotus
Stephens. Thomson.

Herophydrus Sharp.

guineensis Aubé T. 38 *C.*
turgidus Er.
ferrugineus Luc.
barbarus Schaum
hyphydroides Perris

Hygrotus in sp.

musicus Klug. T. 38 *Ca.*
inaequalis F. T. 39 *E.*
parvulus F.
v. Uhagoni Seidl. T. 39 *Hi.c.*
versicolor Schall. T. 39 *E.*
reticulatus F.
5-lineatus Zett. T. 39 *L.Br.*
decoratus Gyllh. T. 39 *E.*

Coelambus
Thomson.

polonicus Aubé T. 40 *R.*
corpulentus Schaum T. 40 *Cri.*
saginatus Schaum T. 40 *Gr.*
Marklini Gyllh. T. 41 *E.b.*
v. pallens Aubé T. 41
impressopunctatus Schall. T. 41 *E.*
picipes F.
v. ♀lineellus Gyll. T. 41
parallelogrammus Ahr. T. 41 *E.*
consobrinus Kunze
nigrolineatus Kunze
lernaeus Schaum T. 42 *Gr.Hi.*
novemlineatus Steph. T. 42 *L.Sc.*
nigrolineatus Gyllh.
parallelus Aubé *Su.*
Schönherri Aubé
enneagrammus Ahrs. T. 43 *G.Hu.*
nigrolineatus auct. non Stev.
tauricus Motsch. *R m.*
puncticeps Seidl. T. 43 *G.*
flaviventris Motsch. T. 43 *R.m.*
pallidulus Aubé T. 43 *Ga.Si.*
caspius Wehncke T. 43 *R.m.or.*
lautus Schaum T. 44 *G.R.m.*
confluens Fabr. T. 45 *E.md.m.*
fulviventris Costa Bul. It. 83. 322 *S.*

Bidessus
Sharp.

bicarinatus Latr. T. 45 *E.m.*
costatus Gyllh.

cristatus Lac.
v. obscurior Desbr. T. 45 *C.*

*

pumilus Aubé T. 45 *E.md.m.*
nasutus Sharp W. 87. 170 *Orenbg.*
Goudoti Laporte T. 46 *E.m.*
pumilus Redtb.
unistriatus Illig. T. 46 *E.*
parvulus Panz.
exornatus Reiche T. 46 *S.*
v. saucius Desbr. T. 46 *C.*
coxalis Sharp T. 47 *E.m.*
minutissimus Germ. T. 47 *E.md.*
delicatulus Schaum T. 47 *A.G.T.*

*

geminus F. T. 48 *E.*
parvulus Payk.
minimus Bedel
thermalis Germ. T. 48 *E.m.*
v. signatellus Klug. T. 49 *Si.*
v. tetragrammus Hochh. T. 49 *Ca.*
hamulatus Gyllh. T. 49 *Scand.*

Deronectes
Sharp.

latus Steph. T. 50 *E.md.*
ovatus Sturm
castaneus Heer
depressicollis Rosenh. T. 50 *Hi.m.*
bicostatus Schaum T. 50 *Hi.md.Lu.*
Aubei Muls. T. 50 *I.P.*
Delarouzeei Duv.
semirufus Germ. T. 51 *G.*
platynotus Germ. T. 51 *G.A.*
murinus Sturm
moestus Fairm. T. 51 *C.*
vestitus Fairm.
Fairmairei Leprieur *I.*
inconspectus Lepr.
Brannani Schauf. *Bal.*
bombycinus Lepr. T. 51 *I.Lu.*
hispanicus Rosenh. T. 52 *And.*
opatrinus Germ. T. 52 *Hi.Ga.m.*
Doriae Sharp 421 *Cu.*
Lareyniei Fairm. T. 52 *C.*
coarcticollis Reiche
parvicollis Schaum T. 52 *Gr.*

*

12-maculatus Regimb. T. 53 *C.S.*
12-pustulatus F. Oliv. T. 53 *E.md.F.*
12-punctatus Steph.

*

carinatus Aubé T. 53 *Hi.*
canaliculatus Lac. T. 53 *E.m.*
griseostriatus Deg. T. 54 *L.E.m.*
steppensis Motsch. T 118 *Orenbg.*
?scythus Schaum T. 118
? 4-striatus Esch.
baeticus Schaum T. 54 *Hi.Si.*
Ceresyi Aubé T. 54 *E.m.*
salinus Joly
variegatus Aubé T. 55 *Gr.T.*
suavis Sharp.
insignis Klug Symb. 34. 33. 10 *Creta*
luctuosus Aubé T. 55 *Ga.m.Hi.*
v. sericeus Costa T. 55 *I.*
lugubris Ragusa *Si.*
Martini Fairm. T. 55 *C.*
affinis Aubé T. 55 *S.*
Sardus Sharp.
Clarki Woll. T. 56 *Hi.Lu.*
Andalusiae Clark
fenestratus Aub. T. 56 *Si.*
Schaumi Aubé
Sansi Aubé T. 56 *Ga.m.Hi.*
elegans Sturm T. 57 *Ga.G.*
brevis Sturm
depressus Schaum pars
depressus F. T. 57 *E.b.or.*
Neuhoffi Cedj.
borysthenicus Hochh.
assimilis Payk. T. 57 *E.b.m.*
hyperboreus Gyllh.
affinis Sturm
v. frater Zett. T. 57 *L.*

---

stearinus Kolèn. Ab. 82. 68 *Ca.*

Hydroporus
Clairville.

Oreodytes Seidlitz.

alpinus Payk. T. 58 *E.b.*
♀ bidentatus Gyllh.
borealis Gyllh. T. 58 *L.P.Alp.*
Davisi Curt. *Sc.*
septentrionalis Gyll. T. 58 *E.b.*
alpinus Kunze *E.md.*
fluviatilis Sturm
Sanmarki Sahlb. T. 59 *E.b.m.P.*
v. rivalis Gyllh. T. 58. *L.*
v. alienus Sharp T. 58 *Hi.*

Graptodytes Seidlitz.

epipleuricus Seidl. T. 59 *And.*
lepidus Oliv. T. 60 *E.m.*

rufulus Aubé T. 60 *S.C.*
    Ramburi Reiche
Escheri Aubé T. 60 *Si.Hi.*
    bicruciatus Germ.
  v. gallicus Seidl. T. 60 *Ga.m.*

*

crux F. T. 61 *Tosc. C.*
    fasciatus Aub.
sexguttatus Aub. T. 61 *I.C.S.*
bimaculatus Duf. T. 61 *P.*
    jucundus Perr.

*

pictus F. T. 62 *E.*
    arcuatus Panz
    flexuosus Marsh.
  v. cruciatus Schilsk. D. 1890. 183
    crux Duft. non F.
varius Aub. T. 62 *E.md.*
ignotus Muls. T. 62 *Ga.E.Hi.*
fractus Sharp T. 62 *Tosc.*
granularis L. T. 63 *E.*
    unilineatus Schrank
    suturalis Müll.
bilineatus Sturm T. 63 *E.md.b.*
flavipes Oliv. T. 63 *E.md.m.*
    octolineatus Schauf. *Lu.*
    portalegrensis Schauf.
    manducus Schauf. *S.*
    montenegrinus Schauf.

Hydroporus in spec.

meridionalis Aubé T. 64 *E.m.*
Genei Aubé T. 64 *S.C.*
obliquesignatus Bielz T. 64 *Hu.Tr.*
lineatus F. T. 64 *E.*
    ovatus F.
    pygmaeus F.
    quadrilineatus Drap.
    ovalis Marsh.
halensis Fabr. T. 65 *E.*
    areolatus Duft.
  v. fuscitarsis Aubé T. 65 *E.*

*

dorsalis F. T. 66 *E.*
  v. figuratus Gyllh. T. 66 *L.*
lapponum Gyllh. T. 66 *L.*
arcticus Thoms. T. 66 *Norv.*
fennicus Seidl. T. 66 *F.*
    arcticus Sahlb.
rufipes J. Sahlb. T. 67 *F.*
    submuticus Thoms. *Su.*
erythrocephalus L. T. 67 *E.*
    sericeus Eschsch.
    v. deplanatus Gyllh. T. 67
intermedius J. Shlb. Ab. 1882. 82 *F.L.*
rufifrons Duft. T. 67 *E.md.b.*
    Duftschmidi Rye

---

obtusipennis J. Sahlb. T. 66 *F.*

*

scalesianus Steph. T. 68 *E.md.b.*
    pygmaeus Sturm
angustatus Sturm T. 68 *E.md.b.*
neglectus Schaum T. 68 *G.*
palustris L. T. 68 *E.*
    6-pustulatus F.
  v. vagepictus Fairm. T. 68 *E.m.*
  v. lituratus Panz. T. 68
  v. jonicus Mill. T. 68 *Gr.*
    distinguendus Desbr.
    avunculus Fairm. *S.*
    estrellensis Schauf. *Lu.*
  v. tinctus Clark T. 68 *Br.*
  v. vittula Er. T. 68 *E.b.*
    ambiguus Aub.
  v. incognitus Sharp 475 *Br.*
    discedens Rgbt. A. B. 77. 139 *Ga.b.*
striola Gyllh. T. 70 *L.*
  v. styriacus Seidl. T. 70 *St.*
tristis Payk. T. 70 *E.*
    elongatulus Schiödte
notatus Sturm T. 70 *E.b.*
umbrosus Gyllh. T. 70 *E.*
    minutus Steph.
glabriusculus Aub. T. 70 *F.*
piceus Aubé T. 70 *E.b.md.*
    Gyllenhali Schiödte

---

gracilis Wehncke B. 1872. 136 *And.*

*

elongatulus Sturm T. 70 *E.b.*
melanocephalus Gyll. T. 71 *G.E.b.*
    morio Gemminger
    atriceps Crotch
    pyrenaeus Wehncke T. 71 *P.*
?v. opacus Wehncke B. 1871. T. 163 *L.*
tataricus Lec. Sharp 470 *E.b.*
    nigellus Mannh. B. M. 53. 163
    geniculatus Thoms.
obscurus Sturm T. 71 *E.b.*

*

marginatus Duft. T. 71 *E.md.m.*
analis Aubé T. 72 *C.S.*
  v. decipiens Sharp T. 72 *Hi.md.Lu.*
limbatus Aubé T. 72 *E.m.*
nigriceps Schaum T. 72 *Hi.*
  v. Bonnairei Fairm. T. 72 *C.*
planus F. T. 72 *E.*

v. pallescens Seidl. T. 72 *G.b.*
pubescens Gyll. T. 72 *E.*
scopularis Schiödte
v. Habelmanni Wehncke T. 72 *E.m.*
tessellatus Drapiez T. 73 *E.m.*
lituratus Brullé
xanthopus Steph.
nigricollis Fairm. *C.*
?venator Sharp T. 73 *And.*
neuter Fairm. Sharp 460 *Alp.P.*
alticola Sharp
v. sabaudus Fauv. Sharp 808
nivalis Heer T. 73 *Alp.P.*
morio Heer
foveolatus Heer Col. H. 1838. 157 *Alp.*
Atropos Muls.
?maurus Sharp M. 463 *Hi.md.m.*
fuscipennis Schaum T. 73 *G.b.*
piceus Sturm
?puberulus Mannh.
pectoralis J. Sahlb. T. 74 *F.*
discretus Fairm. T. 74 *E.md.m.*
corsicus Wehncke T. 74 *C.*
brevis Sahlb. T. 74 *E.b.*
nigrita F. T. 74 *E.*
nivalis Redtb.
glabellus Thoms.
subalpinus Thoms *E b.*
v. convexior Seidl. T. 67 *Ga.b.*
monilicornis J. Sahlb. Sharp 801 *L.*

Brucki Wehncke D. 1875. 234 *Salonik.*
astur Sharp 468 *Ast.*
acutangulus Thoms. Sharp 470 *L.F.*

*

cantabricus Sharp 457 *Hi. b.*
celatus Bedel
v. nevadensis Sharp 481. T. 76 *And.*
regularis Sharp T. 75 *C.*
longulus Rey Ab. 1882. 102 *E. m.*
celatus Clark *Br.G.*
longicornis Sharp T. 75 *F.Br.*
parallelus Sharp *Sab.*
memnonius Nicolai T. 75 *E.*
v. ♀castaneus Aubé T. 75 *Ga.*
v. incertus Aubé T. 75 *I.*
v. insularis Sharp T. 75 *C.*
v. Revelieri Sharp T. 75 *C.*
melanarius Sturm T. 76 *E.b.*
ruficornis Zett.
monticola Sharp
Kraatzi Schaum T. 76 *G.*

picicornis J. Sahlb. T. 76 *L.*
? incrassatus Thoms. *Sa.*
obsoletus Aubé T. 77 *Hi.La.*
ferrugineus Steph. T. 77 *E.md.*
Victor Aubé

*

oblongus Steph. T. 77 *E.b.*
nitidus Sturm
Bohemani Thoms.

Laccophilina.

Noterus
Clairville.

clavicornis Deg. T. 78 *E.*
crassicornis Müll.
capricornis Herbst
sparsus Marsh. T. 78 *E.*
crassicornis Sturm
semipunctatus Er.
laevis Sturm T. 78 *E.m*

Hydrocanthus
Say.

Canthydrus Sharp.

notula Er. T. 79 *Si.*
diophthalmus Reiche
siculus Ragusa

Laccophilus
Leach.

variegatus Sturm T. 79 *E.*
obscurus Panz. T. 79 *E.*
minutus Sturm Thoms.
hyalinus Er.
v. Stroehmi Thoms. T. 79 *E.Su.*
interruptus Panz. T. 80 *E.*
minutus Gyllh.
hyalinus Thoms.
v. testaceus Aubé T. 80 *E.m.*
v. pictus Küst. T. 80 *E.m.*
Küsteri Mars.

Colymbetina.

Agabus
Leach.

Metronectes Sharp

Aubei Perris T. 82 *C.*
parallelipennis Desb.

Arctodytes Thoms.

elongatus Gyllh. T. 82 *I.*

Gaurodytes Thoms.

brunneus F. T. 83 *E.m.*
rotundatus Wehncke *S.*
v. rufulus Fairm. T. 83 *C.S.*
marginicollis Fairm.
didymus Oliv. T. 83 *E.*
vitreus Payk.

*

cephalotes Reiche T. 84 *C.*
Merkli Regimb. T. 85 *Balc.*
Baudii Seidl. T. 85 *Etrur.*
guttatus Payk. T. 85 *E.b.*
fenestratus Panz.
septemseriatus Sahlb.
v. styriacus Sharp T. 85 *St.*
dilatatus Brull. T. 85 *Gr.*
nitidus F. T. 86 *E.md.m.*
melas Aubé
fontinalis Steph.
silesiacus Letzn.
biguttatus Oliv. T. 86 *E.m.*
nigricollis Zoubk. T. 86 *E.m.*
Heydeni Wehncke T. 86 *Hi.Lu.*
binotatus Aubé T. 86 *C.S.*

---

armeniacus Sharp 497 *Ca.*
glacialis Hochh. Sharp 752 *Ca.*

*

melanarius Aubé T. 87 *E.b.*
tarsatus Schaum
frigidus Schiödte
Kotschyi Letzner

---

ovalis J. Sahlb. Ab. 1882. 18 *F.*

*

bipustulatus L. T. 87 *E.*
carbonarius F.
luctuosus Fourc.
v. abdominalis Costa T. 87 *S.*
Solieri Aub. T. 88 *E.md.m.L.*
tarsatus Zett.
alpestris Heer
sexualis Reiche
v. Kiesenwetteri Seidl. T. 88 *Alp.Ill.P.*
callosus Thoms. Op. ent. 84. 1031 *Su.*
striolatus Gyllh. T. 88 *E.b.*

Kessleri Hochh. Ab. 1882. 31 *R.*

*

lineatus Gebl. T. 88 *R.m.or.*
desertorum Moraw.

*

vittiger Gyllh. T. 88 *L.*
neglectus Er. T. 89 *E.b.G.*
nigroaeneus Er. T. 89 *E.b.*
chalconotus Gyll.
subtilis Er. T. 89 *E.b.G.*

*

chalconotus Panz. T. 90 *E.md.*
v. fuscoaenescens Regimb. T. 90 *A.Sil.*

*

paludosus F. T. 90 *E.md.*
uliginosus L. T. 90 *E.md.b.*
Reichei Aubé
♀ dispar Boield. Zoolog. 49. 24 *Br.*

---

marginalis Sharp T. 90 *Gr.St.*

*

confinis Gyll. T. 91 *L.*
congener Payk. T. 91 *E.*
v. Thomsoni J. Sahlb. T. 92 *L.*
v. coriaceus J. Sahlb. T. 92 *L.*
v. Funkii Seidl. T. 92 *Sil.*
v. lapponicus Thoms. T. 92 *L.*
v. foveolatus Muls. T. 92 *Ga.m.*
v. ♀ Venturii Bertol. T. 92 *I.*
nigripalpis J. Sahlb. T. 92 *L.*
borealis Sharp.
obscuripennis J. Sahlb. T. 92 *F.*
clypealis Thoms. T. 92 *E.b.*
Haeffneri Aub. T. 93 *Su.*
angusticollis J. Sahlb.
Mimmi J. Sahlb. T. 93 *L.F.*
Haeffneri Thoms.
♀ opacus Thoms.
Wasastjernae Sahlb. T. 93 *L.*

---

opacus Aub. Sharp 755 *F.*
obovatus J. Sahlb. T. 91 *L.F.*

*

unguicularis Thoms. T. 93 *E.b.*
affinis Payk. T. 93 *E.b.*
biguttulus Thoms. T. 94 *G.b.Su.L.*
v. ♀ boreellus J. Sahlb. T. 94 *L.*

Xanthodytes Seidl.

nebulosus Forster T. 94 *E.*
bipunctatus F.
v. pratensis Schfs. z. b. Wien. 81. 620 *Bal.*
conspersus Marsh. T. 94 *E.*
subnebulosus Steph.
nebulosus Schiödte
Gougeleti Reiche *C.*
Lederi Seidl. T. 94 *Ca.*
luniger Kolen. *Armen.*

Scydodytes Seidl.

Sturmi Gyll. T. 95 *E.md.b.*
arcticus Payk. T. 95 *L.*
Zetterstedti Thoms. T. 95 *L.*

Acathodes Thoms.

fuscipennis Payk. T. 95 *E.b.*
  fossarum Germ.

Agabus in sp.

serricornis Payk. T. 96 *L.*

Eriglenus Thoms.

undulatus Schrank T. 96 *E.md.*
  abbreviatus F.
  Hermanni Bedel
femoralis Payk. T. 96 *E.*
  assimilis Sturm
  Eversmanni Ballion

Platambus Thoms.

maculatus L. T. 97 *E.*
  biocellatus Müll.
  inaequalis Panz.
 v. pulchellus Heer T. 97 *Ti.Alp.*
 v. ♀ Graëllsi Harold
  glacialis Graëlls nec Hochh.
sinuatus Aubé T. 97 *Ca.T.*

---

ruficeps Mén. Ab. 1882. 30 *Ca.*

Ilybius
Erichson.

Agabidius Seidl.

cinctus Sharp. T. 98 *Astrach.*

Ilybius in sp.

fenestratus F. T. 98 *E.*
  lacustris F.
  Prescotti Mannerh. *R.*
 v. aeneus Illig. T. 98 *E.b.*
similis Thoms. T. 98 *E.b.*
fuliginosus F. T. 98 *E.md.b.*
  uliginosus L.
meridionalis Aubé T. 99 *E.m.*
  hispanicus Sharp *Hi.*
crassus Thoms. T. 99 *L.*
  ovatus Hochh. *R.m.*
subaeneus Er. T. 99 *E.md.b.*
  chalybeatus Thoms. *Su.*
  Badeni Wehncke *m.b.*
ater Degeer T. 99 *E.*
obscurus Marsh. T. 100 *E.*
  4-guttatus Er.
  6-dentatus Schiödte
guttiger Gyll. T. 100 *E.md.b.*
  Kiesenwetteri Wehncke
aenescens Thoms. T. 100 *E.b.*
  angustior Er.
angustior Gyll. T. 100 *L.*

Liopterus
Aubé.

Copelatus Sharp nec. Er.

ruficollis Schall. T. 101 *E.*
  Schalleri Gmel.
  haemorrhoidalis F.
  agilis F.
  oblongus Illig.
atriceps Sharp T. 101 *C.*

Colymbetes
Clairville.

Grapii Gyll. T. 101 *E.*
  niger Lac.

Melanodytes
Seidlitz.

pustulatus Rossi T. 101 *I.C.Ga.m.*

Rantus
Lacordaire.

conspersus Gyll. T. 102 *E.md.*
  pulverosus Steph.
  vibicollis Hochh. *Ca.*
  punctatus Bedel
notaticollis Aubé T. 102 *Ga.G.*
  infuscatus Er.
notatus F. T. 102 *E.*
  frontalis Marsh.
  flavicollis Esch.
  suturalis Lacord.
 v. ♀ vermicularis Fauvl. R. 1889. 82
bistriatus Er. T. 102 *E.*
  agilis Payk.
  suturellus Harris
  virgulatus Ill. Schilsk. D. 90. 182
adspersus F. T. 102 *E.*
  agilis Lac.
  bistriatus Bedel
consputus Sturm T. 103 *G.Ga.*
hispanicus Sharp T. 103 *Hi.md.*
exoletus Forster T. 103 *E.*
  oculatus Herbst.
  adspersus Panz.

collaris Payk.
v. latitans Sharp T. 103 *G.Belg.*
v. melanopterus Zett. T. 103 *L.*

Cymatopterus
Lacordaire.

fuscus L. T. 103 *E.*
striatus Aub.
v. affinis Stein B. 81. 222 *Berol.*
Paykulli Er. T. 103 *E.b.*
striatus Payk.
fuscus Aub.
striatus L. T. 104 *E.b.*
Bogemanni Gyllh.
dolabratus Payk. T. 104 *L.*
groenlandicus Aub. T. 104 *L.*
Thomsoni Sharp. *Isl.*

Melademа
Laporte.

coriaceum Lap. T. 104 *E.m.*

Eunectes
Erichson.

Eretes Lap.

sticticus L. T. 104 *E.m.*
griseus F.

Hydaticus
Leach.

seminiger Deg. T. 105 *E.*
Huebneri F.
laevipennis Thoms. T. 105 *E.b.*
stagnalis F. T. 105 *E.md.*
transversalis Pontopp T. 105 *E.*
punctipennis Thoms.
v. degeneratus Westh. Kf. Wst. 81. 305
grammicus Grm. T. 106 *E.md.m.*
lineolatus Mén.
Leander Rossi T. 106 *E.m.*
Nauzieli Fairm. *Ga.*

Graphoderes
Eschscholtz.

austriacus Sturm T. 106 *E.*
bilineatus Degeer T. 106 *E.*
cinereus L. T. 107 *E.*
taeniatus Rossi
v. intermedius Westh. K. Wstph. 81. 304
v. simulator Westh. l. c.
v. ♀Bertolinii Seidl. T. 107 *Ti.*
zonatus Hoppe T. 107 *E.b.*
v. interjectus Westh. l. c.
v. ♀Rosenbergeri Seidl. T. 107 *Curl.*
Sahlbergi Seidl. T. 107 *F.*
verrucifer Sharp.
v. verrucifer Sahlb. T. 107 *F.*
piciventris Thoms. T. 108 *L.*
v. ♀Thomsoni Seidl. T. 108 *L.*

Acilius
Leach.

sulcatus L. T. 108 *E.*
brevis Aub. *Hi.*
canaliculatus Nicolai T. 108 *E.*
fasciatus Er.
sulcipennis Sahlb.
? Kotulae Ulanovsky *Pol.*

Homaeolytrus Gob.

Duvergeri Gob. T. 108 *Landes*

Dytiscus
Linné.

Dytiscus in spec.

latissimus L. T. 109 *E.md.*

Macrodytes Thoms.

marginalis L. T. 109 *E.*
v. ♀conformis Kunze T. 109
pisanus Lap. T. 109 *E.m.*
?v. ibericus Rosh. Th. And. 56. 47 *And.*
dimidiatus Bergstr. T. 110 *E.*
?v. ♀mutinensis Fiori Atti Mod. 86
punctulatus F. T. 110 *E.*
v. maurus Schauf. T. 110 *Sax.*
circumcinctus Ahr. T. 110 *E.*
v. ♀dubius Gyllh. T. 110
circumflexus F. T. 111 *E.*
v. ♀perplexus Lac. T. 111
lapponicus Gyll. T. 111 *E.b.*
v. ♀septentrionalis Gyll. T. 111
disjunctus Camer. T. 111 *Pe.*

Cybister
Curtis.

laterimarginalis Deg. T. 113 *E.*
Roeseli Füssly
virens Müll.
?politus Gaut. Rv. zool. 66. 179 *Hi.md.*
lusitanicus Sharp M. 747 *Lu.*
?v. lepidus Apetz T. 112 *D.*
tripunctatus Oliv. T. 112 *E.m.*
africanus Lap.

v. Gotschi Hochh. T. 112 *Ca.*
senegalensis Aub. T. 112 *Si.*
v. Seidlitzi Rag. N. Sic. 87. 43 *Si.*
binotatus Klug. T. 113 *Hi.Si.*
bivulnerus Aub.

Gyrinidae.

(Seidl. T. XV. 1887.)

Aulonogyrus
Regimbart.

concinnus Klug T. 113 *E.m.G.b.*
striatus Aub. T. 113 *E.*
strigipennis Suffr. *G.*
v. opacinus Ragusa Sic. 89. 9 *Si.*
capensis Thunbg. *E.m.*
striatus F. T. 113
strigosus Aub.

Gyrinus
Geoffroy.

minutus F. T. 113 *E.*
bicolor Payk. T. 114 *E.*
celox Schiödte
elongatus Aub. T. 114 *E.m.*
angustatus Aub.
caspius Suffr.
?distinctus Kiesw.
caspius Ménétr. T. 114 *Ca.*
hungaricus Seidl. T. 115 *Hu.Tr.*
distinctus Aub. T. 115 *E.*
caspius Regimb.
v. colymbus Er. T. 115 *G.A.*
mergus Ahr. T. 115 *E.md.*
Wankowiczi Regimb.
natator Ahr. T. 115 *E.*
cercurus Schiödte
siculus Regimb. T. 116 *Si.*
Suffriani Scriba T. 116 *Ga.G.A.T.*
urinator Ill. T. 116 *E.m.md.*
rivularis Costa
v. variabilis Aub. T. 116 *Ga.*
Dejeani Brull. T. 116 *E.m.*
aeneus Aub.
nitens Suffr.
v. Krüperi Seidl. T. 116 *Gr.*
opacus Sahlb. T. 117 *E.*
marinus Gyll. T. 117 *E.*
lembus Schiödte
aeneus Thoms.
v. dorsalis Gyll. T. 117 *E.*

Orectochilus
Lacordaire.

villosus F. T. 117
v. Bellieri Reiche T. 117
Reitteri Seidl. T. 117
involvens Fald. T. 118 *Ca*

Hydrophilidae.

(Kuwert T. XIX. (et XX. 1890.)

Hydrophilini.

Hydrophilitae.

Hydrous
Leach.

aterrimus Eschsch. T. 24 *E.md*
morio Sturm
piceus L. T. 26 *E*
ruficornis Deg.
pistaceus Lap. T. 26
inermis Luc.
angustior Rey T. 26

Hydrophilus
Geoffroy.

Hydrous Brullé.

caraboides L. T. 29
m. scrobiculatus Panz. T. 29
v. substriatus Sturm T. 29
v. smaragdinus Bach T. 30
intermedius Muls.
flavipes Thoms.
flavipes Stev. T. 30

Hydrobiitae.

Limnoxenus
Rey.

oblongus Herbst T. 31 *E.md.*

Hydrobius
Leach.

convexus Brullé T. 31 *E.md.*
grandis Motsch.
fuscipes L. T. 32
angustatus Villa
v. aeneus Sol. T. 32 *Ga.R.*
arcadius Brullé
v. picicrus Thoms. T. 33
v. Rottenbergi Gerhdt. T. 33
v. subrotundatus Steph. T. 33 *Br.H*
v. balearicus Schauf. T. 33 *Bal*
arcticus Kuw. T. 34 *Norv.arc*

Helochares
Mulsant.

nigritulus Kuw. T. 34 *Si.*
lividus Forster T. 36 *E.b.md.*
griseus F. Gyll.
fulvus Marsh. *T.*
Ludovici Schauf. T. 36 *Bal.*
subcompressus Rey T. 36 *E.m.or.Ga.m.*
erythrocephalus F. T. 37 *E.*
punctatus Sharp
punctatulus Rey
dilutus Er. T. 37 *E.m.med.*
pallidus Rossi
bicolor Aud.
lividus Marsh.

Crephelochares Kuw.
livornicus Kuw. 38 *I.md.*

Graphelochares Kuw.
melanophthalmus Muls. T. 39 *Hi.Gr.*

Philydrus
Solier.

frontalis Er. T. 40 *G.R.m.*
nigricans Thoms.. *E.b.*

*

berolinensis Kuw. 41 *G.A.Hi.*
grisescens Küst.
nigricans Baudi auct.
salinus Bedel T. 41 *Ga.m.*

*

vultur Kuw. 42 *R.m.or.*

*

labiatus Kuw. 42 *R.m.Cri.*
flavus Kuw. 43 *Lu.m.*

*

hispanicus Kuw. 44 *Hi.Lu.*
caspius Kuw. 44 *Casp.*

*

testaceus F. Kuw. 45 *E.*
melanocephalus Zett.
v. lineatus Kuw. 45
v. Lederi Kuw. 45 *Ca.*
v. rubicundus Kuw. 45 *Hu.*

*

ferrugineus Küst. T. 46 *E.m.*
segmentinotatus Kuw. 46 *Gr.T.*
sternospina Kuw. 47 *G.A.*
unguidebilis Kuw. 48 *R.m.*
grisescens Gyll. Rey T. 48 *G.I.Hol.*
bicolor Bed.
torquatus Marsh. T. 49 *E.*
fulvipennis Rey
Sahlbergi Kuw. 49 *R.b.*
atricornis Kuw. 50 *Hi.*
maritimus Thoms. T. 51 *Scandin.*
grisescens Gyll. pars.

*

melanocephalus Oliv. T. 52 *E*
4-punctatus Bed.
v. ochropterus Mrsh. T. 52 *Br.*
v. fasciatus Kuw. 53 *I.*
v. similis Kuw. 53 *R.m.G.I.*
v. dermestoides Mrsh. T. 53 *Br.Carn.T.*
fuscipennis Thoms. Op. X. 84. 1031 *Su*

*

nigricans Zett. T. 53 *F.Sc.*
marginatus J. Sahlb.
halophilus Bedel T. 54 *Ga. lit.*
agrigentinus Rottbg. T. 54 *Si.Hi.I.*
cossyriensis Ragus.
Schneideri Wehncke i. l.
Morenae Heyd. T. 55 *Hi.md.*
politus Küst. T. 56 *Hi.Si.*

Agraphilydrus Kuwert.
Ragusae Kuw. 56 *Si.*

*

nigritus Sharp T. 58 *Hi.*
affinis Thunbg. T. 58 *E.*
minutus F. Rey Bed.
rectus Sahlb. T. 58 *F.I.mont.*
cupreus Torre
suturalis Sharp T. 59 *Br.Scot.*
coarctatus Gredl. T. 60 *Ti.Br.Ga.*
suturalis Sharp pars

Cymbiodyta
Bedel.

marginella F. T. 61 *E.md.b.*
ovalis Thoms.
marginata Duft.

Enochrus
Thomson.

bicolor Payk. T. 61 *E.b.md.*
atricapillus Steph.
melanocephalus Bed.
v. italus Kuw. 62 *I.sup.*

Enochroides
Kuwert.

decorus Kuw. 62 *Lu.*

Crenitis
Bedel.

punctatostriatus Letzn. T. 63 *G.*

Paracymus
Thomson.

punctillatus Rey Kuw. 64 *Ga.m.P.*
scutellaris Rosh. T.64 *E.*
  nigroaeneus F. Sahlb.
  aeneus Muls.
caucasicus Kuw. 65 *Ca.*
Schneideri Kuw. 65 *Ca.Si.*
relaxus Rey T. 65 *Hi.m.*
aeneus Germ. T. 66 *Ca.*
  punctulatus Sturm *A.*
  salinus Bielz *Tr.*

Paracymorphus
Kuwert.

globuloides Kuw. 67 *Si.*

Anacaena
Thomson.

bipustulata Marsh. T. 67 *E.md.m.*
  similis Lap.
ovata Reiche Kuw. 68 *E.m.oc.*
  globulus Lap.
  nitida Heer
  limbata Rey
 v. carinata Thoms. T. 68 *Ga.*
limbata F. T. 68 *E.*
  ambigua Rey
globulus Payk. T. 69 *E.*
  allobrox Lap.
  limbata Fairm.
 v. nitidior Kuw. 69 *Alp.Bosn.*

Laccobius
Erichson.

(Brachypalpus Lap. 1840. non Macqt. 1834.)

sardeus Baudi T. 70 *S.*
Sellae Sharp. Kuw. 70 *Pe.*
alternus Motsch. T. 72 *E.*
gracilis Motsch. T. 72 *E.m.*
  viridiceps Rottb.
  subtilis Kiesw.
  intermittens Kiesw.
 v. nigritus Rottbg. T. 72 *T.C.*
thermarius Tourn. T. 73 *H.*

*

decorus Gyll. T. 74 *Sa.h.*

Revelieri Perris T. 74 *C.Si.S.*
 v. leucaspis Kiesw. T. 75 *C.Hi.*
  elongatus Tourn.
pallidus Muls. T. 75 *Ga.m.C.Hi.*
 v. femoralis Rey T. 75 *C.*
 v. debilis Rottb. T. 75 *Lu.*

*

cinereus Motsch. T. 76 *Ca.*
nigriceps Thoms. T. 77 *G.Ga.*
  minutus Muls.
  major Kiesw.
  sinuatus Bedel
 v. maculiceps Rottbg. T. 77 *G.Ga.*
sinuatus Motsch. T. 78 *D.Si.I.Ca.*
 v. signiceps Kuw. 78
regularis Rey T. 78 *Ga.m.Ti.*
signatus Kuw. 79 *Hi.*
scutellaris Motsch. T. 79 *E.m.C.*
  obscurus Rottbg.
  obscuratus Rey.
 v. atratusRottbg.T.79 *Hi.Carn.Ca.Ti.*
 v. minor Rottbg. T. 79 *Ligur.Ca.*
 v. albescens Rottbg. T. 80 *Ca.Pe.D.*
 v. neapolitanus Rottbg. T. 80 *I.*
 v. subregularis Rey T. 80 *Ge.*
 v. rufescens Rottbg. T. 80 *Sil.*
Emeryanus Rottbg. T. 80 *Si.*
cupreus Rey R. 84. 267 *C.*
alutaceus Thoms. T. 81 *E.*
 v. graecus Rottbg. T. 81 *Gr.*
biguttatus Gerhdt. T. 82 *E.md.*
albipes Kuw. T. 83 *Bosn.*
minutus L. T. 83 *E.*
 v. globosus Heer T. 83
 v. nanulus Rottbg. T. 83
bipunctatus F. T. 83 *E.*
  minutus Gyllh.
 v. pallidus Lap. T. 83

Hemisphaera
Uhagon.

infima Pand. T. 87 *Hi.md.C.*
  seriatopunctata Perris

Limnebiitae.

Limnebius
Leach.

Tricholimnebius Kuw.

papposus Muls. T. 88 *E.*
  truncatellus Gyll. pars.

lutosus Steph.
nigricans Steph.
nigrinus Steph.
picinus Steph.
crinifer Rey T. 89 *A.Bohem.*
barbifer Kuw. T. 90 *Holl.*
nitidus Seidl. T. 91 *G.F.*
nitidus Redtb. Gerh.
stagnalis Guillb. T 121 *St.*

Embololimnebius Kuw.

truncatellus Thunbg. Thms. T. 92 *E.*
ater Steph.
affinis Steph.
♀marginalis Steph.
crassipes Kuw. T. 92 *Holl.*
nitiduloides Baudi T. 93 *I.S.*
simplex Baudi T. 94 *S.Si.*
Baudii Kuw. T. 94 *Si.*
angusticonus Kuw. T. 95 *Si.*
laticonus Kuw. T. 95 *Si.*

Odontolimnebius Kuw.

truncatulus Thoms. T. 96 *E.b.*
furcatus Baudi T. 97 *I.S.*
nitidus Rey
similis Baudi T. 98 *S.Ga.*
v. uncigaster Kuw. T. 98 *Si.*

Limnebius in spe.

rubropiceus Kuw. T. 99 *Ca.*
fallax Kuw. T. 100 *Ga.S.*
sericans Guillb.
aluta Bedel T. 100 *E.md.m.*
atomus Gerhdt.
mucronatus Baudi T. 101 *I.C.S.*
punctillatus Rey T. 101 *Ga.m.*
dissimilis Kuw. T. 102 *Riviera*
sericans Muls. T. 102 *E.m.*
Fussi Gerhdt. *G.Sil.*
nitidus Bedel
subglaber Rey T. 103 *C.*
Gerhardti Heyd. T. 104 *Astur.*
Myrmidon Rey T. 104 *Ga.m.*
v. perparvulus Rey T. 105 *C.*

Crepilimnebius Kuw.

evanescens Kiesw. T. 105 *Hi.*
picinus Marsh. T. 105 *Br.Ga.G.*
atomus Muls.
sericans Gerhdt.
oblongus Rey
cassidioides Baudi

atomus Duft. T. 106 *G.Ga.*
minutissimus Gerhdt.
picinus Bedel

Chaetarthriitae.

Chaetarthria
Stephens.

Cyllidium Erichson.

seminulum Payk. T. 107 *E.*
?v. picea Hochh. T. 107 *R.m.*

Berositae.

Acanthoberosus
Kuwert.

(Enoplurus Hope pars, Anchialus Thoms. pars.)

frontifoveatus Kuw. 109 *R.m.*
lenkoranus Kuw. 111 *Ca.*
Schusteri Kuw. 111 *Hu.Gr.*
bispina Reiche Kuw. 111 *I.md.Gr.*
guttalis Rey T.112 *Ga.T.*
v. fulvus Kuw. 112 *Ga.*
spinosus Stev. T.113 *E.*

Berosus
Leach.

luridus L. T. 114 *E*
chalcaspis Eschsch.
sculptus Solsky T. 115 *R.m.or.*
dispar Reiche T. 115 *R.m.Cr.*
corsicus Desbr. T. 117 *C.*
geminus Reiche T. 118 *Ca.*
signaticollis Charp. T. 118 *E.*
aericeps Curt.
suturalis Küst. T. 119 *D.Gr.Hi.*
affinis Brull. Kuw. T. 119 *E m.*
murinus Küst.
salmuriensis Ackerm.
v. hispanicus Küst. Kuw. 119
v. pelagicus Friv. Kuw. 119 *Gr.*
v. sardous Kuw. 120 *S.*

Sphaeridiini.

S. F. B. = Seidlitz Faun. Balt. edit. 2.
Kuw. T. XX. (1890.)

Sphaeridiitae.

Pelosoma
Mulsant.

Lafertei Muls. C. Fr. 44. 185 ✕*Genova*

Cercyon
Leach.

littoralis Gyll. S. F. B. 112 *E.md.b.*
depressus Steph. S. F. B. 112 *Su.Br.*
  dorsostriatus Thoms. *Ga.lit.*
arenarius Rey Kuw. T. XX. *Ga.m.*

*

ustulatus Preyssl. 1790. S. F. B. 112 *E.*
  haemorrhous Gyll. 1808
lenkoranus Kuw. T. XX *Ca.*
obsoletus Gyll. S. F. B. 112 *E.md.b.*
  lugubris Oliv.

*

haemorrhoidalis F. S. F. B. 113 *E.*
  impressus Sturm
 v. melanocephaloides Kuw. T. XX
flavipes F. 1792. S. F. B. 113 *E.*
  haemorrhoidalis Bed.
 v. erythropterus Muls. *Si.*
melanocephalus L. S. F. B. 113 *E.*
  ovillus Motsch.
 v. rubripennis Kuw. T. XX
aquaticus Lap. Muls. C. Fr. 44. 174 *E.*
  marinus Thoms. S. F. B. 113
lateralis Marsh. S. F. B. 113 *E.md.b.*
circumflexus Reitt. D. 1889. 255 *Euboea*

Chilocercyon Seidl.

paradoxus Kuw. T. XX *R.b.*
unipunctatus L. S. F. B. 114 *E.*
  cordiger Herbst.
  dispar Payk.
 v. impunctatus Kuw. T. XX
quisquilius L. S. F. B. 113 *E.*
  unipunctatus F.
 v. scutellaris Steph. Muls. C. Fr. 44. 166
 v. flavus Marsh. Muls. l. c.
 v. flavipennis Küst. 48. 56 *Hi.m.*

*

centrimaculatus Sturm S. F. B. 113 *E.*
  pygmaeus Gyllh.
  pulchellus Heer
  nigriceps Kuw.
terminatus Marsh. *E.b.md.*
  plagiatus Er. S. F. B. 113
  pygmaeus Muls.
 v. separandus Rey
pygmaeus Ill. S. F. B. 113 *E.*
 v. merdarius Sturm D. Fn. II. 26
 v. conspurcatus Strm. D. Fn. II. 15
 v. erythropus Steph. Ill. Br. II. 148

Paracercyon Seidl.

analis Payk. S. F. B. 114 *E.*
  flavipes Thunbg.
  terminatus Gyllh.
 v. marginellus Payk. Fn. Su. 1799. 18
 v. acutus Steph. Ill. Br. II. 139

Epicercyon Kuw.

bifenestratus Küst. S. F. B. 114 *Ga.E.oc.*
  palustris Thoms. *Su.*
  aquaticus Muls. pars.
minutus F. Ill. S. F. B. 114 *E.*
  tristis Ill.
granarius Er. S. F. B. 114 *G.Ga.Ca.*
lugubris Payk. S. F. B. 114 *E.*

*

rhomboidalis Perr. Ab. 1875. 74 *G.*
subsulcatus Rey T. XX *Ga.*
agnotus Kuw. T. XX *S.*

Megasternum
Mulsant.

caucasicum Kuw. T. XX *Ca.*
obscurum Marsh. T. XX *E.*
  boletophagum Marsh. S. F. B. 114
  castaneum Heer
calabricum Kuw. T. XX *I.m.*

Pachysternum
Motschulsky.

pusillum Kuw. T. XX *R.centr.*

Cryptopleurum
Mulsant.

crenatum Panz. S. F. B. 114 *E.md.m.*
  Vaucheri Tourn.
atomarium Oliv. S. F. B. 114 *E.*
  minutum Herbst Bedel

Sphaeridium
Fabricius.

bipustulatum F. S. F. B. 112 *E.*
 v. 4-maculatum Marsh. Ent. Br. 1802. 66
 v. bimaculatum Kuw. T. XX
 v. marginatum F. Mant. I. 43
  imm. testaceum Heer Fn. Helv. 41. 4
 v. semistriatum Lap. Hist. Nat. II. 60
  substriatum Fald. F. Tr. III. 589 *Ca.*
scarabaeoides L. S. F. B. 112 *E.*
 v. pictum Fald. F. Tr. I. 235 *Ca.*
 v. 4-maculatum Küst. 45. 23 *S.*
 v. lunatum F. Ent. Sys. I. 1792. 78

bipustulatum Herbst
v. striolatum Heer Fn. Helv. 41. 487 *H.*

Coelostomitae.

Coelostoma
Brullé.

Cyclonotum Er.

brevitarse Heyd. Sp. 70. 74 *Hi.b.*
hispanicum Küst. Ab. 82. 189 *Hi.Ga.m.*
dalmatinum Küst. Ab. 82. 190 *D.Si.*
minor Sharp. Ab. 79. 24 *Hi.*
orbiculare F. S. F. B. 111 *E.*
v. graecum Kuw. T. XX *Gr.*

Dactylosternum
Wollaston.

insulare Lap. Ab. 1882. 191 *Ga.m.And.*
abdominale Woll. non F.

Helophorini.

Sphercheitae.

Spercheus
Kugelann.

emarginatus Schaller S. F. B. 115 *E.*
luridus Mathieu

Helophoritae.
(Kuwert W. 1886.)

Helophorus
Fabricius.

Cyphelophorus Kuw.

tuberculatus Gyll. Kuw. W. 86. 223 *E.b.*

Trichelophorus Kuw.

siculus Kuw. 86. l. c. *Si.*
rugosus Oliv. Kuw. 86. l. c. *E md.m.*
fennicus Payk.
v. pyrenaeus Kuw. 86. l. c. *P.Hi.md.*
porculus Bedel Kuw. 86. 224 *E.m.*
v. aper Kuw. 86. l. c. *P.*
alternans GenéKuw.86.l.c. *E m.Hi.Gr.*
v. intermedius Muls.Kuw.l.c. *Ga.m.Gr*
Schmidti Villa Kuw. l. c. *Alp.I.*
alpinus Heer *H.*
fracticostis Fairm. *P.Hi.*
nubilus F. Kuw. l. c. *E.b.md.*
v. costatus Goeze Kuw. l. c. *E.m.Cri.*
meridionalis Motsch.

Mesopotamiae Kuw. l. c. *Ca.*
lineellus Kuw. W. 1886. 224 *D.*
linearis Kuw.
micans Fald. Kuw. l. c. *Ca.Gr.Balk.*
opalisans Bess.
acutipalpis Muls.
v. subcostatus Kolen. Kuw. l. c. *Ca.Gr.*

Atractohelophorus Kuw.

villosus Duftschm.Kuw. 86. 227 *G.Linz*
arvernicus Muls. Kuv. l. c. *Ga.G.Br.*
brevitarsis Kuw. l. c. *Bosn.*
singularis Mill. Kuw. 86. 227 *D.*
nivalis Giraud Mill.W.86 228 *Alp.Ca.*
glacialis Villa Kuw. l. c. *Alp.Norvg.*
nivalis Thoms.
guttulus Motsch. Kuw. l. c. *Ca.Balk.*
maculatus Motsch.
costulatus Kuw. W. 87. 167 *Ca.*
insularis Reiche Kuw. 86. 228 *C.*
orientalis Motsch. Kuw. l. c. *Ca.*
griseus Herbst Er. Kuw. l. c. *E.b.md.*
granularis Thoms.
v. bulbipalpis Kuw. T. XX. *Br.b.*
v. brevipalpis Bed. Kuw.86. 228 *E.md.*
v. montenegrinus Kuw. l. c. *Cro.Mont.*
v. creticus Kiesw. Kuw. l. c. *Gr.Hi.Si.*

Meghelophorus Kuw.

fennicus Gyll. Kuw.W. 86. 226 *L.E.b.*
Gyllenhali J. Sahlb.
v. borealis Thoms. Kuw. l. c.
v. dovrensis Kuw. l. c. *Norv.*
aquaticus L. Kuw. l.c. *E.*
grandis Ill.
Milleri Kuw. l. c. *Gr.*
villosus Küst.
v. syriacus Kuw. l. c. *Talysch*
v. italus Kuw. T. XX. *I.Si.*
aequalisThoms.Kuw.86.227 *E.bAlp.Ga.*
v. frigidus Graëlls Kuw. l. c. *Hi.*

Rhopalhelophorus Kuw.

1.

dorsalis Marsh. Muls. Kuw. 86. 249 *E.*
Mulsanti Rye
dorsalis Rey
v. emaciatus Kuw. l. c. *P.Gr.Sab.*
fallax Kuw. 86. 248 *Borus.or.Alsat.*
strigifrons Thoms. Kuw. l. c. *E b.md.*
v. croaticus Kuw. l. c. *Cro.D.Morav.*

2.

pallidus Gebl. Kuw. 86. 247 *E.arct.*
borealis Sahlb. Thoms.
pallidipennis Sahlb.
v. quadricollis Kuw. l. c. *L.*
Thomsoni Kuw.
v. incertus Kuw. l. c. *L.b.*

3.

nanus Sturm Er. Kuw. l. c. *E.md.b.*
v. pallidulus Thoms. Kuw. l.c. *E.b.*
pumilio Er. Kuw. l. c. *E.md.b.*
v. Redtenbacheri Kuw. 86. 248 *A.Tr.*

4.

laticollis Thoms. Kuw.86.249 *F.Scand.*

5.

umbilicollis Kuw. 86. 249 *H.Ti.*
crenatus Rey Kuw. l. c. *G.b.Ga.b.Br.*

(6.) 7.

puncticollis Baudi Kuw. 86. 249 *C.*
corsicanus Kuw.
confrater Kuw. 86. 283 *Hu.*

8.

Erichsoni Bach Kuw. 86. 250 *G.Ga.Gr.*
dorsalis Er.
griseus Thoms. pars.
minutus Rey pars.
fulgidicollis Motsch. Kuw.l. c.*Ast.Ga.m.*
asturiensis Kuw. *[Cro.*
pallidipennis Motsch. Kuw.l.c.*Asia min.*
v. Reitteri Kuw. l. c. *Gr.Balk.*
? suturalis Motsch.

9.

filitarsis Schauf. Kuw. 86. 249 *Bal.*
v. punientanus Schauf. Kuw. l. c. *Bal.*
asperatus Rey Kuw. 86. 285 *Ga.m.H.*

10.

similis Kuw. W. 87. 166 *Orenbg.*
lapponicus Thoms. Kuw. 86. 285*E.b.or.*
elongatusMot.Schrk.Reise60.105 *G.Hu.*

11.

cognatus Rey Kuw. 86. 284 *C.Ca*
discrepansReyKuw.86.281 *C.Si.Ga.m.*
arcuatus Rey Kuw. 86. 285 *A.Sab.Ti.*
minimus Kuw. W. 87. 168 *R.or.*
granularis L. Kuw. 86. 282 *E.*
flavipes Sturm
dorsalis Marsh.
griseus Thoms. pars.
v. affinis Marsh. Kuw. l. c. *E.*
minutus Muls. pars.
minutus Rey pars.
v. brevicollis Thoms. Kuw.l. c.*E.b.md.*
granularis Rey pars.
v. opacus Kuw. l. c. *Ca.*
v. latus Kuw. l. c. *Borus.md.or.*

12.

quadrisignatus Bach Kuw. 86. 284 *G.m.*
? Demoulini Mathieu

13.

planicollisThoms.Kuw 86.283 *Sc.Nass.*
aeneipennis Thoms. Kuw. l. c. *E.b.or.*
granularis Gyll.
aquaticus Er.
balticus Kuw. l. c. *Borus.or.*
Seidlitzi Kuw. l. c. *Lu.Ga.D.*
granularis v. impressus Kuw.

14.

obscurus Muls. Kuw. 86. 284 *E.*
v. longulus Kuw. l. c. *Hi.Lu.s.*
v. Krüperi Kuw. l. c. *Gr.*
v. shetlandicus Kuw. *Br.b.*

Hydrochus
Leach.

Kuwert D. 1887.

1.

carinatus Germ. Kuw. 289 *E.*
brevis Herbst Kuw. l. c. *E.md.b.*
octocarinatus Hochh. Kuw.290*R.m.Pol.*
kirgisicus Motsch. Kuw. l. c. *R.m.md.*
crenulatus Motsch. Kuw. l. c. *Ca.*

2.

elongatus Schaller Kuw. l. c. *E.b.md.*
v. ignicollis Motsch. Kuw. l. c. *R.Lith.*
sibiricus Motsch. Kuw. l. c. *Ca.*

3.

grandicollis Kiesw. Kuw. l.c. *C.Hi.Gr.*

4.

testaceipennis Kuw. 291 *Ion.Ins.*
flavipennis Küst. Kuw. l. c. *D.E.m.*
v. fuscipennis Kuw. l. c. *I.*
v. filiformis Kuw. l. c. *Hu.*

5.

angustatus Germ. Kuw. l. c. *E.md.m.*
v. foveostriatus Frm. Kuw. 292 *Hi.*

bicolor Rey Kuw. 292 *E.m.*
interruptus Heyd. Kuw. l. c. *Hi.ctr.*
nitidicollis Muls. Kuw. l. c. *Hi.Ga.m.*
impressus Rey Kuw. l. c. *Hi.Ga.m.*

Hydraenitae.

Ochthebius *Leach.*

Kuwert D. 1887.

Cyrtochthebius Kuw.

granulatus Muls. Kuw. 371 *Alp.*
exsculptus Germ. Kuw. l. c. *Ga.G.Br.*
viridiaeneus Curt.
lividipes Fairm. *P.*
v. sulcicollis Sturm Kuw. l. c. *G.*
v. tristis Curtis Kuw. l. c. *Br.*
♂ Gibsoni Curt.
Halbherri Reitt. D. 1890. 145 *Ti.*

Sphaerochthebius Kuw.

gibbosus Germ. Kuw. 371 *E.md.m.*
v. lacunosus Sturm Kuw. l. c. *G.md.*

Calochthebius Kuw.

quadricollis Muls. Kuw. 372 *Ga.m.C.*
submersus Chevr. Kuw. l. c. *C.*
Steinbühleri Reitt. Kuw. l. c. *D.*

Doryochthebius Kuw.

notabilis Rosh. Kuw. 373 *Hi.m.D.*
parvicollis Fairm.

Prionochthebius Kuw.

adriaticus Reitt. Kuw. l.c. *Istria*
Lejolisi Muls Kuw. l. c. *Ga b.m.*
subinteger Muls. Kuw. l. c. *Ga.m.oc.*

Chilochthebius Kuw.

puberulus Reitt. Kuw. 374 *Ca.*
4-fossulatus Waltl Kuw. 374 *Hi.m.*
Poweri Rye Kuw. l. c. *Br.*
Haberfellneri Reitt. D. 1890 *Alp.*
lobicollis Rey Kuw. l. c. *Ga.m.*
metallescens Rosh. Kuw. l. c. *Bav.Ga.*
dentifer Rey Kuw. 375 *P.Ga.m.G.m.*
fuscipalpis Rey Kuw. 375 *S.Si.Sab.*
caudatus Friv. Termez. 1883. 10 *Tr.*
Schneideri Kuw. 375 *Ca.*
foveolatus Germ. Kuw. l. c. *Pe.Tr.*
v. siculus Kuw. 375 *Si.*
v. pedicularius Waltl Kuw. l. c. *Bav.*
Fausti Sharp. Kuw. 376 *Orenbrg.*
atriceps Fairm. Kuw. l. c. *P.Hi.Si.*

Aulacochthebius Kuw.

exaratus Muls. Kuw. l. c. *Ga T.*

Odontochthebius Kuw.

bifoveolatus Waltl Kuw. 377 *Hi.Lu.*
Volxemi Sharp
v. niger Paulino Kuw. l. c. *Lu.*

Camptochthebius Kuw.

caucasicus Kuw. l. c. *Ca.*
nobilis Villa Kuw. l. c. *Hi.I.Ga.m.*
villosus Waltl
detritus Rey Kuw. l. c. *Hi.*
Ragusae Kuw. l. c. *Si.*
fossulatus Muls. Kuw. 387 *Si.*
aeratus Steph. Kuw. l. c. *P.Si.Br.*
nanus Steph.
v. splendidus Motsch. Kuw. l. c. *Si.*
corrugatus Rosh. Kuw l. c. *And.*

Colpochthebius Kuw.

pilosus Waltl Kuw. 379 *And.*
punctatus Steph. Kuw. 379 *Ga.m Hi.*
hibernicus Curt.
lanuginosus Reiche Kuw. l. c. *Gr.D.*

Eccoptochthebius Kuw.

pellucidus Muls. Kuw. 379 *Ga.m.*
pyrenaeus Fauv.
difficilis Muls. Kuw. l. c. *P.Ga.m.*

Trymochthebius Kuw.

limbicollis Reitt. Kuw. 380 *Ca.*
Bellieri Kuw. 380 *And.*
perfectus Kuw.T.XX *P.*
impressicollis Lap. Kuw. 381 *Gr.Pe.P.*
bicolon Kirby
v. imperfectus Kuw. l. c. *E.m.*
v. breviusculus Kuw. l. c. *Si.*
v. numidicus Reitt. Kuw. l. c. *Bal.*
auriculatus Rey Kuw. l. c. *Ga.b.Br.*
bicolon Germ. Kuw. l. c. *E.md.m.*
rufomarginatus Er.
crenulatus Muls.
striatus Lap.

*

torrentum Coye Kuw. 382 *C.Ga.m.*
opacus Baudi Kuw. l. c. *Alp.I.P.*
Barnevillei Rey
montanus Friv. *Hu.m.*
subopacus Reitt. Kuw. l. c. *Ca.*
Czwalinae Kuw. 382 *G.b.*

lencoranus Reitt. Kuw. l. c. *Talysch*
Heydeni Kuw. l. c. *Lu.*
Kiesenwetteri Kuw. 383 *Ca.*

Chirochthebius Kuw.

narentinus Reitt. Kuw. 383 *D.*

Acanthochthebius Kuw.

(Asiobates Thoms. pars.)

serratus Rosh. Kuw. 383 *And.*

Homalochthebius Kuw.

(Asiobates Thoms. pars.)

riparius Ill. Kuw. 383 *E.b.md.*
pygmaeus Gyllh.
impressus Bedel
v. lutescens Kuw. l. c. *P.*
Eppelsheimi Kuw. 384 *Hu.*
remotus Reitt. Kuw. l. c. *Ca.*
aeneus Steph. Kuw. l. c. *Ga.m.Hi.*
fallax Rey

Ochthebius in spec.

margipallens Latr. Kuw. l. c. *E.b.md.*
pusillus Steph. Bedel
viridis Peyr. Kuw. 385 *E.m.Si.C.*
obscurus Rey
evanescens J. Sahlb. Kuw. l. c. *F.*
marinus Payk. Kuw. l. c. *E.Ca.*
dilatatus Leach
Crimeae Kuw. 385 *Cri.Ca.*
deletus Rey Kuw. 385 *G.Ga.md.*
subabruptus Rey Kuw. l. c. *Ga.centr.G.*
meridionalis Kuw. l. c. *E.m.Gr.*
pallidipennis Lap.
glabratus Seidl. Kuw. l. c. *Cro.Serb.*
alutaceus Reitt. Kuw. l. c. *Casp.*
laevigatus Sharp Kuw. l. c. *Orenbg.R.*

Hydraena

Kugelann.

(Kuwert D. 1888.)

Taenhydraena Kuw.

exarata Kiesw. Kuw. 114 *Hi.*
costulata Bris.

Phothydraena Kuw.

testacea Curtis Kuw. 114 *E.md.m.*
margipallens Heer

Hoplydraena Kuw.

dentipalpis Reitt. W. 1888. 143 *Ca.*
parvicollis Kuw. T. XX *Thessal*
armipes Kiesw. Kuw. 115 *Ti*
grandis Reitt. [illegible]
armata Reitt. Kuw. l. c. *Gr.Ca.*

Holcohydraena Kuw.

rugosa Muls. Kuw. 115 *Ga.P.Alp.*

Hydraena in spec.

1.

subacuminata Rey Kuw. 115 *C.*
carbonaria Kiesw. Kuw. l. c. [illegible]
morio Kiesw. Kuw. l. c. *Carn.*
palustris Er. Kuw. 116 *E.m.*[illegible]
croatica Kuw. l. c. *Cro.*
cordata Schaufs. Kuw. l. c. *Lu.*
Kiesenwetteri Kuw. l. c. *Tosc.*
angulosa Muls. Kuw. l. c. *Ga.Alp.*
bisulcata Rey Kuw. l. c. *And.*
Reyi Kuw. l. c. *E.md.m.*
riparia Rey

2.

riparia Kugelann Kuw. 116 *E.*
longipalpis Marsh.
assimilis Rey
subdeficiens Rey Kuw. 117 [illegible]
curta Kiesw. Kuw. l. c. [illegible]
longior Rey Kuw. l. c. [illegible]
angustata Sturm Kuw. l. c. *E.md.m.*
rufipes Curtis
intermedia Rosh.
v. subdepressa Rey
subsequens Rey Kuw. l. c. [illegible]
regularis Rey Kuw. 115 [illegible]
nigrita Germ. Kuw. 117 [illegible]
pusilla Heer Steph.
v. bisignata Rey
subimpressa Rey Kuw. 117 [illegible]
v. cribricollis Rey

Sphaenhydraena Kuw.

dentipes Germ. Kuw. 118 *G.*
lapidicola Kiesw. Kuw. l. c. *Ca.P.*
polita Kiesw. Kuw. l. c. *Alp.P.Apen.*
plumipes Baudi Kuw. l. c. *Apen.*
spinipes Baudi Kuw. l. c. [illegible]
hungarica Rey Kuw. l. c. *Hu.Ban.*
producta Muls. Kuw. 119 *Ga.m.*
truncata Rey Kuw. l. c. *Ga.G.m.Alp.*
emarginata Rey Kuw. l. c. *P.Alp.mar.*
caucasica Kuw. 118 *Ca.*
gracilis Germ. Kuw. l. c. *E.*
concolor Waterh.

elongata Curt.
evanescens Rey R. 1884. 270 *C.*
monticola Rey Kuw. 119 *Alp.*
pulchella Germ. Kuw. 119. l. c. *E.md.*
Sharpi Kuw. l. c. *Hi.md.*

Grammhydraena Kuw.
(Hadrenya Rey.)

atricapilla Waterh. *E.b.md.*
minutissima Waterh.
flavipes Sturm Kuw. 119
pulchella Heer
perparvula Kuw. T. XX *Bosn.Cro.*
Stussineri Kuw. 120 *Ast.*
Sieboldi Rosh. Kuw. l. c. *E.*
lata Kiesw.
pygmaea Redt.
reflexa Rey Kuw. l. c. *C.*

Georyssidae.

Georyssus
Latreille.
(Mon. Motsch. B. M. 1843. Reitt. T. IV. 1881.)

crenulatus Rossi. T. 19 *E.*
pygmaeus F. Motsch. 656
major Motsch. 647
incisus Motsch. 649
tenuepunctatus Motsch. 652
spinicollis Motsch. 653
v. bisulcatus Motsch. 657 *Liv.*
integrostriatus Motsch. 650. T. 20 *E.m.*
siculus Ragusa B. It. 73. 233
canaliculatus Reiche A. 79. 236 *Hi.*
substriatus Heer T. 20 *E.md.*
laesicollis Germ. T. 20 *E.md.I.*
canaliculatus Motsch. 659
trifossulatus Motsch. 658
caelatus Er. T. 20 *Ga.A.I.*
costatus Lap. T. 20 *C.Gr.Hi.*
carinatus Rosenh. Th. And. 1856. 112
pimelioides Fairm. A. 1859. 45
Latreillei Duf. Vall. Oss. 1843. 57
v. cupreus Reiche T. 20 *Ca.*

Parnidae.

(Kuwert T. XXI. 1890.)

Elmini.

Limnius
Müller.
(Oulimnius Gozis.)

Perezi Sharp. T. 7 *Hi.*
formosus Kuw. T. 7 *P.*
rivularis Rosh. T. 8 *Hi.I.S.*
neuter Fairm. T. 8 *C.S.Ga.m.*
Dargelasi Latr. T. 9 *E.*
tuberculatus Müll.
fuscipes Reiche
subparallelus Fairm. T. 27
interruptus Fairm.
troglodytes Gyll. T. 9 *G.Ga.Hi.*
brevis Sharp.
?rugosus Babington T. 9 *Br.*

Dupophilus
Mulsant.

brevis Muls. T. 9 *Ga.*
?v. insignis Reitt. T. 9 *Ca.*
gigas Sharp. T. 10 *Hi.md.*

Elmis
Latreille. Mulsant.

Germari Er. T. 10 *G.md.Ca.*
?Perrisi Dufour
Volkmari Panz. T. 10 *G.A.Ga.*
Damryi Fairm T. 10 *C.S.*
?v. sulcipennis Fairm. T. 11 *C.*
Mülleri Er. T. 11 *G.b.Ga.b.*
rufiventris Kuw. T. 11 *Cro.Slav.*
opacus Müll. T. 11 *G.Ga.A.*
oblongus Kuw. T. 12 *C.S.*
lepidopterus Kuw. T. 12 *Cro.Bosn.*
intermedius Fairm. T. 12 *C.*

Esolus
Mulsant.

pygmaeus Müll. T. 13 *Rhen.Ga.*
Nicariae Kuw. T. 13 *Ins.Nicaria*
angustatus Müll. T. 13 *E.md.*
carpetanus Kuw. T. 13 *Hi.md.*
Czwalinae Kuw. T. 14 *Cro.*
filum Fairm. T. 14 *S.*
Dossowi Kuw. T. 14 *Ga.m.P.*
brevis Kuw. T. 14 *S.*
politus Kuw. T. 14 *Hi.*
parallelepipedus Müll. T. 15 *E.md.m.*
Kuenowi Kuw. T. 15 *Hu.*
perparvulus Kuw. T. 15 *Hi.*

Lareynia
Duval.

Perezi Heyd. T. 15 *Lu.*
Maugeti Latr. Müll. T. 16 *Lu.*
Latreillei Bedel
?v. interruptus Kuw. T. 16

longicollis Kuw. T. 16 *Cro.Bosn.*
carinata Perez T. 17 *Hi.md.*
obscura Müll. T. 17 *E.md.*
croatica Kuw. T. 17 *Cro.*
rioloides Kuw. T. 17 *Bosn.*
aenea Müll. T. 18 *E.b.md.*
Maugei Latr.
confusa Lap.
fossulata Kuw. T. 18 *C.Lu.*
alpina Kuw. T. 18 *Alp.*
v. Megerlei Duft. T. 19 *E.*
caliginosa Lap.
Maugei Bed.
Kirschi Gerh. T. 19 *Cro.Gr.*
similis Flach Kuw. T. 19 *E.m.Hi.*
?subcarinata Sharp T. 17 *Ast.*

Riolus
Mulsant.

nitens Müll. T. 19 *E.*
cupreus Gyll.
orichalceus Gyll.
Seidlitzi Kuw. T. 20 *Ga.m.*
Sauteri Kuw. T. 20 *C.Corfu*
Steineri Kuw. T. 20 *Hi.*
v. senex Kuw. T. 20 *Genova*
subviolaceus Er. pars
cupreus Müll. T. 21 *E.md.*
v. Erichsoni Kuw. T. 21 *E.md.*
Lentzi Kuw. T. 21 *Ga.*
Mulsanti Kuw. T. 21 *Br.Hol.Norm.*
subviolaceus Muls.
sodalis Er. T. 22 *E.md.m.*
subviolaceus Müll. T. 22 *E.md.*
v. auronitens Kuw. T. 22 *Carn.Bosn.*
v. bosnicus Kuw. T. 22 *Slav.Bosn.*
somcheticus Kolen T. 23 *Ca.*

Stenelmis
Dufour.

canaliculatus Gyll. T. 23 *E.*
consobrinus Duf. T. 23 *Ga.m.*
puberulus Reitt. T. 23 *Ca.*
Apfelbecki Kuw. T. 24 *Bosn.*

Microdes
Motschulsky.

caucasicus Motsch. T. 24 *Ca.*

Macronychus
Müller.

4-tuberculatus Müll. T. 25 *E.*

Parnini.

Potamophilus
Germar.

acuminatus F. T. 25 *Ga.G.I...*

Dryops
Olivier. Leach.

(Pomatinus Sturm.)

substriatus Müll. T. 25 *E.md...*
Dumerili Latr.
longus Solsky T. 25 *R...*
asiaticus Kiesw. *C...*
angulicollis Reitt. T. 25 *Ca...*

Parnus
Fabricius.

(Dryops Oliv. pars.)

sulcipennis Costa M. N. 1883. 86 *S...*
striatopunctatus Heer T. 38 *Ga.G...*
lutulentus Er. T. 26 *E.m.Ga.C...*
v. caspius Mén. T. 38 *Ca...*
subincanus Kuw. T. 26 *A.G...*
intermedius Kuw. T. 27 *I.Lu...*
striatellus Fairm. T. 27 *C...*
algiricus Luc. T. 27 *?Hi...*
rufipes Kryn T. 27 *C...*
hydrobates Kiesw. T. 28 *Hi.Ga...*
prolifericornis F. T. 28 *E.md...*
auriculatus Oliv.
sericeus Samouelle
montanus Curtis
v. bicolor Curtis T. 28 *E...*
luridus Er. T. 28 *E...*
pilosus Sturm
niveus Heer T. 28 *E.m...*
griseus Er.
hirsutus Seidl. T. 42 *L...*
Costae Heyd. T. 42 *S.*
bicolor Costa B. It. 83. 332
corsicus Chevr. T. 29 *C.S...*
caspicus Fald. T. 29 *C...*
v. caucasicus Kuw. T. 30 *Ca...*
obscurus Duft. *E.m...*
viennensis Heer T. 30
auriculatus Panz. T. 30 *E.*
Eraesti Gozis
pilosellus Er. T. 30 *E.m.*
nitidulus Heer T. 31 *E.m...*

Parnoides
Kuwert.

pectinicornis Kuw. T. 31 *L...*

Heteroceridae.

Heterocerus
Fabricius.
Littorimus Gozis.
(Kiesw. GermarZeit. IV. 1843. Linnaea V.1851.)
(Kuwert, T. XXII. W. zool. b. G. 1890.)

Micilus Muls.

murinus Kiesw. 221 *E.m.*

Phyrites Schiödte.

aureolus Schiödte Seidl. F. Tr. 136 *Su.*

Heterocerus in sp.

dentifasciatus Kuw. T. XXII *Hi.*
Damryi Kuw. l. c. *C.S.*
flexuosus Steph. Ill.Br.29.101 *Ga.b.Hol.*
  femoralis Kiesw. pars
salinus Kuw. T.XXII *E.m.*
  parallelus Kiesw. pars
v. maxillosus Mot. Et.Ent.53. 15 *R.m.*
arenarius Kiesw. V. 284 *Hib.*
femoralis Kryn. Kiesw. 206 *G.b.Hi.*
  archangelicus J.Sahlb. Kuw. l. c. *R.b.*
fossor Kiesw. 204 *E.md.*
Apfelbecki Kuw. T. XXII *D.*
Fausti Reitt. W. 79. 545 *Baku*
parallelus Gebl. Kiesw. 202 *R.m.*
  bifasciatus Küst. Ksw. V. 298 *Hi.m.*
  cornutus Motsch.

Taenheterocerus Kuw.

1.

crinitus Kiesw. V. 297 *St.*

(2.) 3.

marginatus F. Kiesw. 208 *E.*
sulcatus Kuw. T. XXII *S.Si.Hi.m.*

4.

mendax Kuw. l. c. *Hi.md.*
coxaepilus Kuw. l. c. *Hi.*
aragonicus Ksw. V.288 *Hi.md.Lu.Ga.m.*
v. pictus Muls. Lyon 1873. 433 *Si.*

5.

panormitanus Kuw. T. XXII *Si.*
pruinosus Kiesw. V. 286 *Ga.m.Hi.m.*
Ragusae Kuw. T. XXII *Si.*
holosericeus Rosh. And. 56. 114 *And.*

6.

gravidus Kiesw. V. 285 *Si.*
curtus Rosh. Thier. And. 56. 116 *And.*
v. curtinigripes Kuw. T. XXII *Si.*

7.

hispidulus Kiesw. 211 *E.*
intermedius Kiesw. 209 *E.md.*

8.

sericans Kiesw. 212 *E.md.Sil.*
nanus Gené Kiesw. 223 *Si.*

9.

britannicus Kuw. T. XXII *Br.*
maritimus Gené Kuw. l. c. *Hi.I.*
  marmota Kiesw. V. 295
funebris Schfs. Heyd.Sp.70.113 *Hi.md.*

10.

senescens Kiesw. B. 65. 368 *And.D.*
  punctatus Bris. Fr. 64. 373
siculus Kuw. T. XXII *Si.*
obsoletus Curtis Kiesw. 215 *E.*
v. 4-maculatus Hochh. B.M.73.319 *R.m.*
similis Kuw. T. XXII *St.*
pulchellus Kiesw. 220 *Sil.Cro.*
oblongulus Kuw. T. XXII *Cro.*
multimaculatus Motsch.Et.E.54. 18 *Ca.*
fusculus Kiesw. 220 *G.E.md.*
laevigatus Panz. Kiesw. 217 *E.*
  fenestratus Thunbg.
  Marshami Steph.
v. croaticus Kuw. T.XXII *Cro.*
v. corsicus Kuw. l. c. *C.*

11.

dilutissimus Reitt. Hor. XXI *Araxes*

12.

flavidus Rossi Kiesw. 214 *I.C.S.Hi.*
hamifer Gené Kiesw. 223 *C.Sa.*
minutus Kiesw. 213 *E.md.m.*
euphraticus Kiesw. 210 *Araxes*

?sardous Fairm. Kuw. T.XXII *S.*
vitticollis Reitt. Brünn 1884. 1 *Ca.*
flavescens Schauf. Isis 63. 116 *Hi.*
obliteratus Kiesw. T. XXII *Arax.*
unicolor Duf. *P.*

Staphylinidae.

Kr. I. D. II. = Kraatz, Ins. Deutsch. II. Bd.
Er. Gen. = Erichson Genera et species Staph.
Er. Mk. = Erichson, Mark Brandenburg.
Shp. Rev. = Sharp, Revision of Homalota in Transact. of the entomol. Soc. of London 1869.
Rey Br. = Rey, Brévipennes.
J. Sahlb. E. F. = J. Sahlberg, Enumeratio Brachelytrorum Fenniae.
Zusammengestellt von Dr. Eppelsheim.

Aleocharini.

Aleocharides.

Aleocharina.

Ocalea
Erichson.

murina Er. Gen. 62 *E.m.*
decumana Er. Gen. 62 *Ga.G.*
brevicornis Kr. I. D. II. 51 *A.Hu.Cro.*
ruficollis Epp. D. 1888. 403 *Gr.T.*
minor Epp. Led. 91 *Ca.*
puncticollis Rey Br. 1874. 468 *E.md.m.*
badia Er. Mk. 300 *E.md.*
  prolixa Gyll. I. S. IV. 484
dubia Mots. B. M. 1860. 586 *Ca.*
parvula Baudi B. 1869. 369 *I.Ga.*
agilis J. Sahlb. E. F. 124 *F.*
alutacea Epp. Led. 90 *Ca.*
puncticeps Kr. B. 1858. 50 *Hu.Cro.Serb.*
picata Steph. Ill. Br. V. 125 *E.*
  rufilabris Sahlb. I. F. 349
  castanea Er. Mk. 299
  alpina Heer H. 348
concolor Kiesw. Küst. K. E. 8. 46 *G.Ga.*
rivularis Mill. W. zool.b. I. 110 *A.Cro.G.*
  sericea Kr. I. D. II. 53 *I.Hi.Ca.*
  latipennis Sharp M. M. VI. 280 *Sc.*
angulata Epp. W. z.b. 1880. 205 *Hu.T.*

Acrostiba
Thomson.

borealis Thoms. Sk. III. 12 *Su.*

Ilyobates
Kraatz.

Mech Baudi Stett. ent. 115 *Pe.Ti.Tr.*
  sulcicollis Aub. A. 1850. 302 *Ga.*
nigricollis Payk. F. S. III. 400 *E.md.m.*
Merkli Epp. W. 1883. 254 *Hu.Cro.*
propinquus Aub. A. 1850. 302 *Ga.H.*
  rufus Kr. I. D. II. 136 *G.A.*
forticornis Lac. Fn. Par. I. 543 *Ga.G.I.Gr.*
cribripennis Rey Br. 1874. 502 *C.*
Bonnairei Fauv. B. N. IX. 287 *Ga.*
  glabriventris Rye. M. M. I. 287 *Br.*
crassicornis Quedf. B. 1882. 181 *Si.*

---

brunneus Mots. B. M. 1860. 582 *Ca.*

Chilopora
Kraatz.

longitarsis Er. Mk. 698 *E.*

  femoralis Heer H. 341
  subnitida Rey Br. 1874. 511
rubicunda Er. Mk. 209 *G.A.Hu.*
  oblita Heer H. 348 (Ocal.) *H.C.*
  cingulata Kr. I. D. II. 148 *Ga.*
antennata Epp. Led. 100 *Ca.*

Calodera
Mannerheim.

nigrita Mannh. Brach. 86 *Su.Ga.G.A.*
protensa Mannh. ibid. *Su*
  humilis Er. Mk. 303 *G.Ga*
uliginosa Er. Mk. 305 *G.Ga.Su.S.*
lapponica J. Sahlb. E. F. 96 *L*
riparia Er. Mk. 305 *G.Ga.S.*
  paludum Kr. B. 1858. 50 *Gr.*
  atricapilla Scrib. B. 1868. 153 *I*
rufescens Kr. I. D. II. 144 *G.Ga*
hierosolymitana Saulc. A. 1864. 431 *D.T.*
  pulchella Baud. B. 1869. 375 *Pe.*
aethiops Grav. Micr. 77 *E*
  occulta Heer H. 347
  ?angusticollis Hochh. B.M. 49. 66 *C*

Ityocara Thoms.

rubens Er. Mk. 304 *G.Ga.Su.Ca.*
laticollis Thoms. Sahlb. E. F. 96 *F.*

Amarochara Thoms.

umbrosa Er. Mk. 304 *G.Ga.Su.*
  tenuis Heer H. 340 *H.Hu.*

---

flavipes Mots. B. M. 1858. 259 *Ga.*

Phloeopora
Erichson.

reptans Grav. Mon. 154 *E*
  transita Rey Br. 1874. 441
angustiformis Baudi B. 69. 379 *I.G.Hu.*
Scribae Epp. D. 1884. 169 *G.[Cro.Ca.*
corticalis Grav. Micr. 46 *E*
latens Er. Gen. 78 *Hu.Tr.Cro.*
  major Kr. I. D. II. 338 *G.I.*
  producta Rey Br. 1874. 417 *Ga.*

Phloeodroma
Kraatz.

concolor Kr. I. D. II. 339 *G.H.E.*

Ocyusa
Kraatz.

Eurylophus J. Sahlb.

crassa Epp. W. 1883. 302 *Hu.Tr.G.b.*

procidua Er. Mk. 315 *G.A.*
incrassata Rey Op. I. 32 *E.md.*
  aterrima Wat. Zool. 1858. 6116
  carbonaria Motsch. B. M. 1858. 246
  rupestris Fauv. A. 1862. 88
  nigra Bris. Cat. Gren. Mat. 16
  canaliculata J. Sahlb. E. F. 116 *F.*
grandiceps J. Sahlb. E. F. 118 *F.*
nivicola Thoms. J. Sahlb. E. F. 149 *L.*
maura Er. Mk. 352 *E.md.b.*
picina Aub. A. 1850. 303 *E.md.b.*
  fulvicornis Frm. Fn. Fr. 441
  ruficornis Kr. I. D. II. 158
  convexiusculaHochh B.M 60.582 *R.*
  longitarsis Thoms. Sk. IX. 242 *Su.*
picta Rey Br. 1874. 353 *C.*
nigrataFrm.Fn.Fr.380*Gr.Ga.G.I.Herz.*
hibernica RyeM.M.1876.175 *Hib.|Bos.*
defecta Rey Br. 1874. 427 *C.Ca.*
longicollis Epp. D. 1889. 171 *I.*

Ischnoglossa
Kraatz.

prolixa Grav. Micr. 71 *E.md.b.*
  corticalis Stph. Ill. Br. V. 127
  elegantula Mannh. Brach. 377
  pubescens Kol. Mel. III. 5 *Ca.*
  rufopicea Kr. I. D. II. 59

Dexiogya Thoms.

corticina Er. Mk. 352 *E.*
  varia Heer H. 590
  convexicollis Thoms. V. A. 55. 202

Stichoglossa
Fairmaire.
Stenoglossa Kraatz

semirufa Er. Gen. 128 *E.md.*

Platyola
Rey.

fusicornis Rey Op. II. 44 *Ga.Hu.*
  Gobanzi Gredl. C. H. VI.70. 4 *Ti.Ca.*

Thiasophila
Kraatz.

Sauteri Seidl. F. Balt. 455 *Boruss.*
angulata Er. Mk. 360 *E.md.b.*
  corticina Heer H. 321
brunnicornis Jekel. Col.Jek. 73.I.35*Gr.*
canaliculataReyBr.1874.390 *Ga.G.A.*
inquilinaMärk.Germ.Zt.V.223 *E.md.b.*

  diversa Rey Op II. 64
  Kirbyi Jans. Ent. Ann. 1858. 64
subcorticalis Hochh. B. M. 71.90 *R.m.*
pexa Mots.B.M.1844,815-1860,580 *Ca.*

Dinusa
Saulcy.

taygetana Epp. Stett.1880. 365 *Gr.*

Oxypoda
Mannerheim.
Oxypoda, Podoxya Rey.

ruficornis Gyll. I. S. II. 422 *E.md.b.*
 v. spectabilis Märk. Germ. Zt.V. 217
lividipennis Steph. Ill. Br. V. 432 *E.*
  luteipennis Er. Mk. 343
fallaciosa Saulcy A. 1864. 632 *Ca.*
longipes Rey Op. XII. 102 *E.md.b.*
  metatarsalis Thoms. Sk. II. 346
vittata Märk. Stett. 1842. 143 *E.*
lateralis Mannh. Brach. 70 *Su.F.*
  pellucida Mannh. ibid.
  infuscata Kelln. Stett. 1844.413*G.A.*
  nitidiventris Frm. Fn. Fr. 438 *P.*
opaca Grav. Micr. 89 *E.*
  nigricornis Motsch. B. M. 1860. 578
 v. Sahlbergi Seidl. F. B. ed. II. 458 *F.*
quadricuspidataJekelCol.Jek73.II 45 *Si*
humidula Kr. B. 1865. 414 *E.*
  umbrata Er. Mk. 344
Damryi Rey Op. XVI. 179 *C.*
ambigenaFauv.Mém.Norm.1869.30 *Si.*
induta Rey Op. XII. 105 *Ga.G.*
  neglectaBris.Cat.Gren.Mat.19 *A.Hu.*
  pectita SharpTr.1871.187 *Br.Hi.*
lentula Er. Mk. 349 *G.Ga.A.Su.F.*
edinensis Sharp Tr. 1871. 155 *S.*
umbrata Gyllh. I. S. II. 424 *E.md.b.*
  cuniculina Er. Mk. 348
acuminata Hochh. B. M. 1860. 579 *R.m.*
subnitida Rey Br. 1874. 314 *Ga.*
sericea Heer H. 321 *E.md.b.*
  litigiosa Heer H. 321
  familiaris Kiesw. Stett. 1843. 207
exoleta Er. Gen. 149 *E.*
  subflava Heer H. 589
  riparia Thoms. V. A. 1855. 199
  verecunda Sharp. Tr. 1871. 189
  exortiva Mäkl. Finsk. XXII. 81
solitaria Kr. I. D. II. 180 *G.A.F.*
attenuata Rey Op. II. 53 *Ga.C.T.Gr.*
perplexa Rey S. Linn. 1860. 359 *Ga.m.*
  longulaBris.Cat.Gren.Mat.22 *Hi.*

biguttata Heer 315
crassa Baudi St. ent. I. 120 *D.I.C.*
pulicaria Rosh. Th. And. 66 *Hi.*
eurynota Rey Op. 1851. 98 *Ga.*
punctatissima Scriba B. 1866. 377
morion Grav. Micr. 97 *E.*
intractabilis Heer H. 318 *H.*

*

crassiuscula Sahlb I. F. 396 *E.*
tristis Er. Gen. 162
convexiuscula Kol. Mel. III. 10
scutellaris Luc. Alg. 103
Milleri Kr. B. 1852. 316 *A.*
tristis Grav. Mon. 170 *E.md.m.*
nigripes Mill. Z. V. W. II. 27
?flavomaculata Mén. Cat. rais. 147

*

laevigata Gyll. I. S. II. 433 *E.*
bisignata Er. Mk. 357
maculataBris.Cat.Gren.Mat.18 *P.St.H.*
signata J. Sahlb. E. F. 75 *F.*
apicalis Mén. Cat. rais. 148 *Ca.*
cuniculorum Kr. A' 58. 188 *E.md.*
mycetophaga Kr.I. D. II. 102*G.Ga.A.Hu*
lata Thoms. Sk. II. 251 *Su.F.*
lygaea Kr. B. 1862. 317 *G.F.Hu.Ca.*
frigida Fauv. B. N. IX. 284 *MC.*
erectesetosa Jekel Col. Jek. I. 41 *Si.*
lanuginosa Grav. Micr. 94 *E.*
leptocera Epp. D. 1889. 167 *T.*
rufitarsis Heer H. 317 *Alp.E.*
villosa Mannh. Brach. 67 *E.md.b.*
monticola Rosenh. Beitr. 11
alutacea Rey Br. 1874. 106
nigerrima Kr. I. D. II. 104 *Hi.*
diversa J. Sahlb. E. F. 77 *F.*
succicola Thoms. Sk. IX. 216 *E.*
sparsa Fairm. Fn. Fr. 448
latipalpis Rey Br. 1874. 131
cornuta Fauv. R. V. 94 *C.*
moesta Grav. Micr. 96 *E.md.b.*
sparsa Heer H. 317
vagepunctata Kr. I. D. II. 99 *Hu.*
inconspicua Aub. A. 1850. 312 *E.md.*
sanguineaL.F.Suec.1746.I.194 *E.md.b.*
brunneipennis Kr. I. D. II. 100
moerens Thoms. Sk. II. 253
v. moesta Heer H. 317
haematodesKr. SchaumCat.62.21*A.Hu.*
haematoptera Kr. A' 1858. 190 *Hi.*
sareptanaSolskyFedsch.Turk.161 *R.m.*
tenuicornis Kr. I. D. II. 89 *E.m.*
rufipes Rey Op. II. 63

haemoptera Kr. I. D. II. 101
haematica Rey Br. 1874. 84 *G.*
moerens Gyll. I. Su. IV. 493 *E.m.d.*
haemorrhoidalis Mnnh. Brach. 67
lugubris Aub. A. 1850. 311
linearis Thoms. Sk. II. 291
fungivora Sharp M. M. VI. 280
semirubraGraëllsM.Map.Geol.58.43
bicolor Perris A. 1865. 506

---

brunneipennis Motsch. B. M. 58. 238

*

bilineata Gyll. I. S. II. 436 *E.m.*
alpicola Heer H. 317 *M.*
nigricornis Gredl. Tir. 464
Sahlbergi Epp.Cat. 1883. 39. (emend.) *F.*
fucicola J. Sahlb. E. F. 80
nitida Grav. Micr. 97
biguttula Kol. Mel. III. 8
pauxilla Rey Br. 1874. 159
notatipennis Hochh. B. M. 1871. 95 *R.*
verna Say Tr. Am. Phil. IV. 156*E.m.*
binotata Kr. I. D. II. 106
longula Thoms. Sk II. 254
incrassata Thoms. Sk. II. 255
subtilis J. Sahlb. E. F. 81

Rheochara Rey.

spadicea Er. Mk. 300
procera Er. Gen. 61

Polystoma

Stephens.

algarum Fauv. A. 1862. 92 *G.*
grisea Thoms. Sk. III. 48 *Su.*
fuliginosa Rey Op. XIV. 187 *G.*
albopila Rey Op. I. 29 *Ga.E.m.*
grisea Kr. I. D. II 96 *G.*
senilis Rey S. Linn. VII. 102 *Ga.*
nitidula Thoms. Sk. IX. 218 *Su.*
obscurella Grav. Mon. 159 *E.mar.*
punctatellaMotsch.B.M.50.240*Hol.*

Homoeusa

Kraatz.

acuminata Märk. St. 1842.148 *E.md.*
paradoxa Scrib. B. 1868. 154 *I.Gr.*

Myrmedoniina.

Oxysoma
Kraatz.

Piochardia Heyden.

Schaumi Kr. Linn. Ent. 1857. 18 *Graec.*
lepismiforme Heyd. Sp. 75 *Lu.*
aleocharinum Reitt. D. 1890. 166 *Ca.*

Dinarda
Mannerheim.

Hagensi Wasm. W. VIII. 282 *Rhen.*
Märkeli Kiesw. St. 1843. 308 *E.md.b.*
dentata Grav. Mon. 181 *G.Ga.Su.Ca.*
nigrita Rosh. Th. And. 67 *Hi.*

Lomechusa
Gravenhorst.

strumosa Fbr.E.Syst.I.2.525 *E.md.b.*
teres Epp. Radde Casp. 182 *Ca.*
inflata Zett. I. Lapp. I. 95 *L.*

Atemeles
Stephens.

emarginatus Payk. Mon. Staph. 56 *E.md.*
v. foveicollis Wasm. D. 87. 104 *Holl.*
v. angulicollis Wasm. ibid. *Holl.*
v. recticollis Wasm. ibid. *Holl.*
v. hirticollis Wasm. ibid. 105 *G.Ga.*
v. nigricollis Kr. I. D. II. 117 *E.md.*
pubicollis Bris. A. 1860. 346 *Ga.Holl.*
inflatus Kr. B. 61. 412 *Ga.Hu.Serb.*
v. flexicollis Wasm D. 1887. 101 *G.*
excisus Thoms. Op. IV. 371 *Su.*
siculus Rottbg. B. 1870. 24 *Si.*
paradoxus Grav. Mon. 180 *E.md.b.*
v. laticollis Wasm. D. 1887. 101 *Holl.*
v. acuticollis Wasm. ibid. 102 *Sil.St.*
v. obsoleticollis Wasm. ibid. *Holl.*
v. rhombicollis Wasm. Beitr. 22 *Holl.*
bifoveolatus Bris. A. 1860. 345 *Ga.*

Zyras
Stephens.

Haworthi Steph.Ill.Brit.V.126 *E.md.m.*
elegans Heer H. 350 (Bolit.)
Kawalli Hochh. B. M. 1871. 97 *It.*
fulgida Grav. Mon. 163 *G.Ga.I.Serb.*
collaris Payk. Fn. Suec. III. 401 *E.*

Myrmedonia
Erichson.

humeralis Grav. Micr. 90 *E.md.b.*
grandis Motsch. B. M. 1844. 814
cognata Märk. St. 1842. 142 *E.md.b.*
funesta Grav. Mon. 168 *E.md.b.*
atrata Heer H. 309
mustela Rottbg. 1870. 25 *Si.Hi.*
similis Märk. Germ. Zt. V. 203 *E.md.*
limbata Payk. Mon. Staph. 51 *E.md.b.Ca.*
laeviceps Epp. W.z.b. 1879. 459 *Ca.*
lugens Grav. Micr. 95 *G.Ga.I.Hu.Ca.*
cinctipennis Epp. Radde Casp. 183 *Ca.*
ruficollis Grimm. St. 1845. 125 *St.Cro.*
Fernandi Frm. A. 1855. 309 *I.C.Gr.*
laticollis Märk. St. 1842. 143 *E.md.b.*
Hampei Kr. B. 1862. 267 *Cro.Hu.*
erratica Hagens B. 1865. 113 *G.*
excepta Rey Op. XII. 113 *Ga.*

Drusilla
Leach.

Astilbus Stephens.

Erichsoni Peyron A. 1857. 635 *Ga.*
memnonia Märk. Germ. Zt. V. 199 *Si.*
tristis Luc. Alg. 99
canaliculata F. Mant. I. 221 *E.*
gracilis Hochh. B.M. 1849. 24 *Ca.Ga.m.*
tenuicornis Küst. K. E. 28. 3 *S.*

Myrmoecia
Rey.

confragosa Hochh. B. M. 1849. 28 *Ca.*
Fussi Kr. B. 1859. 93 *G.*
bituberculata Bris. A. 1866. 357 *Ga.*
physogastra Fairm. A. 1860. 150 *Ga.*
hippocrepis Saulcy Cat. Gren. 19 *Si.*
Perezi Uhagon An. Esp. V. 61 *Hi.*
tuberiventris Frm. A. 1853. 310 *Ga Si.*
plicata Er. Mk. 289 *G.A.Gr.Ca.*
Rougeti Fairm. A' 1859. 164 *Ga.*
Reitteri Epp. D. 1881. 193' *Herz.Gr.*
triangulum Perez An. Esp. III. 111 *Hi.*
frigida Fairm. Fn. Fr. 387 *Ga.*
rigida Er. Gen. 30 *S.*
cavifrons Perris A. 1864. 279 *I.*
punctatissima Bris. A. 1866. 358 *Hi.*
punctatella Bris. C. II. II. 116
pulla Rottbg. B. 1870. 26 *Hi.Si.*

Aleuonota
Thomson.

Liota, Apimela Rey.

rufotestacea Kr. I. D. II. 245 *G.A.Hu.*
atricapilla Rey Op. I 21 *Ga.S.*
elegantula Bris. Cat. Gren. 23 *Ga.Bal.*
hypogaea Rey Op. XII. 175 *P.*

egregia Rye M. M. 1875. 176 *Br.*
mirabilis Epp. Radde Casp. 186 *Ca.*
splendens Kr. I. D. II. 246 *G.Ga.A.Hu.*
dimidiata Hochh.B.M.1871.109 *R.m.*
gracilenta Er. Gen 94 *G.Ga.*
ocaleoides Bris. Cat. Gren. 27 *Ga.*
laeviceps Bris. ibid. 25 *Ga.m.*
Kiesenwetteri Kr. I. D. II. 245 *Gr.*

venustula Heer II. 340 *H.*

*

macella Er. Gen. 95 *E.md.m.*
pallens Rey Op. I. 35 *Ga.G.I.*

Callicerus
Gravenhorst.
Semiris Heer.

rigidicornis Er. Gen. 82 *G.Ga.Hu.*
fuscus Heer H. 342 *H.I.Ca.*
unicarinatus Frm. Fn. Fr. 378
Kaufmanni Epp. W. 1887. 231 *Hu.*
atricollis Aub. A. 1850. 303 *Ga.I.*
pedemontanus Baudi B. 1869. 324 *Pe.*
fulvicornis Epp. D. 1881. 78 *Herz.Hu.*
clavatus Rottbg. B. 1870. 27 *Si.*
obscurus Grav. Micr. 66 *E.md.b.*

Discerota
Rey.

torrentum Kiesw. St. 1850. 219 *P.*

Alianta
Thomson.

incana Er. Mk. 329 *E.md.Su.F.*
Brucki Epp. St. 1876. 429 (Bolit.) *Si.*
porosa Fauv. R. V. 83

Heterota Rey.

plumbea Wat. Zool. 1858. 6074 *Br.*
Fairmairei Bris. A. 1859. 218 *Ga.*
Godelinaisi Fauv. A. 1862. 93 *D.*
trogophloeoides Woll. Can. 536 *Hi.*

Enalodroma
Thomson.

fucicola Thoms. Sk. III. 51 *Su.*

Halobrectha
Thomson.

testacea Bris. Cat. Gren. 16 (Lept.) *Ga.m.I.*
atricilla Er. Gen. 101 *E.mar.*
flavipes Thoms. Sk. III. 50
maritima Wat. Proc. 1863. 138
halobrectha Sharp Rev. 139
princeps Sharp ibid. 142
puncticeps Rey Br. 1875. 12
pubes Rey Br. 1873. 660
algae Hardy Cat. North. 116 *E.ma*
puncticeps Thoms. Sk. III. 49
anthracina Fairm. Fn. Fr. 424
halensis Rey Br. 1875. 16

Notothecta
Thomson.

flavipes Grav. Mon. 161 *E.md.*
confusa Märk. Germ. Zt. V. 215 *E.md.*

Lyprocorrhe Thoms.

anceps Er. Mk. 336 *E.*
nidorum Thoms. Sk X. 319

Kraatzia Rey.

laevicollis Rey Op. II. 42 *G*
attophila Saulcy A. 1862. 290
inflata Fauv. M. Norm. 1869. 31

Alaobia
Thomson.

scapularis Sahlb. I. F. 372 *F.*
ochracea Er. Mk. 329 *G.Ga.*
Heydeni Epp. W. z. b. 1879. 39 *Cro*
rufescens Kr. I. D. II. 186 (Oxyp.) *G.P*

fulvicollis Hochh. B. M. 1849. 48 *R.*

Thamiaraea
Thomson.

hospita Märk. Germ. Zt. V. 216 *G.Ga.Tr*
castanea Aub. A. 1850. 306 *A.Cro*
australis Rey Br. 1873. 158
cinnamomea Grav. Micr. 88 *E.md.b*

Colpodota
Rey.

Coprothassa Thoms.
Coprothassa et Hemitropia Rey.

sordida Marsh. Ent. Brit. 514
lividipennis Mannh. Brach. 70
fulvipennis Kol. Mel. III. 7
flavicans Motsch. B. M. 1858. 2..
melanaria Mannh. Brach. 70
tenera Sahlb. I. F. 386
testudinea Er. Gen. 131
taeniata Kolen. Mel. III. 7
consanguinea Epp. St. 1875. 365 *E.md.*

Acrotona Thoms.

Colpodota, Acrotona, Solenia Rey.

pygmaea Grav. Micr. 86 *E.md.b.*
sericata Mannh. Brach. 71
picea Mäkl. B. M. 1845. 544
obfuscata Grav. Micr. 87
aterrima Grav. Micr. 83 *E.*
Mannerheimi Sahlb. I. F. 380
fuscula Mannh. Brach. 81
lugens Kiesw. St. 1844. 319
parva Sahlb. I. F. 380 *E.*
pilosiventris Thoms. V. A. 1856. 106
stercoraria Kr. I. D. II. 319
lacertosa Rey Br. 1873. 215
muscorum Bris. A. 1860. 161 *E.md.Ca.*
parens Rey Op. I. 44 *Ga.G.*
piceorufa Rey Br. 1873. 208 *A.*
subgrisescens Rey ibid. 211 *Hu.*
pellucida Fauv. N. e. VI. 57 *Hi.*

*

nigerrima Aub. A. 1852. 687 *Ga.Hi.*
abbreviata Rey Op. XVI. 181 *C.G.*
fungi Grav. Mon. 157 *E.*
agaricola Mannh. Brach. 84
orbata Er. Mk. 339
cingulata Heer H. 324
bicolor Heer H. 325
nigriceps Heer H. 333
negligens Rey Br. 1873. 231
laeticornis Rey ibid. 234
simulans Rey ibid. 256
v. dubia Sharp Rev. 265
hygrophila Hardy Cat. North. 31
v. clientula Er. Gen. 133
plebeja Woll. Mad. 553
alcocharoides Woll. Can. 542
orphana Er. Mk. 340 *E.md.b.*
nitens Fuss B. 1868. 354 *G.*
pulchra Kr. I. D. II. 321 *E.*
clientula Rey Br. 1873. 248
Sharpi Rye M. M. 1870. 6
haematica Epp. D. 1884. 359 *Hi.*

*

laticollis Steph. Ill. Brit. V. 135 *E.*
vernacula Er. Gen. 131
sinuatocollis Bris. Cat. Gren. 28
fusca Sharp Rev. 261
fuscipes Heer H. 323 *H.A.Hu.*
fimorum Bris. A. 1860. 343 *Ga.D.Tr.*
affinis Fuss B. 1868. 354 *G.I.Ca.*
subsinuata Er. Gen. 125 *E.md.b.*
fimetaria Thoms. Sk. III. 37
rustica Bris. A. 1860. 340
navicula Rey Br. 1873. 238

pedicularia Heer H. 325 *H.*

Amischa
Thomson.

analis Grav. Micr. 76 *E.*
contemta Heer H. 593
tantilla Woll. Mad. 553
arata Rey Op. XV. 177
filum Rey Op. XIV. 105
minima Rey Op. XV. 179
♀ decipiens Sharp Rev. 179
platycephala Thoms. Sk. II. 294 *Su.*
soror Kr. I. D. II. 257 *E.*
forcipata Rey Op. XV. 178
cavifrons Sharp Rev. 177 *E.*
simillima Sharp Rev. 177
leporina Fauv. Sic. I. 65 *Si.*

Amidobia Thoms.

talpa Heer H. 594 *E.md.b.*
parallela Mannh. B. M. 1843. 77

Meotica Rey.

exilis Er. Mk. 33 *E.*
parasita Rey Op. XV. 174
parilis Rey ibid. 175
misera Rey ibid. 176
pusilla Rey Op. I. 36
capitalis Rey Op. XV. 176
indocilis Heer H. 333 *H.Pe.Ga.*
pallens Redtb. Fn. Austr. 49. 662 *A.G.*
tenuis Rey Op. XVI. 244 (Sipal.)
anophthalma Epp. D. 1884. 358 *Hi.*
validiuscula Kr. I. D. II. 261 *E.md.*

Geostiba
Thomson.

circellaris Grav. Mon. 155 *E.*
inquinalis Mannh. Brach. 76
tuberiventris Epp. W. z. b. 1879. 462 *Ca.*
spinicollis Kr. B. 1862. 267 *Cro.Hu.*
Chyzeri Epp. W. II. 270 *Hu.*
armata Epp. St. 1878. 418 *Gr.Hu.Tr.I.*
croatica Epp. W. z. b. 1880. 208 *Cro.*
tabida Kiesw. St. 1850. 219 *G.*
Oertzeni Epp. D. 1888. 504 *Gr.*
Korbi Epp. D. 1889. 170 *Hi.*

Pseudosipalia Seidl.

Sipalia Thoms. nec Rey.

caesula Er. Gen. 97 *E.md.b.*
maura Motsch. B. M. 1858. 248

brachyptera Thoms. V. A. 1852.132
exilis Perris A. 1866. 184
minuta Bris Cat. Gren. 26

Taxicera
Rey.

polita Rosh. Beitr. I. 10 *Ti.*
sericophila Baudi A. 69. 379 *I.Cro.*
deplanata Rey Br. 1875. 292 *Ga.*
deplanata Grav. Micr. 100 *G.D.Tr.*
eucera Aub. A. 1850. 307 *Ga.*
perfoliata Rey Op. XV. 188 *Ca.*
indigna Rey ibid. 189

Thectura
Thomson.

cuspidata Er. Gen. 96 *E.*
inconspicua Heer H. 342
tricuspis Epp. D. 1884. 43 *R.m.Gr.*

Dadobia
Thomson.

immersa Er. Mk. 324 *G.A.Ga.*
planicollisThoms.V.A.52.139*Su.Hu*

Dinaraea
Thomson.

inhabilis Kr. I. D. II. 251 *G.*
arcana Er. Gen. 93 *G.Ga.A.*
brevipennisJ.Sahlb.E.F.126 *Hu.Tr.*
linearis Grav. Micr. 69 *F.E.*
v. melanocornis Rey Br.1873.657 *Ga.*
angustula Gyll. I. S. II. 393 *E.md.b.*
aequata Er. Mk. 323 *E.md.b.*
rufipes Heer H. 340

Pachnida Rey.

nigella Er. Mk. 323 *E.md.b.*
punctiventris Thoms. Sk. II. 292

Liogluta
Thomson.

Plataraea Thoms.

brunnea F.Ent. Syst.Sppl.180 *E.md.b.*
depressa Gyll. I. S. II. 401
melanocephala Heer H. 331 *H.A.Hu.*
nigrifrons Er. Gen. 100 *G.Ga.*
nigriventris Thoms.V.A. 1856. 99*Su.*
sordida Kr. I. D. II. 268 *I.*
hepatica Er. Gen. 102 *G.*
major Aub. A. 1850. 306 *Ga.*
castaneipennis Fairm. Fn. Fr.380 *T.*
exarata Sharp Rev. 186 *Br.*

Liogluta Thoms. in spec.

aquatilis Thoms. Sk. IX. 264 *Su.G.*
sericans Rey Br. 1873. 568 *G…*
hypnorum Kiesw St. 1850. 319 *Cr.C…*
silvicola FussB.1868.353 *G.Ga.…*
rufipes J. Sahlb. E.F.156 *F.Su.…*
?macroceraMotsch.B.M.58.253 *Ba…*
vicina Steph. Ill.Brit. V. 116 *I…*
umbonata Er. Gen. 82
fucicola Thoms. V. A. 1852. 1[illegible]7
micans Rey Op. I. 15 *G…*
Letzneri Epp. Stett. 1880. 285 *…*
♀micropteraThoms.Sk.IX.266 *…*
granigera Kiesw. Stett. 50. 218 *G.G…*
crassicornis Gyll.I.S.IV.486 *F…*
v ♀subalpina Rey Op. I. 17 *Hu.T…*
sexnotata Thoms. Op. IV. 275 *S…*
trigeminaEpp.W.z.b.1880.206 *…*
pagana Er. Gen. 83 *G.…*
arvicolaThoms.V.A.1856.94 *Su.…*
fulvipes Motsch.B.M.1860.576 *C…*
oblonga Er. Gen. 101 *E.*
oblongiuscula Sharp Rev. 130
drusilloides J. Sahlb. E. F. 135 *…*
annulata Fauv. (emend.) *…*
geniculata Rey Br. 1873. 679
alpestris Heer H. 330 *Alp.…*
nitidiuscula Sharp Rev. 130 *…*
procedens Epp. St. 1873. 83 *…*
nitidula Kr. I. D. II. 211 *…*
nitida Fairm. Fn. Fr. 397
georgiana Motsch.B.M.1860.578 *Ca.*
subplana J.Sahlb.Sv.Ak.17.[illegible] *I…*
graminicola Grav. Mon. 176 *…*
granulata Mannh. B. M. 1846. 5[illegible]
coracina Sahlb.I. F. 350
nigrina Aub. A. 1850. 304
v. brunneipennisThoms.V.A.1852. 135

Thinobaena Thoms.

vestita Grav. Mon. 140 *E.md.b.*
elongata Steph. Ill. Br. V. 117
sericoptera Steph. ibid. 119
quisquiliarum Gyll. I. S. II. 398

Atheta
Thomson.

Earota Rey.

Reyi Kiesw. Stett. 1859. 218 *Ga.P.I*
♂trianguliferaFrm.B.Belg.83.41*Hi.*

Homalota Rey.

incognita Sharp Rev. 191 *Br.Su.G.A.*
aquaticaThoms.V.A.1852 133 *E.md.b.*
subaenea Sharp Rev. 187

foliorum Rey Br. 1873. 556
Pertyi Heer H. 329 *E.md.m.*
Waterhousei Woll. Can. 548
aeneicollis Sharp Rev. 189
interrupta Rey Br. 1873. 544
armeniaca Epp. W. 1890. 165 *Armen.*
castanoptera Mannh. Brach. 77 *E.*
xanthoptera Steph. Ill. Br. V. 116
merdaria Thoms. Sk. III. 81
valida Kr. I. D. II. 274 *G.*
robusta Rey Op. XV. 171 *Ga.*
convexa J. Sahlb. E. F. 167 *F.*
chefsurica Epp. W. z. b. 1879. 461 *Ca.*
forticornis Hochh. B. M. 1849. 44 *R.m.*
oraria Kr. I. D. II. 209 *E.m.*
cristata Motsch. B. M. 1858. 249
parisiensis Bris. A' 1859. 217
aquatica Rey Br. 1873. 573
ebenina Rey Br. 1873. 536 *Ga.G.*
subglabra Sharp Rev. 149 *Sc.G.Ga.Ca.*
euryptera Steph. Ill. Br. V. 135 *E.md.b.*
validicornis Märk. Germ. Zt. V. 212
succicola Thoms. V. A. 1852. 141
diversa Sharp Rev. 201 *Sc.G.*
triangulum Kr. I. D. II. 273 *E.lit.*

Atheta Rey.

trinotata Kr. I. D. II. 272 *E.*
socialis Thoms. V. A. 1852. 140
hybrida Sharp Rev. 196 *Br.G.A.F.*
xanthopus Thoms. V. A. 56. 96 *Su.F.Br.*
sublinearis Kr. I. D. II. 275 *G.A.*
subrecta Rey Op. XII. 109 *Ga.*
Linderi Bris. Cat. Gren. 24 *P.*
heterogastra Epp. St. 1875. 373
subcavicola Bris. Cat. Gren. 29 *P.*
pilicornis Thoms. V. A. 52. 142 *E.md.b.*
pilosa Kr. I. D. II. 241
xanthopus Rey Br. 1873. 512
crassicornis F. *E.*
sericans Grav. Mon. 159
fungicola Kr. I. D. II. 274
decepta Rey Br. 1873. 517
fulvipennis Rey ibid. 525
nitidicollis Fairm. Fn. Fr. 417 *E.md.b.*
fungicola Thoms. V. A. 1852. 142
ignobilis Sharp Rev. 200

Tetropla Rey.

orcina Fauv. Fg. III. 720 *P.*
spelaea Er. Gen. 107 *A.Hu.*
troglodytes Motsch. B. M. 58. 255 *Cro.*
boletophila Thoms. V. A. 1856. 97 *Su.F.*
pisciformis Kr. I. D. II. 317 *E.md.*
patellata Fauv. Fg. III. 712 *P.*
liturata Steph. Ill Br. V. 142 *E.md.b.*
nigritula Gyll. I. S. II. 408
erythrocera Heer H. 328 *H.I.*
Gravenhorsti Kr. B. 1868. 291
nigritula Grav. Micr. 85 *E.*
pubescens Heer H. 329
denticulata Motsch. B. M. 1858. 250
boletobia Thoms. Sk. III. 78
boleticola J. Sahlb. E. F. 152 *F.*

Mycota Rey.

pallidicornis Thoms. V. A. 1856. 98 *E.*
humeralis Kr. I. D. II. 278
lithuanica Motsch. B. M. 1860. 577
fennica J. Sahlb. E. F. 156
?diluticornis Motsch. B. M. 58. 252
sodalis Er. Mk. 328 *E.md.b.*
incisa Rey Op. I 24
Aubei Rey Br. 1873. 440
lapponica J. Sahlb. E. F. 157 *L.*

Pycnota Rey.

secreta Rey Op. XVI. 184 *C.*
paradoxa Rey Op. XII. 111 *Ga.*
cribrata Kr. I. D. II. 288 *G.Ga.Br.R.*

Zoosetha Rey.

inconspicua Er. Gen. 116 *G.Ga.Hi.*

Dochmonota Thoms.

clancula Er. Gen. 114 *E.md.b.*
funebris Thoms. Sk. III 99
atrata Kr. I. D. II. 285
rudiventris Epp. D. 1886. 35 *A.Hu.Gr.*

Xenota Rey.

myrmecobia Kr. I. D. II. 285 *E.md.b.*
negligens J. Sahlb. E. F. 122
lativentris J. Sahlb. E. F. 158
capitulata Epp. W. z. b. 1880. 207 *Hu.*

Alaobia Rey nec. Thoms.

subterranea Rey Op. II. 40 *G.A.*
fulva Rey Br. 1873. 299 *Ga.*
gagatina Baudi St. ent. 119 *E.*
variabilis Kr. I. D. II. 284
compressicollis Thoms. V. A. 1856. 99
conformis Rey Op. I. 45
mutata Fairm. Fn. Fr. 417

nigra Kr. I. D. II. 281
  celata Thoms. Sk. III. 90
  hodierna Sharp Rev. 236
indubia Sharp Rev. 227 *E.md.b.*
foveicollis Kr. I. D. II. 296 *G.*
  ?impressa Heer H. 335 *H.*
Rebecca Sauley A. 1864. 439 *Gr.And.*
subtilis Scriba B. 1866. 128 *E.md.b.*
  indiscreta Sharp Rev. 228
  asperana Rey Br. 1873. 340
  mortuorum J. Sahlb. I. F. 163
amicula Steph. Ill. Br. V. 132 *E.*
  sericea Rey Op. I. 41
  parvicornis Rey Br. 1873. 333
sericata Rey Op. XVI. 182 *C.*
liliputana Bris. A. 1860. 334 *Ga.G.A.*
mortuorum Thoms. Sk. IX. 281 *E.md.b.*
  atricolor Sharp Rev. 230
inquinula Er. Mk. 334 *E.*
  minutissima Heer H. 334
aegra Heer H. 595 *E.*

carbonaria Heer H. 591 *H.*
pulla Heer ibid. *H.*
fracticornis Heer H. 341 *H.*

Heteronoma Rey.

Ouralia Rey.

luctuosa Rey Op. II. 35 *Ga.G.Hi.Gr.*
  picicornis Rey Op. XV. 174
insignicollis Fauv. N. c. VI. 59 *Hi.C.*

Hydrosmecta Thoms.

Thinoecia Rey.

gracilicornis Er. Gen. 86 *G.Ga.Hu.*
eximia Sharp Rev. 103 *Br.*
  merita Rey Op. XV. 185 *Ga.*
tenerrima Rey Br. 1875. 216 *C.*
fragilicornis Kr. St. 1854. 126 *G.Ga.A.*

*

impressa Rey Br. 1875. 459 *Ga.*
fluviatilis Kr. St. 1854. 124 *G.D.Pe.*
  gagatina Rey Op. II. 27 *Ga.Hi.*
libitina Rey Op. XV. 184 *Ga.m.*
fragilis Kr. St. 1854. 125 *G.D.Ca.*
  haesitans Rey Op. XV. 184 *Br.Ga.*
longula Heer H. 334 *H.Pe.*
  thinobioides Kr. St. 1854. 125 *G.Br.F.*
  callida Rey Op. XV. 185
  amara Rey ibid. 187
tenella Mannh. Brach. 81 *F.*
delicatula Sharp Rev. 107 *Br.G.*
  simillima Rey Op. XV. 187 *Ga.*
subtilissima Kr. St. 1854. 126 *G.G*
  deformis Rey Br. 1875. 276 *Br.Su.*
  hydrosmectoides J. Sahlb. E. F. 132 *F.*
tenuissima Fauv. (ined.) *Ga.Boh.*

Aloconota

Thomson.

Disopora Thoms.

languida Er. Mk. 318 *E.*
 v. longicollis Rey Op. I. 18

Disopora Rey.

insecta Thoms. V. A. 1856. 93 *E.*
  languida Scrib. B. 1866. 379
tereticornis Wankow. A. 1869. 420 *E.*
sulcifrons Steph. Ill. Br. V. 121 *E.md.b.*
  pavens Er. Mk. 689
  diluta Hampe St. 1850. 347
  lissonura Thoms. V. A. 1856. 92
hydrocephalica Epp. Led. 102 *Ca.*
aegyptiaca Motsch. B. M. 58. 250 *R.m.C*
  Eichhoffi Scrib. B. 1867. 390 *G.*
  timens Baudi B. 1869. 378 *Pe.Hi.*
debilicornis Er. Gen. 87 *G.*
  planifrons Wat. Proc. 1863. 150 *Br.*
  latesulcata Rey Op. XV. 189 *Ga.*
cambrica Woll. Zool. 1855. App. 205 *Br.*
  velox Kr. I. D. II. 201 *E.md.Ca.*
rivulorum Thoms. Op IV. 373 *Su*
currax Kr. I. D. II. 198 *G.Ga.A.H.Ti.*
appulsa Scriba B. 1867. 389 *G.*
  immatura Rey Op. XV. 182 *Ga.*

Aloconota Rey.

gregaria Er. Gen. 87 *E.*
  immunita Er. Gen. 916
subaenescens Epp. D. 1888. 404 *Cauc.*

Tomoglossa

Kraatz.

luteicornis Er. Mk. 332 *A.C.I.*

Schistoglossa

Kraatz.

viduata Er. Mk. 330 *E.*

Dilacra

Thomson.

luteipes Er. Mk. 320 *E.*
  distincta Rey Br. 1874 248
fallax Kr. I. D. II. 227 *E.mar.Ti.*
pruinosa Kr. I. D. II. 228 *E.m.*

Gnypeta
Thomson.

carbonaria Mannh. Brach. 75 *E.*
labilis Er. Mk. 699
ripicola Kiesw. St. 1844. 317 *E.md.b.*
carbonaria Sharp Rev. 114
velata Er. Mk. 319 *E.md.I.*

Thiasonoma
Thomson.

atra Grav. Mon. 162 *E.*

Brachyusa Rey.

concolor Er. Gen. 126 *E.md.*
lata Kiesw. St. 1844. 315

Ischnopoda
Thomson.

coerulea Sahlb. I. F. 351 *F.*
leucopus Marsh. Ent. Br. 536 *E.md.b.*
flavitarsis Sahlb. I. F. 349
chalybaea Er. Gen. 916
subaenea Epp. W. 1880. 164 *Ca.*
umbratica Er. Mk. 310 *G.Ga.A.T.Ca.*
exarata Er. Gen. 72 *G.A.Hu.*
colorata Fairm. A' 1859. 184 *Ga.*

Tachyusa
Erichson.

balteata Er. Gen. 71 *E.md.m.*
flavocincta Heer H. 345
v. elongata Kolen. Mel. III. 5 *Ca.*
cingulata Jekel Col. Jek. 43 *Si.*
ferialis Er. Gen. 71 *E.m.occ.*
bicolor Rey Br. 1875. 407
constricta Er. Mk. 307 *E.*
agilis Baudi B. 1869. 376 *Bosn.*
linearis Heer H. 597 *H.Cro.Si.*
flavolimbata Epp. Led. 100 *Ca.*
cyanea Kr. I. D. II. 152 *G.Ga.A.Cro.*
nitidula Rey Br. 1875. 396 *C.*
impressa Epp. Led. 101 *Ca.*
concinna Heer H. 345 *E.md.m.*
coarctata Er. Mk. 308 *E.*
nigrita Heer H. 344
objecta Rey Op. XIV. 138 *E.md.m.*
scitula Er. Mk. 308 *G.Cro.*
forticornis Fairm. A. 1859. 36 *Ga.*

Mataris
Faurel.

Grouvellei Fauv. R. V. 112 *Ga.m.*

Myrmecopora
Saulcy.

publicana Saulcy A. 1864. 430 *Gr.*
crassiuscula Aub. A. 1850. 301 *Ca.D.*
pygmaea Sachse St. 1852. 115 *Gr.*

Ilyusa Rey.

laesa Er. Gen. 73 *S.I.Lu.*
fugax Er. Gen. 74 *S.I.Gr.*
lata Saulcy A. 1864. 629

Xenusa Rey.

uvida Er. Gen. 916 *Ga.I.D.*
sulcata Kiesw. St. 1850. 218 *Ga.D.R.*

Borboropora
Kraatz.

Pseudoscopaeus Weise.

Kraatzi Fuss B. 1862. 406 *G.Ga.Hu.*
Reitteri Weise Brünn 1876. 8 *Tr.Hu.*

Echidnoglossa
Wollaston.

corsica Rey Br. 1875. 431 *C.*
glabrata Kiesw. Heyd. Sp. 77 *Hi.*
Paulinoi Skal. W. III 97 *Lu.*
ventricosa Quedenf. B. 1881. 293 *Hi.m.*

Falagria
Stephens.

longipes Woll. Tr. 1871. 284 *Ga.I.*
fovea Sharp Tr. 1880. 3
naevula Er. Gen. 55 *Hi.*
formosa Roscnh. Th. And. 64
elegans Baudi B. 1857. 97
thoracica Curt. Br. E. X. t. 462 *E.md.*
sulcata Payk. Mon. Staph. 32 *E.*
atra Hochh. B.M. 1871 86 *R.m.*
splendens Kr. B. 1858. 49 *Gr.Hu.Ca.*
picicornis Rey Br. 1875. 438 *C.*
?sicula Jekel Col. Jek. 33 *Si.*
v. collaris Fauv. (ined.) *Ca.*
sulcatula Grav. Mon. 151 *E.*
nigra Grav. Micr. 75 *E.*
pusilla Heer H. 351
laevigata Epp. Cat. Dav. S(emend.) *D.Bo.*
laeviuscula Epp. W. z. b. 80. 204 *Cro.*

Cardiola Rey.

obscura Grav. Micr. 74 *E.*
crassiuscula Hochh. B.M. 1871. 87 *R.m.*

Bolitocharina.

Autalia
Stephens.

impressa Ol. Ent. III. 42 *E.*
conura Jekel Col. Jek. 29 *Si.*
longula Jekel ibid. 31 *Corcyra*
rivularis Grav. Micr. 73 *E.*
puncticollis Sharp Rev. 1864. 45 *Alp.*
  rivularis Sahlb. I. F. 349 *E.b.*
  alia Gredl. C. H. XV.105 *Ti.*

Bolitochara
Mannerheim.

Reyi Sharp M. M. XII. 133 *Ga.*
  eximia Epp. W. II. 251 *Hu.m.*
lucida Grav. Micr. 70 *E.md.b.Ca.*
  elongata Heer H. 349 *H.*
  elegans Fairm. A. 1852. 71 *Ga.*
Mulsanti Sharp M.M.XII.132 *Ga.Hu.*
  elongata Rey Br. 1871. 202
lunulata Payk. Mon. Staph. 58 *E.*
  pulchra Grav. Mon. 164
  flavicollis Rey Op. XII. 93
bella Märk. Germ. Zt. V. 209 *G.Ga.A.*
  lunulata Rey Br. 1871. 209 *Hu.Cro.*
obliqua Er. Mk. 298 *E.md.*
 v. caucasica Epp. W. 1890 *Ca.*
foveola Motsch. B. M. 1860. 587 *R.m.*
varia Er. Gen. 59 *S.I.Gr.*
  laevior Fairm. A. 1859. 35 *Ga.*
humeralis Luc. Alg. 100 *Hi.*
  festiva Sauley B. H. 1866. 51

Phymatura J. Sahlb.

brevicollis Kr. I. D. II. 40 *G.A.Hu.*
  gyrophaenoides J. Sahlb. E. F. 86

---

laeviuscula Hoch. B.M.1849.34 *Ca.*

Stenusa
Kraatz.

rubra Er. Gen. 207 *G.Ga.Hu.*
  rufa Heer H. 303 *H.I.A.*

Silusa
Erichson.

rubiginosa Er. Mk. 378 *E.md.*
  alpicola Heer H. 303 *H.*
  rufula Motsch B.M.1858.245 *Ga.*
areolata Reitt. W. VII. 144 *Ca.*
Pipitzi Epp. D. 1887. 229 *St.*
uniplicata Reitt. W. VII. 145 *Ca.*

Euryusa
Erichson.

sinuata Er. Mk. 372 *G.Ga.*
  coarctata Märk. Germ. Zt. V. 2: 5 *A.Hu*
brachelytra Kiesw. A. 1851. 412 *St.Cro.*
  brevipennis Motsch. B. M. 58. 225 *Hu.*
laticollis Heer H. 326 *E.*
  optabilis Heer H. 308 *H.*
  linearis Märk. Germ. Zt. V. 227 *Br.*

Thamiosoma Thoms.

castanoptera Kr. I. D. II. 76 *Alp.E.*
  laticollis Thoms. V. A. 55. 201 *Su.F.*

Leptusa
Kraatz.

Tachyusida Rey.

gracilis Er. Mk. 351 *G.Ga.Hu.*

Leptusa Thoms. Rey.

pulchella Mannh. Brach. 83 *F.*
augusta Aub. A. 1850. 310 *E.md.b.*
  analis Gyll. I. S. II. 388
  cinctella Motsch. B. M. 1858. 246
  brevicornis Rey Op. II. 28
venusta Hochh. B.M.49.33 W.90.162 *Ca.*
  proxima Reitt. W. VII. 145
planiuscula Reitt. ibid. 145
haemorrhoidalis Heer H. 332 *E.*
  morosa Heer ibid. 595
  fumida Er. Gen. 156
  pallipes Luc. Alg. 102
  similis Kelln. St. 1844. 414
 v. xanthopyga Epp. W.z.b.1880.504 *Ca.*
rufescens Epp. Radde Casp. 180 *Ca.*
Ludyi Epp. W. 1890 *Ill.*

Pachygluta Thoms.

ruficollis Er. Gen. 153 *E.*
  rubricollis Heer H. 593
fuliginosa Aub. A. 1850. 310 *A.Hu.Tr.*
  cribripennis Kr. I. D. II 65 *R.Gr.Ca.*
asperata Epp. D. 1888. 402 *Gr.*
Oertzeni Epp. ibid. 401 *Gr.*

Sipalia Rey.

nubigena Kiesw. B. 1861. 375 *Alp.Jur.*
rugatipennis Perris A. 1886. 183 *Ga.*
Bonvouloiri Bris. Gren. Cat. Mat. 166 *P.*

Hopffgarteni Epp. D. 1881. 190 *D.*
Lederi Epp. W. 1883. 272 *Ca.*

*

difficilis Epp. W. z. b. 1880. 205 *Herz.*

*

eximia Kr. I. D. II. 67 *Tr.Hu.*
Reitteri Epp.W.z.b.1879.38 *Cro.Balk.*
alpicola Brancs. B.1874.42 *Cp.*
Bodemeyeri Epp. D. 1883. 252 *Hu.*
major Fauv. (ined.) *I.*

*

coeca Epp. Led. 92 *Ca.*
solifuga Fauv. (ined.) *Alp.mar.*

*

carpathicaWeise Brünn 1876.10 *Cp.Tr.*
microphthalma Reitt. D. 1887. 260 *Ca.*
caucasica Epp. Led. 93 *Ca.*
globulicollis Rey Op. II. 50 *H.Ga.G.*
pallida Scriba C. H. I. 69 *P.*
lativentris Sharp A. Esp. 73. 265 *Hi.*
tricolor Scriba Heyd. Sp. 75 *Hi.*
scabripennis Rey Op. XVI. 185 *C.I.*
  pulchra Epp. St. 1876. 430
asturiensis Epp. St. 1880. 282 *Hi.*
Fauveli Epp. D. 1889. 162 *Ca.*
Brucki Scriba C. H. I. 71 *I.*
subconvexa Rey Op. XVI. 195 *Ga.m.*
difformis Rey Op. II. 46 *Ga.P.H.*
lapidicola Bris.Cat.Gren.Mat.15 *P.Hi.*
  nigra Scriba C. H. I. 70
Simoni Epp. D. 1878. 211 *Ga.m.A.*
granulicauda Epp. W. 1890 *A.*
puellarisHampeW.e.Mts.63.285 *Cro.*
granulipennis Epp. St. 1880. 283 *Hi.*
cordicollis Fauv. (ined.) *Alp.mar.*
piceata Rey Op. II. 48 *Cro.H.G.*
  abdominalisMotsch.B.M.58.247 *A.*
punctulata Rey Op. XVI. 198 *C.*
impennis Epp. D. 1889. 163 *H.I.*
flavicornisBrancs.B.74. 228 *Alp.Cp.Ti.*
Grouvellei Fauv. (ined.) *Alp.mar.*

*

myops Kiesw. St. 1850. 219 *P.*
Skalitzkyi PaulinoCat.Portug.90 *Lu.*
impressa Rey Op. XVI. 199 *Ga.m.*
montivaga Bris.Cat.Gren.Mat.14 *Ga.*
cavipennis Rey Op. XVI. 188 *C.*
bituberculata Epp. Led. 94 *Ca.*
carinicollis Epp. Led. 95 *Ca.*
glacialis Bris.Cat.Gren.Mat.165 *P.*
nivicola Fairm. Fn. Fr. 427 *P.*
Pandellei Bris.Cat.Gren.Mat.164 *P.*
bidens Baudi B. 1869. 371 *I.Gr.*

  padana Weise D. 1878. 38 *MV.*
rugosipennis Scriba C. H. I. 68 *I.*
Baudii Epp.Cat.1883.210(emend.) *I.*
  pulchella Baudi B. 1869. 370
chlorotica Fairm. A. 1859. 216 *P.*
nitida Fauv. Ab.VIII. 132 (emend.) *P.*
  laevigata Scriba C. H. I. 70 *Hi.*
sublaevis Rey Op. XVI. 189 *C.*
laevigata Bris. A. 1886. 355 *Hi.*
Revelieri Rey Op. XVI 191 *C.*
flava Kr. I. D. II. 327 *St.*
  Ganglbaueri Epp. W. 1887. 230 *A.*
ensifera Fauv. (ined.) *Ga.m.*
Ehlersi Epp. D. 1884. 357. *Hi.*
cingulata Epp. Led. 97 *Ca.*
plicatella Fauv. N. e. VI. 77 *I.Malt.*
  Heydeni Epp. D. 1882. 44 *Hi.m.*
infirma Weise D. 1878. 38 *Tr.Hu.*
fuscula Baudi (ined.) *I.*
affinis Epp. D. 1884. 42 *Gr.*
curtipennisAub.Cat.Gren.Mat.17 *Ga.*
  simplex Baudi A. 1869. 372 *I.*
arida Epp. D. 1881. 191 *D.*
cuneiformis Kr. I. D. II. 66 *Hu.*
laevata Rey Op. XVI. 197 *C.*
linearisBris. Cat.Gren.Mat.165 *P.*

fasciata Motsch.B.M.1858. 249 *D.*
testacea Motsch. ibid. 248 *Carn.*

Homalota
Mannerheim.

Epipeda Rey.

truncata Epp. St. 1875. 362 *A.*
plana Gyll. I. S. II. 404 *E.*
  compressa Mannh. Brach. 80
  angustata Sahlb. I. F. 363
  depressiuscula Mannh. l. c.
  planaticollis Aub. A. 1850. 305
  sculpta Baudi St. ent. 116
nigricans Thoms. Op. IV. 376 *Su.F.*
graeca Epp. D. 1888. 406 *Gr.*
cribriceps Sharp Rev. 166 *Br.*

Placusa
Erichson.

complanata Er. Gen. 194 *E.*
  depressa Mäkl. B. M. 1845. 545
  pumilio Rey Br. 1871. 111
humilis Er. Gen. 196 *G.Ga.Su.R.*
pumilio Grav. Micr. 98 *E.*
  subdepressa Rey Br. 1871. 117
  similata Rey ibid. 124
atrata Mannh. Brach. 82 *F.R.Su.*
  coronata Solsky B.M. 1864. 433 *G.A.*

nitidula Thoms. Sk. III. 103 *Tr.*
intima Er. Gen. 196 *E.*
tachyporoides Waltl Isis 1838. 268
v. denticulata Sharp. E. M. M. 70. 281 *E.*
adscita Er. Gen. 197 *I.G.Ga.*
planiuscula Heer H. 592 *H.A.Hu.*
♀ granulata Baudi St. ent. 117

Cyphea
Fauvel.

curtula Er. Mk. 350 *G.A.Hu.*
carbonaria Hampe St. 50. 348 *Ga.Ca.*

Diestota
Rey.

Mayeti Rey Op. XIV. 196 *Ga.m.*

Encephalus
Westwood.

complicans Westw. Guér. Mag. 33. t. 69 *E.*
Kraatzi Hochh. B. M. 1871. 118 *R.m.*

Gyrophaena
Mannerheim.

pulchella Heer H. 310 *E.md.b.*
affinis Duv. Staph. pl. 4. f. 21
affinis Sahlb. I. F. 383 *E.*
signatipennis Gredl. Tir. 93
diversa Rey Br. 1871. 53
nitidula Gyll. I. S. II. 413 *E.md.b.*
Kraatzi Solsky Hor. 1875. 270
Solskyi Fauv. (emend.)
rugipennis Rey Br. 1871. 36 *Ga.G.R.*
nana Payk. Fn. Suec. III. 406 *E.md.b.*
gentilis Er. Gen. 185 *E.md.b.*
congrua Thoms. Sk. II. 268
fasciata Marsh. Ent. Br. 514 *E.*
pallicornis Steph. Ill. Br. V. 152
congrua Er. Gen. 187
carpini Rey Br. 1871. 65
bihamata Thoms. V. A. 1867. 46 *E.*
carpini Baudi B. 1869. 380
desperta Rey Br. 1871. 50
ruficornis Rey ibid. 65
laevipennis Kr. I. D. II. 358 *E.md.b.*
glabrella Motsch. B. M. 1858. 229
lucidula Er. Mk. 369 *E.md.b.C.Ca.*
Poweri Crotch Proc. 1866. 139 *Br.R.Hu.*
puncticollis Thms. Sk. IX 292 *Sa.F.G.*
punctulata Rey Br. 1871. 40 *Ga.*
minima Er. Mk. 370 *E.md.b.*
manca Er. Gen. 190 *E.md.b.Ca.*

Phaenogyra Rey.

polita Grav. Micr. 99 *E.md.b.*
brevicornis Rey Br. 1871. 84
v. strictula Er. Gen. 191
laevigata Heer H. 310
glacialis Hochh. B. M. 1849. 74
rugicollis Hochh. B. M. 1871. 120 *R.m.*
boleti L. Fn. Suec. 859 *E.md.b.*
punctipennis Thoms. Sk. II. 269
?fungicola Motsch. B. M. 1860. 559

Agaricochara Kraatz.

laevicollis Kr. St. 54. 186 *G.Ga.H.I.C.Br.*
aspera Fauv. Fg. III. 644 *Hi.C.*

Brachida
Rey.

exigua Heer H. 312 *E.md.b.*
notha Er. Gen. 126
pilosa Hampe St. 1850. 348

Actocharis
Fauvel.

marina Fauv. B. N. 1869. 19 *Br.Ga.*
Readingi Sharp M. M. VI. 279 *Si.*

Phytosus
Curtis.

spinifer Curt. Br. Ent. XV. t. 718 *E.mar.*
filiformis Motsch. B. M. 1860. 557
dimidiatus Woll. Atl. 1865. 453
semilunaris Rey Br. 1871. 297

Actosus Rey.

balticus Kr. B. 1859. 52 *G.Ga.*
nigriventris Chvr. Rev. Zool. 43. 42 *Ga.D.*

Arena
Fauvel.

Octavii Fauv. A. 1862. 292 *Holl.Ga.*

Hygronomina.

Hygronoma
Erichson.

dimidiata Grav. Mon. 149 *E.md.b.Ca.*

Gymnusina.

Diglossa
Haliday.

mersa Halid. Ent. Mag. IV. 252 *Br.*
submarina Fairm. Fn. Fr. 170 *Br.Ga.*
sinuaticollis Rey Op. XIV. 176
crassa Rey ibid. 180

Pronomaea
Erichson.

rostrata Er. Mk. 379 *E.*
v. dalmatina Sachse St. 1852. 119 *D.*
v. picea Heer H. 587 *H.*

Myllaena
Erichson.

Centroglossa Matthews.

dubia Grav. Mon. 173 *E.*
conuroides Matth. Ent. Mag. V. 195
valida Rey Br. 1874. 46
intermedia Er. Mk. 383 *E.*
attenuata Matth. E. M. V. 196
graeca Kr. B. 1858. 54. *Gr.Ca.*
gracilicornis Fairm. A. 1859. 39. *Ga.*
incisa Rey Br. 1873. 56
Kraatzi Sharp Cat.Brit.Col.1871.10 *Br.*
elongata Kr. St. 1853. 373 *G.I.*
glauca Rye Ent. Ann. 1870.79 *Ga.H.*
elongata Matth.Ent. Mag.V.196 *Br.Ca.*
glauca Aub. A. 1860. 314 *G.Ga.*
Fowleri Matth. Cist. ent. III. 39 *Br.*
brevicornis Matth. E. M. V. 196 *E.*
gracilis Heer H. 303
grandicollis Kiesw. St. 1844. 342
rubescens Rey Br. 1873. 39
caucasica Epp. W.z.b. 1879. 463 *Ca.*
minuta Grav. Mon. 174 *E.*
Masoni Matth. Cist.ent.III.38 *Br.*
gracilis Matth.E. M.V.197 *R.Br.*
forticornis Kr. St. 1853. 373 *E.md.*
infuscata Kr. ibid. *G.Ga.Hi.*
minima Kr. ibid. 374 *I.R.*

fulvicollis Motsch.B. M.1858.225 *Carn.*

Gymnusa
Gravenhorst.

brevicollis Pk.Fn.Succ.III.398 *E.md.b.*
variegata Kiesw. St. 1845. 223 *E.md.b.*

Dinopsis
Matthews.

erosa Steph. Ill. V. 149 *Br.Ga.G.*
fuscata Matth. E. M. V. 194 *D.A.*
laticollis Er. Gen. 212 *F.*

Oligotina.

Oligota
Mannerheim.

pusillima Grav. Mon. 75 *E.*
picta Motsch.B. M.1858. 236
pumilio Kiesw. B. 1858. 53 *E.m.*
convexa Rey Br. 1873. 137 *C.*
australis Rey ibid. 140
atomaria Er. Mk. 363 *E.*
obscuricornis Motsch.B. M.1860.576
parva Rey Br. 1873. 131
fuscipes Rey ibid. 145
misella Rey ibid. 153
punctulata Heer H. 313 *H.I.*
ruficornis Sharp M. M.70.282 *Br.*
pilosa Rey Br. 1873. 148 *Ga.*
parva Kr. B. 1862. 300 *G.A.I.Br.*
aliena Rey Br. 1873. 134 *Ga.C.*
inflata Mannh. Brach. 72 *E.md.b.*
glacialis Kol. Mel. III. 10 *Ca.*
subtilis Er. Gen. 180 *R.*
subsericans Rey Br. 1873. 123 *Hi.*
picipennis Rey ibid. 129
femoralis Thoms. Op. V. 520 *Su.*
rufipennis Kr. B. 1858. 352 *G.R.*
apicata Kr. I. D. II. 349 *I.*
apicata Rey Br. 1873. 115 *Ga.*
granaria Er. Mk. 364 *E.md.*
tantilla Mannh. B. M.1843. 81 *F.R.*
pentatoma Först. Vrh. Rheinl.VI. 39
picescens Rey Br. 1873. 119 *Br.*
?latissima Motsch. B. M. 1858. 235

Somatium Woll.

Microcera Thoms.

apicata Er. Mk. 365 *Ga.Cro.Hu.*
abdominalis Scriba St.1857.378 *Su.*
xanthopyga Kr. B. 1858. 351 *Ga.I.*
flavicornis Luc. Fn.Par. 521 *Br.F.E.*

Hypocyptus
Mannerheim.

Cypha Stephens.

unicolor Rosenh. Th. And. 68 *Hi.*
Pirazzolii Baudi B. 1869. 384 *I.*
filicornis Epp. W. 1890 *Bav.*
longicornis Payk. Fn. Suec. III. 140 *E.*
?rufipes Kr. I. D. II. 386
rubripennis Pand. A. 1869. 283 *Ga.*
apicalis Bris. Cat.Gren.Mat. 30 *E.md.m.*
seminulum Er. Mk. 389 *E.md.b.*
pulicarius Er. Gen. 217 *I.C.*
punctum Motsch. B. M. 58.224 *Ca.*
ovulum Heer H. 285 *E.md.m.*
nigripes Heer ibid. *R.Br.*
pygmaeus Kr. I. D. II. 388 *Ca.*
laeviusculus Redt.Fn.Astr.ed.III.183
lancifer Pand. A. 1869. 284
aprilis Rey Br. 1883. 22 *Ga.*
laeviusculus Mannh.Brach.58 *E.*
?tenuicornis Kr. I. D. II. 388
discoideus Er. Mk. 388 *E.md.b.*

Typhlocyptus
Saulcy.

atomus Rey Br. 1883. 37 *Ga.m.*
Pandellei Saulcy B. Metz. 78. 13 *Ga.m*

Tachyporides.

Pandellé Monographie A. 1869.

Trichophya
Mannerheim.

pilicornis Gyll. I. S. II. 417 *E.*

Habrocerus
Erichson.

capillaricornis Grav. Mon. 10 *E.*

Leucoparyphus
Kraatz.

Cilea Duval. — Astictus Thoms.

silphoides L. Syst. Nat. I. 2. 684 *E.*

Coproporus
Kraatz.

Erchomus Motsch.

colchicus Kr. A' 1858. 190 *Ca.Hu.*
  gallicus Perris A. 1864. 280 *Ga.Hi*

Tachinus
Gravenhorst.

Ellipsotomus Motsch.

laciniatus Epp. W. 1890. 166 *Ca.*
basalis Er. Gen. 262 *R.b.U.*
  circumcinctus Mäkl. B. M. 1852. 310
  nitidus Pand. Mon. (A. 1869.) 315
  berezynicus Wank. A. 1869. 418
flavipes Fabr. Syst. Ent. 268 *E.*
  dubius Gyll. I. S. II. 258
proximus Kr. St. 1855. 25 *Mt.E.md.*
  humeralis Rey Op. II. 66
Starcki Epp. W. 1889. 12 *Ca.*
humeralis Grav. Micr. 136 *E.*
  rufescens Rey A. 1853. 53
Lederi Epp. W. 1890. 168 *Ca.*
rufulus J. Sahlb. E. F. 194 *F.*
rufipennis Gyll. I. S. II. 259 *E.md.b.*
Manueli Sharp B. Ital. 1874. 318 *Pe.*
marginatus Gyll. I. S. II. 255 *Su.F.G.*
  cingulatus Solsky B. M. 1864. 435 *Ca.*
Fauveli Pand. Mon. 321 *Ca.*
  Deyrollei Sharp Rev. Zool. 1873. 411
atripes J. Sahlb. E. F. 192 *L.*
  aterrimus J. Sahlb. Ant. Lapp. 70. 421
pallipes Grav. Mon. 20 *E.md.b.*
  frigidus Er. Gen. 256
scapularis Steph. Ill. Br. V. 197 *Br.Ga.*
  palliolatus Kr. I. D. II. 408 *A.H.*
bipustulatus F. Ent. Syst. I. 2. 533 *E.md.b.*
nigerrimus Solsky B. M. 1864. 437 *Ca.*
caucasicus Kol. Mel. III. 13 *Ca.*
rufipes Deg. Mem. Ins. IV. 24 *E.*
laticollis Grav. Micr. 141 *E.*
marginellus Fabr. Sp. Ins. I. 337 *E.md.b.*
  ♂ posticalis Motsch. B. M. 1858. 216
  ♀ tridens Motsch. ibid.
flavolimbatus Pand. Mon. 326 *Ga.H.*
collaris Grav. Mon. 13 *E.md.b.Ca.*
latiusculus Kiesenw. St. 1848. 320 *G.*
subterraneus L. Fn. Suec. Num. 849 *E.*
 v. bicolor Grav. Mon. 17
 v. ruficollis Epp. B. 1889. 172 *Hu.*
fimetarius Grav. Mon. 14 *E.md.b.*
Bonvouloiri Pand. Mon. 328 *P.Hi.H.*
nivalis Motsch. B. M. 1860. 574 *Ca.*

Drymoporus Thoms.

discoideus Er. Gen. 266 *A.R.G.*
elongatus Gyll. I. S. II. 251 *E.md.b.*
  intricatus Sahlb. I. S. 309 *F.*
punctipennis J. Sahlb. E. F. 195 *F.*
rufitarsis Hochh. B. M. 1849. 90 *Ca.*

Tachyporus
Gravenhorst.

obtusus L. Syst. Nat. I. 2. 684 *E.*
 v. nitidicollis Steph. Ill. Br. V. 184 *Sc.*
  sibiricus Motsch. B. M. 60. 574 *C.*
caspius Motsch. ibid. 575 *Ca.*
formosus Matth. Ent. Mag. V. 197
  rufus Er. Gen. 233 *E.md.m.*
  flavipes Mäkl. B. M. 1846. 173 *F.*
abdominalis F. Sp. Ins. Suppl. 501 *E.md.b.*
  ruficeps Kr. I. D. II. 422 *Ca.*
  formosus Hochh. B. M. 1849. 83
  Erichsonis Pand. Mon. 305
solutus Er. Gen. 256 *E.*
 v. caucasicus Kolen. Mel. III. 12 *Ca.*
  discus Reiche A. 1856. 359 *I.*
 v. scutellaris Rye Ent. Ann. 1871. 32 *Br.*
  pallidus Sharp Cat. 10 *I.*
chrysomelinus L. Fn. Suec. 855 *E.*
 v. maculicollis Lec. Proc. Phil. 66. 374 *E.*
jocosus Say Tr. Phil. IV. 466 *F.*
  arduus Er. Gen. 237
 v. centrimaculatus J. Sahlb. E. F. 186 *L.*
 v. obscurellus Zett. I. L. 54 *Su.*
hypnorum F. Syst. Ent. 266 *E.*

v. armeniacus Kol. Mel. III. 12
v. meridionalis Fairm. A. 1859. 40
atriceps Steph. Ill. Br. V. 181 *E.*
humerosus Er. Gen. 238
4-scopulatus Pand. Mon. 304
signifer Pand. M. Norm. 1869. 32
macropterus Steph. Ill. Br. V. 189 *E.*
scitulus Er. Mk. 395
pulchellus Heer H. 289
v. Abner Saulcy A. 1864. 635 *E.m.*
corpulentus J. Sahlb. E. F. 188 *F.*
pulchellus Mannh. B. M. 1841. 82 *F.R.*
transversalis Grav. Mon. 8 *E.md.b.*
nitidulus F. Sp. Ins. 337 *E.*
brunneus F. Ent. Syst. I. 2. 535
elegantulus Reiche A. 1856. 360

*

ruficollis Grav. Micr. 128 *G.Ga.*
pisciformis Heer H. 289 *H.R.*
v. posticus Foerst. Verh. Rheinl. VI. 39 *P.*
tersus Er. Gen. 237 *R.Br.G.Ga.I.*
crassicornis Mannh. B. M. 44. 180 *F.*

---

nigriceps Mannh. Brach. 59 *F.*

Lamprinus Heer.

pictus Fairm. A. 1852. 71 *I.Ca.*
Fairmairei Lepr. A' 1853. 110 *Si.*
luctuosus Fairm. A. 1855. 312 *Hi.*
saginatus Grav. Mon. 6 *E.md.b.*
haematopterus Kr. I. D. II. 429 *G.*
erythropterus Panz. Fn. Germ. 27. 21
Lasserrei Heer II. 286 *G.H.*
nigricornis Gyll. I. S. IV. 469 *Su.*

Conurus
Stephens.
Conosoma Kraatz.

littoreus L. Fn. Suec. 852 *E.*
incertus Hampe St. 1850. 349
pubescens Payk. Mon. Car. App. 135 *E.*
v. rufulus Hochh. B. M. 1849. 79 *Ca.*
v. cavicola Scriba Heyd. Sp. 79 *Hi.*
v. crypticola Rey Br. 1883. 47 *Ga.*
immaculatus Steph. Ill. Br. V. 190 *E.*
fusculus Er. Mk. 591
dimidiatus Hochh. B. M. 1849. 81 *Ca.*
erythrinus Hochh. B. M. 1871. 126 *R.m.*
pedicularius Grav. Micr. 133 *E.*
lividus Er. Gen. 229
tauricus Motsch. B. M. 1860. 572
monticola Woll. Mad. 556 *Pe.Hi.*
Lethierryi Pand. Mon. 288 *Lu.*

pumilio Epp. Radde Casp. 188 *Ca.*
erythrocephalus Hochh. B. M. 49. 76 *Ca.*
bipustulatus Grav. Micr. 132 *E.md.*
Wankowiczi Pand. Mon. 294 *E.*
binotatus Grav. Micr. 132 *G.A.*
bipunctatus Grav. Micr. 133 *E.md.b.*
fasciatus Grimm. Steierm. 1841. 35
nigropictus Epp. Radde Casp. 189 *Ca.*

Bolitobius
Stephens.

lunulatus L. Fn. Suec. 845 *E.*
atricapillus F. Syst. Ent. 267
rostratus Motsch. B. M. 1860. 573 *Ca.*
speciosus Er. Gen. 277 *Alp.P.*
lunulatus Mannh. Brach. 64 *E.b.*
pulchellus Mannh. ibid. *E.md.b.*
lunulatus Er. Mk. 408

Lordithon Thoms.

bicolor Grav. Mon. 28 *A.Hu.G.*
trimaculatus Pk. Fn. Suec. III. 422 *E.or.b.*
v. flavicollis Hochh. B. M. 1849. 95 *Ca.*
Kraatzi Pand. Mon. 356 *Hu.Tr.*
trinotatus Er. Mk. 409 *E.*
trimaculatus Steph. Ill. Br. V. 172
dorsalis Rey Br. 1883. 214
exoletus Er. Mk. 409 *E.*
angularis Steph. Ill. Br. V. 173
pygmaeus F. Sp. Ins. I. 339 *E.*
distigma Fairm. A. 1852. 72
v. biguttatus Steph. Ill. Br. V. 175
intrusus Hampe St. 1850. 349
Phaedrus Kolen. Mel. III. 14 *Ca.*

Megacronus
Stephens.

striatus Ol. Ent. III. 42 *E.md.b.*

Bryocharis
Lacordaire.

cingulata Mannh. Brach. 64 *E.*
insignis Hochh. B. M. 1849. 93 *Ca.*
analis Payk. Mon. Staph. 47 *E.*
v. merdaria Gyll. I. S. II. 270
castanea Steph. Ill. Br. V. 166

*

inclinans Grav. Mon. 33 *E.*
Barnevillei Pand. Mon. 335
Aubei Pand. ibid.
punctulata Heer H. 298 *H.*
formosa Grav. Mon. 32 *E.md.b.*
haematica Baudi B. 1869. 382 *Pe.*
v. dimidiata Reitt. W. VII. 147 *Ca.*

Bryoporus Kraatz.

cernua Grav. Mon. 31 *E.*
cara Sperk B. M. 1835. 155
picea Thoms. Sk. III. 172
v. merdaria Ol. Ent. III. 42 *[Cro.*
multipunctata Hampe B.66.371 *St.Hu.*
rufa Er. Mk. 407 *G.Ga.A.Hu.*
punctipennis Thoms. Sk. III. 172 *Su.I.*
vittata Epp. Radde Casp. 190 *Casp.*
rugipennis Pand. Mon. 352 *Sc.Ga.G.H.*
Mäklini J. Sahlb. N. Fenn. 70. 421 *F.*
crassicornis Mäkl. Symb. 1847. 9 *Br.F.*
castanea Hardy Tr. Tyn. 1851. 78 *P.*
Hardyi Crotch. i. l. *Balk.*

Mycetoporus
Mannerheim.

Ischnosoma Thoms.

splendidus Grav. Mon. 24 *E.*
pallidulus Mannh. Brach. 63
v. longicornis Mäkl. Symb. 12
biplagiatus Fairm. A. 1860. 155
elegans Mäkl. B. M. 1846. 176 *F.*
spelaeus Scriba Heyd. Sp. 80 *Hi.*
thoracicus Epp. W. z. b. 1879. 463 *Ca.*
myops Epp. ibid. 464 *Ca.*

Mycetoporus i. spec.

Brucki Pand. Mon. 347 *Alp.Hu.Ca.*
rufescens Steph. Ill. Br. V. 170 *E.*
lucidus Er. Mk. 415
v. laevicollis Epp. Led. 107 *Ca.Hu.Sil.*
Märkeli Kr. I. D. II. 457 *E.md.b.*
nanus Er. Mk 415 *E.*
Baudueri Rey Op. XVI. 200 *Ga.*
tenuis Rey Op. II. 67 *E.*
debilis Mäkl. Symb. 14 *F.R.*

*

marginatus Kr. I. D. II. 457 *G.*
punctus Gyll. I. S. II. 248 *E.*
punctatus Fauv. Fg. III. 566
v. bicolor Mäkl. Symb. 10
v. semirufus Heer II. 295
punctipennis Scriba B. 68. 155 *Tr.Serb.I.*
poricollis Pand. Mon. 353 *Ca.*

*

brunneus Marsh. Ent. Br. 524 *E.*
lepidus Grav. Mon. 26
humeralis Motsch. B. M. 1858. 214
v. longulus Mannh. Brach. 63
v. bimaculatus Lac. Fn. Par. I. 505
ruficornis Kr. I. D. II. 461
punctiventris Thoms. Sk. III. 164
Heydeni Scriba Heyd. Sp. 79
v. piceus Mäkl. Symb. 5
tristis Grav. Mon. 29
nanus Grav. Mon. 28
lapponicus Thoms. Sk. III. 164 *L.*

*

pachyraphis Pand. Mon. 351 *Alp.P.*
niger Fairm. Fn. Fr. 494 *E.md.m.*
Fairmairei Pand. Mon. 345
angularis Rey Op. II. 69 *E.md.m.*
niger Baudi B. 1857. 99
Reyi Pand. Mon. 345
Reichei Pand. Mon. 344 *E.md.m.*
pronus v. b. Kr I. D. 465
boreellus J. Sahlb. E. F. 109 *F.*
aequalis Thoms. Sk. X. 323 *Su.*
splendens Marsh. Ent. Br. 524 *E.*
splendidus Duv. Staph. pl. 11. f. 52
australis Rey Br. 1883. 238
confinis Rey ibid. 239
ruficollis Mäkl. Symb. 7 *Herz.F.R.*
ignidorsum Epp. W. z. b. 80. 209 *D.*
forticornis Fauv. Fg. III. 572 *E.*
pronus v. a. Kr. I. D. II. 465
clavicornis Steph. Ill. Br. V. 169 *E.*
pronus Er. Mk. 414
brevicornis Matth. Ent. Mag. V. 197
picipennis Epp. W. z. b. 1880. 505 *Ca.*
confusus Epp. W. VIII. 14 *Ca.*

Staphylinini.

Quediides.

Tanygnathus
Erichson.

terminalis Er. Mk. 418 *G.Ga.R.Su.*
varicornis Woll. Hesp. 234 *And.*

Acylophorus
Nordmann.

glabricollis Lac Fn. Par. I. 396 *E.*
pulcher Scriba Heyd. Sp. 81 *Hi.*
Wagenschieberi Ksw. St. 50. 220 *G.Ca.*

Euryporus
Erichson.

aeneiventris Luc. Alg. 115 *Hi.I.*
meridionalis Baudi St. ent. 133
picipes Payk. Fn. Suec. III. 426 *E.md.b.*

Astrapaeus
Gravenhorst.

ulmi Rossi Fn. Etr. I. 248 *E.*

Heterothops
Stephens.

praevia Er. Mk. 480 *E.*
limosa Motsch. B. M. 1858. 660
fulvipennis Motsch. B. M. 1860.572
nigra Kr. B. 1868. 352
nidicola Thoms. Op. II. 127
melanocera Solsky Hor. VIII. 156
distinguenda Hochh. B.M. 1871. 106
sericans Rey Br. 1877. 676 *Ga.m.*
binotata Grav. Micr. 28 *E.md.I.*
nitens Nordm. Symb. 138 *R.m.*
4-punctula Grav. Mon. 211 *E.md.b.*
dissimilis Grav. Micr. 125 *E.*
praevia Thoms Sk. II. 180
v. brunnipennis Kiesenw. B. 1858. 56
flavolimbata Motsch. B. M. 60. 571

Velleius
Mannerheim.

dilatatus F. Mant. I. 220 *E.md.b.I.*

Velleiopsis
Fairmaire.

marginiventris Fairm. A. 82. 154 *Bulg.*

Quedius
Leach.

Ediquus Rey.

longicornis Kr. I. D. II. 494 *E.*
abdominalis Epp. St. 1878. 419 *Ca.*
microps Grav. St. 1847. 213 *G.Ga Br.*
chrysurus Kiesw.Küst.K.E.12.55 *Su.*
heterodoxus Epp. W. 1890 *Boh.*

Microsaurus Steph. Thoms.

curtus Er. Gen. 534 *Ga.I.*
v. coerulcipennis Fauv.Fg.III 501 *S.Si.*
brevis Er. Gen. 535 *E.md.b.*
crassus Fairm. A. 1860. 153 *Ga.*
amplicollis Scriba Tr. 1868. 155 *Hi.*
lateralis Grav. Micr. 35 *E.*
transcaucasicus Fald. F. Tr. I. 129 *Ca.*
vicinus Mén. Cat. rais. 144
v. suramensis Epp.Schw.M.80.580 *Ca.*
brevicornis Thoms. Sk. II. 175 *E.md.b.*
Eppelsheimi Seidl. F. B. ed. II. 398
pectinator Seidl. (emend.)
Ragusae Epp. Sic. VIII. 89 *Si.*
vexans Epp. D. 1881. 297 *G.or.b.*
ochripennis Mén. Cat. rais. 145 *E.*
laetus Fald. F. Tr. I. 127
puncticollis Thoms. V. A. 1867. 43
assecla Rey Br. 1877. 511
v. variabilis Rey ibid. 505
fulgidus F. Mant. I. 220 *E.*
bicolor Redtb. Fn. A. 1849. 710
4-punctatus Thoms. Sk. IX. 159
v. nigrocoeruleus Rey Br. 1877. 50
mesomelinus Marsh. Ent. Br. 510 *E.*
Fuchsi Scriba B. 1866. 378
temporalis Thoms. Sk. IX. 161
maurus Sahlb. I. F. 317 *E.md.b.*
fageti Thoms. Sk. IX. 161
v. pyropterus Epp. Schw. M. 1880. 583
ventralis Arag. Col. 1830. 12 *I.Br.G.*
truncicola Fairm. Fn. Fr. 538 *Ga.*
abietum Kiesenw. B. 1858. 57 *E.m.*
cruentus Ol. Ent. III. 42 *E.*
aetolicus Kr. B. 1858. 58
v. virens Rottbg. B 1870. 29
xanthopus Er. Mk. 487 *E.md.b.I.*
nigripennis J. Sahlb. E. F. 26 *F.*
tenellus Grav. Mon. 54 *G.*
polystigma Wank. A. 1867. 253
scitus Grav. Mon. 50 *E.md.b.*
v. atricillus Grav. Mon. 55
lentus Motsch. B. M. 1860. 571 *Ca.*
infuscatus Er. Gen. 543 *G.Ga.A.*

punctatellus Heer II.* 275 *Alp.E.md.*
cinctus Payk. Mon. Car. App. 127 *E.*
impressus Panz. Fn. G. 36. 21
rufocinctus Mannh. Brach. 26

Quedionuchus Sharp.

laevigatus Gyll. I. S. II. 306 *E.md.b.*
laevipennis Duf. A. Pau 1843. 110
longipennis Mannh. B. M.1846. 509
resplendens Thoms. Sk. II. 176

Quedius Thoms.
Microsaurus Rey.

tristis Grav. Micr. 34 *E.md.m.*
frontalis Nordm. Symb. 76
laevicollis Brull. Exp. III. 131
fuliginosus Grav. Micr. 34 *E.*
tristis Gyll. I. S. II. 301
granulipennis Motsch. B. M.58. 656.
latus Hochh. B. M. 1851. 30 *Ca.*
molochinus Grav. Mon. 46 *E.*
laticollis Grav. Micr. 173
simplicifrons Fairm. A. 1861. 580

maculicornis Rey Br. 1877. 550
unicolor Kiesenw. St. 1847. 75 *P.Ga.G.A.*

---

incompletus Hochh. B.M. 1849. 153 *Ca.*

Sauridus Rey.

Raphirus Thoms. ex parte.

vulneratus Gemm. Cat. II. 572 *Ca.*
plagiatus Hochh. B.M. 1849. 149
plagifer Epp. W. 1889. 15
ochropterus Er. Gen. 538 *Alp.E.md.*
coelebs Rottbg. B. 1870. 28 *Si.*
v. brevipennis Motsch. B. M. 1858. 656
obliqueseriatus Epp. W. 1889. 17 *Ca.*
transsylvanicus Weise B. 1875. 356 *Tr.*
picipes Mannh. Brach. 26 *E.*
gracilicornis Heer H. 274
provincialis Rey Br. 1877. 563
nigriceps Kr. I. D. II. 510 *E.*
ruficollis Steph. Ill. Br. V. 244
pineti Bris. A. 1866 359
praecox Fauv. Fg. III. 521
robustus Scriba Heyd. Sp. 81 *Alp.Lu.*
parviceps Fauv. Cat. Stierl. 359 *Hi.*
fumatus Steph. Ill. Br. V. 245 *E.*
peltatus Er. Gen. 540
praecox Heer H. 278. 583
irideus Mill. W. z. b. I. 110
dubius Heer Mitth. 156 *Alp.E.md.*
montanus Heer H. 277
fimbriatus Er. Gen. 539
speculator Kiesenw. Küst. K. E. 12. 57
anceps Fairm. Fn. Fr. 543 *P.Hi.*
cincticollis Kr. I. D. II. 508 *A.Hu.*
semiruber Fauv. Fg. III. Cat. XXXIII. *Pol.*
cyanescens Rey Br. 1877. 583 *Ga.m.*
plancus Er. Gen. 538 *S.Gr.Ca.*
umbrinus Er. Mk. 491 *E.md.b.Ca.*
v. maritimus J. Sahlb. E. F. 29 *F.*
humeralis Steph. Ill. Br. V. 220 *E.md.b.*
suturalis Kiesenw. St. 45. 225 *Balk.Ca.*
muscorum Bris. Cat. Gren. 32 *P.*
marginalis Thoms. Sk. IX. 171
bicolor Rey Br. 1877. 594
coxalis Kr. B. 1858. 59 *Gr.I.*
nivicola Kiesenw. ibid. 58 *Gr.*
limbatus Heer Mitth. I. 74 *E.md.b.*
praecox Gyll. I. S. II. 310 *Ca.*
maurorufus Er. Gen. 542
gemellus Epp. W. 1889. 18 *Ca.*
obliteratus Er. Gen. 549 *E.*
nemoralis Baudi St. ent. 131
marginalis Kr. I. D. II. 512
mutatus Kr. C. H. IV. 104
suturalis Thoms. Sk. IX. 170
ovaliceps Rey Br. 1877. 600
praecox Grav. Micr. 172 *Lu.Hi.S.*
Ernestini Fauv. M. N. 1869. 34 *Si.*
maurorufus Grav. Mon. 56 *E.md.b.*
praecox Lac. Fn. Par. 382
modestus Kr. I. D. II. 509
acuminatus Fairm. A. 1860. 155
riparius Kelln. St. 1843. 31 *G.Ga.I.Ca.*
Eppelsheimi Quedf. B. 1882. 181 *And.*
Kraatzi Bris. A' 1859. 231 *P.C.*
lucidulus Er. Mk. 495 *G.Ga.A.H.I.*
scintillans Grav. Mon. 70 *E.*
vicinus Lac. Fr. Par. I. 383
monspeliensis Fairm. A. 1857. 6[illegible]
etruscus Rey Br. 1877. 615

Raphirus Stephens.

pyrenaeus Bris. Cat. Gren. 33 *P.Hu.Balk.*
auricomus Kiesenw St. 1850. 220 *P.Ga.G.*
tomentosomaculatus Corn. St. 63. 130
alpestris Heer H. 280 *Alp.E.md.[A.F.*
satyrus Kiesenw. St. 1847. 75
biseriatus Stierl. Schw. M. IV. 473
virgulatus Er. Gen. 517 *Alp.mar.*
flavipennis Baudi St. ent. 132 *C.S.*
rufipes Grav. Micr. 171 *E.md.I.Gr.*
semiobscurus Marsh. Ent. Br. 512
semiaeneus Steph. Ill. Br. V. 243 *Br.*
semiobscurus Er. Gen. 544 *E.md.m.*
velutinus Motsch. B. M. 1860. 571 *Ca.*
proximus Kr. B. 1858. 60 *G.*
myagrus Rottbg B. 1870. 29 *S.*
paradisianus Heer H. 278 *Mt.E.md.*
monticola Er. Gen. 544
collaris Er. Gen. 545 *G.Hu.Tr.R.*
acuminatus Hochh. B.M. 1849. 151 *Ca.*
Bonvouloiri Bris. Cat. Gren. 34 *P.*
fallaciosus Kr. B. 1862. 269 *G.*
attenuatus Gyll. I. S. II. 311 *E.md.*
picipennis Heer H. 279
Fellmani Zett. I. Lapp. 62 *L.*
fulvicollis Steph. Ill. Br. V. 244 *Sc.Su.L.*
hyperboreus Er. Gen. 547 *G.*
picipennis Rey Br. 1877. 646 *Ga.*
picipennis Scriba B. 1864. 128 *Cp.*
boops Grav. Micr. 21 *E.*
persimilis Rey Br. 1877. 647
v. brevipennis Frm. A. 59. 51 *Alp.E.md.*

Staphylinides.

Emus
Curtis.

hirtus L. Fn. Suec. 839 *E.*

---

ruficornis Mén. Cat. rais. 148 *Ca.*

Creophilus
Mannerheim.

maxillosus L. Fn. Suec. 891 *E.*
v. ciliaris Steph. Ill. Br. V. 202 *Sc.*
fulvago Motsch. Schrenck R. 120

Leïstotrophus
Perty.

Schizochilus Gray.

nebulosus F. Ent. Syst. I. 2. 520 *E. md. b. I.*
murinus L. Fn. Suec. 840 *E.*
v. inauratus Mannh. Brach. 21
v. Haroldi Epp. D. 1884. 170
marginalis Gené M. Tor. 1836. 171 *S.*
chalcopygus Hochh. B. M. 1849. 113 *Arm.*
callistus Hochh. B. M. 1849. 114 *Ca.*

Staphylinus
Linné.

Trichoderma Steph.

Dinothenarus Thoms. ol.

chrysocephalus Fourcr. Ent. Par. I. 165 *Ga*
pubescens Rossi F. Et. Mant. 97 *E. md.*
pubescens Deg. Mém. IV. 17 *E.*

Abemus Rey.

chloropterus Pnz. Fn. Germ. 36. 20 *A. Hu.*

Platydracus Thoms.

lutarius Grav. Mon. 115 *Ga. A. E. m.*
flavopunctatus Latr. H. n. Ins. IX. 297
meridionalis Rosh. Beitr. I. 12 *Ga. P.*
Mulsanti Godart. A' 1850. 55 *Ca.*
chalcocephalus F. Syst. El. II. 593 *E. md. b.*
stercorarius Ol. Ent. III. 42 *E.*
crebrepunctatus Mtsch. B. M. 60. 570
latebricola Grav. Mon. 113 *E.*
rupicola Kiesenw. St. 1850. 219
fulvipes Scop. Carn. 99 *E.*
bicinctus Rossi Etr. Mant. 96

*

arrosus Epp. W. 1890. 169 *Ca.*
fossor Scop. Ann. hist. nat. V. 109 *E. md. I.*

Staphylinus Thoms. Rey.

erythropterus L. Fn. Suec. 842 *E.*
caesareus Cederh. Fn. Ingr. 355 *E.*

Ocypus
Kirby.

Goërius Steph.

Baudii Fauv. A' 1867. 55 *H. Pe.*
rhaeticus Epp. St. 1873. 85 *Ti.*
olens Müll. Fn. Fridr. 23 *E.*
tenebricosus Grv. Arb. Schl. Ges. 46. 95
v. curtipennis Motsch. B. M. 1849. 87
micropterus Redtb. 1849. 697
brachypterus Kr. I. D. II. 553
tenebricosus Otto W. 1890. 64
italicus Arag. Col. 1830. 10 *I.*
macrocephalus Grav. Micr. 160 *G. A.*
v. Ormayi Reitt. D. 1887. 261 *Tr. Hu.*
v. alpinus Grav. Schles. Ges. 46. 96 *A. Srb.*
alpestris Er. Gen. 408 *Alp. E. md.*
v. gracilicornis Hochh. B. M. 49. 120 *Ca.*
Chevrolati Baudi St. ent. 121 *Pe. MC.*
v. brevipennis Heer H. 254 *M V. Alp.*
tenuipennis Grv. Arb. Schl. Ges. 46. 97
ophthalmicus Scop. Carn. 99 *E.*
cyaneus Pk. Mon. Staph. 13
cyanochloris Hochh. B. M. 49. 118 *Ca.*
atrocyaneus Fairm. A. 1860. 157
Hochhuthi Epp. Led 109 *Ca.*
?philonthoides Hochh. B. M. 1849. 125
brunnipes F. Spec. Ins. I. 336 *Mt. E.*
abbreviatus Motsch. B. M. 1858. 669
v. alpicola Er. Gen. 411
syriacus Baudi St. ent. 124 *T.*
Baudii Peyron A. 1858. 124 *R. m.*
Ludovicae Mls. S. Linn. 55. 263 *Crim.*
megacephalus Nordm. Symb. 63 *Carn. Ti.*
nitens Schrank En. Austr. 231 *E.*
similis F. Ent. Syst. I. 2. 521
abbreviatipennis Aub. A. 1850. 315
decurtatus Rey Br. 1877. 145
v. Brenskei Reitt. D. 1884. 44 *Gr.*
pullus Hoch. B. M. 1849. 121 *R. m. Ca.*
simulator Epp. St. 78. 420 *Gr. T. Tr. I.*
aethiops Waltl Reis. Sp. II. 56 *E. m.*
musculus Nordm. Symb. 67
hesperus Crotch Proc. 1867. 391

---

quadraticeps Fald. F. Tr. I. 119 *Ca.*

Pseudocypus Rey.

mus Brull. Exp. III. 130 *E. m. or.*
picipes Nordm. Symb. 68 *Ca.*

fuscipes Heer H. 254
tomentosus Baudi B. 1869. 384 *Gr.*
picipennis F. Ent. Syst. I. 2. 521 *E.*
fuscatus Grav. Micr. 164 *E.*
fulvipennis Er. Gen. 413 *Mt.E.md.*
ibericus Kol. Mel. III. 17 *Ca.*
vagans Heer H. 255 *H.I.*
v. confusus Baudi St. ent. 122 *Pe.*
obscuroaeneus Fairm. A. 1852. 73 *Ga.*
aeneocephalus Deg. Mém. IV. 22 *E.*
cupreus Rossi Etr. I. 248
sericeus Motsch. B. M. 1858. 670
metallicus Costa Att. Nap. 1839. IV. 48

Pseudotasgius Seidl.

pedator Grav. Micr. 163 *E.*
siculus Aub. A. 1842. 234
chalybeipennis Mén. Cat. rais. 143

Anodus Nordmann.
Ocypus Stephens.

falcifer Nordm. Symb. 12 *A.I.R.Ca.*
rufipes Epp. Radde Casp 191 *Ca.*
limbifrons Hochh. B.M. 49. 127 *Armen.*
Solskyi Fauv. Fg. III. Cat. XXVIII. *R.m.T.*
minax Rey Op. XII. 139 *Ga.*
nigrinus Luc. Alg. 109 *Hi.*
depressus Hochh. B. M. 1849. 126 *Ca.*
gracilipalpis Epp. Led. 109 *Hi.*
edentulus Block V. Plauen 115 *E.*
morio Grav. Micr. 6
melanarius Heer H. 256
erosicollis Reiche A. 1856. 364
Saulcyi Reiche A. 1857. 9
siculus Stierl. B. 1864. 146
tricinctus Arag. Col. 1830. 11 *I.*
etruscus Gaut. A. 1860. 368
compressus Marsh. Ent. Br. 503 *E.*
fulvipes Motsch. B. M. 1858. 669
mutatus Gemm. Cat. II. 583
v. cerdo Er. Gen. 417
luganensis Heer H. 256

Matidus
Motschulsky.

forficularius Motsch. B.M. 1860. 569 *Ca.*

Tasgius
Stephens.

ater Grav. Micr. 161 *E.*
morio Sahlb. I. S. 309
protensus Mén. Cat. rais. 144
v. planipennis Aub. A. 1842. 235 *Si.*

gagates Baudi St. ent. 123 *H.*
Oliverii Fauv. B. H. VI. 61

Physetops
Mannerheim.

tataricus Pall. It. App. 74 *R.m.*

Orthidus
Rey.

cribratus Er. Gen. 431 *E.m.mer.*

Cafius
Stephens.

cicatricosus Er. Gen. 455 *Ga.Br.S.Si.*
fucicola Curt. Br. Ent. VII. t. 323 *Br.Ga.*
xantholoma Grav. Mon. 41 *E.mar.*
variegatus Er. Gen. 423
v. variolosus Sharp M.M. VII. 181

Remus Holme.
Pseudidus Rey.

sericeus Holme Trans. II. 64 *E.mer.*
pruinosus Er. Gen. 510
v. filum Kiesenw. Küst. K. E. 12. 19

Hesperus
Fauvel.

rufipennis Grav. Micr. 40 *G.A.Ga.I.*

Bisnius
Thomson.

villosulus Steph. Ill. Br. V. 251 *E.*
elongatulus Er. Mk. 479
orbus Kiesenw. St. 1850 220 *Ga.I.*
tenellus Woll. Can. 576 *H.*
procerulus Grav. Mon. 95 *E.*
lathrobioides Baudi St. ent. 130
semipunctatus Fairm. A. 1861. 434
prolixus Er. Gen. 510 *E.md.m.*
pubipennis Kol. Mel. III. 16
angusticollis Kol. ibid.
dissimilis Baudi B. 1869. 387

Actobius
Fauvel.
Erichsonius Fauv. ol.
Remus Thoms.

melanocephalus Hochh. B.M. 51. 25 *Arm.*
cinerascens Grav. Micr. 49 *E.*
subopacus Hochh. B. M. 1851. 27 *Ca.*
rivularis Kiesenw. B. 1858. 61 *Gr.I.H.*
signaticornis Rey Op. II. 75 *Ga.G.Br.*

Philonthus
Curtis.

velatipennis Solsky B. M. 69. 461 *R.m.*
ephippium Nordm. Symb. 110 *R.m.*
scutellatus Motsch. B.M. 1860. 565
punctus Grav. Micr. 20 *E.*
multipunctatus Mannh. Brach. 31
punctatus Fauv. Fg. III. 445
v. binotatus Grav. Mon. 73
Linki Solsky Hor. 1866. 81 *R.m.*
puella Nordm. Symb. 101 *E.md.b.*
parumpunctatus Er. Gen. 499

*

splendens F. Ent. Syst. I. 2. 523 *E.*
v. sideropterus Kol. Mel. III. 18 *Ca.*
v. ?nigritarsis Mén. Cat. rais. 149 *Ca.*
intermedius Lac. Fn. Par. I. 338 *E.*
laminatus Creutz. Ent. Vers. 128 *E.*

*

cyanipennis F. Ent. Syst. I. 2. 525 *E.*
nitidus F. Mant. I. 220 *E.md.b.*
rutilipennis Hochh. B. M. 1851. 13 *R.b.*
suturalis Nordm. Symb. 91 *R.*
asphaltinus Er. Gen. 436 *G.m.*
chalceus Steph. Ill. Br. V. 227 *E.*
proximus Kr. Wiegm. I. 80
carbonarius Er. Mk. 448
succicola Thoms. Sk. II. 157
politus L. Syst. Nat. I. 2. 683 *E.*
aeneus Rossi Etr. I. 249
v. atratus Lac. Fn. Par. I. 392
addendus Sharp Proc. 1867.440 *E.md.b.*
temporalis Rey Op. II. 74 *Alp.E.md.*
punctiventris Kr. I. D. II. 578
carbonarius Gyll. I. S. II. 319 *E.md.b.*
tenuicornis Rey Op. II. 74
punctiventris Jans. Ent. Ann. 1863.82

*

atratus Grav. Micr. 21 *E.*
lucens Mannh. Brach. 28
subvirescens Thoms. Op. X. 1032
v. coerulescens Lac. Fn. Par. I. 393
janthinipennis Kol. Mel. III. 19
rossicus Fauv. (ined.) *R.*
Bodemeyeri Epp. St. 81.376 *Hu.A.Hi.Ca.*
setosus J. Sahlb. E. F. 14 *F.*
picipes Fauv. Fg. III. Cat. XXXI. *Ca.*
rotundicollis Mén. Cat. rais..145 *Ca.*
scutatus Er. Gen. 438 *E.md.b.*
duplopunctatus Mots. B.M 60.567 *S.*

*

heterodoxus Rey Br. 1877. 275 *C.*
umbratilis Grav. Micr. 170 *E.*
subfuscus Gyll. I. S. II. 326
cephalotes Grav. Micr. 22 *E.*
subrugosus Rey Br. 1877. 280
♂ megacephalus Heer Mitth. I. 74
nigriventris Thoms. Sk. IX. 147 *Su.Sc.*
sordidus Grav. Micr. 176 *E.*
placidus Er. Gen. 458 p. p. *R.*
sparsus Luc. Alg. 112
Scribae Fauv. N. c. V. 112 *G.A.*
placidus Er. Gen. 458 var. *R.*
varipennis Scriba B. 1864. 379 *Hu.*
turbatus Er. Gen. 466 *S.*
♂ erythropterus Fv. M. Norm. 69.35

*

ventralis Grav. Micr. 174 *E.*
♀ celer Grav. Mon. 66
debilis Grav. Micr. 35 *E.*
celer Heer H. 266
melanocephalus Heer 269
discoideus Grav. Micr. 38 *E.*
dimidiatus Sahlb. I. F. 326 *F.R.*
caucasicus Nordm. Symb. 99 *Ca.*
tanaicus Hochh. B.M. 51.14 *C.A.Hu.*
corruscus Grav. Micr. 33 *E.*
ebeninus Grav. Micr. 170 *E.*
lesghicus Kol. Mel. III. 19
concinnus Grav. Micr. 21 *E.*
varians Thoms. Sk. II. 159
melanarius Rey Br. 1877. 259
v. ochropus Grav. Micr. 39
frigidus Kiesenw. St. 1848.324 *Mt.E.md.*
consputus Baudi St. ent. 127 *Pe.*
janthinipennis Hochh. B.M. 51.17 *Ca.*
pyrenaeus Kiesenw. A. 1851.414 *P.Hi.*
corvinus Er. Mk. 462 *E.md.b.*

*

immundus Gyll. I. S. II. 337 *E.*
fumigatus Er. Mk. 463
gagates Rey Br. 1877. 310
ruficornis Hochh. B. M. 1860. 566 *R.m.*
sanguinolentus Grav. Micr. 36 *E.*
v. contaminatus Grav. Micr. 174

*

laevicollis Lac. Fn. Par. I. 397 *Mt.G.Ga*
adscitus Kiesw St. 48. 322 *A.Hu.Serb.*
aerosus Kiesenw. A. 51.416 *Alp.St.Ti.H.*
nimbicola Fauv. Fg. III. 457 *Alp.A.H.*
montivagus Heer H. 275 *Mt.E.md.*
laevicollis Er. Gen. 433

quisquiliarius Gyll. I. S. II. 335 *E.*
lineatis Hochh. B. M. 1849. 140 *Ca.*
v. inquinatus Steph. Ill. Br. V. 223 *E.*
rubidus Er. Gen. 475
rufimanus Er. Gen. 476 *G. Ga. I. Ca.*
suavis Bris. C. H. 1867. 116 *Lu. Hi.*
gratiosus Bris. A. 1866. 359
alcyoneus Er. Gen. 476 *S. C. Si. Hi.*
fimetarius Grav. Micr. 175 *E.*
stenoderus Reiche A. 1861. 204
interpunctatus Hochh. B. M. 1860. 566
anguinus Fauv. Fg. III. 464 *P.*
rubripennis Kiesenw. St. 44. 346 *G. Ga. A.*
lividipes Baudi St. ent. 129 *Pe. S. Ca.*
dimidiatipennis Er. Gen. 500 *E. m.*

Gabrius Stephens.

astutus Er. Gen. 492 *E. md.*
erythrostomus Hochh. B. M. 1851. 22
splendidulus Grav. Micr. 41 *E.*
analis Heer H. 268
brunnicollis Hochh. B. M. 1851. 20 *R. m. or.*
nigritulus Grav. Micr. 41 *E.*
aterrimus Grav. ibid.
pumilus Mannh. Brach. 32
pusillus Heer H. 271
pygmaeus Snellen Fn. Ned. II. 70
v. trossulus Nordm. Symb. 102
piliger Rey Br. 1877. 409 *C.*
coxalis Hochh. B. M. 1871. 142 *R. m.*
thermarum Aub. A. 1850. 176 *Ga. Br.*
exilis Kr. St. 1851. 293 *G. A. I.*
v. maritimus Motsch. B. M. 58. 661 *E. m.*
mimulus Rottbg. B. 1870. 30
pubens Rey S. Linn. XXV. 259
hesperius Fauv. N. c. VI. 44 *Hi. m.*
badius Kiesenw. B. 1858. 61 *C. S. Si.*
insularis Gaut. Schw. M. II. 326 *Gr.*
dentipes Epp. D. 1889. 172 *Hi.*
femoralis Hochh. B. M. 1851. 19 *Ca.*
flavipes Mots. B. M. 60. 567 *Balk. Tr.*
pisciformis Fauv. Fg. III. 468 *Ga.*
tibialis Rey Br. 1877. 396
?fulvipes Mts. B. M. 58. 211 (Oth.) *Crn.*
vernalis Grav. Mon. 75 *E.*
exiguus Nordm. Symb. 105 *E.*
laticollis Fauv. Fg. III. 488 *Ga. Hi.*

Gefyrobius Thomson.

nitidulus Grav. Micr. 27 *E. md. b.*

*

laetus Heer H. 259 *Alp. mar.*
Ghilianii Kr. I. D. II. 574 *Pe. S.*
decorus Grav. Micr. 19
fuscipennis Mannh. Brach. 28
politus F. Syst. Ent. 266 *Ca.*
fugax Fald. F. Tr. I. 125 *E. md. b.*
lucens Er. Gen. 443
Mannerheimi Fauv. Ab. 1868. 45? *Ca.*
laxatus Fauv. Fg. III. Cat. XXXI. *Ca. Gr.*
juvenilis Peyron A. 1858. 426 *Serb.*
tibialis Epp. St. 1876. 431 *E.*
varius Gyll. I. S. II. 321
v. picimanus Mén. Cat. rais. 146
v. bimaculatus Grav. Micr. 38
armeniacus Hochh. B. M. 1851. 17 [illegible]
escorialensis Perez Ins. nuov. 1[illegible] [illegible]
luxurians Er. Gen. 491 *E.*
marginatus Müll. Fn. Fridr. 230 *Hi. Ca.*
bipustulatus Woll. Mad. 555 *Ca.*
fenestratus Fv. M. Norm XV. 35 *I. V.*
cruentatus Gmel. L. Syst. Nat. ed. 13. I. [illegible]
bipustulatus Pz. Fn. Grm. 27. 10 *Ga. I. D.*
stragulatus Er. Gen. 468 *E.*
longicornis Steph. Ill. Br. V. 237
scybalarius Nordm. Symb. 94 *E.*
varians Payk. Mon. Staph. 45
opacus Gyll. I. S. II. 340
alpigradus Rey Br. 1877. 337 *E.*
agilis Grav. Mon. 77 *Hi.*
rufocinctus Fauv. N. c. VI. 46 *E. md. b.*
albipes Grav. Micr. 28
microcephalus Grav. Mon. 70 *Alp.*
v. alpinus Epp. D. 1875. 409 *E. md. b.*
lepidus Grav. Micr. 31
v. gilvipes Er. Mk. 456

*

fumarius Grav. Mon. 67 *E. md. b.*
nigrita Grav. Mon. 68 *E.*
virgo Grav. Mon. 169 *E. md. b.*
palustris Bris. A. 1859. 232 *S. C. Lu.*
micans Grav. Micr. 25 *E.*
Truquii Peyron A. 1858. 427 *H.*
helveticus Rey Br. 1877. 362 *Ga.*
taenianus Rey ibid.
salinus Kiesw. St. 1844. 347 *Ga. G. Hu. G.*
fulvipes F. Ent. Syst. I. 2. 526 *E.*
rubripennis Steph. Ill. Br. V. 239
v. varipes Rey Op. XII. 142
obscuripes Bris. Cat. Gren. 34

Rabigus Rey.

formosus Motsch. B. M. 1860. 567 *Ca.*
tenuis F. Ent. Syst. I. 2. 528 *E.*
gracilis Letzn. Arb. Schles. Ges. 46. 78
pullus Nordm. Symb. 104 *E. md.*

Xantholinides.

Platyprosopus
Mannerheim.

elongatus Mannh. Brach. 36 *R.m.Ca.*
hierichonticus Reiche A. 1856. 361 *Gr.*

Diochus
Erichson.

Staudingeri Kr. W. Mt. IV. 27 *Hi.m.*

Othius
Stephens.

fulvipennis F. Ent. Syst. I. 2. 537 *E.*
grandis Hochh. B. M. 1849. 99 *Ca.*
paralleliceps Quedf. B. 1882. 183 *Hi.m.*
  xantholinoides Fairm. A' 1883. 105

*

laeviusculus Steph. Ill. Br. V. 255 *E.md.*
  punctipennis Lac. Fn. Par. I. 409
  fuscicornis Heer II. 581
stenocephalus Epp. W. z. b. 1880. 106 *Ca.*
melanocephalus Grav. Mon. 107 *E.md.b.*
  6-punctatus Halid. Ent. 1841. 187 *E.*
myrmecophilus Kiesw. St. 1843. 308 *G.*
  melanocephalus Mannh. Brach. 34
lapidicola Kiesw. St. 1848. 321 *Mt.E.m.*
  crassus Motsch. B. M. 1858. 210
  longicornis Thoms. Op. IV. 369
  piceus Scriba Heyd. Sp. 82 *Hi.*
volans J. Sahlb. E. F. 32 *F.*
brevipennis Kr. I. D. II. 657 *Alp.A.Hu.*
  dilutus Motsch. B. M. 1858. 210 *St. Ti.*
pallidus Brancs. B. 1874. 135 *Cp.St.Ca.*

Baptolinus
Kraatz.

Atrecus Duval.
Gyrohypnus Thoms.

pilicornis Pk. Mon. Car. App. 335 *E.md.*
affinis Pk. Mon. Staph. 24 *E.*
  alternans Grav. Micr. 48
  frigidus Duf. B. Pau 1843
  nigriceps Mannh. Brach. 34
  dimidiatus Motsch. B. M. 1860. 565
longiceps Fauv. Fg. III 374 *Mt.E.md.*
  ?suturalis Motsch. B. M. 1858. 211

Leptacinus
Erichson.

scripticollis Hochh. B. M. 1849. 106 *Ca.*
parumpunctatus Gyll. I. S. V. 481 *E.*
  ampliventris Duv. A' 1854. 37
batychrus Gyll. I. S. IV. 480 *E.*
  linearis Grav. Micr. 43
  procerulus Steph. Ill. Br. V. 264
  tener Waltl And. II. 59
  angustatus Grimm. Steierm. 45. 134
  apicalis Kolen. Mel. III. 15
  othioides Baudi B. 1869. 390
formicetorum Märk. Germ. Zt. III. 216 *E.*
laeviusculus Solsky B. M. 1864. 442 *R.m.*

Leptolinus
Kraatz.

Stenistoderus Duval.

nothus Er. Gen. 338 *E.m.*
  sareptanus Strl. Schw. M. II. 217
v. cephalotes Kr. B. 1858. 65 *E.m.*
  versicolor Solsky Hor. VIII. 181

Metoponcus
[illegible]

Cylindrocephalus Motsch.
Zetcotomus Duv.

brevicornis Er. Gen. 334 *A.Ga.*
basalis Aub. A. 1850. 314 *Ca.*
  pictus Motsch. Et. 1859. 130
  tricolor Brancs. B. M. 1870. 418 *Hu.*

Eulissus
Mannerheim.

Agerodes Motsch.
Gauropterus Thoms.

fulgidus F. Mant. I. 220 *E.*
  angulatus Küst. K. E. 13. 7
  intermedius Küst. ibid. 8
sanguinipes Reitt. D. 1889. 275 *Ca.*
sanguinipennis Kolen. Mel. III. 14 *Ca.*

Nudobius
Thomson.

umbratus Motsch. B. M. 1860. 564 *Ca.*
lentus Grav. Mon. 101 *E.md.b.I.*
collaris Er. Mk. 434 *G.*
  Godeti Lap. H. n. I. 180 *R.m.*
  ruficollis Luc. Alg. 107 *I.Ga.*

Xantholinus
Serville.

Gyrohypnus Steph.

punctulatus Payk. Mon. Staph. 30 *E.*
  morio Reitt. B. 1872. 167
  melanarius Fauv. Ab. VIII. 304
  Haroldi Reitt. C. H. 1873. 146
v. Thomsoni Schwarz B. 1872. 154
  atratus Thoms. Sk. II. 190

confusus Rey Op. II. 71
picipes Thoms. Sk. II. 190
angustatus Steph. Ill. Br. V. 263 *E.*
ochraceus Gyll. I. S. II. 352

Xantholinus Thoms. Rey.
Megalinus Rey.
glabratus Grav. Micr. 178 *E.*
occidentalis Waltl And. II. 58

*

relucens Grav. Mon. 101 *E.md.m.*
ochropterus Nordm. Symb. 118
v. flavocinctus Hochh. B. M. 1849. 102
hebraicus Reiche A. 1856. 362
fasciatus Hochh. ibid. 103 *Ca.*
glaber Nordm. Symb. 114 *E.md.b.*
flavipennis Redtb. Fn. A. 1849. 692
rotundicollis Steph. Ill. Br. V. 259
hesperius Er. Gen. 329 *Lu.Hi.*
limbatus Waltl And. II. 57 *Si.*
coloratus Karsch B. 1881. 44 *F.*
myops Fauv. Fg. III. 389 *Alp.mar.*
procerus Er. Gen. 331 *G.A.I.S.Hi.*
decorus Er. Gen. 324 *Hu.Cro.Gr.*
rufipennis Er. Gen. 322 *E.m.*
elegans Ol. Ent. III. 42 *Hi.I.Gr.*
fortepunctatus Motsch. B.M. 60. 564 *Ca.*
crassicornis Hochh. B. M. 1851. 7 *Ca.*
tricolor F. Mant. I. 221 *E.*
v. meridionalis Lac. Fn. Par. I. 473
distans Rey Op. II. 71 *E.md.*
cribripennis Fauv. Fg. III. 390 *Ga.I.*
fortepunctatus Hochh. B.M. 62. 66 *Ca.*
variabilis Hochh. B. M. 1851. 8 *Ca.*
linearis Ol. Ent. III. 42 *E.*
multipunctatus Thoms. Sk. II. 191
longiventris Heer H. 247
graecus Kr. B. 1858. 64 *Gr.Ca.*
translucidus Scriba Heyd. Sp. 81 *Hi.*
rufipes Luc. Alg. 106 *Hi.*
Cordieri Boield. A. 1859. 464

---

haematodes Kolen. Mel. III. 24 *Ca.*

Vulda
Duval.
augusticollis Fauv. Fg. III. Suppl. 44 *I.*
gracilipes Fauv. Fg. III. 386
gracilipes Duv. A. 1852. 698 *Ga.Nizza*

Typhlodes Sharp.
tenuipes Baudi B. 1869. 388 *I.*
italicus Sharp M. M.X. 2

Paederini.
Paederides.

Cryptobium
Mannerheim.
fracticorne Pk. Fn. Suec. III. 430 *E.*
brevipenne Rey Op. XII. 147
Jacquelini Boield. A. 1859. 466
v. egregium Reitt. W. III. 83

Homoeotarsus
Hochhuth.
Spirosoma Motsch.
Chaudoiri Hochh. B.M. 1851. 35 *Gr.Ca.*

Dolicaon
Laporte.
Adelobium Nordm.
densiventris Fauv. Fg. III. Cat. XX *Si.*
cribricollis Fauv. B. N. 1869. 37 *Hi.m.*
sparsus Reitt. D. 1887. 262 *Ca.*
illyricus Er. Gen. 577 *A.D.Si.Gr.F.*
melanocephalus Reiche A. 1856. 366 *Gr.*
gracilis Grav. Micr. 182 *Lu.Hi.*
haemorrhous Er. Gen. 577 *Si.*
biguttulus Lac. Fn. Par. I. 425 *E.md.m.*
gracilis Redtb. 207

Scotonomus
Fauvel.
Raymondi Fauv. Fg. III. 328 *S.I.*
etruscus Saulcy B. Metz I. 116 *I.*

Lathrobium
Gravenhorst.
Glyptomerus Müll.
Typhlobium Kraatz.
cavicola Müll. St. 1856. 308 *Car.m.*
stagophilum Kr. W. z. b. VI. 625
apenninum Baudi B. 1869. 390 *I.*
etruscum Piccioli B. It. 1870. 307
Diecki Saulcy B. Metz I. 115 *Si.*
bosnicum Reitt. D. 1888. 420 *Bosn.*
coecum Friv. Term. Füz. VII. 83. 11 *Hu.*
anophthalmum Fauv. R. IV. 33 *Serb.*

Lathrobium i. sp.
testaceum Kr. I. D. II. 682 *A.*
spadiceum Er. Gen. 592 *G.Pe.*
Tarnieri Rouget A. 1854. 83 *Ga.*
Eppelsheimi Czwal. W. VIII. 33 *Ca.*

*

elegantulum Kr. I. D. II. 680 *St.D.Cro.Hu.*
flavipes Hochh. B. M. 1851. 48 *R.m.*
v. fallax Czwal. D. 1888. 343 *R.m.*
fovulum Steph. Ill. Br. V. 270 *E.*
punctatum Er. Gen. 600
rufipes Mäkl. B. M. 1851. 46
brunnipes F. Ent. Syst. I. 2. 537 *E md.b.*
punctatum Fauv. Fg. III. 341
v. luteipes Fauv. ibid. 342

*

geminum Kr. I. D. II. 673 *E.*
bicolor Heer H. 240
volgense Hochh. B. M. 1851. 42
pallidipenne Hochh. ibid. 44
boreale Redtb. Fn. A. ed. 3. 225
ripicola Czwal. D. 1888. 340 *E.md.b.*
boreale Rey Br. 1878. 39
elongatum L. Syst. Nat. I. 2. 685 *E.md.b.*
rufescens Motsch. B.M. 1860. 563 *R.*
rufipenne Gyll. I. S. II. 704 *E.md.b.*
punctulatum Mannh. Br. 37
laevipenne Heer H. 240 *E.md.*
dentatum Kelln. St. 1844. 414
v. impressifrons Epp. Radde Casp. 192
furcatum Czwal. D. 1888. 346 *Hu.T.Ca.*
rugipenne Hochh. B.M. 1851. 46 *Armen.*
castaneipenne Kol. Mel. III. 22 *Ca.Hu.*
lineatocolle Scriba St. 1859. 414 *G.A.*
Pandellei Czwal. B. 1889. 367 *P.*
fulvipenne Grav. Mon. 104 *E.md.b.*
alpestre Heer H. 239
v. Letzneri Gerh. B. 1869. 257
crassipes Rey Br. 1878. 32 *Ga.P.I.*
filiforme Grav. Mon. 134 *E.*
impressum Heer H. 580
xanthomerum Kr. I. D. II. 681 *I.*
?suturale Wenck. Cat. Als. 1866. 127
longulum Grav. Micr. 53 *E.*
v. longipenne Fairm. Fn. Fr. 555
hamatum Czwal. D. 1888. 343 *Ca.*
maurianense Fauv. B. N. IX 300 *Pe.H.Ga.*

*

dilutum Er. Mk. 509 *G.*
agile Heer H. 237 *H.*
pallidum Nordm. Symb. 142 *E.md.b.*
Jansoni Crotch Proc. 1866. 441

Tetartopeus Czwalina.

punctatum Zett. Fn. L. I. 84 *L.*
Zetterstedti Rye Ent. Ann. 1872. 25
baicalicum Epp. St. 1878. 424
sibiricum Epp. St. 1876. 433
quadratum Payk. Mon. Staph. 29 *E.*
terminatum Grav. Micr. 55 *E.*
v. atripalpe Scriba St. 1859. 415
posticum Rey Op. XII. 144
gracile Hampe B. 1866. 371 *Hu.Bav.G.b.*
angustatum Lac. Fn. Par. I. 424 *G.Ga.H.I.*
scutellare Nordm. Symb. 143 *Ca.R.*
gracile Solsky Hor. IV. 82
Solskyi Stein Cat. 1868. 33

Lobrathium Rey.

lusitanicum Er. Gen. 597 *E.m.*
decipiens Reiche A. 1861. 205 *C.*
erythrurum Rottbg. B. 1870. 31 *Si.*
Ludyi Epp. D. 1888. 175 *Ill.*
Manueli Fauv. B. N. IX. 301 *Pe.*

*

anale Luc. Alg. 117 *Hi.*
concinnum Bris. A' 1859. 238
apicale Baudi B. 1857. 102 *Gr.Ca.*
multipunctum Grav. Micr. 52 *E.*
v. striatopunctatum Ksw. St. 1850. 220
differens Gemm. Cat. II. 612
m. pyrenaicum Fairm. Cat. Gren. 34 *P.*
Lederi Epp. Radde Casp. 194 *Ca.*
Reitteri Czwal. W. VIII. 34 *Ca.*

*

angusticolle Lac. Fn. Par. I. 424 *Ga.G.*
longicorne Redtb. Gen. 8
carinatum Bold. Tr. Tyn. 1855. 46
v. sodale Kr. I. D. II. 687 *A.Hu.*
bicolor Er. Gen. 593 *G.Ga.A.Pe.*
angusticolle Hochh. B. M. 1851. 32 *Ca.*
picipes Er. Gen. 594 *E.md m.Ca.*

Throbalium Rey.

dividuum Er. Gen. 601 *Ga.C.S.*
pallidipenne Stierl Schw. M. II. 219 *R.*

Centrocnemis Joseph.

krniense Jos. D. 1868. 365 *Carn.*

Pseudobium *Rey.*

labile Er. Gen. 594 *Ga G.E.m.*

Achenium *Curtis.*

caucasicum Lap. Et. ent. I. 119 *Ca.*
striatum Latr. H. n. IX. 341 *Ga.m.*
distinctum Luc. Alg. 117 *Hi.*
haemorrhoidale Luc. ibid. 116 *Si.*

jejunum Er. Gen. 587 *S.*
rugipenne Fauv. Fg. III. Cat. XXIII. *Hi.*
planum Er. Gen. 583 *Gr.R.m.*
ephippium Er. Gen. 584 *A.Hu.Gr.*
depressum Grav. Micr. 182 *E.md.m.*
levantinum Reitt. D. 1884. 45 *Gr.*
basale Er. Gen. 584 *I.C.S.*
nigriventre Fairm. A. 1870. 372 *Lu.*
lusitanicum Shal. W. III. 89
tenellum Er. Gen. 587 *Hi.I.Gr.*
quadriceps Epp. D. 1889. 175 *Ca.*
humile Nicol. Hal. 98 *E.md.*
rutulum Fairm. A. 1861. 581 *Ga.m.*

Medon
Stephens.

Lithocharis Lacord.
Achenomorphus Motsch.

castaneus Grav. Micr. 60 *E.md.b.*
Ruddi Steph. Ill. Br. V. 273
procerus Perez An. Esp. III. 114
?brevicornis Latr. H. n. IX 342
dilutus Er. Mk. 514 *E.md.*
oppidanus Kr. I. D. II. 711 *Ca.*
spelaeus Scriba Heyd. Sp. 82 *Hi.*
piceus Kr. A' 1858. 151 *Ga.G.Br.*
muscicola Rey Br. 1878. 137 *Hi.Si.*
rufiventris Nordm. Symb. 147 *G.Hu.*
incertus Rey Br. 1878. 137 *Ga.*
pythonissa Saulcy A. 1864. 649 *C.*
pocofer Peyron A. 1857. 718 *Br.*
maritimus Aub. Cat. Gren. 36 *Ga.*
ferrugineus Er. Gen. 613 *A.*
brunneus Er. Mk. 612 *E.md.b.*
megacephalus Heer H. 238
monticola Hampe B. 1866. 372
Brancsiki Epp. St. 1880. 287 *A.Hu.*
despectus Fairm. A. 1860. 160 *And.*
sparsiventris Epp. D. 1889. 176 *Casp.*
Araxidis Reitt. (ined.) *Ca.*
fusculus Mannh. Brach. 40 *E.md.*
rufus Rey Op. II. 78
infuscatus Baudi B. 1869. 392
ripicola Kr. St. 1851. 127 *E.*
fusculus Rey Op. II. 78
Kellneri Kr. D. 1875. 123
apicalis Kr. I. D. II. 715 *G.Ga.Br.*
sericellus Fairm. A. 1860. 159
nigritulus Er. Gen. 625 *E.md.m.*
minutus Luc. Alg. 119
castanopterus Kr. I. D. II. 716
siculus Kr. ibid.
v. macropeplus Kr. D. 1889. 220 *Si.*

graecus Kr. I. D. II. 717 *Gr.D.I.*
cephalicus Epp. D. 1889. 177 *R.m.*

*

debilicornis Woll. Mad. 194 *Ga.*
brevicornis All. A. 1857. 747

Hypomedon Rey.

propinquus Bris. C. H. II. 116 *I.*
vicinus Bris. A' 1859. 233
laetus Thoms. Sk. IX. 186
bicolor Ol. Ent. III. 44 *E.*
ruficollis Kr. I. D. II. 747
?rubricollis Steph. Ill. Br. V. 276
melanocephalus F. Ent. Syst. I.2.538 *E.*
Quedenfeldti Epp. Cat. 1883. 210 *Hi.m.*
nitidus Quedf. B. 1881. 291
politus Quedf. B. 1883. 151
nitens Duviv. En. Staph. 84

*

seminiger Fairm. A. 1860. 161 *I.*
aveyronensis Matth. A. 62. 244 *Ga.*
brevipennis Scriba B. 1868. 156 *P.*
brachypterus Scriba C. H. IV
gracilis Rey Op. XIV. 107
Plasoni Epp. St. 1875. 366
Simoni Quedf. B. 1881. 291 *Hi.m.*

Pseudomedon Rey.

obsoletus Nordm. Symb. 146 *E.*
opacus Redtb. 987
obscurellus Er. Gen. 624 *E.*

Lithocharis Thoms. Rey.

ochraceus Grav. Micr. 59 *E.*

Scopaeus
Erichson.

infirmus Er. Gen. 607 *R.m.*

*

pusillus Hochh. B. M. 1849. 162 *Ca.*
bicolor Baudi St. ent. 185 *Pe.I.*
mutatus Gemm. Cat. II. 619
gracilis Sperk B. M. 1835. 153 *E.md.m.*
Erichsoni Kol. Mel. III. 23 *Ca.*
apicalis Rey Op. VI. 53
debilis Hochh. B. M. 1851. 50 *Ca.A.Hi.*
scitulus Baudi B. 1857. 103 *I.D.Ga.*
sericans Rey Op. VI. 60 *Ga.I.Si.Hi.*
longicollis Fauv. Fg. III. 311 *Ga.G.Hi.*
laevigatus Gyll. I. S. IV. 483 *E.*

Polyodontus Sol.

Scopæmacus Motsch.

rubidus Rey Op. VI. 60 *Ga.G.*
subcylindricus Scriba B. 68. 156 *Hi.I.*
micropterus Fauv. Fg. III. 313 *I.*
didymus Er. Gen. 606 *E.md.m.*
cognatus Rey Op. VI. 68 *E.md.I.*
sulcicollis Steph. Ill. Br. V. 277 *E.*
minutus Er. Gen. 606
chalcodactylus Kol. Mel. III. 23
pumilus Heer H. 236
debilis Rey Op. VI. 71
anxius Rey Op. XII. 149
v. abbreviatus Rey Op. VI. 65
pusillus Kiesw. St. 1843. 309
v. intermedius Rey Op. VI. 71
minimus Er. Mk. 511 *E.md.m.*
microphthalmus Epp D. 1888. 409 *Gr.*

Domene

Fauvel.

scabricollis Er. Gen. 603 *Mt.E.md.*
aciculata Hopffg. E. N. IV. 269 *Cro.*
stilicina Er. Gen. 932 *I.Gr.R.*
punctatissima Scriba B. 1870. 417
scopaeella Fauv. Fg. III. 306 *Lu.*

Stilicus

Latreille.

festivus Rey Op. II. 81 *Ga.m.C.*
capitalis Gemm. Cat. II. 617 *R.m.*
bimaculatus Motsch. B.M. 1860. 562
angustatus Fourcr. E. Par. I. 172 *E.md.*
fragilis Grav. Mon. 140 *I.*
scutellatus Motsch. B. M. 1858. 640

*

subtilis Er. Gen. 631 *E.md.*
similis Er. Mk. 521 *E.md.b.*
geniculatus Er. Gen. 633 *E.md.*
?punctipennis Steph. Ill. Br. V. 278
flavipes Motsch. B. M. 1860. 563 *Ca.*
orbiculatus Payk. Mon. Staph. 35 *E.*
affinis Er. Mk. 522
fuscipes Er. Gen. 633
ruficornis Luc. Alg. 119
dilutipes Reitt. D. 1884. 47 *Gr.*
rufipes Germ. Fn. Ins. E. 18. 4 *E.*
Erichsoni Fauv. N. c. V. 114 *E.md.b.*
orbiculatus Er. Mk. 523

Sunius

Stephens.

Astenus Lacord. Mecognathus Woll.
Neognathus Sharp.

paradoxus Epp. Led. 114 *Ca.R.m.*
collaris Fauv. Fg. III. 294 *Hi.m.*
latus Fairm. A. 1860. 164
latus Rosh. And. 72 *Lu.Hi.C.*
curtulus Er. Gen. 645 *C.S.*
tristis Er. Gen. 644 *S.C.*
platynotus Saulcy A. 1864. 653 *Hi.*
diversicollis Fauv. B. N. 1869. 21
Martinezi Uhagon A. Esp. V. 73 *Lu.*

*

uniformis Duv. A. 1852. 700 *Ga.*
diversicollis Baudi B. 1869. 393 *D.*
humeralis Rottbg. B. 1870. 34 *I.*
anguinus Fauv. Fg. III. 293 *Hi.*
vestitus Rey Br. 1878. 273
filiformis Latr. G. Crust. I. 293 *E.*
anguinus Baudi St. ent. 137
serpentinus Motsch. B.M. 1858. 635
sericatus Motsch. ibid. 60. 561 *Ca.*
unicolor Rey Br. 1878. 276
subditus Rey ibid. 278
v. humeralis Gredl. Tir. 110
v. abbreviatus Baudi B. 1869. 393

*

cribrellus Baudi ibid. 394 *I.D.*
filum Aub. A. 1850. 317 *Hi.S.*
asper Aub. ibid.
rutilipennis Chevr. Rev. 1860. 410

*

nigromaculatus Mots. B.M. 58. 637 *C.Hi.*
bimaculatus Er. Gen. 641 *E.m.*
biguttatus Baudi B. 1857. 106
immaculatus Motsch B.M. 1860. 561
melanurus Küst. K. E. 26. 76 *E.m.*
apicalis Motsch. B. M. 1860. 560
aemulus Rottbg. B. 1870. 33

*

pulchellus Heer H. 230 *H.G.Br.*
diversus Aub. A. 1850. 318 *Ga.*
fasciatus Hochh. B.M. 1860. 560 *R.m.*
angustatus Payk. Mon. Staph. 36 *E.*
gracilis Payk. ibid. 38
neglectus Märk. Germ. Zt. V. 239 *E.*
misellus Rey Br. 1880. 416
thoracicus Baudi B. 1857. 105 *Gr.R.*
subnitidus Kr. B. 1858. 66 *Ca.*
immaculatus Steph. Ill. Br. V. 275 *E.*

intermedius Er. Mk. 524
dalmatinus Küst. K. E. 26. 73

Nazeris
Fauvel.

Mesunius Sharp.

pulcher Aub. A. 1850. 317 *Lu.*
cribellatus Fairm. A. 1860. 162 *Hi.*
pallidipes Reitt. W. 1888. 149 *Ca.*

Paederus
Gravenhorst.

Paederomorphus Gautier.

lusitanicus Aub. A. 1842. 236 *Lu. Hi.*
Schönherri Fald. i. lit. *E. md. m.*
Baudii Fairm. A. 1859. 184 *I.*
lusitanicus Baudi B. 1857. 107 *Pe.*
ventricosus Gaut. A. 1862. 77
Pelikani Reitt. W. III. 14 *Gr.*
brevipennis Lac. Fn. Par. I. 430 *Ga. G.*
geniculatus Dietr. St. 1855. 201 *H. I.*
littoralis Grav. Micr. 61 *G.*
vulgaris Mill. W. z. b. II. 27
peduncularius Gaut. A. 1862. 77
♂ cephalotes Motsch. B. M. 1849. 86
meridionalis Fauv. Fg. III. 331 *E. m.*
riparius L. Fn. Suec. 846 *E.*
gregarius Scop. Carn. 102
longicollis Gaut. A. 1861. 393
fuscipes Curt. Ent. Br. III. t. 108 *E.*
longipennis Er. Mk. 517
aestuans Er. Gen. 655
corsicus Gaut. A. 1861. 393
v. fennicus J. Sahlb. E. F. 38 *F.*
caligatus Er. Gen. 652 *E. md. m.*
paludosus Dietr. St. 1855. 202
limnophilus Er. Gen. 653 *E. md.*
minutus Gaut. A. 1862. 76
melanurus Arag. Col. 1830. 13 *Ti. S. Si.*
v. ruficeps Baudi St. ent. 138 *Pe.*

Paederidus Rey.

ruficollis F. Spec. Ins. I. 339 *E.*
thoracicus Fourcr. E. Par. I. 170
gemellus Rey Br. 1878. 249
gemellus Kr. I. D. II. 731 *E. md.*
sanguinicollis Steph. Ill. Br. V. 281 *E. md.*
longicornis Aub. A. 1850. 319
carbonarius Gaut. A. 1861. 394
haematoderes Gemm. Cat. II. 627
ruficollis Rey Br. 1878. 246

Pinophilides.

Oedichirus
Erichson.

paederinus Er. Gen. 685 *Si.*
Quedenfeldti Schauf. E. N. 1888. 314
unicolor Aub. A. 1843. 91 *Hi.*
Oedipus Rottbg. B. 1870. 34 *Si.*

Procirrus
Erichson.

Lefebvrei Latr. R. An. IV. 436 *Si.*

Pinophilus
Gravenhorst.

siculus Kr. I. D. II. 667 *Si.*
?erythrostoma Costa Att. Nap. 83. 85

Stenini.

Dianous
Samouelle.

coerulescens Gyll. I. S. II. 463 *E. md. b.*

Stenus
Latreille.

biguttatus L. Fn. Suec. 851 *E.*
bipunctatus Er. Mk. 530 *E.*
longipes Heer H. 214 *E. md. m.*
ocellatus Fauv. B. N. IX. 305 *Ga. Lu.*

*

erythrocnemus Epp. Radde Casp. 195 *Ca.*
maculiger Weise B. 1875. 367 *Gr. Hu. Cro.*
bipustulatus Thoms. V. A. 1857. 220 *Su.*
laevigatus Rey Op. XII. 152 *I. C. S.*
guttula Müll. Germ. Mag. IV. 225 *E.*
geminus Heer H. 215

*

Guynemeri Duv. A. 1850. 51 *E. occ. m.*
rugosus Kiesenw. St. 1850. 220
tylocephalus Kr. I. D. II. 761

*

alpicola Fauv. Fg. III. 236 *H. Pe. P.*
sibiricus J. Sahlb. Sv. 1880. 79 *Ca.*

*

aterrimus Er. Mk. 549 *G. Ga. Su.*
asphaltinus Er. Gen. 695 *G. Ga. Br. I.*
socius Rey Br. 1884. 36
fossulatus Er. Gen. 711 *G. Ga. I.*
gracilipes Kr. I. D. II. 750 *G.*
bilineatus J. Sahlb. E. F. 61 *F.*

*

strigosus Fauv. Fg. III. 239 *C.*
incanus Er. Mk. 538 *E.md.m.*
pygmaeus Perris A. 1865. 506
tythus Schauf. W. z. b. 1881. 621 *Bal.*
ampliventris J. Sahlb. (ined.) *F.*
mendicus Er. Gen. 702 *E.md.*
oreophilus Fairm. A. 1859. 43
pusillus Er. Mk. 544 *E.*
coniciventris Fairm. Fn. Fr. 579
exiguus Er. Gen. 706 *Br.Ga.*
nanus Steph. Ill. Br.V.301 *E.*
declaratus Er. Mk. 557
* *
circularis Grav. Micr. 157 *E.*
pumilio Er. Mk. 558 *G.A.F.*
*
humilis Er. Mk. 554 *E.md.*
picipes Motsch. B. M. 1857. 513
synonymus Gemm. Cat. II. 640
carbonarius Gyll. I. S. IV. 505 *E.md.b.*
niger Mannh. Brach. 43
opacus Er. Mk. 543
debilis Rye M.M. I. 42
♂ glabellus Thoms. Op. II. 127
♀ subglaber Thoms. Op. III. 329
*
stigmula Er. Gen. 693 *E.md.b.*
maculipes Heer H. 215
bimaculatus Gyll. I. S. II. 466 *E.*
*
clavicornis Scop. Carn. 100 *E.*
speculator Lac. Fn. Par. I. 445
boops Gyll. I. S. II. 469
? v. simplex Rey Br. 1884. 84 *Pe.*
scrutator Er. Gen. 708 *G.Hu.Su.*
femoralis Er. Mk. 547 *F.R.*
coxalis J. Sahlb. E. F. 49
fortis Rey Br. 1884. 78 *Ga.m.*
excellens Epp. W. 1883. 303 *D.*
providus Er. Mk. 546 *E.*
obscurus Luc. Alg. 124
v. Rogeri Kr. I. D. II. 764
novator Duv. Gen. Staph. Cat. 74
subrugosus Rey Br. 1884. 91
sylvester Er. Mk. 547 *G.Ga.Su.Tr.*
hyperboreus J. Sahlb. E. F. 50 *L.*
excubitor Er. Mk. 551 *G.*
lustrator Er. Mk. 548 *E.md.b.*
proditor Er. Mk. 550 *E.md.b.*
ripaecola J. Sahlb. Not. F. XI. 414
v. grandiceps Thoms. V. A. 57. 222 *Su.G.*
*
gallicus Fauv. Fg. III 248 *Ga.*
calcaratus Scriba B. 1864. 380 *G.b.R.*

Juno F. Syst. El. II. 602 *E.*
boops Grav. Mon. 226
inspector Mäkl. Finsk. XXII. 83
ater Mannh. Brach. 42 *E.*
adjectus Rey Br. 1884. 62
affaber Baudi St. ent. 140 *R.m.Hu.*
punctipennis Thoms. Sk. II. 214 *Su.*
longitarsis Thoms. V. A. 1851. 533 *E.md.b.*
♂ Barnevillei Bedel Ab. VII. 92
fasciculatus J. Sahlb. E. F. 47 *R.C.Norv.*
intricatus Er. Gen. 694 *Ga.E.m.*
* *
incrassatus Er. Mk. 541 *E.*
umbricus Baudi B 1869. 195 *I.*
atratulus Er. Mk 540 *E.*
longipennis Rey Br. 1884. 116
tenuis Rey ibid. 118
propinquus Rey ibid.
externus Rey ibid.
melanarius Steph. Ill. Br. V. 299 *E.*
cinerascens Er. Mk. 539
nigripalpis Thoms. Sk. II. 221
foveifrons Rey Br 1884. 120
rugulosus Rey ibid. 116
subdepressus Rey Op. XII. 158 *Ga.G.*
explorator Fauv. Fg. III. 254
albipilis Rey Br. 1884. 123 *Ga.*
morio Grav. Mon. 230 *E.md.m.*
trivialis Kr. I. D. II. 760
gracilentus Fairm. Fn. Fr. 578
aequalis Rey Op. VIII. 138
inaequalis Rey ibid. 140
buphthalmus Grav. Micr. 156 *E.*
angustatus Steph. Ill. Br. V. 299
sulcatulus Rey Op. XIV. 108
notatus Rey Br. 1884. 103
canaliculatus Gyll. I. S. IV. 501 *E.*
congener Mäkl. B. M. 1853. 192
palposus Zett. Lapp 70 *E.b.*
buphthalmus Gyll. I. S. IV. 475
carbonarius Er. Gen. 696 *Ga.G.*
argentellus Thoms. Sk. II. 222
ruralis Er. Gen. 697 *E.md.*
alpestris Heer H. 577
♀ Shepperdi Crotch Ent. ann. 1867. 47
labilis Er. Gen. 697 *F.Su.*
confusus J. Sahlb. E. F. 58
aemulus Thoms. Sk. II. 223
nitens Steph. Ill. Br. V. 300 *Br.Su.G.*
aemulus Er. Mk. 541
lapponicus J. Sahlb. E. F. 56 *L.*
labilis Thoms. Sk. II. 223
foraminosus Er. Gen. 703 *G.Ga.*
cribrellus Rey Br. 1884. 109 *Ga.*

melanopus Marsh. Ent. Br. I. 528 *E.*
nitidus Lac. Fn. Par. I. 450
capitatus Epp. St. 1878. 421
discretus Rey Br. 1884. 109
arctulus Hochh. B. M. 1849. 171 *Ca.*
piscator Saulcy A. 1864. 655 *Ca.*
morulus Baudi B. 1869. 395
sulcifrons Epp. St. 1878. 116

cautus Er. Mk. 553 * *E.md.*
macrocephalus Aub. Cat. Gren. 38
sublobatus Rey Op. XII. 160
opacus Rey Br. 1884. 142
vafellus Er. Mk. 534 *E.md.b.*
fuscipes Grav. Micr. 157 *E.*
femorellus Zett. Lapp. 71
Argus Grav. Mon. 231 *E.*

Tesnus Rey.

opticus Grav. Mon. 231 *E.md.b.*
scabriculus J. Sahlb. E. F. 53 *F.*
eumerus Kiesw. St. 220 *P.Alp.Cp.F.*
crassus Steph. Ill. Br. V. 287 *E.*
nigritulus Er. Mk. 539
minutus Hochh. B. M. 1849. 176
crassiventris Thoms. V. A. 1857. 229
formicetorum Mannh. B. M. 1843. 83 *E.m.*
littoralis Thoms. V. A. 1857. 229
borealis Mäkl. Finsk. XXII. 83
intermedius Rey Br. 84. 167 *E.m.mar.*

*

nigritulus Gyll. I. S. IV. 502 *E.*
campestris Er. Mk. 559
v. lepidus Weise B. 1875. 367 *Gr.Si.*
brunnipes Steph. Ill. Br. V. 285 *E.*
unicolor Er. Gen. 720
laticollis Thoms. V. A. 1851. 133

Hypostenus Rey.

latifrons Er. Mk. 572 *E.*
oscillator Rye M. M. VII. 7 *Br.*
fulvicornis Steph. Ill. Br. V. 284 *E.*
paganus Er. Mk. 571
tarsalis Ljungh W. M. Beitr. II. 157 *E.*
insidiosus Solsky B. M. 1864. 449
roscidus Snellen Tr. Ned. II. 71
similis Herbst Arch. 151 *E.*
oculatus Grav. Micr. 155
modestus Luc. Alg. t. 13. f. 5
siculus Stierl. Schw. M. II. 221
solutus Er. Gen. 734 *Br.Ga.G.*
cicindeloides Schall. Act. Hal. I. 334 *E.*
Kiesenwetteri Rosh. And. 76 *Br.Ga.G.*

fornicatus Steph. Ill. Br. V. 287 *E.*
contractus Er. Mk. 573

Hemistenus Rey.

canescens Rosh. And. 74 [illegible]
major Rey Op. XII. 163 *Ga.*[illegible]
pubescens Steph. Ill. Br. V. 297 *E.*[illegible]
subimpressus Er. Mk. 561
salinus Bris. Cat. Gren. 39 *Ga.*[illegible]
binotatus Ljungh W. M. Arch. I. 66 [illegible]
pallitarsis Steph. Ill. Br. V. 298 [illegible]
plantaris Er. Mk. 562
niveus Fauv. B. N. IX. 307 *Sc.Ga.G.*
cavifrons Rey Op. XIV. 110

*

Lepricuri Cussac A. 1851. 29 [illegible]
sculptus Rey Br. 1884. 236
picipes Steph. Ill. Br. V. 288 [illegible]
rusticus Er. Gen. 724
spretus Fairm. Fn. Fr. 590
foveicollis Kr. I. D. II. 782 *G.Ga.Sc.*
bifoveolatus Er. Gen. 723 *E.m.*
brevicollis Thoms. Sk. II. 234 *Su.*
paludicola Kiesw. B. 1858. 124 [illegible]
bifoveolatus Gyll. I. S. IV. 500 *Su.B.*
plancus Er. Gen. 723 *G.Ga.*[illegible]
picipennis Er. Gen. 725 *Br.Ga.G.*[illegible]
languidus Er. ibid. *E.*[illegible]
nitidiusculus Steph. Ill. Br. V. 292 *E.*[illegible]
tempestivus Er. Mk. 563
flavipes Steph. Ill. Br. V. 289 *E.*
filum Er. Mk. 568
Dobberti Quedf. B. 1882. 183

Mesostenus Rey.

cordatus Grav. Micr. 198 *E.m.*
Monticellii Costa Att. Nap. IV. 59
princeps Hampe St. 1850. 349
hospes Er. Gen. 726 *E.m.*
cribratus Kiesw. St. 1850. 220
pulchripes Solsky Hor. V. 31
longicornis Saulcy A. 1864. 637
politus Aub. Cat. Gren. 38 *Ga.*[illegible]
serpentinus Fauv. B. N. 69. 21 *T.*[illegible]
gracilicornis Baudi B. 1869. 396 [illegible]
hespericus Rey Br. 1884. 182
cyaneus Baudi St. ent. 142 *Gr.*[illegible]
splendens Saulcy A. 1864. 656 *D.*[illegible]
rutilans Saulcy ibid. [illegible]
glacialis Heer II. 224 *Alp.*[illegible]
muscorum Fairm. A. 1859. 42 *P.*
subaeneus Er. Gen. 727 *E.*
geniculatus Mannh. Brach. 43

?gonymelas Steph Ill. Br. V. 291
ossium Steph. ibid. 290 *Br.*
impressipennis Duv. A. 1852. 701 *E.m.*
carinifrons Fairm. Fn. Fr. 589
sardous Kr. I. D II. 786
elevatus Motsch. B M. 1857. 511
fuscicornis Er. Gen. 780 *G.Ga.H.Br.*
elegans Rosh. And. 75 *E.m.*
ochropus Kiesenw. B. 1858. 125
Fauveli Bris. Cat. Gren. 128
scaber Fauv. B. N. 1869. 21 *Ga.m.*
italicus Baudi B 1869. 397 *I.C.D.*
?bituberculatus Mots. B. M. 57. 514 *P.*
pallipes Grav. Micr. 157 *E.*
aceris Steph. Ill. Br. V. 292 *E.md.m.*
aerosus Er. Gen. 727
elegans Fairm. Fn. Fr. 163
annulatus Crotch Tr. 1866. 442 *Br.*
impressus Germ. Ins. Sp. nov. 36 *E.*
aceris Lac. Fn. Par. I. 445
angustulus Heer II 226
gilvipes Motsch. B.M. 1857. 212
carinifrons Motsch. ibid.
geniculatus Grav. Mon. 228 *E.md.b.*
flavipalpis Thoms. Sk. II. 237 *Su.F.Ti.*
palustris Er. Mk. 565 *E.md.b.[Ca.*
coarcticollis Epp. W. 1890. 170 *Ca.*
speculifer Fauv. Fg III. 288 *P.*
sparsus Fauv. Fg. III. Suppl. 39 *C.Hi.*
suramensis Epp. W.z.b.1879.466 *Ca.*
Erichsoni Rye M. M. I. 108 *E.*
flavipes Er. Mk. 566
lineola Epp. W. 1889. 20 *Ca.*

*

subcylindricus Scriba Heyd. Sp. 83 *Hi.*
Reitteri Weise D. 1875. 357 *Tr.*
micropterus Epp. W. z. b. 1879. 365 *Ca.*
grossepunctatus Reitt. D. 1887. 264 *Ca.*
Hopffgarteni Epp. W. z. b. 79. 40 *Cro.*
montivagus Heer II. 578 *Mt.E.*
pterobrachys Gemminger Cat. II. 639
clavulus Hochh. B. M. 1849. 174 *Ca.*
Lederi Epp. Led. 117

Euaesthetini.

Euaesthetides.

Edaphus

Leconte.

dissimilis Aub. Cat. Gren. 37 *Ga.C.I.D.*
Lederi Epp. Led. 118 *Ca.*

Euaesthetus

Gravenhorst.

Eristhetus Mannerh.

bipunctatus Ljungh W. M. Arch. I 68 *E.*
scaber Grav. Mon. 202 *[md.b.*
ruficollis Motsch. B. M. 1860. 558
Mariae Bethe St. 1867. 308
ruficapillus Lac. Fn. Par. I. 439 *E.*
Lespesi Duv. A. 1850. 43
pullus Thoms. V. A. 1857. 235
fulvus Motsch. B. M. 1860. 558 *Ca.*
laeviusculus Mannerh. B. M. 44. 195 *E.*
ruficapillus Thoms. Sk. III. 116 *[md.b.*

Octavius

Fauvel.

grandiceps Rey Op. II. 52 *P.*
pyrenaeus Fauv. Fg. III. 220
insularis Fauv. Fg. III. 220 *C.*
Raymondi Saulcy B. Metz 1878. 124 *S.*
crenicollis Fauv. Fg. III Suppl. 59 *P.*

Leptotyphlides.

Mayetia

Rey.

sphaerifera Rey Op. XVI. 88 *P.*
corsica Saulcy B. Metz 1878. 115 *C.*
atomus Saulcy ibid. *S.*

Leptotyphlus

Fauvel.

sublaevis Fauv. Fg. III Suppl. 36 *C.*
exilis Rey Op. XVI. 131 *P.*
Revelierei Saulcy B. Metz. 1878. 120 *C.*

Oxytelini.

Oxyporides.

Oxyporus

Fabricius.

rufus L. Fn. Suec. 844 *E.*
Mannerheimi Gyll. I. S. IV. 495 *E.b.*
maxillosus F. Ent. Syst. I. 2. 531 *E.md.b.*
v. angularis Gebl. Led. R. App. III. 69
v. Schönherri Mannh. Brach. 19

Osoriides.

Cylindrogaster

Fauvel.

corsica Fauv. Fg. III. 213 *C.*

Oxytelides.

Platystethus
Mannerheim.

cornutus Grav. Micr. 109 *E.*
scybalarius Runde Br. Hal. 19
maxillosus Peyron A. 1858 432
degener Rey Br. 1879. 26
alutaceus Thoms. Sk III. 123 *E.md.b.*
cornutus Gyll. I. S. II. 450
tristis Rey Op. XII. 172
spinosus Er. Gen. 784 *Ga.E.m.*
capito Heer H. 208 *E.md.m.*
cribricollis Baudi St. ent. 145
pilosellus Wank. A. 1869. 419
nodifrons Sahlb. I. F. 412 *F.Su.Br.*
asphaltinus Waltl Is. IV. 267 *G.Ga.*
Burlei Bris. A. 1861. 597 *Ga.*
constrictus Scriba B. 1868. 157 *Hi.*
brevipennis Baudi B. 1857. 112 *S.*
Wankowiczi Hochh. B.M.1871.162 *R.m.*
rufospinus Hochh. B.M.1851.51 *Ca.Gr.S.*
debilis Hochh. B. M. 1871. 161 *R.m.G.*
nitens Sahlb. I S. 413 *E.*
striatulus Heer H. 218
splendens Heer H. 208
longicornis Luc. Alg. 126
angustipennis Scriba B. 1868. 158

Pyctocraerus Thoms.

arenarius Fourcr. Ent. Par. I. 172 *E.*
morsitans Payk. Mon. Car.App. 145
longipennis Epp. St. 1875. 367 *Hi.m.*
oxytelinus Fauv. B. N. IX. 213
macropterus Weise D. 1875. 368
?excavatus Motsch. B. M. 1857. 503
laevis Kiesenw. St.48.325 *Alp.Car.Ti.Pc.*
cephalotes Epp. Led. 120 *Ca.*

Oxytelus
Gravenhorst.

rugosus F. Syst. Ent. 267 *E.*
pulcher Grav. Micr. 107
terrestris Lac. Fn. Par. I. 462
opacus Kr. I. D. II. 851 *A.Hu.R.*
strigifrons Hochh. B.M. 1849. 187 *Ca.*
rugifrons Hochh. ibid. 189 *E.md.b.*
Eppelsheimi Bethe St. 1867.307 *Ca.*
insecatus Grav. Mon. 189 *E.*
fulvipes Er. Mk. 590 *E.md.b.*
tarandus Motsch. Et. 1852. 18

Tanycraerus Thoms.

laqueatus Marsh. Ent. Br. 513 *E.md.b.*
piceus Sahlb. I. F. 414
luteipennis Er. Mk. 593
plagiatus Motsch. B. M. 1860. 554
plagifer Gemm. Cat. II. 649

Caccoporus Thoms.

piceus L. Syst. Nat. I. 2 686 *E.*
sulcatus Gebl. B. M. 1848. 79
♂ humilis Heer H. 204

Epomotylus Thoms.

sculptus Grav. Mon. 191 *E.*

Anotylus Thoms.

Perrisi Fauv. A' 1861. 34 *Ga.G.*
maritimus Thoms. Sk. III 131 *Su.*
oceanus Fauv. A' 1862. 292 *Br.*
inustus Grav. Mon. 188 *E.*
maxillosus Sperk B.M. 1835. 154
politus Er. Gen. 794 *A.*
plagiatus Rosh. And. 81 *Hi.*
hybridus Epp. Led. 121 *Ca.T.*
sculpturatus Grav. Mon. 187 *E.*
montivagus Heer H. 574
brevipennis Fauv. M. N. 1869. 42 *Hi.*
nitidulus Grav. Micr. 107 *E.*
asper Rey Br. 1879. 78
?flavipes Steph. Ill. Br. V. 318

*

intricatus Er. Gen. 794 *E.md.m.*
scaber Rosh. And. 82
gibbulus Epp. Led. 122 *Ca.*
complanatus Er. Mk. 595 *E.*
pumilus Er. Mk. 596 *Ga.G.I.R.Ca.*
speculifrons Kr. I. D. II. 862 *E.m.*
clypeonitens Pand. Cat. Gren. 171 *E.*
speculifrons Rye Ent. An. 1865. 60
Saulcyi Pand. Cat. Gren. 172 *Ga.G.I.*
Fairmairei Pand. ibid. *Br.Ga.G.*
transversalis Czwal. B. 1870. 489 *Ca.*
tetracarinatus Block Plauen 116 *E.*
depressus Grav. Micr. 103
hamatus Fairm. Fn. Fr. 612 *E.*
affinis Czwal. B. 1870. 420
tetratoma Czwal. ibid. 421 *G.Cro.*
simplex Pand. Cat. Gren. 171 *Ga.*

Haploderus
Stephens.

caelatus Grav. Micr. 103 *E.*
caesus Er. Mk. 598 *G.A.*

Bledius
Mannerheim.

bos Fauv. B. N. 1869. 20 *I.S.Si.*
atramentarius Rottbg. B. 1870. 35
furcatus Ol. Encycl. VIII. 616 *E.md.m.*
taurus Germ. Fn. I. E. 12. 2
v. Skrimshiri Curt. Ent. Br. III. t. 143
spectabilis Kr. I. D. II. 821 *E.*
tricornis Fauv. B. N. 1865. 310
Graëllsi Fauv. ibid. 309 *Ga.Hi.I.E.*
♀ Antilope Peyr. A. 1858. 431
tricornis Herbst Arch. 149 *E.md.b.*
muchicornis Rey Op. XII. 165 *I.R.*
diota Schioedte Nat. Tids. 1866. 146
corniger Rosenh. And. 77 *Hi.*
unicornis Germ. Fn. I. E. 12. 3 *E.*
monoceros Rosenh. And. 78
crenulatus Stierl. Schw. M. 1867. 222

Elbidus Rey.

bicornis Germ. Fn. I. E. 11. 4 *G.Ga.I.*
Ruddi Steph. Ill. Br. V. 308
dama Motsch. B. M. 1857. 507
hinnulus Er. Gen. 762 *R.m.*
juvencus Er. Gen. 763 *R.m.*

Blediodes Rey.
Bargus, Tadunus Schiödte.

littoralis Heer H. 209 *Alp.E.md.*
aquarius Er. Gen. 766
denticollis Fauv. B. N. 1870. 44 *Ga.Pe.*
obscurus Rey Op. XIV. 11 *G.R.Ca.*
opacus Block Plauen 117 *E.*
atricapillus Germ. Fn. I. E. 11. 4 *E.md.m.*
nanus Er. Gen. 773 *E.md.*
defensus Fauv. Fg III. 212 *Ga.Belg.Cro.*
strictus Fauv. ibid. 211 *H.Pe.*
femoralis Gyll. I. S. IV. 497 *E.md.b.*
sus Aub. A. 1851. 320
fracticornis Pk. Mon. Car. App. 135 *E.*
alpestris Heer H. 210
laetior Rey Br. 1879. 151
elongatus Mannh. Brach. 45
m. erythropterus Kr. I. D. 831 *Bav.*
picipennis Hochh. B. M. 1849. 182 *Ca.*
longulus Er. Mk. 579 *G.H.I.*
ruficornis Rey Br. 1879. 155 *Ga.Br.*
procerulus Er. Gen. 768 *G.Ga.R.*

*

crassicollis Lac. Fn. Par. I. 456 *Ga.G.Br.*
filum Heer H. 211 *H.Pe.Su.*
cribricollis Heer H. 210 *E.md.m.*
rufipennis Er. Gen. 770
heterocerus Epp. D. 1889. 180 *Cro.*
dissimilis Er. Gen. 769 *E.md.m.*
v. nigricans Er. ibid. *R.m.*
erraticus Er. Mk. 582 *E.md.m.*
atratus Fauv. Fg. III. Cat. XIII. *S.*
obsoletus Fauv. Fg. III. 207 *P.*
ignobilis Epp. W. z. b. 1880. 508 *Ca.*
pusillus Er. Mk. 583 *G.A.*
pygmaeus Fauv. Fg. III. 205 *Ga.*
pygmaeus Er. Mk. 583 *G.*
agricultor Heer H. 576 *H.Pe.*
pusillus Fauv. Fg. III. 206 *Ga.*
Baudii Fauv. Fg. III. 205 *G.Ga.Pe.*
neuter Rey Br. 1879. 164

Hesperophilus Thoms.

arenarius Pk. F. Suec. III. 382 *E.md.b.*
minor Rey Br. 1879. 192
debilis Er. Gen. 778 *G.R.m.*
Mulsanti Rosh. And. 80 *Hi.Si.*
tristis Aub. A. 1843. 92 *Ga.I.*
brevicollis Rey Op. XII. 170

Astycops Thoms.

talpa Gyll. I. S. II. 448 *Ga.Su.F.R.*
subterraneus Er. Mk. 584 *A.G.Ga.*
pallipes Thoms. Sk IX. 291 *Br.Su.F.*
rastellus Schiödte Nat. Tids 66. 149
pallipes Grav. Mon. 197 *E.md.m.*
terebrans Schiödte Nat. Tids 66. 149
rastellus Thoms. Sk. IX. 291 *A.*
vilis Mäkl. Finsk. IX. 22
♀ fuscipes Rye M. M. II. 154
hispidulus Fairm. Fn. Fr. 601 *Ga.H.*
tibialis Heer H. 212 *P.Alp.*
♂ morio Heer H. 211
pubescens Kol. Mel. III. 25
fossor Heer H. 211 *H.I.La.*
triangulum Baudi St. ent. 143 *D.Hu.*
frater Kr. I. D. II. 827 *R.m.*
v. funestus Epp. W. 1883. 271 *T.*
grandicollis Motsch. B. M. 1857. 507 *St.*
limbatus Hochh. B. M. 1871. 158 *R.m.*

Pucerus Rey.

verres Er. Gen. 776 *Ga.E.m.*
cinctus Motsch. B. M. 1860. 555

Belidus Rey.

angustus Rey Op. XII. 168 *Ga.*
infans Rottbg. B. 1870. 36 *Si.*

Trogophloeus
Mannerheim.

Thinodromus Kraatz.

dilatatus Er. Mk. 599 *G.Ga.H.I.*
hirticollis Rey Br. 1879. 252 *Ga.G.A.Ca.*

Carpalimus Thoms. Rey.

distinctus Fairm. Fn. Fr. 615 *Ga.P.*
Mannerheimi Kol. Mel. III. 26 *Ca.*
Brebissoni Fauv. B. N. IX. 312 *Ga.P.*
plagiatus Fauv. Fg. III. 147
v. plagiatus Kiesw. St. 1850. 221 *Hi.*
Kiesenwetteri Hochh. B. M. 1851 55 *Ca.*
Motschulskyi Hochh. B. M. 1860. 553 *Ca.*
arcuatus Steph. Ill. Br. V. 324 *E.md.b.*
scrobiculatus Er. Gen. 805
nigricornis Rey Br. 1879. 265
dilaticollis Epp. Radde Casp. 196 *Casp.*

Trogophloeus in spec.

opacus Baudi St. ent. 146 *Pe.*
riparius Lac. Fn. Par. I. 467 *E.*
caucasicus Hochh. B. M. 1849. 149
lathrobioides Peyron A. 1858. 533
bilineatus Fauv. Fg. III. 149
suspectus Rey Br. 1879. 279
bilineatus Er. Mk. 600 *E.*
rivularis Motsch. B. M. 1860. 552
Erichsoni Sharp M. M. VII. 182
subaequus Rey Br. 1879, 279
memnonius Er. Gen. 806 *E.*
obesus Kiesw. St. 1844. 375
tarsalis Hochh. B. M. 1849. 196
fossulatus Motsch. B. M. 1857. 505
rubripennis Fauv. A. 1863. 440
anthracinus Rey Op. XII. 177 *Ga.Hi.*
insularis Kr. B. 1858. 127 *Gr.I.Hi.Ca.*
politus Kiesw. St. 50. 221 *Ga.Hi.Si.A.Ca.*
fuliginosus Grav. Micr. 102 *E.md.b.*

Taenosoma Mannerh.

impressus Lac. Fn. Par. I. 467 *Ga.*
inquilinus Er. Mk. 603 *G.*
affinis Heer H. 202 *H.*
incrassatus Kiesenw. St. 1850. 221 *I.*
obsoletus Rey Br. 1879. 297 *R.*
niloticus Er. Gen. 808 *Pe.*
corticinus Grav. Mon. 192 *E.*
fulvipennis Fauv. A. 1863. 440
elongatulus Er. Mk. 601 *E.md.b.*
brevipennis Hochh. B. M. 1849. 199
nitidus Baudi St. ent. 147 *I.Ga G.Hi.*
punctatellus Er. Gen. 810 *G.Ga.*
pygmaeus Heer H. 574
myrmecophilus Scriba St. 55. 281 *I.R.*
foveolatus Sahlb. I. F. 419 *F.*
troglodytes Er. Gen. 810 *S.*
ruficollis Woll. Can. 1864. 601 *Hi.m.*
siculus Rey Br. 1879. 291 *Si.*
punctipennis Kiesw. St. 50. 221 *Ga.Hi.C.*
rufipennis Epp. St. 1878. 422 *Gr.*
halophilus Kiesenw. St. 1844. 373 *E.*
curtipennis Rey Br. 1879. 300 *Br.*
subrugulosus Rey ibid. 301 *P.*
pusillus Grav. Micr. 78 *E.*
parvulus Rey Op. XII. 175 *Ga.m.*
gracilis Mannh. Brach. 51 *E.*
tenellus Er. Mk. 605
subtilis Er. Mk. 606 *Br.Ga.G.*

Troginus Rey.

despectus Baudi B. 1869. 400 *Pe.Ga.G.*
exiguus Er. Mk. 604 *E.md.b.*
aberrans Rosh. And. 85
glabricollis Motsch. B. M. 60. 552 *Ca.*
discolor Baudi B. 1869. 400
atomus Saulcy A. 1864. 658
luteicornis Rey Br. 1879. 319

Thinobius
Kiesenwetter.

longipennis Heer H. 595 *E.md.*
ciliatus Kiesenw. St. 1844. 355
Wenckeri Fauv. Gren. Cat. 41
opacus Rey Br. 1879. 347
v. pusillimus Heer H. 347
brevipennis Kiesenw. St. 1850. 221 *G.Br.*
atomus Fauv. Fg. III. 139 *Ga.A.Ca.*
minutissimus Fauv. Fg. III. suppl. 14 *Ga.A.*

Thinophilus Rey.

angusticeps Fauv. R. VIII. 84 *Pe.Bav.*
major Fauv. Fg. III. 135 *Br.*
minor Rey Op. XIV. 116 *Ga.m.*
linearis Kr. I. D. II. 883 *G.A.I.*
longicornis J. Sahlb. E. F. 181 *F.Br.*
luteipennis Rey Br. 1879. 329 *Ga.Ca.*
v. brunneipennis Kr. I. D. II. 884
major Kr. I. D. II. 883 *G.Ti.*
brevicollis Rey Op. XIV. 114 *Ga.*
diversicornis Fauv. R. VIII. 86 *Ga.Boh.*
delicatulus Kr. I. D. II. 884 *G Ga.A.I.R.Ca*
quadricollis Epp. R. VIII. 207 *Ca.*
heterogaster Fauv. ibid. 87 *Boh.Hi.*
micros Fauv. Fg. III. 137 *Ga.*
Ligeris Pyot A. 1874. 79 *Ga.Boh.*
nodicornis Epp. Radde Casp. 196 *Casp.*

obscurus Epp. R. VIII. 208 *Ca.*
nitens Fauv. Fg. III. 137 *Ga.*

Ochthephilus
Rey.
Ancyrophorus Kraatz.

flexuosus Fairm. Fn. Fr. 614 *Ga.P.*
biimpressus Mäkl. B. M. 1852. 319 *P.*

*

Rosenhaueri Kiesenw. St. 1850. 220 *Ti.*
longipennis Fairm. Fn. Fr. 614 *G.A.*
♀praepositus Rey Br. 1879. 370 *Ga.I.*
aureus Fauv. Fg. III. 142 *Ga.G.Br.C.*
oblitus Rey Br. 1879. 364 *P.I.H.*
omalinus Er. Gen. 502 *E.*
venustulus Rosh. And. 84 *Hi.*
parvulus Epp. Led. 177 *Ca.*

*

angustatus Er. Gen. 503 *G.I.*
filum Fauv. Fg. III. Cat. IX. *Lu.Boh.*

*

emarginatus Fauv. Fg. III. 141 *Hi.Gr.Ca.*
Rosenhaueri Rey Br. 1879. 358 *Ga.*

Pholidus
Rey
Euphanias Fairm.

insignis Rey S. Linn. 1856. 9 *Ga.m.*
insignicornis Fairm. Fn. Fr. 657
squamiger Rey Op. VII. 7

Compsochilus
Kraatz.
Planeustomus Duval.

cephalotes Er. Gen. 817 *Gr.*
procerus Epp. W. 1880. 211 *D.*
miles Scriba B. 1868. 158 *I.*

*

palpalis Er. Mk. 608 *E.md.b.*
flavicollis Fauv. Fg. III. 129 *Belg.Ca.*
curtipennis Fauv. ibid. Cat. VIII. *Hi.*
Weberi Quedf. B. 1882. 183
elegantulus Kr. I. D. II. 896 *Cret.*
filiformis Quedf. B. 1882. 183 *And.*
Rosti Reitt. D. 1884. 105 *Ins.Jon.*

*

Heydeni Epp. D. 1884. 413 *Hu.Cro.R.*
Kahri Kr. I. D. II. 897 *D.Tr.R.m.*
macellus Kr. Heyd. Sp. 85 *Hi.Ga.*

Coprophilides.

Acrognathus
Erichson.

mandibularis Gyll. I. S. IV. 468 *E.md.*

Coprophilus
Latreille.

striatulus F. Ent. Syst. I. 2. 529 *E.md.b.*

Zonoptilus Motsch.

Schuberti Motsch. Schrenck 60. 120 *R.*
piceus Solsky Hor. III. 88 *R.m.Hu.A.*
lateralis Fauv. Fg. III. Cat. VIII *R.m.*
pennifer Solsky Hor. III. 86
pennifer Motsch. B. M. 1865. 39 *Ca.R.m.*

Syntomium
Curtis.

aeneum Müll. Germ. Mg. IV. 216 *E.md.b.*

Deleaster
Erichson.

dichrous Grav. Micr. 188 *E.md.m.*
v. Leachi Curt. Br. Ent. VII. 303
adustus Küst. K. E. 7. 48
v. Erichsoni Hochh. B. M. 1851. 57 *Ca.*

Omalini.

Anthophagus
Gravenhorst.

bicornis Block Plauen 115 *Mt E.*
armiger Grav. Micr. 132
v. nivalis Rey Br. 1880. 15 *Sab.*
v. marginicollis Epp. D. 1889. 181 *Cro.*
v. nigrinus Epp. ibid. *H.*
forticornis Kiesw. St. 1846. 21 *H.G.A.*
sudeticus Kiesw. ibid. 22 *Sud.Cp.Alp.*
aeneicollis Fauv. Fg. III. Suppl. 13 *Ga.*
alpinus F. Ent. Syst. I. 2. 526 *E.md.b.*
pyrenaeus Bris. Cat. Gren. 41 *P.*

*

spectabilis Heer H. 197 *H.G.Ga.*
picipennis Gredl. Tir. 466 *Ti.*
muticus Kiesw. It. 1850. 221 *P.*
apenninus Baudi B. 1869. 401 *I.*
abbreviatus F. It. Norv. 263 *E.md.b.*
caraboides Er. Mk. 614
gracilis Heer H. 573
obscuriceps Motsch. B. M. 1860. 551
fascifer Reitt. W. VII. 150
melanocephalus Heer H. 195 *Alp.*
fallax Kiesw. St. 1848. 326 *Ga.G.H.A.*
carinthiacus Rey Br. 1880. 37 *Car.*

*

omalinus Zett. Lapp. I. 46 *Su.R.Alp.*
arpedinus Hochh. B. M. 1849. 186 *Ca.*
alpestris Heer H. 196 *Alp.E.md.*

austriacus Er. Gen. 849
transversus Motsch. B. M. 1857. 494

scutellaris Er. Gen. 851 *H.Ga.Pe.Si.*
Schneideri Epp. Led. 125 *Ca.*
caraboides L. Fn. Suec. 854 *E.md.b.*
testaceus Grav. Micr. 121
palustris Heer H. 572
praeustus Müll. Germ. Mg. IV. 228 *G.Ga.*
rotundicollis Heer H. 195 *Alp.[I.A.Ca.*
brevicornis Kiesw. B. 1861. 376 *Ga.*
crassicornis Rey Op. XII. 179 *Pe.Ti.*

Geodromicus
Redtenbacher.

Geobius Heer.

plagiatus F. Ent. Syst. Suppl. 180 *E.md.b.*
v. suturalis Lac. Fn. Par. I. 483 *Alp.*
plagiatus Duv. Staph. pl. 25. f. 123
v. nigrita Müll. Grm. Mg. IV. 226 *E.md.b*
anthracinus Bris. Cat. Gren. 40
v. major Motsch. B. M. 1860. 550 *Ca.*
v. puncticollis Weise B. 1875. 364 *Tr.*
globulicollis Zett. Ins. Lapp. 49 *E.b.*
Kunzei Heer H. 193 *Alp.*
longipes Mannh. Brach. 56
flavipes Motsch. B. M. 1860. 550 *Ca.*
?transversus Motsch. ibid.
lituratus Kr. I. D. II. 928
marginatus Fauv. Fg. III. 109
v. curtipennis Fauv. ibid. 110 *Alp.*
v. brevicollis Fauv Fg. III. Cat. VII *Ca.*
Kunzei Hochh. B. M. 1849. 187
constricticollis Epp. W. 1890. 172 *Ca.*
latiusculus Epp. Led. 126 *Ca.*
antennatus Reitt. W. 1890 *Ca.*

Hygrogeus Rey.

aemulus Rosenh. Beitr. I 12 *Ti.Pe.*
cenisius Fairm. A. 1861. 647 *Ga.*

Lesteva
Latreille.

pubescens Mannh. Brach. 57 *E.md.b.*
subaptera Rey Br. 1880. 69
fontinalis Kiesw. St. 1850. 222 *P.C.*
♀nigra Kr. I. D. II. 934 *Si.*
omissa Rey Br. 1880. 71 *Ga.*
Villardi Rey ibid. 413 *Alp.Ga.*
Pandellei Fauv. Fg. III. 103 *P.Alp.Hi.*
lepontia Baudi B. 1869. 401 *I.*
curvipes Rey Br. 1880. 78 *Ga.*
longelytrata Goeze Ent. Beitr. I. 77 *E.*
macroelytron Fourcr. Ent. Par. I. 164
bicolor F. Syst. Ent. I. 529
obscura Pk. F. S. III. 388
oblonga Motsch. B. M. 1857. 493
major Rey Op. XIV. 117
v. maura Er. Gen. 856 *S.I.G.*
v. longula Mannh. Brach. 57 *F.*
monticola Kiesw. St. 1847. 77 *Alp.*
Sharpi Rye M. M. III. 124 *Br.*
luctuosa Fauv. Fg. III. 103 *Ga.Ca.*
corsica Perris Ab. 1869. 8 *C.*
punctata Er. Mk. 618 *E.md.b.*
riparia Heer H. 193
muscorum Duv. Glan. ent. I. 37
sicula Er. Gen. 857 *Si.Ga.G.*
Heeri Fauv. Fg. III. 106 *Br.A.Ca.*
punctata Thoms. Sk. III. 310 *Su.*

Boreaphilus
Sahlberg.

Chevrieria Heer.

Henningianus Sahlb. I. F. 433 *L.F.*
v. longicornis J. Sahlb. E. F. 209
Henningianus Kr. B. 1857. 41
astur Sharp An. Esp. 1873. 266 *Hi.b.*
velox Heer H. 188 *H.Ga.*
angulatus Fairm. Fn Fr. 631 *Hi.I.*
guadarramus Sharp l. c.

Niphetodes Miller.

Redtenbacheri Mill. W. z. b. 1868. 15 *Tr.*

Eudectus
Redtenbacher.

Giraudi Redtb. Fn. Austr. 49. 246 *Mt.G.S*
v. Whitei Sharp M. M. VIII. 73 *Sc.*

Coryphium
Stephens.

Harpognathus Wesm.
Macropalpus Cussac.

angusticolle Steph. Ill. Br. V. 344 *E.md.b.*
brevicolle Halid. Ent. 1841. 187
Robynsi Wesm. Rec. Belg. I. 119
pallipes Cussac A. 1852. 613
bifoveolatum Thoms. Sk. III. 186
Letzneri Schwarz Jhrb. schl. G. 72. 183 *Sil.*
Gredleri Kr. B. 1870. 416 *Ti.*
hyperboreum Mkl. V. Ak. Hdl. 81. 4. 41 *E.b.*

Orochares
Kraatz.

angustata Er. Gen. 874 *G.Ga.*

Olophrum
Erichson.
Lathrium Leconte.
piceum Gyll. I. S. II. 200 *E.md.b.*
fuscum Grav. Mon. 211 *Br.G.R.*
laticolle J. Sahlb. E. F. 211 *F.*
caucasicum Fauv. Fg. III. Cat. VII. *Ca.*
boreale Payk. Mon. Curc. App. 146 *L.*
assimile Payk. F. S. III, 469 *E.md.b.*
puncticolle Epp. W. z. b. 1880. 212 *Hu.*
alpinum Heer H. 190 *Alp.P.*
alpestre Er. Gen. 867
consimile Gyll. I. S. II. 199 *E.b.*
limbatum Mäkl. Finsk. XIX. 23 *G.b.*
rotundicolle Sahlb. I. F. 281 *F.Su.G.b.*

Deliphrum
Erichson.
crenatum Grav. Micr. 114 *E.md.m.*
algidum Er. Gen. 874 *G.Ga.A.*
tectum Payk. Mon. Staph. 68 *F.md.b.*

Mannerheimia Mäkl.
arcticum Er. Gen. 873 *L.Ti.*

Lathrimaeum
Erichson.
tenue Epp. W. z. b. 1880. 507 *Ca.*
unicolor Marsh. Ent. Br. I. 127 *Br.Ga.*
luteum Er. Gen. 869
atrocephalum Gyll. I. S. IV. 463 *E.md.b.*
melanocephalum Marsh. E. Br. 127
cicatrix Rey Br. 1880. 130
melanocephalum Ill. Mg. V. 596 *E.md.*
atrocephalum Heer H. 187
fusculum Er. Mk. 626 *G.Ga.H.R.*

Amphichroum
Kraatz.
canaliculatum Er. Gen. 871 *G.Ga.A.*
♂ dentipes Heer H. 181 *H.I.*
♀ tenuipes Heer Mitth. I. 76 *Pe.*
hirtellum Heer H. 191 *Alp.*

Acidota
Stephens.
crenata F. Ent. Syst. I. 525 *E.md.b.*
rufa Grav. Micr. 115
pulchra Motsch. B. M. 1857. 493
cruentata Mannh. Brach. 55 *E.md.b.*
ferruginea Lac. Fn. Par. I. 477
quadrata Zett. Ins. Lapp. 53 *L.*
quadra Zett. Fn. Lapp. I. 54

Arpedium
Erichson.
quadrum Grav. Mon. 215 *E.md.b.*
consimile Heer Mitth. I. 43
v. Heydeni Heer H. 190
alpinum Fauv. Fg. III. 87
macrocephalum Epp. St. 1873. 86 *Ti.Ga.*
?prolongatum Rottbg. B. 73. 204 *Sil.*
fratellum Rottbg. B. 1874. 330 *Gr.Ca.*
puncticolle J. Sahlb. Sv. 17. 4. 106 *L.*
brachypterum Grav. Micr. 114 *G.b.*
Gyllenhali Sahlb. I. F. 286 *F.R.*
troglodytes Ksw. St. 1847. 77 *Alp.*
engadinicum Heyd. Jhb. Graub. 63. 21
Gyllenhali Zett. Ins. Lapp. 52 *L.*
brunnescens J. Sahlb. E. F. 210

Micralymma
Westwood.
marinum Stroem Norsk. 1785. I. *Su.Br.*
brevipenne Gyll. I. S. II. 234 *Ga.*
Johnstoni Westw. Mag. Z. B. II. 130

Porrhodites
Kraatz.
fenestralis Zett. Fn. Lapp. I. 50 *L.*
♀ pubescens Zett. ibid. 52 *G.*
brevicollis Mäkl. B. M. 1852. 320

Cylletron
Thomson.
nivale Thoms. Sk. III. 191 *L.F.*

Philorinum
Kraatz.
sordidum Steph. Ill. Br. V. 349 *Br.Ga.*
subpubescens Steph. ibid. 350
humile Er. Gen. 860 *G.U.*
myops Halid. Ent. 1841. 187 *Gr.A.*
nitidulum Kr. I. D. II. 966
cadomense Fauv. Cat. Gren. 42
v. nigriventre Rosh. And. 86 *Hi.*
ruficolle Schauf. Isis. 1861. 47
pallidicorne Fairm. A. 1860. 629 *C.*

Xylodromus
Heer.
Etheothassa Thoms.
cephalotes Epp. D. 1884. 170 *G.A.*
affinis Seidl. F. B. ed. II. 341
caucasicus Kol. Mel. III. 28 *Ca.*
crassicornis J. Sahlb. E. F. 217 *L.*
concinnus Marsh. Ent. Br. 510 *E.*

fuliginosus Heer H. 175
depressus Grav. Micr. 113 *E.*
deplanatus Gyll. I. S. II. 222
testaceus Er. Gen. 885 *E.md.b.*

Omalium
Gravenhorst.

Phloeostiba Thoms.

planum Payk Mon. Curc. App. 145 *E.*
lapponicum Zett. Ins. Lapp. 73 *E md.b.*
conforme Kr. I D. II. 987
subtile Kr. ibid.
pineti Thoms. V. A. 1856. 227

Xylodromus Thoms.

monilicorne Gyll I S II. 219 *E md.b.*

Phloeonomus Heer.

pusillum Grav. Mon. 205 *E.*
laesicolle Mäkl. B. M. 1852. 322
punctipenne Thoms. Sk. IX. 317
abietinum Thoms. ibid. 318
minimum Er. Mk. 631 *G.Ga.A.H.*

Omalium Thoms. Rey.

Merkli Epp. W. 1883. 305 *Balk.*

*

porosum Scriba C. II. I. 72 *I.*
foraminosum Scriba B. 1866. 378
rivulare Payk Mon. Staph. 65 *E.*
validum Kr. I. D. II. 977 *G.Ga.Hu.*
laeviusculum Gyll. I. S. IV. 464 *Su Br.*
fucicola Kr. St. 1857. 286 *Isl.*
rugulipenne Rey Ent. An. 1864 58 *Br.*
riparium Thoms. V. A. 1856. 224 *Su.Br.*
impar Rey Op. XII. 182
septentrionis Thoms. V. A 56.223 *Su.Br.*
impressum Kr. I. D. II. 982 *G.*
languidum Mäkl. Finsk. XIX. 29 *F.*
Allardi Fairm. A. 1854. 44 *Ga.Br.Su.*
Salzmanni Saulcy A. 64.658 *D.I.Gr.*
foraminosum Mäkl. B. M. 1852. 321 *E.b.*
laticolle Kr. I. D. II. 983
clavicorne Motsch. B.M. 1860. 546
brevicolle Thoms. Op. X. 1033
lagopinum J. Sahlb. E F. 221
strigicolle Wank. A. 1869. 419 *R.*
bipunctatum Motsch. B. M. 1860. 545 *R.*
funebre Fauv. Fg. III. 73 *P.*
oxyacanthae Grav. Mon. 210 *E md.*
caesum Lac. Fn. Par. I. 470
montivagum Epp. Led. 128 *Ca.*
exiguum Gyll. I. S. II. 218 *G.Su.Br.S.*

excavatum Steph. Ill. Br. V. 355 *E.*
fossulatum Er Mk. 630
conformatum Hardy North. 1857. 97
nigriceps Kiesenw. St. 1850. 222 *P.Br.*
Xambeui Fauv. Fg. III. Suppl. 50 *Alp.mar.*
ferrugineum Kr. I. D. II. 980 *Cp.G.*
caesum Grav. Mon. 209 *E.*
impressum Heer H. 176
corticinum Motsch. B. M. 1857. 492
littorale Kr. I. D. II. 980
rugatum Rey Br. 1880. 217
minus Rey ibid. 218
tricolor Rey ibid.
falsum Epp. W. 1889. 21 *Ca.*
cinnamomeum Kr. I. D. II. 1000 *Gr.D.*

Phyllodrepa Thoms.

lineare Zett. Fn. Lapp. I. 54 *E.md.b.*
elegans Kr. I. D. II. 989 *G.m.*
Heeri Rey Br. 1880. 248 *P.*
striatipenne Aub. A. 1850. 321 *Ca.*
scabriusculum Kr. I. D. II 988 *P.G.D.*
cribripenne Fauv. N. e. VII. 8 *Ca.*
curticolle Epp. D. 1889. 182 *Alban.*
vile Er. Gen. 882 *E.occ.*
brevicorne Er. Gen. 884 *G.Ga.Br.*
gracilicorne Rye Ent. An. 1870. 88
obsoletum Rey Br. 1880. 254
gracilicorne Fairm. Fn. Fr. 642 *Ga.Br.*
hiemale Fuss B. 1868. 355 *G.*
iopterum Steph. Ill. Br. V. 349 *E.md.b.*
lucidum Er. Mk. 534
melanocephalum F. Mant. I. 222 *E.md.b.*
brunneum Payk. Mon. Staph. 63
translucidum Kr. I. D. II. 988 *G.*
florale Payk. Mon. Staph. 67 *E.*
viburni Grav. Micr. 117
ruficorne Steph. Ill. Br. V. 352
Fabraei Zett. Ins. Lapp. 52
maculicorne Heer H. 178
rufipes Fauv. Fg. III. 62
affine Gerh. Zt. Ent. 1877. 32
v. nigrum Grav. Mon. 212
salicinum Gyll. I. S. IV. 467
salicis Gyll. I. S. II. 226 *E.md.b.*
crassicorne Matth. Zool. 1863. 8650
angustatum Mäkl. Finsk. XIX. 28 *R.b.*

Acrolocha Thoms.

sulculum Steph. Ill. Br. V. 336 *Br.Ga.*
striatum Lac. Fn. Par. I. 475
striatum Grav. Micr. 119 *E.md.*
amabile Heer H. 567 *G.H.A.*

Pycnoglypta
Thomson.

lurida Gyll. I. S. III. 701 *G.b.R.*
alpina Zett. Fn. Lapp. I. 52 *Su.L.*

Hypopycna Rey.

rufula Er. Gen. 883 *G.*
marina Ragusa B. It. 1871. 196 *I.Si.*
distincticornis Rey Br. 80.279 *Ga.D.*

Hapalaraea
Thomson.

pygmaea Payk. Fn. S. III. 410 *E.md.b.*
ulmi Motsch. B. M. 1857. 493
distincticornis Baudi B. 1869. 402 *Pe.*
subrugata Rey A' 1858. 119 *Ga.m.*

Acrulia
Thomson.

inflata Gyll I. S. III. 700 *E.md.b.*
corticalis Heer Mitth. I. 76
longicollis Gredl. C. H. XII 52
egregia Redtb. Fn. Austr. 1874. 550

Oncognathus
Lacordaire.

Eugnathus Rey. — Hadrognathus Schaum.

longipalpis Rey Mém. Lyon I. 143 *Ga.F.*

Anthobium
Stephens.

Eusphalerum Kraatz.

abdominale Grav. Mon. 219 *G.Ga.I.*
signatum Märk. Nat. Zt. 57. 172 *G.Ga I.*
limbatum Er. Gen. 894 *G.Ga.A.H.I.*
Octavii Fauv. Fg. III. 39 *Ga.MV.*
procerum Baudi B. 1857. 114 *Ga.I.*
primulae Steph. Ill. Br. V. 356 *E.md.b.*
triviale Er. Mk. 639
cribrosum Heer H. 568
impressicolle Kiesw. St. 1850. 222 *P.*

*

robustum Heer H. 179 *Alp.*
♀ alpestre Heer H. 178
excavatum Er. Gen. 893
atrum Heer H. 178 *H.I.*
nigrum Er. Gen. 892 *G.Ga.*
florale Panz. Fn. G. 11. 12 *G.Ga.*
triviale Heer H. 180 *H.I.*
oblitum Fairm. Fn. Fr. 648 *P.I.*
Scribae Schauf. Isis 1862. 147 *Hi.*
obscurum Bris. A. 1866. 361
Starcki Reitt. W. 1890 *Ca.or.*

minutum F. Ent. Syst. I. 2. 254 *E.*
brevicolle Heer H. 568
paludosum Heer H. 179
appendiculatum Heer H. 181
puncticolle Gredl. Tir. 125
nitidicolle Baudi B. 1857. 114 *A.Pe.Si.*
obtusicolle Fauv. Fg. III. Suppl. 48 *Ga.Hi.*
obsoletum Er. Gen. 892 *Lu.G.*
lapponicum Mannh. Brach. 52 *L.F.*
flavipenne Er. Gen. 896 *Sil.*
granulipenne J. Sahlb. E. F. 216 *L.*
sinuatum Fauv. Fg. III. 44 *Alp.*
luteicorne Er. Gen. 897 *Si.*
maculicolle Fairm. A. 1860. 164
cincticolle Chevr. Rev. Zool. 60. 448
sareptanum Epp. St. 1878. 423 *R.m.Ca.*

*

torquatum Marsh. Ent. Brit. I. 127 *Br.Ga.*
scutellare Er. Gen. 895 *G.H.*
mucronatum Steph. Ill. Br. V. 339 *I.*
v. adustum Kiesenw. A. 51. 438 *P.Hi.*
pumilio Rosh. And. 87
rufoscutellatum Epp. W. 1880. 508 *Ca.*
aucupariae Kiesw. B. 1866. 288 *G.P.*
atriceps Motsch. B. M. 1860. 543 *Ca.*
hispanicum Bris. A. 1866. 362 *Hi.*
clavipes Scriba B. 1868. 159 *I.*
tempestivum Er. Gen. 895 *C.S.R.m.*
microcephalum Motsch. B. M. 60. 543 *Ca.*
Marshami Fauv. Ab. 1868 494 *Ga.G.*
torquatum Kr. I. D. II. 1018 *I.A.*
collare Crotch C. H. VI. 101
punctulatum Rey Br. 1880. 335
rectangulum Fauv. B. N. 1869. 17 *Ga.I.*
sorbi Letzn. B. 1868. 360 *G.*
sorbi Gyll. I. S. II. 206 *E.md.b.*
silesiacum Letzn. B. 1868. 359
rhododendri Baudi St. ent. 148 *Alp.*
obliquum Rey Op. XII. 168
ophthalmicum Payk. F. S. III. 419 *E.md.b.*
v. discinum Gredl. Tir. 127
rufotestaceum Motsch. B. M. 1860. 543 *Ca.*

Anthobium i. sp.

Kraatzi Bris. Cat. Gren. 43 *P.Cro.*
longipenne Duv. Gen. pl. 27. f. 134
pallens Heer H. 570 *H.I.*
puberulum Ksw. St. 1848. 328 *G.Ga.*
stramineum Kr. I. D. II. 1015 *G.H.*
laevipenne Baudi B. 1869. 404 *I.*
macropterum Kr. I. D. II. 1015 *Alp.Pe.*
longipenne Er. Mk. 640 *E.md.m.*
♀ Imhoffi Heer H. 184

sparsum Fauv. Fg. III. Suppl. 49 *H.I.*
♂ macropterum Rey Br. 1880. 373
palligerum Ksw.St.47.78 *A.Hu.G.Ga.I.*
aetolicum Kr. B. 1858. 129 *Gr.Si.Ca.*
umbellatarum Ksw. St. 1850. 222 *P.*
montivagum Heer H. 184 *H.Ga.*
sordidulum Kr. I. D. II. 1013 *G.*
♂ sparsum Rey Br. 1880. 370
macropterum Rey ibid. 373
bivittatum Epp. Sic. VII. 45 *Si.*
nigriceps Fauv. Fg. III. 41 *C.*

*

pruinosum Fauv. B. N. 1869. 19 *C.*
alpinum Heer H. 180 *E.md.*
luteipenne Er. Gen. 898
montanum Er. Gen. 897
alpestre Motsch. B.M. 1857. 491
subjectum Rey Br. 1880. 352 *Ga.*
angusticolle Fauv. Fg. III. 47 *Alp.mar.*
angustum Kiesw. St. 1850. 222 *P.*
foveicolle Fauv. B.N. 1869. 18 *MR.*
cribricolle Baudi B. 1869. 403
anale Er. Gen. 898 *Mt.E.*
nivale Heer H. 569
difficile Rosh. And. 87
rhododendri Motsch. B.M. 1857.491
longulum Motsch. ibid.
longiusculum Gemm. Cat. II. 670
v. longulum Kiesw. St. 1847. 78

Protinini.

Protinus
Latreille.

laevigatus Hochh. B. M 1871. 174 *R.*
ovalis Steph. Ill. Br. V. 335 *E.*
brevicollis Er. Gen. 903
brachypterus F. Ent. Syst. I. 1. 235 *E.*
laevicollis Heer H. 180
limbatus Mäkl. B. M. 1852. 323 *Ca.*
crenulatus Pand.Cat.Gren.169 *Ga.*
Mäklini Fauv. Ab. V. 494 *Pe.C.*
macropterus Gyll. I. S. II. 209 *E.md.b.*
atomarius Er. Gen. 904 *E.md.*
clavicornis Fauv. Fg. III. 31 *Su.*

Megarthrus
Stephens.

depressus Payk. Mon. Staph. 70 *E.*
stercorarius Rey Br. 1879. 48 *P.*
sinuatocollis Lac. Fn. Par. I. 493 *E.*
v. nigrinus J. Sahlb. E. F. 225 *L.*
affinis Mill. W. z. b. II. 28 *E.md.m.*
Bellevoyei Saulcy A. 1862. 69
sinuatocollis Kr. I. D. II. 1029
denticollis Beck Beitr. 26 *E.md.b.*
marginicollis Er. Mk. 644
nitidulus Kr. I. D. II. 1028 *G.A.R.*
hemipterus Ill. Schn. Mag. V. 597 *E.*

Phloeobium
Erichson.

clypeatum Müll. Germ. Mag. IV.204 *E.*

Ploeocharini.

Pseudopsis
Newman.

sulcataNewm.Ent.Mg.34.314*Br.Ga.C.*

Phloeocharis
Mannerheim.

subtilissima Mannh. Brach. 50 *E.*

Scotodytes Saulcy.
Thermocharis Fauv.

laticollis Fauv. Fg. III. Suppl. 25 *Pe.*
corsica Fauv. Fg. III. Suppl. I *C.*
brachyptera Sharp An.Esp.1873.266*Hi.*
umbratilis Epp. St. 1880. 288

*

paradoxa Saulcy A. 1865. 19 *P.*
caeca Fauv. Fg. III. 22
subclavata Rey Op. XVI. 207
Diecki Saulcy Heyd. Sp. 90 *Hi.*

Olisthaerus
Heer.

megacephalus Zett. Fn. L.I.56 *Su.L.H.*
substriatus Gyll. I. S. II.233*Su.Ga.G.A.*

Piestini.

Trigonurus
Mulsant.

Mellyi Muls. A. Lyon. 47. 515 *Alp.mar.*
asiaticus Reiche A. 1865. 642 *Ca.*

Siagonium
Kirby.
Prognatha Latr.

quadricorneKby.Intrd.I.t.1.f.3*Br.Ga.G.*
humerale Germ. Fn. I. E. 18. 6*E.md.m.*

Thoracophorus
Motschulsky.
Glyptoma Er.

corticinus Motsch. B.M.37.98*Ga.G.I.A.*

Micropeplidae.

Reitter Rev. D. 1885. 365.

Micropeplus
Latreille.

porcatus Payk. Kr. I. D. II. 1052 *E.*
 ♀ Mathani Fauv. B. Norm. 1860. 256
caelatus Er. Mk. I. 647. Reitt. 365 *G. Su.*
staphylinoides Marsh. E. Br. 137 *Br.*
 obtusus Newm. E. Mag. II. 201 *G. Ga.*
 fulvus Duval Gen. Staph. 82 *A. I.*
 Maillei Guér. Ic. Ins. t. 10. f. 4 *C.*
 ♀ Duvali Fauv. B. Norm. 1860. 261
graecus Reitt. W. 1887. 228 *Gr.*
caspius Reitt. D. 1886. 206 *Lenkor.*
fulvus Er. Gen. 912. Reitt. l. c. *G. Ga. R.*
 Margaritae Duval Gen. Staph 82 *Br.*
 ♀ Mariettti Duval ibid. *I.*
longipennis Kr. B. 1859. 69 *G.*
 staphylinoides Kr. ol. I. D. II. 1053
 Eppelsheimi Reitt. W. z. b. 30. 514 *Ca.*
obsoletus Rey *P.*
latus Hampe W. Mt. 1861. 65 *Cro.*
tesserula Curtis Br. Ent. V t. 204 *E. md. m.*
laevipennis Eppelsh. Reitt. D. 85. 65 *Hu.*
 interstitialis Sahlbg. *R.*

Pselaphidae.

Saulcy, Spec. Pselaph. Clav. Ent., Metz 1874.
Reitter, T. V. et X. (Wien z. b. G. 1881 et 1884.)
(System. nov. Raffray, R. 1890.)

Faronini.

Faronus
Aubé.

Lafertei Aub. T. 5. 20 *E. m.*
 Aubei Luc. A' 1851. 35
 ♂ telonensis Fairm. A' 1860. 41
spartanus Reitt. T. 10. 23. *Gr.*
Brucki Saulcy T. 5. 20 *I.*
pyrenaeus Bris. T. l. c. *P.*
nicaeensis Saulcy l. c. *Ga. m.*
hispanus Saulcy l. c. *Hi. m.*
gravidus Reitt. T. 10. 23 *Hi. m.*

Euplectini.

Imirus
Reitter.
Mirus Saulcy.

permirus Saulcy T. 5. 78 *C.*

Pygoxyon
Reitter.

tychiiforme Reitt. An. Genov. 84. 370 *I. b.*
lathridiiforme Reitt. T. 5. 76 *D.*
scydmaeniforme Reitt. l. c. *Ca.*
bythiniforme Reitt. W. 1888. 317 *Ca. oc.*

Panaphantus
Kiesenwetter.

atomus Kiesenw. T. 5. 76 *Ga. Gr. Cr.*

Zibus
Saulcy.

adustus Reitt. T. 5. 77 *Si.*
planiceps Reitt. l. c. *Gr.*
liocephalus Aub. T. l. c. *Gr.*
Riedeli Fairm. T. l. c. *Si.*

Aphiliops
Reitter.
Philus Aubé.

Aubei Reitt. T. 5. 79 *C.*
Schmidti Maerkel T. l. c. *C.*

Trimium
Aubé

cavicolle Reitt. T. 5. 92 *D.*
Hopffgarteni Reitt. l. c. 93 *D.*
Diecki Reitt. l. c. *C.*
caucasicum Kolen. T. l. c. *Ca.*
latiusculum Reitt. l. c. 94 *Cr. Cro.*
expandum Reitt. T. 10. 21 *Gr.*
ampliventre Baudi Cat. Piem. 89. 77 *P.*
brevicorne Reichb. T. 5. 94 *E.*
 ♀ brevipenne Chaud. B. M. 45. III. 172
 ♂ latipenne Tourn. A. 1867. 564
 ♂ Chevrieri Tourn. A. 1867. 565
 v. puncticeps Reitt. T. 5. 94 *D.*
imitatum Reitt. l. c. 95 *Lu.*

*

Domogleti Reitt. l. c. *Hu.*
Emonae Reitt. l. c. *Cr. Ti.*
Königi Reitt. D. 1887. 270 *Ca. oc.*
aetnense Reitt. i. litt. *I.*
longipenne Reitt. T. 5. 96 *Cr. Cro.*
Brenskei Reitt. T. 10. 21 *Gr.*
carpathicum Saulcy T. 5. 96 *Cp.*

Euplectus
Leach.

Plectophloeus Reitt.

acanthifer Reitt. T. 10. 21 *Corfu.*
Erichsoni Aub. T. 5. 81 *E. md.*
nubigena Reitt. T. 5. 82 *E. md.*
nitidus Fairm. T. 5. 82 *Ga. m.*

Reyi Guilleb. R. 1888. 214 *Ga.*
sulciventris Guilleb. R. l. c. *Ga.*
Guillebeaui Xamb. R. 1889. 239 *Ga.*
tuberculosus Tourn. T. 5.82 *H.*
rhenanus Reitt. T. 10. 22 *G.*
Fischeri Aub. T. 5.82 *E.md.b.*
  Tischeri Heer Col. H. 362
carpathicus Reitt. T. 5.83 *Sil.Tr.*
tenuicornis Reitt. T. 10. 22 *Sil.Hu.*

Euplectus in spec.

Aubeanus Reitt. T. 5.83 *G.*
brunneus Grimmer T. 5.84 *E.md.*
  Kunzei Aub. Revis. 142
  Erichsoni Thoms.
Frivaldszkyi Saulcy T. 5.84 *Hu.*
Duponti Aub. T. 5.84 *E.md.*
bescidicus Reitt. T. 5.84 *G.Sil.*
corsicus Guilleb. R. 88. 216 *C.*
pelopis Reitt. T. 10. 22 *Gr.*
verticalis Reitt. T. 10. 22 *Corfu*
Abeillei Guill. R. 1888. 216 *Ga.*
piceus Motsch. T. 5.85 *E.md.*
  nigricans Chaud. B. M. 1845. II. 169
  Dennyi Waterh. Tr. E. 1861. 2
  sulcatulus Saulcy
nanus Reichb. T. 5.85 *E.*
  Reichenbachi Denny Mon. 10
  Kirbyi Denny T. 5.85
  Richteri Reitt. B. 1870. 215
 v. Revelierei Reitt. T. 10. 22 *E.m.*
Fairmairei Guill. R. 1888. 218 *Ga.*
occipitalis Reitt. T. 5.86 *Ca.*
sanguineus Denny T. 86 *E.*
 v. georgicus Saulcy ibid. *Ca.*
signatus Reichb. T. 5.86 *E.*
Doderoi Reitt. An. Genov. 1884. 370 *S.*
Felschei Reitt. D. 1887. 5.05 *S.*
afer Reitt. T. 5.87 *Hi.m.*
Linderi Reitt. T. 10. 22 *Alp.mar.*
Bonvouloiri Reitt. T. 5.87 *C.*
puncticeps Reitt. W. 1888. 318 *Ca.oc.*
Tholini Guill. R. 1888. 218 *Ga.*
Fauveli Guill. l. c. 219 *Ga.*
laticeps Guill. l. c. *Ga.m.*
punctatus Muls. T. 5.87 *E.md.m.*
intermedius Woll. T. 5.88 *E.m.*
Karsteni Reichb. T. 5.88 *E.*
  gracilis Chaud. B. M. 1845. III. 167
  filum Reitt.
narentinus Reitt. T. 5.89 *D.*
Spinolae Aub. T. 5.89 *Ga.A.Hu.*

Bibloplectus Reitter.
Guilleb. R. 1888. 212.

ambiguus Reichb. Guill. 211. T. 5.90 *E.*
Delhermi Guill. l. c. 379 *Ga.*
tenebrosus Reitt. T. 5.90 *D.*
minutissimus Aub. Guill. 211 *E.m.*
  Garneysi Fowler Br. Col. III. 106 *Br.*
aculeatus Guill. l. c. 380 *Ga.*
affinis Guill. 212 *Ga.*
Reitteri Guill. 212 *Ga.*
obtusus Guill. 213 *D.*

Pseudoplectus Reitter.

perplexus Duv. T. V. 91 *E.m.lit.*
 v. signaticornis Guilleb. R. 88. 206 *Ga.m.*

Bibloporus
Thomson.
(Guilleb. R. 1888. 206.)

bicolor Denny Guill. 205 *E.*
  glabriculus Gyll. T. 5. 90
  fennicus Mäklin. B. M. 45. IV. 550
variicolor Reitt. T. 5. 91 *Ca.*
pyrenaeus Guill. 206 *P.*
Mayeti Guill. 207 *P.o.*
Abeillei Guill. 207 *C.*
Chamboveti Guill. 208 *Ga.*
Reyi Guill. 209 *Ga.*

Scotoplectus
Reitter.

Capellae Reitt. T. 5. 81 *Carn.Cro.*

Trichonychini.

Trichonyx
Chaudoir.

sulcicollis Reichb. T. 5. 80 *E.md.*
georgicus Motsch. T. l. c. *Ca.*
talyschensis Reitt. T. l. c. *Ca.*

Amauronyx
Reitter.

Maerkeli Aub. T. 5. 79 *E.md.*
Barnevillei Saulcy ibid. *Ga.m.*
brevipennis Saulcy ibid. *Hi.*
Kraatzi Saulcy ibid. 80 *Hi.*

Trogaster
Sharp.

Heteronyx Saulcy.

heterocerus Saulcy T. 5. 80 *C.*
aberrans Sharp l. c. *C.*

Batrisini.

Amaurops
Fairmaire.

Aubei Fairm. T. 5. 21 — *Si.*
Diecki Saulcy T. 5. 21 — *I.*
v. senensis Baudi Sic. 1889. 165 — *I.*
sardoa Saulcy T. 5. 21 — *S.*
corsica Saulcy T. 5. 21 — *C.*
Koziorowiczi Saulcy T. 5. 21 — *C.*
Revelierei Saulcy T. 5. 21 — *C.*
gallica Delar. T. 5. 21 — *Ga.m.*
?Abeillei Saulcy
exarata Baudi T. 5. 21 — *I.*
carinata Baudi T. 5. 21 — *I.b.*
Pirazzolii Saulcy T. 5. 21 — *I.b.*
corcyrea Reitt. T. 10. 6 — *Corfu*

Bergrothia
Reitter.
Amicrops Saulcy.

Saulcyi Reitt. T. 10. 6 — *Ca.*
Lederi Saulcy T. 10. 6 — *Ca.*
lencorana Reitt. T. 10. 6 — *Ca.*
mingrelica Reitt. T. 10. 6 — *Ca.*

Batrisus
Laporte.

Ormayi Reitt. D. 1885. 367 — *Tr.*
formicarius Aub. T. 10. 7 — *E.md.*

Batrisodes Reitter.

Delaportei Aub. T. 5. 23 — *E.md.*
puncticollis Tourn. A. 1867. 561
Schwabi Reitt. D. 1870. 213
pogonatus Saulcy T. 5. 23 — *Gr.*
venustus Reichenb. T. 5. 23 — *E.md.*
v. piceus Muls. An. Lyon VII. 322
quadriceps Baudi Sic. 1889. 166 — *I.m.*
adnexus Hampe T. 5. 23 — *E.md.*
insularis Baudi T. 5. 23 — *C.*

*

Ruprechti Kolen. T. 10. 7 — *Ca.*
elysius Reitt. T. 10. 7 — *Gr.*
sculptus Hampe T. 10. 7 — *A. Tr.*
circassicus Reitt. D. 1887. 267 — *Ca.oc.*
oculatus Aub. T. 5. 24 — *E.md.m.*

Namunia
Reitter.

myrmecophila Reitt. T. 10. 23 — *T.*

Bryaxini.

Batraxis
Reitter.

Batrisomorpha Raffray.

Hampei Reitt. T. 5. 24 — *Gr.*

Tribatus
Motschulsky.

Abatrisops Reitter.

thoracicus Motsch. T. 5. 78 — *Ca.*
creticus Reitt. W. z. b. 1884. 8 — *Creta*

Bryaxis
Leach.

Brachygluta Thoms.

celtiberica Saulcy T. 5. 25 — *Hi.*
Lefebvrei Aub. T. 5. 25 — *E.*
v. calcarata Baudi Sic. 1889. 166
corsica Saulcy T. 5. 25 — *C.*
tibialis Aub. T. 5. 26 — *E.m.*
Marthae Reitt. i. litt.
dentiventris Saulcy T. 5. 26 — *Hi.*
hipponensis Saulcy T. 5. 26 — *Hi.*
apennina Saulcy T. 5. 26 — *I.*
Revelierei Saulcy T. 5. 26 — *Ga.m.C.*
cotus Saulcy T. 5. 26 — *Br.*
Pandellei Saulcy T. 5. 26 — *P.*
numidica Saulcy T. 5. 27 — *S.Si.*
Guillemardi Saulcy T. 5. 27 — *I.b.*
syriaca Baudi T. 5. 27 — *Gr.*
Waterhousei Rye T. 5. 27 — *Br.*
simplex Waterh. Tr.E.S. 62. 135 — *E.m.*
brunniventris Motsch. T. 5. 27 — *Ca.*
persica Saulcy B. Metz 1874. 32
xanthoptera Reichb. T. 5. 27 — *E.md.m.*
Lederi Saulcy T. 5. 27 — *S.*
haemoptera Aub. T. 5. 28 — *E.md.m.*
maxima Reitt. T. 10. 9 — *Gr.*
fossulata Reichb. T. 5. 28 — *E.md.b.*
v. aterrima Reitt. T. l. c. — *Cp.*
v. rufescens Reitt. l. c. — *E.m.*
tristis Hampe T. 5. 28 — *Hl.*
nigricans Gredler Käf. Tir. 63. 130
Sartorii Redtb. Fn. Aust. (III.) 292

*

paludosa Peyr. T. 5. 29 — *Gr.*
gibbera Baudi B. 1869. 411
Helferi Schmidt T. 5. 29 — *E.*
pulchella Schaum Germ. Zt. IV. 192
longispina Reitt. D. 1884. 107 — *Gr.D.*
Retowskii Simon T. 10. 10 — *Cri.*

transversalis Schaum T. 5. 29 *Gr.*
narentina Reitt. W. 1890 *Herz.*
Motschulskyi Saulcy T. 5. 30 *R.m.*
furcata Motsch. T. 5. 30 *Ca.*
Picciolii Saulcy T. 5. 30 *I.Gr.*
Pirazzolii Saulcy T. 5. 31 *I.*
Diecki Saulcy T. 5. 31 *I.*
Schüppeli Aub. T. 5. 31 *E.m.*
Croissandeaui Reitt. D. 1887. 268 *Ga.*
Galathea Saulcy T. 5. 32 *Si.*
Ragusae Saulcy T. 5. 32 *Si.*
cavernosa Saulcy T. 5. 32 *Gr.*
carthagenica Saulcy T. 5. 32 *Hi.*
haematica Reichb. T. 5. 33 *E.*
emarginata Först.
tuberiventris Raffr.
v. perforata Aub. T. 5. 32
palustris Reitt.
v. sinuata Aub. T. 5. 32
v. bidenticulata Aub. T. 5. 33
globulicollis Rey T. 5. 33 *E.m.*
Aubei Tourn. T. 5. 33 *H.Si.*
rufula Rottenb. B. 1870. 37
Araxidis Reitt. D. 1889. 19 *Ca.m.*
balcanica Saulcy T. 5. 34 *T.*
Uhagoni Saulcy T. 5. 34 *Hi.*
sardoa Saulcy T. 5. 34 *S.C.*
nodosa Motsch. T. 5. 34 *Ca.*
colchica Saulcy T. 5. 34 *Ca.*

Reichenbachia Leach.

Dierobia Thoms.

militaris Saulcy T. 5. 35 *Gr.*
juncorum Leach T. 5. 35 *E.*
nigriventris Schaum T. 5. 35 *E.m.*
melina Solsky ♂ T. 5. 35 *Ca.*
♀ rubra Motsch. B. M. 1851. 492
♂ tychoides Reitt. D. 1877. 291
♀ talyschensis Reitt. T. X. 10
iranica Saulcy W. 86. 347 *Ca.m.o.*
Editha Reitt. D. 1887. 268 *Ca.m.or.*
fulviventris Tourn. T. 5. 35 *H.*
Chevrieri Aub. T. 5. 35 *E.m.*
montana Saulcy T. 5. 36 *Ca.m.or.*
impressa Panz. T. 5. 36 *E.md.m.*
spinipes Reitt T. 10. 11 *Lenkoran*
antennata Aub. T. 5. 36 *E.md.m.*
serrata Gredler Käf. Tir. 1863. 131
caucasica Saulcy B. Metz 1874. 94
serricornis Schmidt 1838
Opuntiae Schmidt T. 5. 37 *E.m.*
morio Reitt. T. 10. 10 *Zante*

Rybaxis
Saulcy.

sanguinea L. T. 5. 37 *E.*
limnophila Peyron A. 1858. 414
longicornis Denny Mon.
v. nigropygialis Fairm. A. 1857. 735
formicariensis Gredl. Käf. Tir. 63. 129
albana Motsch. B. M. 1845. I. 43
v. laminata Motsch. T. 5. 37
gigas Baudi T. 5. 37 *Cr.*

Bythinini.

Bythinus
Leach.

Decatocerus Saulcy.

Alhambrae Saulcy T. 5. 38 *Hi.*
bicornis Reitt. T. 5. 38 *Bal.*

Machaerites Miller.

Linderia Saulcy.

spelaeus Mill. T. 5. 39 *Carn.*
subterraneus Motsch. T. 5. 40 *Carn.*
plicatulus Schauf. W. z. b. 1885. 1245
♂ Argus Kr. B. 1863. 124
Doriae Schauf. T. 5. 40 *I.*
Lucantei Saulcy T. 5. 41 *P.*
cristatus Saulcy T. 5. 41 *P.*
Mariae Duval. T. 5. 41 *P.*
Clarae Schauf. T. 5. 41 *Hi.*
armatus Schauf. T. 5. 42 *Hi.*

*

scapularis Reitt. T. 10. 10 *Herzeg.*
Ludyi Reitt. T. 10. 12 T. 5. 41 *Ti.*
Halbherri Reitt. D. 1885. 368 *Ti.*
Abeillei Guilleb. R. 1888. 204 *Ga.*
Xambeui Guilleb. R. 1888. 203 *Ga.*
Revelierei Reitt. T. 5. 42 *C.*
Myrmidon Reitt. T. 5. 42 *C.*
Bonvouloiri Saulcy T. 5. 42 *P.*
glabratus Rye T. 5. 43 *Br.*
Falesiae Fauv. T. 10. 12 *Ga.b.*
maritimus Reitt. T. 10. 12 *Ga.o.*
dentimanus Reitt. An. Genov. 84. 369 *S.*
gladiator Reitt. T. 10. 12 *I.*
Eppelsheimi Reitt. T. 10. 12 *I.*

Bythinus Reitter.

cavifrons Reitt. T. 5. 43 *D.k.*
caviceps Reitt. T. 5. 44 *Cr.*
pauper Kiesw. T. 5. 45 *Gr.*
Ammon Saulcy T. 5. 45 *Cr.*

pauperculus Reitt. D. 1885. 201 *Bosn.*
gracilis Motsch. T. 5. 44 *Ca.*
corpulentus Motsch. B. M. 1845. 45 *Ca.*
  Jaso Saulcy T. 5. 44
simplex Baudi T. 10. 13 *Pe.*
Baudueri Reitt. T. 10. 13 *P.*
  spissipes Croissandeau R. 1890. 12
Fauconneti Fauv. R. 1886. 125 *Ga.*
  Grilati Reitt. W. 1886. 236
difficilis Reitt. An. Genov. 1884. 369 *S.*
convexus Kiesw. T. 5. 45 *Gr.[Zante*
  levantinus Schauf. A. Genov. 1882. 398

Arcopagus Leach.

Heydeni Reitt. T. 5. 45 *Cr.Cro.*
solidus Reitt. T. 5. 45 *Cro.D.*
procerus Gredler T. 5. 46 *Ti.*
crassicornis Motsch. T. 5. 46 *E.*
  Chaudoiri Hochh. B. M. 1845. 173
  ?longicornis Motsch. R. 1887. 262
corcyreus Reitt. T. 10. 13 *Corfu*
Viertli Reitt. T. 10. 13 *Hu.m.*
giraffa Reitt. T. 10. 13 *Ca.*
martkopius Reitt. T. 10. 13 *Ca.*
Nakeralae Reitt. T. 10. 14 *Ca.*
peloponnesius Reitt. T. 10. 14 *Gr.*
elephas Reitt. T. 5. 47 *Ca.*
clavipes Motsch. T. 5. 47 *Ca.*
  Schamylianus Saulcy, Leder 134
dimorphus Reitt. W. 1888. 288 *Ca.o.*
tscherkessicus Reitt. W. 88. 284 *Ca.oc.*
 v. inermis Reitt. l. c. 285
argiolus Reitt. l. c. 286 *Ca.oc.*
Schneideri Reitt. D. 1890 *I.*
Grouvellei Reitt. T. 5. 47 *Al.mar.*
ibericus Saulcy T. 5. 47 *Hi.*
cocles Saulcy T. 5. 47 *P.*
  hypogaeus Saulcy A. 1863. 657
latebrosus Reitt. T. 10. 14 *Alp.mar.*
  Argodi Crois. R. 1885. 173
  ? blandus Reitt. T. 10. 16
Picteti Tourn. T. 5. 48 *H.Pe.*
  Marthae Reitt. T. 5. 48 *Alp.mar.*
Pandellei Saulcy T. 5. 48 *P.Hi.b.*
  curticollis Reitt. W. z. b. 1879. 533
verruculus Reitt. T. 5. 48 *C.Ga.m.*
pedator Reitt. T. 5. 49 *I.*
Simoni Reitt. T. 5. 49 *Bulg.*
bulgaricus Reitt. T. 5. 49 *Bulg.*
Lederi Reitt. W. 1888. 285 *Ca.oc.*
 v. fluctuosus Reitt. l. c. *Ca.oc.*
abastumanus Reitt. T. 5. 49 *Ca.*

peninsularis Saulcy T. 5. 50 *Hi.*
dalmatinus Reitt. T. 5. 50 *D.m.*
melinensis Reitt. T. 5. 50 *D.m.*
dichrous Reitt. T. 5. 50 *Hi.*
montivagus Reitt. T. 10. 15 *P.o.*
pyrenaeus Saulcy T. 5. 51 *P.*
gallicus Reitt. D. 1887. 269 *Ga.*
etruscus Reitt. T. 5. 51 *I.*
bajulus Hampe T. 5. 51 *Tr.Hu.*
troglocerus Saulcy T. 5. 51 *Hi.Lu.*
  portalegrensis Schf. A. Genova 82. 398

Bythinus Leach.

appendiculatus Reitt. T. 10. 15 *Ca.*
lusitanicus Saulcy T. 5. 52 *Lu.*
  Oedipus Sharp M. M. 1874. 81
  Crotchi Sharp M. M. 1874. 81
  monstripes Reitt. W. z. b. 1879. 534
Attila Saulcy T. 5. 52 *Hu.m.*
rostratus Motsch. B. M. 1851. 480 *Ca.*
  murida Saulcy T. 5. 52
Sharpi Saulcy T. 5. 53 *Hi.b.*
  Mulsanti Saulcy
  asturiensis Reitt. W. z. b. 1879. 534
Mulsanti Kiesenw. T. 5. 53 *P.*
  Massanae Saulcy A. 1863. 260
Erichsoni Kiesenw. T. 5. 53 *Cr.*
ursus Reitt. T. 5. 53 *Cr.*
Reitteri Saulcy T. 5. 53 *Cp.or.*
sculptifrons Reitt. T. 5. 53 *Serb.Hu.Car.*
carpathicus Saulcy T. 5. 54 *Hu.b.*
Brenskei Reitt. T. 10. 15 *Gr.*
swaneticus Reitt. l. c. *Ca.*
muscorum Kiesenw. T. 5. 55 *Cr.Ti.*
Steindachneri Reitt. T. 5. 55 *Ca.*
longulus Kiesenw. T. 5. 55 *Cr.Cro.*
 v. carniolicus Reitt. l. c.
femoratus Aub. T. 5. 56 *E.md.*
Porsenna Reitt. T. 5. 56 *I.*
nasicornis Saulcy T. 5. 56 *Lu.*
Weisei Saulcy T. 5. 56 *Cp.or.*
italicus Baudi T. 5. 57 *I.*
islamita Reitt. D. 1885. 201 *Bosn.*
bulbifer Reichb. T. 5. 57 *E.*
  tauricus Motsch.
  flavipes Motsch.
 v. extremitalis Reitt. l. c. *Ca.*
Aelistae Reitt. l. c. *C.*
clavicornis Panz. T. l. c. *E.md.*
  nigrinus Rey A. Lyon 1861
  laevicollis Fairm. A. 1857. 735
 v. inflatipes Reitt. T. 10. 16 *G.*
Lageri Halbh. Pub. Roveret. 90.3 *Ti.m.*

collaris Baudi T. 5. 58 *I.*
Manueli Sharp. M. M. 1874. 82
germanus Reitt. I. D. III. 2. 84 *G.*
Curtisi Denny T. 5. 58 *E.md.*
v. hungaricus Reitt. T. l. c.
Ehlersi Reitt. l. c. *La.*
banaticus Reitt. T. 10. 16 *Hu.m.*
anguliceps Reitt. D. 1885. 369 *La.*
atticus Reitt. l. c. 370 *Gr.*
nodicornis Aub. T. 5. 59 *E.md.*
Sternbergi Schmidt Psel. Prag 27
ruthenus Saulcy T. 5. 59 *Cp.or.*
Oertzeni Reitt. T. l. c. *Tr.*
balcanicus Reitt. D. 1885. 371 *T.*
acutangulus Reitt. T. 5. 59 *E.m.*
securiger Reichb. T. l. c. 60 *E.md.*
uncicornis Aub. Rev. 137
specialis Saulcy T. 5. 60 *Cp.or.*
distinctus Chaud. T. l. c. *E.md.b.*
securiger Aub. Rev. 136
Hopffgarteni Reitt. T. 5. 60 *Hu.m.*
lunicornis Reitt. T. 10. 17 *Hu.m.*
Burelli Denny T. 5. 61 *E.md.m.*
tener Reitt. T. 10. 17 *Corfu*
kninensis Reitt. T. 5. 61 *D.b.*

---

sculpticollis Reitt. D. 1885. 369 *I.*
nemilensis Reitt. l. c. 201 *Bosn.*
Frivaldszkyi Reitt. D. 1887. 504 *Hu.b.*
nigripennis Aub. T. 5. 61 *E.md.b.*
Brusinae Reitt. T. l. c. *Il.Cro.*
Stussineri Reitt. l. c. *Alp.Cp.*
validus Aub. T. 5. 62 *E.md.*
curvipes Hampe W. e. Mt. 1863. 286
puncticollis Denny T. 5. 62 *E.*
armipes Reitt. T. 5. 62 *Mont.*

Tychus
Leach.

niger Payk T. 5. 69 *E.*
v. dichrous Schmidt T. l. c. *E.*
tauricus Motsch. B. M. 1851. 495
colchicus Saulcy Leder 136 *Ca.*
angulifer Reitt. T. 5. 69 *Ca.*
nodifer Reitt. T. 10. 17 *Gr.*
caudatus Reitt. l. c. 18 *Jon.Ins.*
Lederi Saulcy T. 5. 70 *Ca.*
dalmatinus Reitt. T. l. c. *D.I.*
creticus Reitt. D. 1885. 371 *Cret.*
mutinensis Reitt. T. 10. 18 *I.*
tuberculatus Aub. T. 5. 70 *P.*
armeniacus Saulcy T. l. c. *Ca.*
ibericus Motsch. T. l. c. *E.m.*
rufopictus Reitt. T. 5. 71 *S.*
Jaquelini Boieldieu T. l. c. *Si.*
hirtulus Reitt. l. c. *D.I.*
rufus Motsch. l. c. 72 *E.m.or.*
myops Kiesw. B. 1858. 46
v. morio Reitt. T. 5. 72
v. nodicornis Reitt. T. 10. 18 *Gr.*
v. puncticollis Reitt. D. 87. 505 *Hu.m.*
serbicus Reitt. T. 10. 18 *Serb.*
florentinus Reitt. l. c. 19 *I.*
anophthalmus Reitt. T. 5. 72 *C.*
brunneus Motsch. T. l. c. *Ca.*
caucasicus Saulcy Leder 137
lenkoranus Reitt. T. 5. 72 *R.m.or.*
integer Reitt. l. c. 73 *Si.*
monilicornis Reitt. l. c. *D.I.*
corsicus Reitt. l. c. *C.*
?striola Guilleb. l'Echang. 19 *Ga.*
pullus Kiesenw. T. 5. 74 *Gr.*
mendax Kiesenw. l. c. *Gr.*
miles Saulcy T. l. c. *Hi.*
armatus Saulcy l. c. *Hi.*
Fournieri Saulcy l. c. 75 *Ga.*
olbiensis Guilleb. R. 1888. 369 *Ga.m.*
castaneus Aub. T. 5. 75 *Hi.Si.*

Pselaphini.

Dicentrius
Reitter.

Merkli Reitt. T. 5. 68 *Balk.*

Pselaphus
Herbst.

Heisei Herbst T. 5. 64 *E.*
caspicus Reitt. T. l. c. *Ca.*
?caucasicus Motsch. B. M. 1845. 43
acuminatus Motsch. T. 5. 64 *Ca.Gr.*

*

dresdensis Herbst T. 5. 65 *E.md.*
longicornis Saulcy T. l. c. *E.m.*

*

Kiesenwetteri Reitt. T. 5. 65 *C.*
Revelierei Reitt. l. c. 66 *C.*
quadricostatus Reitt. T. 10. 20 *MR.*
algesiranus Saulcy T. 5. 66 *Hi.*
Diecki Saulcy l. c. *Hi.b.*
♀ Saulcyi Sharp M. M. 1874. 80
longipalpis Kiesenw. T. 5. 66 *I.*
argutus Reitt. T. l. c. *C.*
Stussineri Saulcy T. l. c. *Ist.*
bistriolatus Reitt. T. 10. 20 *Lu.*

pentagonus Saulcy T. 5. 67 *Cp.*
mehadiensis Friv. ibid. *Hu.*
Ganglbaueri Reitt. ibid. *C.*
Heydeni Saulcy ibid. *Hi.b.*

*

Piochardi Saulcy T. 5. 67 *Lu.*
Simonis Reitt. ibid. 68 *Hi.m.*
caviventris Reitt. T. 10. 20 *Gr.*

Ctenistini.

Chennium
Latreille.
(Reitter D. 1887, 503)

bituberculatum Latr. D. 87. 503 *Ga.G.*
Paulinoi Reitt. D. 87. 503 *Lu.*
Eppelsheimi Reitt. D. 503 *I.*
Steigerwaldi Reitt. D. 503 *Cro.I.*
Prometheus Saulcy D. 503 *Ca.*
antennatum Reitt. D. 503 *Ca.*
Kiesenwetteri Saulcy T. 5. 16 *Gr.*

Centrotoma
Heyden.

lucifuga Heyden T. 5. 17 *E.md.*
penicillata Schauf. T. 5. 17 *Hi.*
rubra Saulcy A. 1864. 258 *Ga.m.*
Ludyi Reitt. T. 10. 5 *Tr.*
Brucki Saulcy T. 5. 17 *Gr.*

Desimia
Reitter.
Tetracis Sharp.

Ghilianii Aub. T. 5. 17 *Hi.*
integricollis Fairm. A. 1858. 793

Ctenistes
Reichenbach.

Marthae Reitt. D. 1891 *Arax.*
palpalis Reichenb. T. 5. 18 *E.m.*
Staudingeri Schauf. T. 5. 18 *Hi.m.*
Kiesenwetteri Ragusa T. 5. 18 *Si.*
andalusicus Saulcy T. 5. 18 *Hi.*

Sognorus Reitter.

Oberthüri Perez T. 5. 18 *Hi.*

Enoptostomus
Schaum.

Aubei Rosenh. T. 10. 6 *Hi.m.*
barbipalpis Fairm. A. 1858. 792
♀ Godarti Saulcy A. 1864. 258
globulicornis Motsch. T. 10. 6 *Gr.*
ponticus Baudi B. 1869. 406
Doderoi Reitt. T. 10. 6 *S.*

Tyrini.

Tyrus
Aubé.

mucronatus Panz. T. 5. 19 *E.md.b.*
sanguineus Thoms. Sk. III. 239
v. costatus Fleischer V. Brünn 1889 *Hu.*

Tyropsis
Saulcy.

Chevrolati Saulcy T. 5. 20 *? Ga.m.*

Clavigeridae.

Claviger
Preyssler.

Saulcy, Monogr. Bull. Soc. Metz 1874

Lederi Reitter T. 5. 8 *Ca.*
Perezi Reitt. l. c. *Hi.*
testaceus Preyssl. ibid. *E.md.*
foveolatus Müll. Germ. Mag. 1818. 69
pyrenaeus Raffr. R. 1887. 19 *P.*
nitidus Hampe T. 5. 8 *Serb.Cro.*
v. carniolicus Reitt. l. c. *Car.*
Justinae Reitt. D. 1887. 264 *Ca.*
Brucki Saulcy T. 5. 8 *Ga.m.*
Piochardi Saulcy l. c. *Hi.b.*
lusitanicus Saulcy l. c. *Lu.*
Duvali Saulcy T. 5. 9 *Ga.m.*
Pouzaui Saulcy l. c. *P.o.*
Saulcyi Bris. ibid. *Hi.*
Oertzeni Reitt. D. 1885. 372 *Cret.*
araxidis Reitt. W. 1890 *Arax.*
colchicus Motsch. T. 5. 9 *Ca.*
caspicus Reitt. ibid. *Ca.*
nebrodensis Ragusa ibid. *Si.*
Merkli Reitt. D. 1885. 372 *T.*
Emgei Reitt. l. c. *Euboea*
Revelierei Saulcy T. 5. 9 *C.*
apenninus Baudi T. 5. 10 *I.*
elysius Reitt. T. 10. 2 *Gr.*
longicornis Müll. T. 5. 10 *E.md.*
divergens Rey Echang. 1888, Nr. 39 A.

Paussidae.

Paussus
Linné.

turcicus Friv. T. 5. 7 *Ca.T.Gr.*
Mariae Muls. An. Lyon 1854. 143
Favieri Fairm. T. 5. 6 *Ga.Hi.Si.*

Scydmaenidae.

(Reitter, T. V. et X.)

Chevrolatiini.

Chevrolatia
Duval.

insignis Duval T. 5. 104 *Ga.I.*
Helzeri Hampe St. 1850. 352
Bonnairei Quedf.
egregia Reitt. T. 5. 105 *D.C.Cri.*

Cephenniini.

Euthiconus
Reitter.

Conoderus Saulcy.

conicicollis Fairm. T. 5. 105 *Ga.G.*
parallelocollis Saulcy ibid. *Tr.*
Tschapecki Saulcy ibid. *St.*

Euthia
Stephens.

plicata Gyll. T. 5. 106 *E.md.*
truncatella Er. Mk. I. 259
Schaumi Kiesw. T. 5. 106 *E.*
Merkli Simon ibid. *Tr.*
formicetorum Reitt. ibid. *E.m.*
clavicornis Reitt. T. 10. 24 *Gr.*
scydmaenoides Steph. T. 5. 106 *E.*
flavipes Motsch. B. M. 1851. IV. 505
abbreviatella Er. Mk. I. 260
linearis Muls. Op. 1861. 67 *Br.Ga.*
clavata Reitt. T. 5. 107 *Hu.G.*

Cephennium
Müller.

Megaloderus Steph.

divergens Reitt. T. 10. 24 *Hi.md.*
Kiesenwetteri Aub. T. 5. 107 *P.*
nicaeense Reitt. ibid. 108 *Alp.mar.*
maritimum Reitt. T. 10. 24 *Ga.o.*
intermedium Fairm. T. 5. 108 *P.*
laticolle Aub. A. 1842. 233 *E.md.*
majus Reitt. T. 5. 108
difficile Reitt. l. c. *Hu.*
simile Reitt. l. c. 109 *I.*
carnicum Reitt. l. c. *Cr.Cro.*
montenegrinum Reitt. l. c. *Mont.*
perispinctum Kolen. ibid. 110 *Ca.*
Reitteri Bris. A' 1886. 29 *G.Cp.*
laticolle Reitt. T. 5. 110. T. 10. 25
punctipenne Fauv. R. 1886. 315 *Ga.*
austriacum Reitt. D. 1888. 420 *A.*
thoracicum Müll. T. 5. 110 *E.md.*
fovangulum Reitt. T. l. c. *Balk.*
hungaricum Reitt. l. c. *Hu.Tr.*
carpathicum Reitt. l. c. 111 *Sil.Crp.*
montanum Reitt. T. 10. 25 *Mh.Tr.*
delicatulum Reitt. T. 5. 111 *A.Hu.*
delicatum Reitt. T. 10. 25 *Hi.m.*
aglenum Reitt. T. 10. 25 *I.E.*

*

turgidum Reitt. T. 5. 111 *Ca.St.D.*

Geodytes Saulcy.

asturicum Reitt. l. c. *Hi.A.*
algesiranum Reitt. l. c. 112 *Hi.*
Lostiae Dodero R. 1887. 63 *S.*
coecum Saulcy T. 5. 112 *Ga.*
Lesinae Reitt. l. c. *D.Cr.Ga.*
minutissimum Aub. T. l. c. *Ga.*
granulum Reitt. T. 10. 25 *Gr.*
liliputanum Reitt. T. 5. 113 *D.*
striolatum Reitt. T. 10. 26 *And.*
puncticolle Reitt. D. 1885. 373 *Euboea*
punctithorax Reitt. D. 1887. 506 *Car.*
latum Motsch. T. 5. 114 *Car.*
fulvum Schaum B. 1859. 49
Saulcyi Reitt. T. 10 113 *Cro.*
pygmaeum Saulcy T. l. c. *Hi.*
caucasicum Saulcy l. c. *Ca.*

Cephennarium Reitt.

apicale Reitt. T. l. c. 114 *I.*
Carrarae Reitt. T. 10. 26 *I.*
sardoum Reitt. An. Genov. 1884. 371 *S.*
Aubei Reitt. T. 5. 114 *C.*
minimum Reitt. l. c. *C.*
atomarium Saulcy T. l. c. *Lu.*

Nanophthalmus
Motschulsky.

armeniacus Reitt. T. 10. 26 *Ca.*
rotundicollis Reitt. T. 5. 115 *Ca.*
megaloderoides Motsch. ibid. *Ca.*
ditomus Saulcy Led. 139

Cyrtoscydmini.

Neuraphes
Thomson.

angulatus Müll. T. 5. 115 *E.md.b.*
impressus Sahlb. I. F. 98
Wighami Denny Mon. 71

rubicundus Schaum T. 5. 115 G.
 Sharpi Saulcy Br.
sellatus Fauv. R. 1886. 316 Ga.
carinatus Muls. T. 5. 115 Ga.G.
 glyptocephalus Saulcy
georgicus Saulcy ibid. 116 Ca.
Lederianus Reitt. ibid. Ca.
Vulcanus Reitt. W. 1888. 320 Ca.or.
Korbi Reitt. D. 1885. 372 Lu.
tripunctatus Reitt. l. c. 374 Ca.
carystosus Reitt. D. 1887. 272 Gr.
frondosus Reitt. T. 5. 116 Hi.b.
solitarius Reitt. l. c. Lu.
balaena Saulcy T. l. c. Ca.
eximius Reitt. l. c. 117 Ca.
antennalis Saulcy ibid. Ca.
parviceps Reitt. D. 1887. 272 Ca.
Fauveli Croiss. R. 1887. 262 P.
Fiorii Reitt. D. 1887. 272 I.
saucius Reitt. W. 1888. 319 Ca.or.
elongatulus Müll. T. 5. 117 E.md.b.

Pararaphes Reitter.

coronatus J.Sahlb. Med.Soc.Fen.83.96 F.
 conifer Fauv. R. 1889. 238 Ga.H.
planiceps Reitt. T. 10. 26 I.
semicastaneus Reitt. T. 5. 117 Cro.
filicornis Reitt. l. c. Herceg.
regalis Reitt. l. c. 118 Ca.
imperialis Reitt. W. 1888. 319 Ca.or.
Satyrus Reitt. l. c. 320 Ca.or.
delphinus Saulcy T. 5. 118 Ca.
colchicus Saulcy l. c. Ca.
Feliciae Reitt. D. 1890. 145 Ca.
Nakeralae Reitt. T. 10. 27 Ca.
Capellae Reitt. T. 5. 118 Cro.A.
Antoniae Reitt D. 1887. 270 Sil.Cp.
Ludyi Reitt. D. 1889. 275 Car.
Emonae Reitt. T. 10. 27 Cr.
plicicollis Reitt. T. 5. 118 Balk.
ornatus Reitt. l. c. 119 Serb.Hu.
nodifer Reitt. l. c. Bulg.
parallelus Chaud. T. l. c. G.
coecus Reitt. D. 1887. 373 Ti.

Scydmoraphes Reitter.

longicollis Motsch. T. 5. 120 G.
 praeteritus Rye M. M. IX. 5

*

leptocerus Reitt. T. 5. 120 I.Hu.
occipitalis Saulcy ibid. Ca.
tenuicornis Reitt. ibid. 121 S.
myrmecophilus Aub. ibid. Ga.

 longicollis Muls. Op. 1861. 65
 Mulsanti Reitt. T. 5. 124
proximus Reitt. l. c. C.
similaris Reitt. l. c. C.
tritomus Reitt. l. c. 122 D.m.
Titan Reitt. l. c. Hi.
pusillimus Reitt. l. c. Gr.
geticus Saulcy T. l. c. A.Hu.
asturiensis Reitt. l. c. 123 Hi.b.
oedicerus Saulcy l. c. Lu.
strictus Fairm. T. l. c. P.or.
dubius Reitt. l. c. 124 C.
Flaminii Reitt. T. 10. 27 I.
Brucki Reitt. T. 5. 124 I.
subcordatus Fairm. T. l. c. Gu.
Hervei Bris. R. 1884. 297 Ga.occ.
ventricosus Rottenb. T. 5. 123 Si.
Yermolowi Saulcy T. l. c. Ca.
subparallelus Saulcy l. c. Cr.
latitans Saulcy l. c. Hu.Tr.
subtetratomus Reitt. T. 10. 28 Gr.
sulcipennis Reitt. T. 5. 125 D.m.
 ♀flaveolus Reitt. D. 1881. 210
tricavulus Reitt. T. 5. 125 Hu.D.
bulgaricus Reitt. l. c. Balk.

*

Hopffgarteni Reitt. l. c. 126 Cr.Cro.
Diocletianus Reitt. l. c. D.
Sparshalli Denny T. l. c. E.
 helvolus Schaum, Grm. Ztsch. V. 467
planifrons Blatch M. M. 1890. 93 Br.
profanus Reitt. T. 10. 28 D.Gr.
parilis Reitt. l. c. Hi.
minutus Chaud. T. 5. 126 E.md.
 pumilio Schaum St. 1846. 356
nigrescens Reitt. T. 5. 126 Hu.m.
sulcatulus Fairm. A. 1861. 579 Ga.m.
 cordubanus Saulcy Heyd. Sp. 92 Hi.
 subsulcatus Reitt. T. 5. 127 Ca.
Revelierei Reitt. l. c. C.

*

vulneratus Reitt. T. 10. 29 C.

Cyrtoscydmus
Motschulsky.
Scydmaenus auct.

Godarti Latr. T. 5. 127 E.md.
aegialius Reitt. T. 10. 29 Gr.
scutellaris Müll. T. 5. 128 E.
Helferi Schaum ibid. E.m.
 Raymondi Saulcy
Barnevillei Reitt. T. 10. 29 Ca.
Poweri Fowl. M. M. 1884. 247 Br.

collaris Müll. T. 5. 128 *E.*
Dalmanni Gyll. I. Suec. IV. 320
Chevrieri Heer H. I. 368
propinquus Chaud. B. M. 1845. 183
tuberculatus Chaud. l. c.
v. subseriatus Reitt. i. litt. *Daghest.*
pusillus Müll. T. 5. 128 *E.*
flavicornis Motsch. B. M. 1845. 49
Steveni Kolenati Mel. III. 1846. 32
crassimanus Reitt. W. z. b. 1880. 220
Kamberskyi Reitt. D. 1889. 19 *Ca m.*
protervus Coquerel T. 5. 129 *Hi.m.*
protervus Reitt. Kr. Monatsh. II. 168
furtivus Coquer. A. 1860. 147
v. truncatus Coquer. A. 1860. 145
andalusiacus Reitt. T. 10. 29 *Hi.*
cribrum Saulcy T. 5. 129 *Ca.*
circassicus Reitt. W. 1888. 321 *Ca.oc.*
successor Reitt. D. 1888. 421 *Ca.*
Thythonus Reitt. T. 10. 30 *Hi.m.*
guardanus Reitt. D. 1887. 506 *Lu.*
Damryi Reitt. T. 5. 129 *C.*
Kunzei Gené ibid. *S.*
v. Baudii Reitt. l. c. *S.*
semipiceus Reitt. T. 10. 29 *Ca.*
macedo Reitt. l. c. *Gr.*
microphthalmus Reitt. l. c. 130 *C.*

Stenichnus Thomson.

ellipticus Reitt. T. 10. 30 *Ca.*
cordicollis Kiesw. T. 5. 131 *P.*
Emgei Reitt. T. 10. 31 *Gr.*
angulimanus Reitt. l. c. *Gr.*
rotundipennis Kiesw. non Schaum
exilis Er. T. 5. 131 *E.*
semipunctatus Fairm. A' 1859. 236
vicinus Chaud. B. M. 1845. 184
croaticus Hampe St. 1850. 351
bicolor Denny Mon. 68
angustior Saulcy T. 5. 131 *Hi.b.*
convexicollis Reitt. W. z. b. 1879. 538
v. lusitanicus Saulcy T. 5. 131 *Lu.*
picipennis Reitt. ibid. 132 *Ca.*
corcyreus Reitt. T. 10. 31 *Corfu*
lernaeus Reitt. l. c. *Gr.*
euryponensis Reitt. D. 1885. 374 *Gr.*
globulipennis Reitt. T. 5. 132 *C.*
Ehlersi Reitt. l. c. 121 *Lu.*

Euconnus *Thomson.*

Napochus Thomson.

chrysocomus Saulcy T. 5. 133 *E.m.*
claviger Müll. l. c. *E.md.b.*
denticornis Thoms.
barbatulus Reitt. T. 5. 133 *Ca.*
cornutus Saulcy T. l. c. *E.m.*
Mäklini Mannh. T. l. c. *E.md.b.*
clavicornis Thoms.

Euconnus i. spec.

Motschulskyi Strm. T. 5. 134 *E.m.d.*
v. Kiesenwetteri Kiesw. ibid.
pulcher Reitt. T. 10. 32 *Gr.*
puniceus Reitt. T. 5. 134 *D.m.*
denticornis Müll. ibid. *E.*
ruficornis Denny Mon. 59
v. suramensis Reitt. T. 5. 134 *Ca.*
similis Weise ibid. 135 *Alp.*
robustus Reitt. l. c. *Ca.*
Schlosseri Reitt. l. c. *Cro.D.*
Heydeni Saulcy T. l. c. *Hi.m.*
Paulinoi Reitt. T. 10. 32 *Lu.*

hospes Saulcy T. 5. 136 *Hi.*
promptus Coquerel ibid. *Hi.m.*
Alcides Saulcy ibid. *Hi.*
Loewi Kiesw. ibid. *P.*
Ferrarii Kiesw. D. 1887. 274 *P.*
demissus Reitt. D. 1887. 274 *MV.*
Ferrarii Reitt. T. 5. 137

*

rutilipennis Müll. T. 5. 137 *E.md.*
hirticollis Ill. ibid. *E.*
subtilis Grimmer Steierm. 1841. 37
v. fimetarius Chaud. T. 5. 137
v. sanguinipennis Reitt. ibid.
confusus Bris. ibid. *E.md.m.*

*

Wetterhali Gyll. ibid. *E.*
quadratus Müll. Mon. 13
hirtus Sahlb. I. F. I. 97
intrusus Schaum T. 5. 138 *E.m.*
abditus Coquer. A. 1860. 148
Schaumi Lucas Alg. 132
tritomus Kiesw. A. 1851. 400
pyrenaeus Xamb. R. 1889. 241 *P.*
nanus Schaum T. 5. 138 *E.*
minimus Chaud. B. M. 1845. 191
suturellus Motsch.
gibbulus Motsch.

Tetramelus Motsch.

oblongus Sturm T. 5. 138 *H.*
Pandellei Fairm. W. 1885. 82 *P.*
Gredleri Reitt. T. 5. 138 *Ti.*

transsylvanicus Saulcy T. 5. 139 *Tr.*
Schioedtei Kiesw. ibid. 139 *P.H.*
distinctus Tourn. A' 1859. 97
Bedeli Reitt. T. 10. 33 *Alp.mar.*
pubicollis Müll. ibid. 5. 139 *E.md.*
styriacus Grim. ibid. *Alp.Cp.*
longulus Halbh. Pub. Rovereto 90. 5 *Ti.m.*
Nikitanus Reitt. T. 5. 139 *Mont.*
microcephalus Reitt. l. c. *D.m.*
Thomayi Reitt. l. c. *Cro.*
Breuskeanus Reitt. T. 10. 34 *Gr.*
Simoni Reitt. T. 5. 140 *Hi.b.*
haematodes Saulcy ibid. *Lu.*
Dorotkanus Reitt. ibid. *D.*
Marthae Reitt. T. 10. 34 *Gr.*
argostolianus Reitt. l. c. *Cephalonia*
Linderi Saulcy T. 5. 140 *Ga.m.*
Delarouzeei Bris.
subterraneus Reitt. ibid. *D.*
Reitteri Saulcy l. c. *Ca.*
Kraussi Reitt. l. c. 141 *Ca.*
pravus Reitt. T. 10. 34 *Gr.*
laticeps Saulcy T. 5. 141 *Lu.*
distinguendus Saulcy l. c. *Lu.*
navaricus Saulcy l. c. *Lu.*
haematicus Fairm. ibid. *P.*
muscorum Fairm. A. 1861. 579

*

Kraatzi Reitt. T. 5. 141 *Hi.m.*

Leptocharis Reitter.

Revelierei Reitt. D. 1887. 273 *S.*

Scydmaenini.

Scydmaenus
Latreille.
(Eumicrus Laporte.)

Microstemma Motsch.

tarsatus Müll. T. 5. 141 *E.md.b.*

Eustemmus Reitter.

antidotus Germ. T. 5. 142 *Si.E.m.*
conspicuus Schaum ibid. *Hi.*
insidiosus Reitt. W. 1887. 145 *Hi.m.*
spartanus Reitt. T. 5. 142 *Gr.*

Scydmaenus i. spec.
(Cholerus Thoms.)

rufus Müll. T. 5. 143 *E.*
agilis Motsch. B. M. 1845. 49
Perrisi Reitt. T. 5. 143 *E.md.m.*
Hellwigi F. ibid. *E.md.b.*
cornutus Motsch. ibid. *E.m.Ca.*
cerastes Baudi D. 1869. 417

Eudesis
Reitter.

aglena Reitt. T. 5. 144 *S.*
Adela Saulcy A' 1890. 34 *P.o.*

Mastigini.

Leptomastax
Pirazzoli.
Pylades Fairmaire.

hypogaeus Piraz. T. 5. 144 *I.Hu.m.*
mehadiensis Friv. Ter. Füz. 1880. 180
nemoralis Reitt. T. 5. 144 *Pe.*
Grenieri Saulcy ibid. *S.C.*
sublaevis Reitt. ibid. 145 *Alp.mar.Hz.*
Delarouzeei Bris. ibid. *P.or.*
Raymondi Saulcy ibid. *Ga.m.*
bisetosus Reitt. T. 10. 35 *Corfu*
grandis Simon T. 5. 145 *I.*
bipunctatus Reitt. ibid. *Gr.*
Coquereli Fairm. ibid. *Gr.*
Stussineri Reitt. ibid. *D.*
Emeryi Simon l. c. 146 *I.*
Kaufmanni Reitt. ibid. *D.m.*
Simonis Stussiner ibid. *D.Gr.*

Ablepton
Frivaldszky.

Treforti Friv. T. 5. 146 *Hu.m.*

Mastigus
Latreille.

Heydeni Rottenb. T. 5. 146 *I.*
v. pilifer Kr. ibid. *I.*
prolongatus Gory ibid. *Hi.b.*
palpalis Latr. ibid. 147 *Hi.m.*
♀ acuminatus Motsch. Et. 1859. 131
ruficornis Motsch. T. 5. 147 *Pe.*
liguricus Fairm. A' 1859. 216
dalmatinus Heyd. T. 5. 147 *I.b.D.*

Platypsyllidae.

Platypsylla
Ritsema.

castoris Ritsema T. 12. 7 *Ga.Holl.*

Silphidae.

Reitt. T. (Best. Tab.) XII. Brünn 1884.

Leptoderini.

Leptoderites.

Antroherpon
Reitter.

cylindricolle Apfelb. D. 1889. 294 *Bos.*
pygmaeum Apfelb. l. c. *Bos.*
Hoermanni Apfelb. l. c. *Bos.*

Leptoderus
Schmidt.
Stagobius Schioedte.

Hohenwarti Schmidt D. 1889. 294 *Crn.*
troglodytes Schiödte Sp. Fn. sub. 49. 15
v. Schmidti Motsch. R. T. 11 *Carn.*

Pholeuonites.

Astagobius
Reitter.

angustatus Schmidt T. 11 *Crn.*
Robici Joseph 45 Ber. schles. Ges. 170

Propus
Abeille.

sericeus Schmidt T. 12 *Carn.*
intermedius Hampe *Cr.*

Protobracharthron
Reitter.

Reitteri Apfelb. D. 1889. 297 *Bos.*

Apholeuonus
Reitter.

nudus Apfelb. D. 1889. 297 *Bos.*

Spelaeodromus
Reitter.

Pluto Reitt. T. 13 *Cro.*

Apropeus
Reitter.

leptoderus Friv. T. 11 *Hu.*
Hazayi Friv. Term. F. 1884. 280 *Hu.*

Pholeuon
Hampe.

angusticolle Hampe T. 15 *Hu.*

Parapholeuon Ganglbauer.

gracile Friv. T. 15 *Hu.*

Oryotites.

Trocharanis
Reitter.

Mestrei Abeille T. 12 *Ga. m.*

Antrocharis
Abeille.

Querilhaci Lespés T. 12 *Ga. m.*
v. dispar Abeille ibid. *Ga. m.*

Isereus
Reitter.

Xambeui Argod A' 1885. 163 *Ga. m.*

Cytodromus
Abeille.

dapsoides Ab. T. 13 *Ga. m.*

Hexaurus
Reitter.

Merkli Friv. T. 15 *Balk.*
v. affinis Friv. l. c.
v. similis Friv. l. c.

Diaprysius
Abeille.

caudatus Ab. T. 15 *P. o.*
caudatissimus Ab. l. c. *P. o.*

Oryotus
Miller.

Schmidti Miller T. 14 *Carn.*
Micklitzi Reitt. ibid. *Carn. b.*

Drimeotus
Miller.

Kovacsi Miller T. 14 *Hu.*
Ormayi Reitt. D. 1889. 301 *Tr.*

Fericeus Reitter.

Kraatzi Friv. T. 13 *Hu.*

Bathysciites.

Spelaeochlamys
Dieck.

Ehlersi Dieck T. 16 *Hi. m.*

Perrinia
Reitter.

Kiesenwetteri Dieck T. 16 *Hi.*

Aphaobius
Reitter.

Milleri Schmidt T. 17 *Carn.*
Heydeni Reitt. ibid. *Carn.*

Bathyscia
Schioedte.

Adelops auct.
Quaestus Schaufuss.
Quaesticulus Schaufuss.

Sophrochaeta Reitt.

Paveli Friv. T. 18 *Hu.m.*
Merkli Friv. l. c. *Hu.*
insignis Friv. l. c. *Hu.m.*
Reitteri Friv. Term. 1884. 280 *Hu.m.*

Bathyscia i. spec.

croatica Mill. T. 19 *Cro.Carn.*
subrotundata Reitt. ibid. *Carn.*
Freyeri Mill. l. c. *Carn.*
Khevenhülleri Mill. l. c. *Carn.*
globosa Mill. l. c. *Carinth.*
byssina Schioedte T. 19 *Carn.*
acuminata Mill. l. c. *Carinth.*
likanensis Reitt. W. 1890 *Cro.m.*
Dorotkana Reitt. T. 19 *Herzeg.*
narentina Mill. l. c. *D.*
pruinosa Schauf. Isis 1863. 145
Erberi Schauf. T. 20 *D.*
Halbherri Reitt. D. 1887. 276 *Ti.*
turcica Reitt. T. 20 *T.*
hungarica Reitt. ibid. *Hu.b.*
persica Abeille ibid. *Ca.*
bosnica Reitt. ibid. *Bos.*
kerkyrana Reitt. ibid. *Corfu*
montana Schiödte ibid. *Cr.Carn Bosn.*
Hoffmanni Motsch. ibid. *Carn.*
celata Hampe ibid. 21 *Cro.*
Fausti Reitt. ibid. *R.m.*
Lesinae Reitt. ibid. *D.*
Karamani Reitt. D. 1884. 255
thessalica Reitt. D. 1887. 276 *Gr.*
pusilla Motsch. T. 21 *Ca.*

---

corsica Abeille T. 21 *C.*
Damryi Abeille T. 22 *S.*
ovoidea Fairm. T. 22 *Alp.oc.*
tarsalis Kiesw. T. 22 *MR.*
Kerimi Fairm.
sarteanensis Bargag. T. 22 *I.*
delicata Reitt. D. 1885. 375 *I.*
Robiati Reitt. An. Genov. 89. 293 *Alp.*
Tarissani Bed. T. 23 *Alp.oc.*
Villardi Bed. T. 23 *Alp.oc.*
galloprovincialis Fairm. T. 23 *Ga.*
Gestroi Fairm. T. 23 *S.*
Spagnoloi Fairm. T. 23 *I.*
ligurica Reitt. An. Genov. 1889. 293 *I.*
Doderoi Fairm. T. 24 *I.*
Majori Reitt. T. 24 *S.*
Grouvellei Ab. T. 24 *Alp.mar.*
muscorum Dieck T. 24 *I.Si*
Destefanii Ragusa
Doriae Fairm. T. 25 *I.*
frondicola Reitt. T. 25 *I.*
subalpina Fairm. T. 25 *Ga.m.o.*
Aubei Kiesw. T. 25 *Alp.mar.*
epuraeoides Fairm. T. 25 *Alp.mar.*
brevicollis Ab. T. 25 *Alp.mar.*
pumilio Reitt. T. 25 *Pe.*
Murialdi Balbi (1888) *I.*

Wollastoni Janson Anual 57. 70 *Ga Br.*
opaca Ab. T. 26 *Ga.*
lucidula Delar. T. 26 *Ga.m.*
Ehlersi Ab. T. 27 *Ga.m.*
Diecki Saulcy T. 27 *Ga.m.*
pyrenaea Lesp. T. 27 *Ga.m.*
Barnevillei Saulcy T. 27 *Ga.m.*
novemfontium Pioch. T. 28 *Ga.m.*
Perieri Pioch. T. 28 *Ga.m.*
longicornis Saulcy l. c. *Ga.m.*
Discontignyi Saulcy l. c. *Ga.m.*
curvipes Pioch. l. c. *Ga.m.*
v. subcurvipes Ab. T. 29 *Ga.m.*
v. subrectipes Ab. l. c. *Ga.m.*
Bonvouloiri Duv. ibid. *P.*
Dohrni Schauf. St. 1862. 126
Piochardi Ab. T. 29 *Ga.m.*
v. hermensis Ab. ibid. *Ga.m.*
clavata Saulcy ibid. *Ga.*
Hecate Ab. T. 30 *Ga.m.*
Saulcyi Ab. l. c. *Ga.m.*
Pandellei Ab. l. c. *Ga.m.*
Abeillei Saulcy l. c. *Ga.m.*
stygia Dieck T. 30 *Ga.m.*
Chardonis Ab. T. 31 *Ga.m.*
crassicornis Pioch. ibid. *Ga.m.*
aletina Ab. ibid. *Ga.m.*
speluncarum Delar. T. 31 *P.*
Proserpinae Ab. l. c. *Ga.m.*
cophosina Saulcy T. 32 *Ga.m.*
oviformis Pioch. A. 1872. 447
Delarouzeei Fairm. T. 32 *P.o.*
Brucki Fairm. Cat. Gren. 1863. 8

inferna Dieck T. 32 *Ga.m.*
Schioedtei Kiesw. ibid. *P.o.Hi.b.*
grandis Fairm. A. 1856. 525
depressa Fairm. Fn. Fr.
Grenieri Sauley T. 33 *P.*
Larcennei Ab. T. 33 *P.*
lapidicola Sauley T. 33 *Ga.m.*
meridionalis Duv. T. 33 *P.*
subasperata Sauley A' 1872. 22 *Ga.m.*
Linderi Ab. T. 34 *Ga.m.*
Mayeti Ab. A. 1875. 215
mialetensis Ab. T. 34 *Ga.m.*
Simonis Ab. T. 34 *Ga.m.*
asperula Fairm. T. 34 *P.*
ovata Kiesw. T. 34 *P.*

---

fugitiva Reitt. T. 35 *Hi.*
Mazarredoi Uhag. ibid. *Hi.*
arcana Schauf. ibid. *Hi.b.*
triangulum Sharp. T. 36 *Hi.b.*
Crotchi Sharp. l. c. *Hi.b.*
filicornis Uhag. T. 36 *Hi.*
cantabrica Uhag. l. c. *Hi.*
flaviobrigensis Uhag. T. 36 *Hi.*
Seeboldi Uhag. T. 37 *Hi.*
Perezi Sharp. ibid. *Hi.b.*
Cisnerosi Perez ibid. *Hi.*
vasconica Pioch. A. 1872. 448
tropica Ab. T. 37 *Hi.m.*
rugosa Sharp. ibid. *Hi.b.*
Uhagoni Sharp. T. 38 *Asturr.*
adnexa Schauf. ibid. *Hi.b.*

Leptinini.

Leptinus
Müller.

testaceus Müller T. 7 *Su.Ga.G.*
caucasicus Motsch. B. M. 1840. 176 *Ca.*

Cholevini.

Choleva
Latreille.

spadicea Strm. T. 41 *E.md.*
pilifera Reitt. T. 42 *Lenkor.*
biharica Fleischer V. Brünn 89. 7 *Hu.*
intermedia Kr. T. 42 *E.b.md.*
obscuripes Reitt. W. 1888. 151 *Ca.oc.*
punctata Bris. T. 41 *Hi.b.*
lucidicollis Reitt. D. 1887. 278 *G.*
angustata Sturm Seidl.
angustata F. Kr. T. 42 *E.md.b.*
Sturmi Bris. Cat. Gren. 1863. 7 *Ga.*
spinipennis Reitt. D. 1890. 167 [illegible]
cisteloides Fröl. T. 42 [illegible]
castanea Strm. Ins. XIV. 9
angustata Thoms. Sk. IV. 57
? v. humeralis Brullé Mor. III. 1[illegible] [illegible]
norvegica Sparre T. 42 [illegible]
nivalis Kr. T. 42 [illegible]
angistrina Reitt. D. 1887. 279 [illegible]
agilis Ill. T. 43 [illegible]
Emgei Reitt. ibid. *Gr.*
dorsigera Mars. ibid. *Gr.*
amplicollis Baudi B. 1864. 226

Nargus
Thomson.

velox Spence T. 44 *E.md.b.*
conjungens Sauley ibid. *E.m Ca*
?notaticollis Baudi B. 1864. 227
badius Strm. T. 44 *E.m[illegible]*
cribellarius Reitt. T. 44 [illegible]
ovatus Reitt. W. 1888. 152 [illegible]
Kraatzi Reitt. T. 45 [illegible]
phaeacus Reitt. W. 1888. 133 *Co.[illegible]*
Wilkini Spence T. 45 *E.m[illegible]*
praecox Er. Mark I. 242
lencoranus Reitt. T. 45 *Talysch*
Nikitanus Reitt. T. 46 [illegible]
Lederi Weise T. 46 [illegible]
brunneus Strm. T. 46 [illegible]
fungicola Kolen. T. 46 [illegible]
armeniacus Reitt. T. 46 [illegible]
anisotomoides Spence T. 47 [illegible]
islamita Reitt. T. 47 [illegible]

Catopomorphus
Aubé.
Attiscurra Gozis

nivicola Kiesw. T. 47 [illegible]
orientalis Aub. T. 47 *E.[illegible]*
dalmatinus Kr. St. 1852. 415
myrmecobius Rottenb. B. 1870. [illegible]
Marqueti Fairm. T. 47 *Ga.m.Hi.*
bicolor Kr. Heyd. Sp. 102
brevicollis Kr. T. 47 *Ga.Hi.S.*
formicetorum Peyr. A. 1857. 716
♂ Fairmairei Delar. A' 1860. 32
Rougeti Sauley T. 49 *Ga.m.*
♀ Fairmairei Delar. A' 1860. 32
Antoniae Reitt. D. 1889. 371 *Ca.o.*

*

angustus Reitt. D. 1888. 422 [illegible]
colchicus Reitt. l. c. [illegible]
funebris Reitt. l. c. [illegible]

arenarius Hampe R. l. c. *E.m.*
    pilosus Muls Op. II. 1853. 12
    georgicus Weise Led. 142 *Ca.*
Weisei Reitt. T. 49 *Ca.*

Attumbra
Gozis.

lucida Kr. D. 1889. 372 *D.*
Josephinae Sauley ibid. *Ga.m.*
femoralis Reitt. ibid. *Ca.o*
subnuda Reitt. ibid. *Ca.o.*

Sciodrepa
Thomson.

alpina Gyll. T. 51 *E.md.b.*
    subfusca Kelln. St. 1846. 177
fumata Spence T. 51 *E.*
    agilis F. Syst. II. 565
    scitula Er. Mark I. 241
    ambigua Heer H. I. 381
Watsoni Spence T. 51 *E.*
    fumata Er. Mrk. I. 240
    curticornis Fairm. A' 1877. 65
rugulosa Thoms. Op. X. 1034 *Su.*
depressa Murray T. 50 *Ga.*

Catops
Paykull.

(Ptomaphagus Reitt.)

pallidus Mén. T. 50 *Hi.Si.Ca.*
    Menetriesi Fald. Fn. Tr. I. 224
    rufus Kr. Heyd. Sp. 96
    cuneiformis Fairm. A. 1879. 166
umbrinus Er. T. 50 *E.md.*

*

picipes F. T. 52 *E.md.b.*
 v. grandis Reitt T. 52 *Gr.*
grusinus Reitt. T. 52 *Ca.*
marginicollis Luc. T. 53 *E.m.*
    meridionalis Aub. A. 1850. 326
    andalusicus Heyd. Sp. 95
    suburratus Gozis Rech. esp.Tepp.17
flavicornis Thoms. D. 1885. 28 *E.md.b.*
    longipennis Chaud. B. M. 1845. 196
speluncarum Reitt. T. 53 *S.*
nigricans Spence T. 53 *E.*
    caliginosus Steph. Ill. Br. III. 12
 v. fuliginosus Er. Mrk. I. 239
 v. soror Newm. Ent. Mag. I. 508
fuscus Panz. T. 53 *E.*
longulus Kelln. T. 54 *G.E.b.*
    pilicornis Thoms. Sk. IV. 61

morio F. T. 54 *E.md.b.*
    dissimulator Spence Mon. 150
    ? Marshami Spence Mon. 149
laticollis J. Sahlb. Ac. Soc.Hels.89.46 *F.*
coracinus Kelln. T. 55 *E.*
    femoralis Thoms. Sk. IV. 64
lapponicus J.Sahlb.Ac.Soc.Hels.89 45 *L.*
brunneipennis Sahlb. T. 55 *L.*
    luteipes Thoms. Op. X. 1033. *Su.*
nitidicollis Kr. T. 55 *Ga.Ca.*
grandicollis Er. T. 55 *E.md.m.*
quadraticollis Aub. T. 56 *Ga.m Hi.b.*
    ? Bugnioni Tourn. M. Schw. III. 436
affinis Steph. T. 56 *E.Ca.*
    nigrita Er. Mrk I. 239
substriatus Reitt. T. 56 *F.*
Kirbyi Spence T. 57 *E.Ca.*
    rotundicollis Kelln. St. 1846. 176
neglectus Kr. T. 57 *E.md.*
    nigrita Thoms. Sk. IV. 62
dichrous Reitt. T. 57 *Ca.*
tristis Panz. ibid. *E.*
    Leachi Spence Mon. 148
 v. abdominalis Rosh. Beitr. I. 22
 v. montivagus Heer H. 381
 v. ventricola Weise T. 58
chrysomeloides Panz. T. 58 *E.md.*

*

Oertzeni Reitt. D. 1887. 281 *Gr.*

Anemadus
Reitter.

strigosus Kr. T. 58 *A.Tr Cro.*
arcadius Reitt. ibid. *Gr.*
pulchellus Reitt. ibid. *Si.*
acicularis Kr. T. 58 *Si.*
graecus Kr. T. 58 *Gr.*
 v. creticus Heyd. T. 58 *Creta.*
maritimus Reitt. T. 60 *Alp mar.*
pellitus Reitt. T. 60 *Corfu*
Vandalitiae Heyd. T. 60 *Hi.*
    gracilis Kr. Heyd. Sp. 97
transversostriatus Murr. T. 60 *Hi.Lu.*
    clathratus Perr. A. 1864. 281
angusticollis Kr. T. 60 *And.*

Nemadus
Thomson.

suturalis Murray T. 61 *Ca.*
pelopis Reitt. T. 61 *Gr.*
colonoides Kr. T. 61 *E.md.b.*

Ptomaphagus
Hellwig.

Catops Reitter.

Seidlitz. D. 1887 pg. 90—94.

validus Kr. D. 87. 90 *Hu.Serb.*
fulvus Reitt. A. Genov. 1889. 294 *I.*
varicornis Rosh. D. 87. 90 *E.*
sericeus Panz. D. 87. 91 *E.b.md.*
  truncatus Ill. Mag. I. 42
clavalis Reitt. D. 87. 91 *S.*
sardus Seidl. D. 87. 92 *S.*
tarbensis Reitt. D. 87. 63 *P.*
pius Seidl. D. 87. 92 *I.*
Vallombrosae Seidl. D. 87. 92 *I.*
circassicus Reitt. W. 1883. 152 *Ca.oc.*
sericatus Chaud. D. 87. 93 *E.md.*
  sericeus Reitt. T. 63
ruthenus Reitt. D. 1890. 146 *Bukow.*
tenuicornis Rosenh. D. 87. 93 *Ga.m Hi.*

Colon
Herbst.

Mylocchus Latr. Thoms.

clavigerum Herbst T. 64 *E.md.*
affine Strm. T. 64 *E.md.m.*
  confusum Bris. A. 1857. 730
troglocerum Reitt. T. 65 *Hi.m.*
emarginatum Rosenh. T. 65 *Hi.m.*
griseum Czwal. T. 65 *E.md.m.*
  minor Czwal.
  opacum Czwal.
murinum Kr. T. 66 *E.md.m.*
  nitidum Czwal.
subcurvipes Reitt. W. 1885. 276 *I.*
  curvipes Reitt. T. 66
puncticeps Czwal. T. 66 *I.Si.Hi.*
fuscicorne Kr. T. 66 *E.md.m.*
  pubescens Kr. ol.
armipes Kr. T. 67 *E.md.*
microps Czwal. T. 67 *Br.*
angulare Er. T. 67 *E.md.m.*
  rectangulum Chaud. B. M. 1845. 201
myops Czwal. T. 67 *Ca.*
rufescens Kr. T. 68 *G.A.*

*

Delarouzeei Tourn. T. 68 *G.*
latum Kr. T. 68 *E.*
dentipes Sahlb. T. 68 *E.*
  spinipes Halid. Nev. Ent. 190
  brevicorne Sahlb. I. F. I. 934
  firmum Czwal.
v. Barnevillei Kr. T. 68
  Lentzi Czwal.
  rufipes Czwal. D. 1881. 314
Zebei Kr. T. 68 *G.*
brunneum Latr. T. 69 *E.*
v. episternale Czwal. D. 1881. 315
v. sinuatum Chaud. B. M. 1845. 203
  subdepressum Chaud. l. c. 204
v. nigriceps Reitt. T. 69 *Ca.*
appendiculatum Sahlb. T. 69 *E.*
regiomontanum Czwal. T. 69 *G.b.*
calcaratum Er. T. 69 *E.md.*
  pygmaeum Er. Mrk. I. 251
  nanum Kr. St. 1854. 376
denticulatum Kr. T. 70 *G.A.*
Perrini Reitt. D. 1875. 375 *Hi.*

Colon i. spec.

serripes Sahlb. T. 70 *E.md.b.*
  fusculum Er. Mk. I. 250
  simplex Thoms. Sk. IV. 71
v. Kraatzi Tourn. A. 1863. 1404
puncticolle Kr. T. 70 *E.md.b.*
  dentipes Er. Mk. I. 247
viennense Herbst T. 70 *E.md.b.*
bidentatum Sahlb. T. 71 *E.b.md.*

Silphini.

Necrophorus
Fabricius.

Silpha Reitter.

germanicus L. T. 86 *E.*
  ruthenus Motsch. B.A Petr. 1860. 304
v. speciosus Schulze T. 86
v. fascifer Reitt. T. 86 *Ca.*
v. bipunctatus Kr. T. 86
v. apicalis Kr. T. 86
v. frontalis Fisch. B. M. 1844. 138 *Ca.*
morio Gebl. T. 86 *R.m.*
humator Goeze T. 86 *E.*
v. bimaculatus Steph. Tr. Ent. I. 82. t. 2

*

corsicus Lap. T. 86 *C.S.*
  funereus Gené Mém. Torin. 1839. 58
interruptus Steph. T. 87 *E.*
  fossor Er. Mk. I. 224
  gallicus Duv. Glan. ent. 1860. 2. 139
funeror Reitt. T. 87 *Ca.*
investigator Zett. T. 87 *E.*
  ruspator Er. Mk. I. 225
  sibiricus Motsch. Schrenk. Reis. 126
  microcephalus Thoms. Sk. IV. 9

sepultor Charp. T. 87 *E.md.*
obrutor Er. Mk. I. 225
vespilloides Herbst T. 87 *E.*
mortuorum F. Ent. Syst. I. 248
pygmaeus Kirby Fn. Bor. Am. 98
defoliens Mannh. B. M. 1846. 513

*

nigricornis Falderm. T. 88 *E.mont.Ca.*
sepulchralis Heer H. I. 388
vespillo L. T. 88 *E.*
vestigator Hersch. T. 88 *E.*
v. interruptus Brull. Mor. 160
trimaculatus Gradl.
v. antennatus Reitt. T. 88 *E.Ca.*

Asbolus
Voet.

Necrodes Wilkin.

littoralis L. T. 85 *E.*
Curtisi Leach

Pseudopelta
Voet.

Thanatophilus Leach.

terminata Humm. T. 85 *R.*
sibirica Gebl. B. M. 1847. 441 *Ca.*
Levaillanti Muls. A. Lyon55.270 *Cri.*
trituberculata Kirby T. 85 *L.*
baicalica Motsch. Schrenck Reis.125
sagax Mannh. B. M. 1853. 173
mutilata Cast. D. 1887. 283 *E.m.*
capensis Bohem. R. Eugen. 1858. 36
dispar Herbst T. 85 *E.*
sinuata F. T. 85 *E.*
v. unicostata Lac. A. 1832. 400
rugosa L. T. 84 *E.*
intricata Ménétr. Cat. rais. 169
v. ruficornis Küst. K. Eur. 22. 11. *Hi.*
tuberculata Luc. Alg. 214
vestita Küst. K. Eur. 22. 12 *S.*
lapponica Herbst T. 82 *E.b.*

Oiceoptoma Leach.

thoracica L. T. 83 *E.*
Golowatschovi Lindem. B.M. 65.148

Blitophaga
Reitter.

opaca L. T. 82 *E.*
Souverbici Fairm. T. 82 *P.*
v. alpicola Küst. T. 83 *Tr.*

Aclypea
Reitter.

undata Müll. T. 81 *E.*
reticulata F. Ent. Syst. I. 252
v. verrucosa Mén. T. 81 *Ca.*
v. anatolica Kr. T. 82 *Ca.*
Kindermanni Faust
sericea Zoubk. T. 82 *R.m.*

Xylodrepa
Thomson.

Dendroxena Motsch. Reitt.

4-punctata Schreber T. 81 *E.ant.b.*

Silpha
Linné.

Parasilpha Reitter.

lunata F. Syst. El. I. 251 *E.*
carinata Ill. T. 77
v. italica Küst. *St.I.*
lunata Heer H. I. 390
v. atropurpurea Küst. K. Eur.22. 14 *R.*
perforata Gebl. T. 77 *R.m.*
oblonga Küst. T. 78 *Tr.Hu.*
v. alpestris Kr. T. 78 *Hu.*
obscura L. T. 78 *E.*
carniolica Küst. K. Eur. 22. 19
v. costata Kr. T. 78
v. corax Reitt. D. 1889. 255 *Gr.*
v. striola Mén. T. 78 *Ca.*
nivalis Motsch.
orientalis Brull. T. 79 *Gr.Hu.*
multipunctata Friv. Magyar 45. 182
v. lugens Küst. T. 79 *T.*
v. Godarti Reiche T. 79 *Cri.*
v. turcica Küst. T. 79 *T.Gr.*
puncticollis Luc. T. 79 *E.m.*
hispanica Küst. K. Eur. 17. 26
cristata Reiche A. 1861. 370
?v. fluctuosa Schauf. Nq. ot. 204 *Hi.*
granulata Thunb. I. Suec. V. 72 *E.*
tristis Ill. T. 79
dalmatina Küst. K. Eur. 20. 17
v. costata Mén. T. 80 *Lenkor.*
tyrolensis Laich. T. 80 *Alp.*
alpina Germ. Ins. Sp. Nov. 82
v. nigrita Creutz. Ent. Vers. 116 *E.*
v. ambigua Graëlls T. 80 *Hi.*
Olivieri Bedel R. 1887. 271 *Ga.E.m.*
granulata Ol. T. 81

Peltis
Geoffroy.

Phosphuga Leach.

atrata L. T. 75 *E.*
punctata Herbst Käf. V. 199
v. nitida Fald. T. 76 *Ca.*
v. fusca Herbst Käf. V. 200
v. brunnea Herbst T. 76
v. rostrata Reitt. W. 1888. 153 *Ca.oc.*
v. cassidea Kr. T. 76 *Hu.Serb.*
v. subrotundata Steph. T. 76 *Sc.*
v. subparallela Reitt. T 76 *Ca.*
v. pedemontana F. Syst. El. I. 339 *Pe.*

Ablattaria
Reitter.

laevigata F. T. 75 *E.md.m.*
politа Sulz. Fuessl. B. 1884. 125
v. gibba Kr. T. 75 *Hu.m.*
v. gibba Brull. T. 75 *D.Gr.*
cribrata Mén. T. 75 *Ca.*

Pteroloma
Gyllenhal.

Forsstroemi Gyll. T. 74 *Su.G.Ca.*

Necrophilus
Latreille.

subterraneus Dahl. T. 99 *Mt.E.*

Apelates
Reitter.

latissimus Reitt. T. 90 *Gr.*

Hadrambe
Thomson.

glabra Payk. T. 90 *G.Su.*

Agyrtes
Frölich.

bicolor Lap. T. 91 *Ga.*
castaneus Frölich. T. 91 *E.*

Sphaerites
Duftschmid.

glabratus F. T. 90 *E.b.Mt.E.*
politus Mannh. B. M. 1846. 514

Anisotomidae.

Reitter, T. XII., Brünn 1884.

Liodini.

Triarthron
Schmidt.

Maerkeli Schmidt T. 93 *G.Ga.*

Hydnobius
Schmidt.

Perrisi Fairm. T. 93 *Ga.*
ciliaris Thoms. *Su.*
multistriatus Gyll. T. 93 *Hu.Su.*
andalusicus Dieck T. 94 *And.*
punctatissimus Steph. T. 94 *E.md.*
Demarchii Reitt. T. 94 *Si.I.*
punctatus Strm. T. 94 *E.*
fulvescens Guilleb. Echang. Nr. 85 *Ga.*
septentrionalis Thoms. T. 94 *Su.*
puncticollis Reitt. T. 94 *Ca.*
spinipes Gyll. T. 94 *E.*
spinula Zett.
intermedius Thoms. T. 95 *E.*
punctulatus Hampe T. 95 *Tr.*
strigosus Schmidt T. 95 *G.E.b.*

Colenis
Erichson.

immunda Sturm T. 95 *E.md.b.*
dentipes Gyll. Ins. Suec. II. 576
Bonnairei Duv. T. 95 *Ga.*
foveicollis Uhagon A. Esp 76. 36 *Hi.oc.*

latifrons Curtis A. Nat. II. V. 40. 276 *Br.*

Agaricophagus
Schmidt.

cephalotes Schmidt T. 96 *Ga.G.*
praecellens Hampe B. 1866. 372 *A.*
conformis Er. T. 96 *G.*

Liodes
Latreille.

Anisotoma Schmidt, Er.

nitidula Er. T. 96 *G.A.*
Discontignyi Bris. T. 97 *P.*
?v. scutellaris Muls. Op. 1870. 67 *Ga.*
ampla Reitt. D. 1887. 285 *Ca.*
imeretina Reitt. D. 1890 *Ca.*

rectangula Reitt. T. 97 *Ca.*
nitida Reitt. l. c. *Hu.b.*

---

parvula Sahlb. T. 97 *E.md.b.*
flavicornis Bris. T. 97 *E.md.*
rugosa Steph. T. 98 *E.md.*
armata Strm. Ins. II. 34
angulicollis Reitt. D. 1889. 111 *G.*
pilifera Reitt. T. 98 *Lenkor.*
hybrida Er. T. 98 *E.Ca.*
puncticollis Thoms. T. 98 *Su.*

---

ciliaris Schmidt T. 98 *E.md.b.*
furva Er. T. 98 *E.md.b.*
Caullei Bris. A. 1861. 609 *Ga.*

---

cinnamomea Panz. T. 98 *E.md.*
? humeralis Thoms. T. 99 *Su.*
oblonga Er. T. 99 *E.md.b.*
grandis Fairm. Fn. Fr. I. 316 *Ga.*
anglica Rye M. M. X. 135 *Br.*
simplex Thoms. Op. 542
picea Ill. T. 99 *G.E.b.*
obesa Schmidt T. 99 *G.b.md.*
dubia Kugelann T. 100 *E.*
ferruginea Strm. Ins. II. 37
rufipennis Payk. F. Suec. I. 73
bicolor Schmidt Mon. 170
longipes Schmidt Mon. 174
pallescens Schmidt Mon. 174
subglobosa Reitt. T. 100 *G.Bohem.*
cyrtusula Reitt. W. 1890 *A.mont.*
badia Strm. T. 100 *E.Ca.*
moesta Hampe St. 1850. 354
similata Rey T. 100 *Br.Hu.*
scita Er. T. 101 *E.*
ovalis Schmidt T. 101 *E.md.b.*
gallica Reitt. T. 101 *Ga.*
brunnea Strm. T. 101 *A.Ca.*
clavicornis Rye T. 102 *Br.Ga.*
Heydeni Ragusa T. 102 *E.m.*
punctulata Gyll. T. 102 *E.*
litura Steph. Ill. Br. V. 403
ornata Fairm. A. 1855. 30
calcarata Er. T. 103 *E.*
geniculata Muls. Op. XII. 120
v. picta Reiche T. 103 *E.m.*
fuscocincta Fairm. A. 1878. 55
curvipes Schmidt T. 103 *E.*
macropus Rye M. M. X. 133
distinguenda Fairm. T. 103 *Ga.*
rubiginosa Schmidt T. 103 *E.md.*

nigrita Schmidt T. 104 *E.md.*
v. bicolor Braneszik T. 104
calcarifera Reitt. T. 104 *Ca.Hu.*
silesiaca Kraatz. ibid. 104 *E.md.b.*
arctica Thoms. Sk. IV. 35 *L.*
lucens Fairm. T. 104 *Ga.*
curta Fairm. ibid. 105 *Ga.*
lunicollis Rye ibid. 105 *Br.Ga.*
rhaetica Er. T. 105 *H.*
Triepkei Schmidt T. 106 *E.b.md.*
fracta Seidl. ibid. 106 *R.b.*
rotundata Er. ibid. 106 *E.md.*
flavescens Schmidt T. 106 *E.md.*
pallens Strm. ibid. 106 *A.Ga.R.*
[illegible] Hallb. Pub. [illegible] 90. 6 *[illegible]*

vittata Curtis V. 40 *Br.*
succinea Dufour (R. 1877. 78) *P.*
simplicipes Duf. (ibid.) *P.*

Cyrtusa
Erichson.

subtestacea Gyll. T. 106 *E.md.b.*
subferruginea Reitt. T. 107 *I.Ga.*
Fussi Seidl. F. Tr. 922 *Sil.Tr.*
inflatipes Reitt. D. 18[illegible] *[illegible]*
minuta Ahrens T. 107 *E.md.b.*
femorata Schmidt Germ. Zt. III. 185
pauxilla Schmidt T. 107 *G.*
latipes Er. T. 107 *Ga.G.*
castanescens Fairm. ibid. 107 *C.*

Xanthosphaera
Fairmaire.

Barnevillei Fairm. T. 107 *Hu.*

Agathidiini.

Anisotoma
Illiger.

Liodes Schmidt, Erichson.

humeralis Kugel. T. 108 *E.*
clavipes Herbst Käf. IV. 87
armata Steph. Ill. Br. II. 177
v. globosa Payk. T. 108
axillaris Gyll. T. 109 *E.md.b.*
castanea Herbst ibid. 109 *E.md.b.*
Raffrayi Heyd. Sp. 103 *Hi.*
glabra Kugel. T. 109 *E.md.b.*
orbicularis Herbst ibid. 109 *E.md.b.*
rufomarginata Duf.
serricornis Gyll. ibid. 109 *Ga.G.*

Amphicyllis
Erichson.

globus F. T. 109 *E,md.b.*
v. ferruginea Sturm ibid. 109
globiformis Sahlb. ibid. 109 *E.md.b.*

Cyrtoplastus
Reitter.

seriatopunctatus Bris. T. 110 *Ti.Ga.*

Agathidium
Illiger.

C y p h o c e b l e Thomson.

nigripenne Kugel. T. 111 *E.*
atrum Payk. ibid. 111 *E.*
caucasicum Reitt. ibid. 111 *Ca.*
seminulum L. ibid. 112 *E.*
globosum Kugel.
pisanum Bris. ibid. 112 *I.Ca.*
siculum Bris. ibid. 112 *Si.*
suturale Reitt. ibid. 112 *Ca.*
caspicum Reitt. ibid. 112 *Talysch*
laevigatum Er. ibid. 112 *E.*
dentatum Muls. ibid. 112 *E.m.*
bohemicum Reitt. ibid. 113 *E.md.*
circassicum Reitt. W. 1888. 154 *Ca.oc.*
v. laeticolor Reitt. l. c. *Ca.oc.*
filicorne Reitt. l. c. *Ca.oc.*
Lederi Reitt. l. c. *Ca.oc.*
Opuntiae Reitt. T. 113 *Gr.*
escorialense Bris. ibid. 113 *Hi.*
badium Er. ibid. 113 *E.*

N e o c e b l e Gozis.

banaticum Reitt. T. 113 *Hu.m.*
nudum Hampe ibid. 113 *Cro.Ca.*
v. clavulum Reitt. W. 1888. 156 *Ca.oc.*
aglyptoides Reitt. T. 114 *Cro.*
marginatum Strm. ibid. 114 *E.*
Wankowiczi Hochh. ibid. 114 *R.m.*
haemorrhoum Er. ibid. 114 *E.md.*
Brisouti Reitt. ibid. 114 *Gr.*
tenuicorne Reitt. ibid. 114 *Ca.*
pallidum Gyll. ibid. 114 *E.*
varians Beck En. Nat. III. 102
piceum Er. T. 115 *E.md.m.*
globosum Muls. Op. XII.
convexum Sharp. Tr. Ent. 66. 449
rotundatum Gyll. T. 115 *E.*
nasicorne Reitt. ibid. 115 *Talysch*
pulchellum Wank. ibid. 115 *R.*
bescidicum Reitt. ibid. 115 *Cp.Ca.*
mandibulare Strm. ibid. 116 *E.*
rotundulum Reitt. ibid. 116 *E.md.m.*
polonicum Wank. ibid. 116 *E.*
piceum Thoms. Sk. IV. 53
clypeatum Sharp. Tr. Ent. 1866,448
?confusum Bris. Cat. Gren. 63. 9 *Ga.*
plagiatum Gyll. T. 116 *Mt.E.Ca.*
vittatum Motsch. B. M. 1839. 58
hellenicum Reitt. T. 116 *Gr.*

S a c c o c e b l e Gozis.

nigrinum Strm. T. 116 *E.*
v. rubicundum Reitt. ibid. 116 *Cp.*
arcticum Thoms. ibid. 116 *F.Su.C.*
discoideum Er. ibid. 117 *Mt.E.*
rhinoceros Sharp. ibid. 117 *Br.*

---

magnum Duf. (R. 1887. 78) *P.*

Ansibaris
Reitter.

alexiiformis Reitt. T. 110 *Ga.*

Eucinetidae.

Reitter Best. T. XII.

Eucinetus
Germar.

N y c t e u s Latreille.

haemorrhoidalis Germ. T. 71 *E.md.*
haemorrhous Lap.
Oertzeni Reitt. D. 1887. 514 *Gr.*
Hopffgarteni Reitt. T. 71 *Hu.m.*
bicolor Reitt. D. 1887. 514 *Ca.oc.*
meridionalis Lap. T. 71 *Ga.Hi.*
caucasicus Reitt. ibid. 72 *Ca.*

Bisaya
Reitter.

nossidiiformis Reitt. T. 72 *Lenkor.*

Clambidae.

Reitter, Best. T. XII.

Clambini.

Calyptomerus
Redtenbacher.

C o m a z u s Fairm.

alpestris Redtb. T. 118 *Sil.A.Hu.*
caucasicus Reitt. ibid. 118 *Ca.*

dubius Marsh. T. 118 *E.*
enshamensis Steph. Ill. Br. II. 184
troglodytes Fauv. T. 118 *Ga.*

Clambus
Fischer.
Sternuchus Leconte.

minutus Strm. T. 118 *E.*
punctulum Beck ibid. 119 *E.*
pilosellus Reitt. ibid. 119 *A.Ca.*
armadillo Redtb. Fn. Aust. ed. 3. 326
armadillo Deg. T. 119 *E.md.b.*
atomarius Strm. Ins. II. 65
pubescens Redtb. T. 119 *E.*
? coccinelloides Steph. Ill. Br. II 184

Loricaster
Mulsant.

Viertli Reitt. T. 119 *Hu.*
caspicus Reitt. ibid. 119 *Ca.*
testaceus Muls. ibid. 120 *Ga.D.*
pumilus Reitt. ibid. 120 *C.Ti.*

Cybocephalini.

Cybocephalus
Erichson.
Phantazomerus Duval. Stagonomorpha Wollast.

metallicus Baudi T. 120 *Ca.*
seminulum Baudi ibid. 120 *E.or.*
viridiaeneus Reitt. ibid. 120 *G.*
pulchellus Er. ibid. 121 *E.*
♂ aeneiceps Duv. A' 1854. 38
festivus Er. T. 121 *E.md.m.*
diadematus Chevrol. Rev. Zool. 61. 265
hispanicus Reitt. T. 121 *Hi.m.*
obliquestriatus Reitt. D. 1890. 146 *Hu.*
Heydeni Reitt. T. 122 *Ga.m.*
Reitteri Uhagon ibid. 122 *Hi.*
flaviceps Reitt. ibid. 122 *S.*
politus Germ. ibid. 122 *E.*
exiguus Sahlb. I. F. I. 473
rufifrons Reitt. T. 122 *E.m.*
similiceps Duv. ibid. 122 *E.m.*
politus Er. Germ. Zeit. V. 441
atomus Bris. A. 1866. 369

Sphaeriidae.

Sphaerius
Waltl.
Microsporus Kolen.

acaroides Waltl Er. I. D. III. 40 *E.*
obsidianus Kolen. Mel. V. 64

Corylophidae.

Reitter, Abeille XVI. (1878.)

Parmulus
Gundlach.

Sacium Leconte.

Clypeaster Latreille.

pusillus Gyll. Ab. 2 *E.b.*
nanus Rey Op. XI. 129 *G.Ga.*
rhenanus Reitt. Ab. 2
Damryi Reitt. D. 1884. 58 *C.*
brunneus Bris. Ab. 4 *E.md.*
latus Reitt. Ab. 3 *Ca.*
orientalis Reitt. Ab. 4 *T.*
obscurus Sahlb. Ab. 5 *E.*
discedens Duv. Gen. Col. II. 230
corticinus Thoms. Sk. IV. 108
densatus Reitt. Ab. 6 *E.md.m.*
pusillus Duv. Gen. Col. II. 230
parvus Matth. B. It. 1886 *I.*
Marseuli Matth. W. 1890. 151 *Ga.*

Arthrolips
Wollaston.

regularis Reitt. Ab. 7 *Ga.Hi.*
humilis Rosenh. Ab. 8 *E.md.m.*
rufithorax Duv. Gen. Col. II. 232
piceus Comolli Ab. 8 *E.md.*
obscurus Duv. l. c.
ferrugatus Reitt. Ab. 9 *E.m.Ca.*

Sericoderus
Stephens.

Gryphinus Redtb.

lateralis Gyll. Ins. Suec. 27. 516 *E.*
Revelierei Reitt. D. 1878. 126 *E.m.*

Peltinus
Mulsant.

velatus Rey Op. 1861. 137 *E.m.*
alutaceus Reitt. W. 1885. 273 *D.*
Walkeri Matth. M. M. 1886. 227 *S.*

Corylophus
Stephens.

cassidoides Mrsh. Duv. Gen. Col. II. 234 *E.*
sublaevipennis Duv. Gen. Col. II. 234 *Ga.*
Reitteri Matth. W. 1890. 151 *Corfu*

Orthoperus
Stephens.
Reitter D. 1878. 199.

punctatus Wankow. A. 1865. 299 *R.A.*
punctulatus Reitt. D. 78. 199 *Tr.Cp.*
Rogeri Kraatz. B. 1874. 122 *G.*
brunnipes Gyll. D. 78. 200 *E.*
piceus Steph. Ill. Br. II. 186
punctatulus Mrsh.
v. corticalis Redtb. D. 78. 200
Kluki Wankow. D. 78. 199 *G.R.*
pilosiusculus Duv. D. 78. 201 *Ga.Hu.*
mundus Matth. M. M. 1885. 109 *Br.*
punctatulus Matth. M.M.1885.109 *Br.*
picatus Mrsh. D. 78. 201 *E.mont.*
atomus Gyll. I. Succ. I. 185
anxius Rey D. 78. 201 *Ga.m.*
coriaceus Rey D. 78. 201 *Ga.m.*
punctum Mrsh. D. 78. 202 *E.*
atomarius Heer H. I. 433

Rhypobius
Leconte.
Glacosoma Wollaston.
Moronillus Duval.

Fiorianus Matth. B. It. 1886 *I.*
velox Wollast. Mad. 482 *E.m.*
ruficollis Duv. A' 1854. 38
v. discolor Rosenh. And 348 *Hi.m.*
pumilus Reitt. D. 1884. 117 *Gr.*
obtusus Matth. W. 1890. 151 *Si.*

Hydroscaphidae.

Flach, Best. T. XVIII.

Hydroscapha
Leconte.

Crotchi Sharp T. 46 *Hi.F.*
?longicauda Rey R. 1887. 70
gyrinoides Aub. T. 46 *Ga.m.C.*
Sharpi Reitt. ibid. 46 *Lenkor.*
granulum Motsch. Et. 55. 84 *Gr.Cret.*

Trichopterygidae.

Flach, Best. Tab. XVIII. (1889.) — Matth. Trich. Illust. London, 1872.

Ptenidiini.

Nossidium
Erichson.

pilosellum Marsh. T. 15 *E.md.*
Ferrarii Redtb. An. Aust. ed. 1. 151
v. brunneum Mrsh. Ent. Br. I. 78
v. nitidulum Mrsh. ibid. 79
scaphidiiforme Hochh. T. 15 *R.*

Ptenidium
Erichson.

Matthewsium Flach.

ovulum Flach T. 16 [illegible]
Gressneri Gillm. ibid. 16 [illegible]
Lederi Flach ibid. 16 [illegible]
laevigatum Gillm. ibid. 16 *G.A.*
atomaroides Matth. Trich. 81
v. Brucki Matth. T. 16 [illegible]
turgidum Thoms. ibid. 17 [illegible]

Wankowiczium Flach.

intermedium Wank. T. 17 *E.md.m.*
?Wankowiczi Matth. Trich. 80
v. Weisei Flach. T. 17 [illegible]
Brenskei Flach ibid. 17 [illegible]

Ptenidium i. sp.

turgidulum Flach ibid. 18 *Ca.*
fuscicorne Er. ibid. 18 [illegible]
obscuricorne Motsch. B. M. 45. [illegible]
picipes Matth. Zool. 1860. 7076
?laticolle Hoch. T. 18 *R.*
Heydeni Flach. 19 *Lu.*
myrmecophilum Motsch. T. 19 *E.md.b.*
formicetorum Kraatz. St. 1851. 167
Kraatzi Matth. T. 19 *Br.Sc.*
pusillum Gyll. ibid. 19 *E.Ca.*
apicale Er. Nat. III. 36
evanescens Marsh.
punctatum Motsch.
terminale Haldem. I. Ac.Phil.48.109
v. corpulentum Lucas T. 19 *E.m.A.*
? atomaroides Motsch.B.M.1858 *Hi.*
Brisouti Matth. T. 20 *E.md.Ca.*
nitidum Bris. Cat. Gren. 1863. 43
evanescens Motsch.
v. orientale Flach 20 *E.o.Ca.*
v. longicorne Fuss. ibid. 20 *G.*
Obotrites Flach 20 *G.*
punctatum Gyll. ibid. 47 *E.mar.*
littorale Motsch. B. M. 1845. 517
alutaceum Gillm. Mon. 84

Gillmeisterium Flach.

Reitteri Flach 20 [illegible]
nitidum Heer ibid. 21 *E.*

pusillum Er. nec Gyll.
4-foveolatum Allib. Rev. Zool. 1844. 53
minutissimum Steph. Ill. Br. III. 62
v. insulare Flach 21 *C. Gr.*
v. Matthewsi Flach 21 *Ga. Hi.*
laevigatum Matth. Trich. 84
? punctulum Steph. Ill. Br. III. 62

---

coecum Joseph B. 1882. 100 *Carn.*
attenuatum Matth. A. M. N. H. 89. 194 *Br.*

Ptiliini.

Euryptilium
Matthews.

saxonicum Gillm. T. 27 *Ga. G. Sc.*
? Gillmeisteri Flach T. 28
marginatum Aub. T. 27 *F. G.*

Ptiliolum
Flach.

Nanoptilium Flach.

Kunzei Heer T. 28 *E. Ca.*
spinipenne Comol. Novoc. Ins. 37. 21
v. rugulosum Allib. T. 28 *Br.*
? v. depressum Motsch. B. M. 1845. 511
brevicolle Matth. T. 29 *Br.*

Trichoptilium Flach.

Sahlbergi Flach 29 *F. MB.*

Typhloptilium Flach.

Reitteri Flach 31 *Ca.*
Oedipus Flach 31 *E. o. Ca.*
obcoecatum Matth. A. M. N. H. 89. 195
v. ♀ Antigone Flach 31 *Ca.*
? rubidum Motsch.
Oertzeni Flach 31 *Gr.*
v. fusculum Flach 31 *Gr.*

Ptiliolum i. spec.

oblongum Gillm. T. 29 *E.*
Spencei Allib. pars.
v. Försteri Matth. T. 29 *Ga.*
v. meridionale Flach. 29 *E. m.*
v. fuscipenne Först. Verh. Rh. VIII. 38 *G.*
Hopffgarteni Flach 30 *Cro.*
angustatum Er. T. 30 *E. md.*
fuscum Er. Nat. III. 28
Lederi Flach 30 *Ca.*

Euptilium Flach.

croaticum Matth. T. 30 *A. Cro.*
? lividum Motsch.
caledonicum Sharp T. 30 *Sc. F.*
Schwarzi Flach 31 *G. Ca.*

Actidium
Matthews.

aterrimum Motsch. T. 22 *Br. Si. Ca.*
concolor Sharp Tr. E. S. 1866. 435
coarctatum Halid. T. 21 *E.*
filiforme Aub. A. 1861. 199
elongatum Thoms. Sk. IV. 108
mediterraneum Motsch.
Kraatzi Flach 22 *Ga. m.*
Boudieri Allib. T. 23 *D. Ga. G.*
picipes Motsch. B. M. 1845. 520
transversale Er. Nat. III. 28
variolatum Flach 22 *D.*

Oligella
Flach.

foveolata Allib. T. 23 *E. b. md. Ca.*
excavata Er. Nat. III. 27
clandestina Halid. Rev. h. nat. 1855
minima Matth.

Micridium
Motschulsky.

vittatum Motsch. T. 24 *Ca. R. m.*
Halidayi Matth. T. 24 *G. A.*
? lineatocolle Mot. B. M. 1868. 170 *R.*
angulicolle Fairm. T. 24 *Ga. m.*

Ptilium
Erichson.

Millidium Matthews.

minutissimum Ljungh T. 25 *E. b. md.*
trisulcatum Aub. A. 1833. 97
laesicolle Waltl

Ptilium i. spec.

fissicolle Reitt. T. 25 *Zante*
vexans Flach 26 *C.*
affine Er. T. 26 *E. md. Ca.*
incognitum Matth. 1889 *Br.*
caesum Er. T. 26 *E. md. m.*
latum Gillm. Mon. 72
v. tenue Kraatz T. 48 *G.*
? v. insigne Matth. T. 48 *Br.*
exaratum Allib. T. 26 *E. md. b.*
canaliculatum Gillm. Er. III. 25

angustatum Aub.
? cordatum Motsch. Matth. Trich. 31
myrmecophilum Allib T. 26 *E.*
inquilinum Gillm. Mon. 91
haemorrhoidale Motsch. B. M. 45. 508
v. discoideum Gillm. Mon. 73
modestum Wankow. T. 27 *R.m.G.*
? fulvescens Motsch. Matth. Trich. 31

Neuglenini.

Microptilium
Matthews.

pulchellum Allib. T. 36 *Ga.Br.D.*

Neuglenes
Thomson.
Ptinella Matth.

testaceus Heer T. 34 *E.md.b.*
Proteus Matth. Zool. 1862. 8262
v. limbatus Heer T. 34
britannicus Matth. T. 34 *Br.Ca.*
denticollis Fairm. T. 34 *E.m.*
? Mariae Matth. Trich. 168 *Br.*
v. punctipennis Fairm. A. 1859. 32
apterus Guér. T. 35 *E.Ca.*
microscopicus Matth. Trich. 171
anophthalmus Joseph B. 1882. 100
?arcuaticollis Mtsch. Matth. Trich. 31
v. angustulus Matth. Trich. 31
v. pallidus Er. Nat. III. 33
v. ratisbonensis Gillm. T. 35
tenellus Er. T. 35 *E.b.md.*
microscopicus Gillm. Mon. 65
v. angustulus Gillm. Mon. 66
rotundicollis Motsch. Matth. Trich. 31
v. gracilis Gillm. Mon. 62
v. biimpressus Reitt. D. 1878. 48

Aderces
Thomson.
Pteryx Matth.

suturalis Heer T. 32 *E.*
bicolor Motsch. B. M. 1845. 512
mutabilis Matth. Zool. 6106
flavicornis Mackl. B. M. 1846. 181
v. caucasica Flach 33 *Ca.*

Astatopteryx
Perris.

laticollis Perris T. 33 *Ga.m.*
Perrisi Matth. Trich. 154
v. ♂ hungarica Reitt. T. 33 *Hu.*

Actinopteryx
Matthews.

fucicola Allib. T. 32 *L.*
mollis Halid. Rev. hist. nat. 55. 123
dilaticollis Motsch. Matth. Trich. 29
marina Motsch. B. M. 1845. 525

Trichopterygini.

Nephanes
Thomson.
Elachyx Matth.

Titan Newm. T. 36 *E.md.b.*
abbreviatellus Er. Nat. III. 23
curtus Allib. Rev. Zool. 1844. 52
Gillmeisteri Allib.

Micrus
Matthews.

filicornis Fairm. T. 37 *Ga.G.A.*

Baeocrara
Thomson.

littoralis Thoms. T. 37 *E.md.b.*
Thomsoni Sharp M. M. II. 230
Silbermanni Wenck. Cat. Col. Als. 66
variolosa Muls. Op. XII. 187

Trichopteryx
Kirby.
Acrotrichis Motsch.
Ctenopteryx Flach.

grandicollis Maerkel T. 39 *E.*
fascicularis Gillm. Mon. 43
Montandoni Allib. T. 39 *E.*
similis Gillm. Mon. 53
abdominalis Fairm. Fn. Fr. 1854. 331
minima Motsch.
picicornis Mannh. B. M. 1843. 84
longicornis Motsch. B. M. 1845. 534
v. Jansoni Matth. M. M. II. 245
v. ♂ rivularis Allib. Matth. Trich. 124

Trichopteryx i. spec.

thoracica Waltl Gillm. T. 40 *E.*
♂ attenuata Gillm. Mon. 49
subaenea Motsch. Matth. Trich. 29
? punctatissima Motsch. Matth. l. c. 28
caucasica Kolen. Mel. V. 56
? brevicornis Mtsch. Matth. Trich. 27
anthracina Matth. M. M. II. 35

? Poweri Matth. Trich. 118
Chevrieri Matth. ibid.
v. seminitens Matth.
atomaria Deg. T. 40 *E.*
v. ♂ thoracica Matth. T. 40
? v. Sarae Matth. T. 40
hellenica Matth. *Gr.*
v. Oertzeni Flach T. 40
intermedia Gillm. T. 41 *E.*
lata Matth. Trich. 134
atomaria Motsch.
fascicularis Herbst Matth. T. 41 *E.*
? lata Motsch. B. M. 1845. 528
v. Laetitia Matth. T. 41
? v. convexiuscula Motsch. T. 41
rufilabris Flach. 42 *Ca.*
Flachi Reitt. emend. *Ca.*
caucasica Flach 42
caucasica Matth.
? taurica Motsch. B. M. 1845. 527
soror Flach 42 *Ca.*
? v. munda Motsch. B. M. 1851. 253
suffocata Halid. T. 43 *Br.E.b.Ca.*
cantiana Matth. Trich. 176
volans Motsch. B. M. 1845. 529
? atrata Motsch. B. M. 1845. 530
brevipennis Er. T. 43 *E.md.b.*
♂ clavipes Gillm. Mon. 49
Kirbyi Math. M. M. I. 175
brevis Motsch. B. M. 1845. 533
sericans Gillm. ♀ Mon. 52
longicornis Matth. Trich. 127
? quadrata Motsch. B. M. 1845. 530
? v. Edithia Matth. T. 43
? v. Guerini Fairm. ibid. 43
? v. Waterhousei Matth. ibid. 44
Chevrolati Allib. ibid. 44 *E.*
pygmaea Er. Nat. III. 21
parallelogramma Gillm. Mon. 54
minuta Motsch.
sericans Heer T. 44 *E.*
depressa Gillm. Mon. 51
acuminata Motsch. Matth. 122
elevata Motsch. Matth. Trich. 122
v. ambigua Motsch. T. 44 *Br.*
v. brevis Matth. ibid. 45
v. picicornis Matth. ibid. 44
v. bovina Matth. ibid. 44
v. longula Matth. ibid. 44
v. pulla Flach 45 *Ca.*
? v. carbonaria Matth. T. 44
dispar Matth. T. 45 *E.b.Ti.*
pumila Thoms. Sk. IV. 98
obscoena Woll. Matth. Trich. 123 *Br.*
Championis Matth. M .M. 78. 64 *Br.*
augusta Matth. A. M. N. H. 89. 192 *Br.*
fratercula Matth. M. M. 78. 65 *Br.*
Marseuli Matth. Trich. 137 *Ga.*

Scaphidiidae.

Reitter, Best. Tab. III. Mödling 1887.

Scaphidium
Olivier.

4-maculatum Oliv. T. 4 *E.md.b.*

Scaphium
Kirby.

immaculatum Oliv. T. 5 *E.md.*
rufipes Reitt. T. 5 *Ca.*

Scaphoschema
Reitter.

Poupillieri Reiche T. 5 *Hi.m.*

Scaphosoma
Leach.

agaricinum L. T. 5 *E.*
subalpinum Reitt. 6 *E.md.*
assimile Er. T. 6 *E.*
dilutum Reitt. 7 *Ca.*
boleti Panz. T. 7 *E.*
limbatum Er. T. 7 *Hu.St.*

Baeocera
Erichson.

Schirmeri Reitt. T. 8 *Hu.D.Ca.*
nobilis Reitt. An. Genova 1884. 371 *S.*

Phalacridae.

Flach, Best. Tab. XVII. Brünn 1888.

Tolyphus
Erichson.

granulatus Guér. T. 7 *E.m.oc.*
striatipennis Luc. Alg. 551
syriacus Reitt. T. 7 *Corfu*
punctatostriatus Kr. T. 7 *E.m.*
subsulcatus Fairm. A. 1860. 166
punctulatus Rosenh. T. 7 *Hi.*

Phalacrus
Paykull.

maximus Fairm. T. 8 *Hi.*
v. Reitteri Flach 8 *Hi.*
frater Flach 27 *Ca.m.*
grossus Er. T. 8 *E.md.b.D.*
hybridus Flach. 10 *Tr.*
fimetarius F. T. 9 *E.*
coruscus Panz.
ater Herbst Käf. IV. 86
v. intermedius Hochh. T. 9 *R.m.*
v. Humberti Rye T. 9 *E.*
m. Doebneri Flach 9 *G.*
?v. Brisouti Rye T. 9 *Br.*
substriatus Gyll. ibid. 9 *E.md.b.*
incommodus Flach 10 *Crim.*
seriepunctatus Bris. T. 10 *Ga.m.*
brunnipes Bris. ibid. 10 *Ga.m.*
caricis Strm. ibid. 8 *E.md.b.*
millefolii Gyll. I. Suec. III. 429

---

striatulus Tourn. T. 10 *Si.*
minutus Tourn. ibid. 9 *H.*

Olibrus
Erichson.

aeneus F. T. 11 *E.*
multistriatus Zett. I. Lapp. 233
ovatus Marsh. Ent. Br. I. 76
Koltzei Flach 11 *Ca.*
millefolii Payk. T. 11 *E.*
ulicis Gyll. I. Suec. III. 430
Baudueri Flach 11 *Ga.Hi.*
? ulicis Hochh. T. 11 *R.m.*
bimaculatus Küst. T. 15 *E.md.*
maculifer Waltl
bicolor F. T. 15 *E.*
bisignatus Mén. Ac. Petrop. 47. 55 *E.md.m.*
v. coccinella Fl. 15 *Ca.*
Stierlini Flach 15 *E.m.*
Gerhardti Flach 14 *G.*
Baudii Flach 12 *Si.Hi.*
aenescens Küst. T. 12 *E.m.*
anthemidis Perr.
Demaisoni Flach 13 *Hi.*
liquidus Er. T. 13 *E.md.m.*
affinis Strm. T. 13 *E.md.m.*
v. discoideus Küst. ibid. 13 *E.*
v. corcyrensis Flach 13 *Gr.*
v. Lederi Flach 13 *Hi.*
pygmaeus Strm. T. 13 *E.*
flavicornis Strm. ibid. 13 *E.md.m.*
helveticus Rye
v. perfidus Flach 14 *P.I.*
particeps Muls. T. 12 *E.m.*
?v. fallax Flach 12 *A.*
Reitteri Flach 12 *Cro.*
castaneus Baudi T. 12 *E.m.*
Seidlitzi Flach 14 *R.m.*
Heydeni Flach 14 *R.m.Hu.*
corticalis Panz. T. 14 *E.*
v. adustus Flach 14 *Ca.*
v. assimilis Flach 14 *E.m.*

Stilbus
Seidlitz.

Olisthacrus Seidl. olim.

testaceus Panz. T. 16 *E.*
geminus Ill. Panzer Rev. T. 27
consimilis Mrsh. E. Br. I. 75
v. unicolor Flach 16 *E.m.*
atomarius L. T. 16 *E.md.b.*
piceus Steph. Ill. Br. II. 165
v. picatus Flach 16 *E.m.*
pumilus Hochh. T. 17 *R.m.*
oblongus Er. ibid. 17 *E.md.m.*
v. uniformis Flach 17 *E.md.m.*

Erotylidae.

Reitter, Best. Tab. XVI. 1887.

Engini.

Engis
Paykull.

Dacne Latr. ex parte Reitt.

notata Gmel. T. 5 *Su.G.A.*
bipustulata F. Mant. I. 45 *Tr.*
pontica Bedel T. 5 *Ca.*
rufifrons F. ibid. 5 *E.md.b.*
bipustulata Thunb. ibid. 5 *E.*
humeralis F. Mant. I. 45
v. Jekeli Reitt. T. 5 *Ga.*

Combocerus
Bedel.

glaber Schall. T. 5 *Su.Ga.G.*
sanguinicollis F. Mant. I. 46

Loberogosmus
Reitter.

fasciatus Kolen. T. 5 *Ca.Slav.*

Pharaxonotha
Reitter.

Kirschi Reitt. T. 5 ×*G.*

Triplacini.

Triplax
Paykull.

melanocephala Latr. T. 6 *E.md.*
ruficollis Steph. Ill. Br. III. 90
nigriceps Lac. Mon. 213
Marseuli Bedel T. 7 *Ga.m.D.Bos.Ca.*
melanocephala Lac. Mon.
aenea Schall. T. 7 *E.*
Emgei Reitt. ibid. 7 *Gr.*
elongata Lac. ibid. 7 *A.Hu.*
russica L. ibid. 7 *E.Ca.*
Lacordairei Crotch ibid. 7 *E.md.m.*
ruficollis Lac. Mon. 211

Platychna Thoms.

lepida Fald. T. 7 *E.md.b.Ca.*
rufipes F. ibid. 7 *E.*
clavata Lac. Mon. 217
tergestana Reitt. T. 8 *Ist.*
bicolor Gyll. T. 8 *E.md.b.*
v. scutellaris Charp. ibid. 8
carpathica Reitt. D. 1890 *Cp.Hu.*
pygmaea Kr. T. 8 *St.*
collaris Schall. ibid. 8 *Ga.G.A.*
capistrata Lac. Mon. 217 *Tr.*
v. sulphuricollis Reitt. T. 8 *Ca.*

Cyrtotriplax
Crotch.

Tritoma Fabr.

octonotata Bedel T. 9 *Ca.*
valida Reitt. ibid. 9 *Ca.*
bipustulata F. T. 9 *E.*
v. binotata Reitt. ibid. 9
v. dimidiata Redtb. Fn. Aust. ed. 3. 408
pulchra Reitt. T. 9 *A.R.*

Aulacochilus
Lacordaire.

violaceus Germ. T. 10 *Cro.*

Endomychidae.

Reitter, Best. T. I. Mödl. 1885.
Marseul, Monogr. Ab. V. 1868.

Dapsini.

Ancylopus
Costa.

melanocephalus Oliv. T. 37 *Si.*
v. pictus Wied. Zool. Mag. II. 1. 78

Dapsa
Latreille.

Phylira Muls.

acuticollis Reitt. T. 38 *Andal.*
denticollis Germ. T. 38 *G.A.*
v. nigricollis Gerst. Ab. V. 102
caucasica Motsch. B. M. 1845. III. *Ca.*
? inornata Gorh. T. 38
opuntiae Reitt. T. 38 *Gr.*
Lederi Reitt. T. 39 *Ca.*
trimaculata Motsch. T. 39 *E.m.*
v. testacea Costa ibid. 37 (Ancyl.) *I.m.*
limbata Motsch. ibid. 39 *Ca.*
nigripennis Reitt. ibid. 39 *Ca.*

Hylaia
Redtenbacher.

Ceramis Gerstäcker.

rubricollis Germ. T. 40 *Ga.Hu.*
dalmatina Kaufm. ibid. 40 *D.*
v. ferruginea Reitt. ibid. 40 *D.*
podagrica Guer. ibid. 40 *Ca.*

Lycoperdina
Latreille.

Golgia Muls.

succincta L. T. 40 *E.md.b.*
v. fasciola F. ibid. 40
v. humeralis Schilsky D. 1888. 184 *G.*
crassicornis Reitt. T. 40 *Tr.*

*

validicornis Gerst. T. 41 *I.S.C.*
v. subpubescens Reitt. ibid. 41 *C.*
bovistae F. ibid. 41 *E.md.b.*
immaculata Latr. Gen. Crust. III. 73
penicillata Mars. T. 41 *Hi.m.*
maritima Reitt. ibid. 41 *Alp.mar.*
pulvinata Reitt. ibid. 41 *D.*
v. obliqua Reitt. D. 1884. 59 *Gr.*

Mycetina
Mulsant.

cruciata Schall. T. 42 *E.*
lithophila Herbst Füess. Arch. IV. 37
v. calabra Costa T. 42 *I.*
interrupta Gredl. *Ti.*
binotata Costa Fn. Nap. 1850. pl. 8. f. 2
apicalis Motsch. T. 42 *Ca.*

Endomychini.

Endomychus
Panzer.

armeniacus Motsch. T. 42 *Ca.*
Scovitzi Fald. Fn. Tr. II. 411
coccineus L. T. 42 *E.*
v. Bichli Reitt. D. 1888. 424 *Hu.Tr.*
thoracicus Charp. T. 42 *Hu.Tr.*

Mycetaeini.

Myrmecoxenus
Chevrolat.

subterraneus Chevr. T. 29 *E.md.b.F.*
epulo Mackl. B. M. 1846. 184
picinus Aub. T. 29 *E.md.m.*
vaporariorum Guér. ibid. 29 *E.md.*
bituriensis Reitt. ibid. 29 *Hi.*

Lithophilus
Frölich.

cordatus Rosh. T. 30 *Hi.*
graecus Reitt. ibid. 30 *Gr.*
creticus Reitt. D. 1889. 255 *Cret.*
kalawrytus Reitt. T. 30 *Gr.*
connatus Panz. ibid. 31 *A.G.Hu.*
caucasicus Weise ibid. 31 *Ca.*
Weisei Reitt. ibid. 31 *Ca.*
Osculati Osc. 1882 *T.*

Leiestes
Redtenbacher.

seminigra Gyllb. T. 32 *E.*
Menetriesi Fald. *Ca.*
montana Motsch. ibid. 32

Pleganophorus
Hampe.

bispinosus Hampe T. 32 *Hu.Gr.*

Symbiotes
Redtenbacher.

rubiginosus Heer T. 32 *E.md.b.*
latus Redtb. Fn. Aust. I. 198
gibberosus Luc. T. 32 *E.md.m.*
pygmaeus Hampe St. 1850. 353
minutus Schauf. Nunq. ot. 544
armatus Reitt. T. 32 *Cro.*

Mycetaea
Stephens.

hirta Marsh. T. 33 *E.*
subterranea F. Syst. El. I. 318
villosa Beck

Agaricophilus
Motschulsky.

reflexus Motsch. T. 33 *Ca.*
v. subaeneus Reitt. ibid. 33 *Ca.*

Clemmys
Hampe.
Clemnus Redtb.

troglodytes Hampe T. 33 *A.Cro.*

Mychophilus
Frivaldszky.

minutus Friv. D. 1877. 430 *Hu.*
caspicus Reitt. Rev. mens. Ptr. 113 *Lenk.*

Alexia
Stephens.
Reitter, Wien. Ent. Z. 1888. 322.

glabra Reitt. 322 *Bos.Bulg.*
globosa Strm. W. 322 *E.*

---

pubescens Friv. W. 323 *T.*
circassica Reitt. 323 *Ca.or.*
alutacea Reitt. 323 *Ca.*
sublaevis Reitt. 323 *Ca.oc.*
meridionalis Reitt. 323 *Hi.m.*
Seidlitzi Reitt. D. 1889. 307 *Alp.*
pilosa Reitt. W. 324
Lederi Reitt. 324 *Ca.oc.*
punctata Reitt. 324 *Hu.Serb.*
laevicollis Reitt. 324 *A.Bosn.*
scymnoides Reitt. 324 *Euboea*
carpathica Reitt. 324 *Cp.*

---

pilosa Panz. Fn. Germ. 7. 8 *E.md.G.*
ignorans Reitt. W. 324
v. lunigera Reitt. 324 *Ti.*
corcyrea Reitt. 325 *Corfu*
v. hellenica Reitt. 325 *Gr.*
nevadensis Reitt. 325 *Hi.*
Reitteri Ormay W. 325 *Tr.*
pilifera Müll. W. 325 *G.*
pilosella Reitt. W. 325 *Ca.centr.*
hirtula Reitt. Led. 149
obsoleta Reitt. W. 325 *Ca.centr.*
clamboides Reitt. 326 *Ca.or.*
puncticollis Reitt. 326 *Ca.*

Catopochrotidae.

Catopochrotus
Reitter.
crematogastri Reitt. W. 1889. 289 *Ca.m.*

Cryptophagidae.

Reitter T. XVI. (Brünn 1887.) — Rev. d. Crypt. D. 1875. Heft III.

Diphyllini.

(Reitter T. I. edit. 2. pg. 20. 21.)

Diphyllus
Stephens.
Thallestus Woll.
lunatus F. T. I. 20 *E.*
v. inornatus Reitt. W. 1888. 170 *Ca.oc.*
frater Aub. T. I. 20 *E.m.*

Diplocoelus
Guérin.
Marginus Leconte.
fagi Chevrl. T. I. 20 *E.*
humerosus Reitt. T. I. 20 *Ca.*

Telmatophilini.

Cryptophilus
Reitter.
integer Heer H. 426 *E.md.m.*
muticus Bris. T. 16. 16
Barnevillei Tourn. Schw. M. III. 415 *Si.*
balearicus Schauf. *Bal.*

Telmatophilus
Heer.
sparganii Ahrens T. 1. 20 *E.*
caricis Oliv. ibid. 1. 21 *E.*
obscurus F. E. Syst. I. 233
v. longicollis Reitt. T. I. 21 *G.*
brevicollis Aub. ibid. I. 21 *E.md.m.*
v. rufus Reitt. ibid. I. 21 *Ga.Ca.*
typhae Fall. ibid. I. 21 *E.*
v. pumilus Reitt. ibid. I. 21 *Sil.*
Schönherri Gyll. ibid. I. 21 *E.md.*

Tomarus
Leconte.
pilifer Reitt. T. 16. 14 *Ca.*

Cryptophagini.

Zavaljus
Reitter.
Fausti Reitt. T. 16. 16 *Kasan*

Leucohimatium
Rosenhauer.
alatum Reitt. T. 16. 17 *R.m.o.Gr.*
elongatum Er. ibid. 16. 17 *E.m.*
angustum Rosenh. Th. And. 181
Langi Solsky T. 16. 17 *R.m.Ca.*
brevicolle Reitt. D. 1878. 93

Antherophagus
Latreille.
nigricornis F. T. 16. 18 *E.*
silaceus Herbst ibid. 16. 18 *E.*
pallens Oliv. ibid. 16. 18 *E.*
caucasicus Reitter ibid. 16. 18 *Ca.*

Emphylus
Erichson.
Spavius Motsch.
glaber Gyll. T. 16. 18 *E.b.md.*

Spaniophaenus
Reitter.
laticollis Mill. T. 16. 18 *Tr.*
lapidarius Fairm. ibid. 16. 18 *Ga.m.*
amplicollis Bris. A. 1866. 369 *Hi.*
caucasicus Reitt. W. 1888. 105 *Ca.*

Haplolophus
Frivaldszky.
robustus Moraw. D. 1889. 313 *R.m.*
Fausti Seidl. D. 1889. 313 *Ca.*
v. neglectus Friv. T. 16. 19 *A.Hu.*
Frivaldszkyi Dej. Cat. 1837. 138
robustus Seidl. Fn. Tr. 279

Paramecosoma
Curtis.
melanocephalum Herbst T. 16. 19 *E.*
betae Macq.
univestre Reitt. T. 16. 19 *E.*

Cryptophagus
Herbst.
Mnionomus Wollast.
simplex Mill. T. 16. 19 *A.*
seriatus Reitt. ibid. 16. 20 *Ca.o.*

araxicola Reitt. D. 1889. 21 *Arm.*
corpulentus Reitt. W. 1888. 170 *Ca.oc.*
circassicus Reitt. W. 1888. 171 *Ca.oc.*
montanus Bris. T. 16. 20 *P.Alp.mar.*
lapidarius Reitt. Rev. Crypt. 16
dilaticollis Tourn. Ab. XIV. 17 *H.*
gracilis Reitt. T. 16. 20 *P.or.I.*
baldensis Er. ibid. 16. 20 *E.md.*
croaticus Reitt. 16. 20 *Cro.G.A.*

Cryptophagus i. spec.

lycoperdi Herbst T. 16. 21 *E.*
pilosus Gyll. ibid. 16. 21 *E.*
puncticollis Luc. Alg. 221
v. punctipennis Bris. T. 16. 21
lapidicola Reitt. ibid. 16. 21 *Ca.cent.*
Skalitzkyi Reitt. ibid. 16. 21 *E.md.Arm.*
Erichsoni Reitt. ibid. 16. 22 *Talysch*
nigritulus Reitt. ibid. 16. 22 *Hi.Ca.or.*
Schmidti Strm. ibid. 16. 23 *E.md.*
nitidulus Mill. ibid. 16. 23 *Boh.A.Tr.*
setulosus Strm. ibid. 16. 23 *E.*
inaequalis Reitt. ibid. 16. 23 *Carp.*
durus Reitt. ibid. 16. 23 *And.I.*
Milleri Reitt. ibid. 16. 23 *E.md.Ca.*
affinis Strm. ibid. 16. 24 *E.*
laticollis Luc. Alg. 222
cellaris Scop. T. 16. 24 *E.*
crenatus Strm. Ins. XVI. 70
v. mascarensis Reitt. T. 16. 24 *And.*
silvanoides Reitt. ibid. 16. 24 *R.m.*
? parallelus Thoms. Op.

acutangulus Gyll. T. 16. 25 *E.*
m. Waterhousei Rye ibid. 16. 24
Heydeni Reitt. D. 1875. 36.
populi Payk. T. 16. 25 *E.*
grandis Kr. St. 1856. 240
fumatus Mars. T. 16. 25 *E.b.md.*
posticus Reitt. D. 1889. 425 *Banat*
quercinus Kr. T. 16. 25 *E.md.*
rufus Bris. ibid. 16. 25 *E.md.Ga.*
badius Strm. ibid. 16. 25 *E.*
Brisouti Reitt. ibid. 16. 26 *P.*
axillaris Reitt. ibid. 16. 26 *Tr.*
fasciatus Kr. ibid. 16. 26 *E.m.*
signatus Bris. Rev. Zool. 1862. 23
ruficornis Steph. T. 16. 26 *G.Ga.*
niger Bris. Gren. Cat. 1863. 86
umbratus Er. Nat. III. 355
distinguendus Strm. T. 16. 26 *E.*
m. impressicollis Tourn. ibid. 16. 26
dorsalis Sahlb. ibid. 16. 27 *E.md.b.*
hexagonalis Tourn. M. Schw. III. 444

quadrimaculatus Reitt. T. 16. 27 *Ca.R.m.*
Brucki Reitt. ibid. 16. 27 *T.Ca.*
fuscicornis Strm. ibid. 16. 28 *E.[illegible]*
labilis Er. ibid. 16. 28 *E.[illegible]*
? denticulatus Thoms. Op.
reflexicollis Reitt. T. 16. 29 *Tr.Alp.*
lamellicornis Bris. A' 1882. 28 *P.*
dilatipennis Reitt. T. 16. 29 *Ca.*
scutellatus Newm. ibid. 16. 29 *E.*
bicolor Sturm Ins. XVI. 107
rufipennis Sturm ibid.
crenatus Thoms. Sk. V. 263
dentatus Herbst T. 16. 29 *E.*
pallidulus Strm. Ins. XVI. 69
? flavipennis Falderm. Fn. Tr. III. 6
subvittatus Reitt. T. 16. 29 *R.m.*
saginatus Strm. ibid. 16. 29
subfumatus Kr. ibid. 16. 30 *E.*
? subtilis Thoms. Op.
v. Kraatzi Reitt. T. 16. 30
cylindrus Kiesw. ibid. 16. 30 *E.md.m.*
parallelus Bris. Gren. Cat. 1863. 65
Thomsoni Reitt. T. 16. 30 *E.*
scanicus L. ibid. 16. 31 *E.*
humeralis Steph. Ill. Br. III. 74
patruelis Strm. Ins. XVI. 80
v. hirtulus Kr. T. 16. 31 *E.m.*
v. validus Kr. ibid. 16. 31 *G.*
vulpinus J. Sahlb. ibid. 16. 30 *E.b.*
subdepressus Gyll. ibid. 16. 31 *E.*
depressus Thoms. Reitt. D. 75. III. 34
? helveticus Tourn. Rev. Zool. 72. 254
corticinus Thoms. T. 16. 31 *F.Su.*
lapponicus Gyll. ibid. 16. 32 *F.L.*
beringensis J. Sahlb.
pubescens Strm. T. 16. 32 *E.*
lapponicus Reitt. Rev. 1875. 36

Micrambe Thomson.

nigricollis Reitt. T. 16. 33 *Ca.*
bimaculatus Panz. ibid. 16. 33 *E.b.md.*
serricollis J. Sahlb. ibid. 16. 33 *E.b.*
vini Panz. ibid. 16. 33 *G.E.md.m.*
villosus Heer, ibid. 16. 33 *E.*
pilosulus Er. Nat. III. 373
ocularis Reitt. B. 1872. 172
Perrisi Bris. T. 16. 34 *Ga.Lu.*
? v. umbripennis Reitt. ibid. 16. 34 *C.*
abietis Payk. ibid. 16. 34 *E.*

Pteryngium
Reitter.

crenatum Gyll. T. 16. 34 *E.md.b.*
crenulatum Er. Nat. III. 369

Mnionomidius
Reitter.

serricollis Reitt. T. 16. 35 *Ca.*

Henoticus
Thomson.

serratus Gyll. T. 16. 34 *E.Ca.*
Reitteri Seidl. Fn. Tr. 272

Setaria
Mulsant.

sericea Muls. T. 16. 55 *C.Ga.m.*

Atomariini.

Caenoscelis
Thomson.

ferruginea Sahlb. Seidl. Fn. Tr. 272 *E.*
subdeplanata Bris. A' 1882. 29
Brisouti Seidl. Fn. Tr. 272 *E.*
ferruginea Bris. Reitt.
Fleischeri Reitt. D. 89. 310 *Bihar.Com.*

Atomaria
Stephens.

Agathengis Gozis.

fimetarii Herbst T. 16. 36 *E.*
parallelepipeda Waltl Isis 1838. 271
Abeillei Tourn. M. Schw. III. 116
Barani Bris. T. 16. 36 *E.md.*
v. pilosella Reitt. Rev. 51 *Bohem.*
subfasciata Reitt. T. 16. 37 *F.*
sparsutula Reitt. ibid. 16. 37 *Morea*
carpathica Reitt. ibid. 16. 37 *Carp.or.*
umbrina Gyll. ibid. 16. 37 *E.*
fumata Er. Nat. III. 378
punctithorax Reitt. T. 16. 37 *D.*
bella Reitt. ibid. 16. 38 *G.Su.*
nigriventris Steph. ibid. 16. 38 *E.*
nana Er. Nat. III. 379
v. puncticollis Thoms. T. 16. 38
linearis Steph. ibid. 16. 38 *E.*
pygmaea Heer H. I. 430
Herminae Reitt. T. 16. 38 *G.Hu.*
v. abietina J. Sahlb. ibid. 16. 38 *F.*
pumila Reitt. ibid. 16. 38 *G.F.*
diluta Er. ibid. 16. 39 *E.md.m.Ca.*
cribrella Reitt. ibid. 16. 39 *Balk.Ca.*
Uhagoni Reitt. ibid. 16. 39 *Hi.*
affinis Sahlb. ibid. 16. 39 *E.Alp.*
alpina Heer ibid. 16. 39 *E.md.b.Ca.*
elongatula Er. Nat. III. 383
badia Er. ibid. 381
planiuscula Reitt. Rev. 54
v. Wollastoni Sharp T. 16. 39 *Br.*
gracilicornis Reitt. ibid. 16. 40 *Ca.*
bescidica Reitt. ibid. 16. 40 *Sil.Boh.*
procerula Er. ibid. 16 40 *E.b.md.*
longicornis Thoms. Sk. V. 269
prolixa Er. T. 16. 40 *E.md.*
v. pulchra Er. ibid.
v. atrata Reitt. ibid.

---

fuscicollis Mannh. T. 16. 41 *E.*
plicicollis Mäkl. Act.S.Fenn.1862.[illegible]
umbrina Er. Nat. III. 380
talyschensis Reitt. T. 16. 41 *Lenkor.*

Atomaria i. sp.
Anchicera Thoms.

impressa Er. T. 16. 41 *E.md.*
plicata Reitt. ibid. 16. 41 *Sil.A.*
v. amplipennis Reitt. Rev. 63
munda Er T. 16. 42 *E.*
nigripennis Heer H. 427
pulchella Reitt. Rev. 61

*

unifasciata Er. T. 16. 42 *E.*
grandicollis Bris. ibid. 16. 42 *Ga.*
scutellaris Motsch. ibid. 16. 43 *E.m.*
humeralis Kr. St. 1853. 98
canariensis Woll. Cat. Can.1864.142
mesomelas Herbst T. 16. 43 *E.*
dimidiata Marsh. E. Br. I. 112
v. imitata Reitt. T. 16. 43
v. pseudatra Reitt. l. c.
gutta Steph. T. 16. 43 *E.*
sellata Heer H. I. 429
Godarti Guillebeau Echange 1885
v. rhenana Kr. T. 16. 43
castanoptera Reitt. ibid. 16. 44 *Lenkor*
gravidula Er. ibid. 16. 44 *E.*
nitidula Heer ibid. 16. 44 *E.*
basalis Er. Nat. III. 391
fuscata Schönh. T. 16. 44 *E.*
rubella Heer H. 431
atricapilla Steph. T. 16. 45 *E.*
rufa Heer H. 431
nigriceps Er. Nat. III. 396
berolinensis Kr. T. 16. 45 *E.*
bicolor Er. I. D. III. 390 *St.*
? tumulorum Villa Col. Eur. dup. 35. 48
atra Herbst T. 16. 45 *E.*
Zetterstedti Zett. ibid. 16. 45 *E.b.md.*
salicicola Kr. St. 1853. 97

peltata Kr. T. 16. 46 *E.*
? cognata Er. I. D. III. 392
fuscipes Gyll. T. 16. 46 *E.*
concolor Märkel Germ. Zt. V. 224
v. dichroa Reitt. T. 16. 46 *A.*
pusilla Schönh. ibid. 16. 46 *E.*
dimidiatipennis Mannh. B.M. 44.185
minutissima Tourn. Ab. XIV. 18
contaminata Er. T. 16. 47 *G.Ga.*
nigripennis Payk. ibid. 16. 47 *E.*
pulchella Heer H. I. 427
morio Kolenati T. 16. 47 *Ca.*
castanea Thoms. Sk. V. 276 *Su.*
cognata Reitt. Rev. 61 *A.*

*

frondicola Reitt. D. 1889. 372 *E.md.*
ornata Heer T. 16. 48 *E.md.*
versicolor Er. Nat. III. 399
cretica Reitt. ibid. 16. 48 *Creta*
Attila Reitt. ibid. 16. 48 *Hu.b.o.*
v. banatica Reitt. ibid. 16. 48 *Mehad.*
sternodeoides Reitt. ibid. 16. 48 *Ca.*
turgida Er. ibid. 16. 49 *E.*
apicalis Er. ibid. 16. 49 *E.*
clavicornis Baudi B. 1870. 57
ruficornis Marsh. T. 16. 49 *E.*
terminata Comolli Col. nov. 20
jonica Reitt. T. 16. 50 *Ins.Jon.*
montenegrina Reitt. ibid. 16. 50 *Mont.*
testacea Steph. ibid. 16. 50 *E.*
cognata Strm. Ins. t. 338
analis Er. Nat. III. 398
v. rubida Reitt. T. 16. 50 *I.*
v. viennensis Reitt. ibid. 16. 50 *A.*
?v. formosa Reitt. ibid. 16. 51 *Hu.b.*
gibbula Er. ibid. 16. 51 *E.md.m.*
v. Hislopi Woll. ibid. *Br.*
v. hiemalis Baudi ibid. *Pe.*
parvula Reitt. Rev. 77 *H.*
delicatula Tourn. T. 16. 51 *H.*
basicornis Reitt. ibid. 16. 51 *Ca.*
singularis Reitt. W. 1888. 172 *Ca.oc.*
rubricollis Bris. T. 16. 52 *E.m.*
v. sparsula Reitt. l. c. *Ca.*
?v. morula Reitt. l. c. *Ti.*
thorictoides Reitt. T. 16. 52 *Tosc.*
cephennioides Reitt. ibid. 16. 53 *Ca.*
v. circassica Reitt. W. 1888. 173 *Ca.oc.*

Sternodea
Reitter.

Baudii Reitt. T. 16. 53 *Gr.I.*
Weisei Reitt. D. 1875. 361 *Cp.*

Lederi Reitt. T. 16. 54 *Ca.*
Raddei Reitt. ibid. 16. 54 *Ca.*
♂ Haroldi Reitt. Led. 176
Miki Reitt. W. 1888. 173 *Ca.oc.*

Ephistemus
Stephens.

Psychidium Heer.
nigriclavis Steph. T. 16. 54 *E.*
globosus Waltl Isis 1838. 271
palustris Wollast. A. N. Hist.46.452
globulus Payk. T. 16. 54 *E.*
gyrinoides Marsh. E. Br. 102. 77
ovulum Er. Nat. III. 402
v. dimidiatus Sturm T. 16 55
piceorrhoeus Marsh. E. Br. I. 78
exiguus Er. T. 16. 55 *E.*
ventrosus Baudi B. 1870. 57
lepidus Hochh. B. M. 1872. 305
dilutus Reitt. T. 16. 55 *Ca.*

Derodontidae.

Derodontus
Leconte.

Mycetomychus Friv.
macularis Fuss Seidl. Fn.Tr.241 *Tr.Ti.*

Lathridiidae.

Reitter, T. III. edit. 2., Mödling 1887.

Merophysiini.

Neoplotera
Belon.

peregrina Belon T. 10 ×*Ga.*

Coluocera
Motschulsky.

formicaria Motsch. T. 10 *E.m.*
formiceticola Rosh. Th. And. 355
attae Kraatz. B. 1858. 140
gallica Schauf. Nq. ot. 398
v. major Reitter T. 10 *Ca.*
punctata Märk. ibid. 10 *Si.S.*

Merophysia
Lucas.

cretica Kiesw. T. 11 *Cret.*
lata Kiesw. ibid. 11 *Gr.*

carinulata Rosenh. T. 11 *E.m.*
oblonga Kiesw. ibid. 11 *Gr.*
bistriata Reitt. D. 1889. 255 *Creta*
striatella Reitt. D. 1890 *Crim.*
formicaria Lucas T. 11 *E.m.*
v. sicula Kiesw. ibid. 11 *Si.*
carmelitana Saulcy ibid. 12 *Gr.*
orientalis Saulcy ibid. 12 *Crim.*

Holoparamecus
Curtis.

Tomyrium Reitter.

Bertouti Aub. T. 12 *Ga.S.*

Calyptobium Aubé.

niger Aub. T. 13 *E.m.*
v. Lowei Woll. ibid. 13 *E.m.*
occultus Leder B. 1872. 139
caularum Aub. T. 13 *E.m.*
obtusicornis Mot. B. M. 1867.101 *G.*
tuberculum Motsch. ibid. 102
atomus Ragusa Sic. 1888. 36 *Si.*

Holoparamecus i. spec.

singularis Beck T. 13 *E.md.m.*
depressus Curt. E. Mag. I. 186
Villae Aub. Mon. 243
difficilis Villa Cat. Col. E. 1833. 26
populi Motsch. B. M. 1867. 99
longipennis Motsch. ibid. 100
v. Lederi Reitt. T. 13 *Ca.*
Beloni Reitt. ibid. 13 *Gr.Cro.Herz.*
Kunzei Aub. ibid. 13 *E.m.*
Ragusae Reitt. ibid. 14 *C.S.Si.Ga.m.*

Abromus
Reitter.

Brucki Reitt. T. 14 *Ga.m.*
Abeillei Belon ibid. 14 *And.*

Anommatus
Wesmael.

12-striatus Müll. T. 14 *E.md.*
terricola Wesm. B. A. Brux. II. 339
pusillus Schauf. ex parte
basalis Reitt. T. 14 *E.m d.m.*
pusillus Schauf. ex parte
Kiesenwetteri Reitt. T. 15 *Hi.*
valombrosae Dieck ibid. 15 *I.*
Diecki Reitt. ibid. 15 *Ga.m.C.*
Baudii Reitt. M. Münch. 1877. 27 *I.*
planicollis Fairm. St. 1869. 262 *Ga.m.*
Linderi Reitt. T. 15

Dasycerini.

Dasycerus
Brongniart.

elongatus Reitt. T. 27 *Hi.*
jonicus Reitt. ibid. 27 *Ins.Jon.*
sulcatus Brongn. ibid. 27 *E.md.*
echinatus Aragona Col. 1830. 50
interruptus Reitt. T. 27 *A.*
echinatus Reitt. St. 1875. 411
crenatus Motsch. T. 27 *Ca.*

Lathridiini.

Lathridius
Herbst.
Reitter, W. 1889. 65.

lardarius Deg. W. 65 *E.*
pini Motsch. B. M. 1866. 236
dilaticollis Motsch. ibid.
subbrevis Motsch. ibid. 237
laticeps Belon W. 65 *Ga.*
angusticollis Gyll. W. 65 *E.*
angulatus Mannh. Mon. 74
undulatus Motsch. B. M. 1866. 242
productus Rosenh. W. 66 *E.m.*
Pandellei Bris. W. 66 *E.b.md.*
angusticollis Mannh. Mon. 72
tremulae Thoms. Sk. X. 335
subnudus Reitt. W. 64 *Ca.c.oc.*
variolosus Mannh. W. 66 *F.*
lapponum Mannh. Mon. 75 *L.*
sinuatocollis Fald. W. 66 *Ca.*
caucasicus Mannh. Mon. 72
alternans Mannh. W. 66 *E.md.b.*
Belonianus Reitt. W. 65 *Ca.c.oc.*
rugicollis Oliv. W. 66 *E.*
Bergrothi Reitt. W. 67 *G.R.F.*

Coninomus Thomson.
(Aridius Motsch. ex parte.)

constrictus Gyll. T. 20 *E.*
carinatus Gyll. I. Su. IV. 137
incisus Mannh. Mon. 80
limbatus Först. V. Rheinl. VIII. 38
monticola Mannh. Mon. 82
nervosus Mannh. Mon. 79
volgensis Mannh. T. 20 *R.m.*
nodifer Westw. ibid. 20 *Br.E.b.*
nodulosus Mot. B. M.1866.261 *G.Ga.*

Enicmus
Thomson.
Permidius, Isidius Motsch.
*

Conithassa Thoms.

hirtus Gyll. T. 21 *E.*
minutus L. ibid. 21 *E.*
  assimilis Mannh. Mon. 98
  scitus Mannh. Mon. 99
  minutissimus Motsch. E. Ent. 1857. 24
  gemellatus Mannh. Mon. 100
  clathratus Petri
consimilis Mannh. T. 21 *E.*
  parallelicollis Mannh. Mon. 101
anthracinus Mannh. Mon. 97 *E.mont.*
  brevicollis Thoms. T. 22
  carpathicus Reitt. St. 1876. 51

Enicmus i. sp.

testaceus Steph. T. 23 *E.*
  cordaticollis Aub. A. 1850. 332
  crenicollis Thoms. Sk. X. 57
Mannerheimi Kolen. T. 23 *Ca.*
rugosus Herbst ibid. 23 *E.*
  rugipennis Mannh. Mon. 92
  planatus Mannh. Mon. 93
fungicola Thoms. T. 23 *E.*
dubius Mannh. ibid 23 *Ca.*
transversus Oliv. ibid. 22 *E.*
brevicornis Mannh. ibid. 23 *E.md.*
  carbonarius Mannh. Mon. 103

Cartodere
Thomson.

bicostata Reitt. T. 24 *Lu.*
  Godarti Belon Mon. 146
pilifera Reitt. T. 24 *Si.*
  parallelipennis Solsky Turkest. 76
Beloni Reitt. T. 24 *Belg.*
  elegans Reitt. olim.
inflaticeps Motsch. T. 24 *Cri.*
elegans Aub. 24 *Ti.Ga.*
elegantula Reitt. D. 1890. 147 *Arax.*
elongata Curtis T. 25 *E.*
  hexagonalis Motsch. B. M. 1866. 254
  clathrata Mannh. Mon. 84
separanda Reitt. T. 25 *Hi.m.S.*
aequalis Reitt. T. 25 *Ca.*
anatolica Mannh. ibid. 25 *D.Gr.*
  maritima Motsch. B. M. 1866. 266 *Ca.*
ruficollis Marsh. T. 25 *E.*
  liliputana Villa Cat. Coll. 1833. 96
  collaris Mannh. Mon. 86
  exilis Mannh. ibid.
  atripennis Motsch. B. M. 1866. 267
v. concinna Mannh. Mon. 88
  nanula Mannh. Mon. 87
Argus Reitt. T. 26 *E.*
costulata Reitt. l. c. *G.*
filiformis Gyll. T. 27 *E.*
  parallela Mannh. Mon. 108
v. tantilla Mannh. Mon. 106
filum Aub. T. 27 *E.md.*
Schüppeli Reitt. ibid. 27 *G.Ca.*

Revelieria
Perris.

Genei Aub. T. 27 *C.S.*
  spectabilis Perr. Ab. VII. 12 *Gr.*
  Heydeni Reitt. St. 1866. 339 *And.*

Metophthalmus
Wollaston.

Bonvouloiria Duv.

hungaricus Reitt. T. 17 *Hu.m.*
lacteolus Motsch. ibid. 17 *Crim.Ca.*
Brenskei Reitt. ibid. 17 *Gr.*
humeridens Reitt. ibid. 18 *Ca.*
niveicollis Duv. ibid. 18 *Ga.m.Hi.*
obesus Reitt. ibid. 18 *C.*
Ragusae Reitt. ibid. 18 *[illegible]*

Corticariini.

Corticaria
Marsham.

Paracheva Gozis.

metallica Reitt. T. 28 *Hi.*
pubescens Gyll. ibid. 28 *E.*
  grossa Lec. Proc. A. Phil. 1855. 401
v. piligera Mannh. T. 28 *E.*
olympiaca Reitt. ibid. 28 *Gr.C.*
crenulata Gyll. ibid. 28 *E.*
  tincta Mannh. Mon. 26 *Ca.*
sylvicola Bris. T. 29 *Hu.*
  pinguis Aub. A. 1866. 162
pinicola Bris. T. 30 *Hi.*
  rufescens Reitt. St. 1866. 420
monticola Bris. T. 30 *P.*
illaesa Mannh. ibid. 30 *E.m.*
  subparallela Fairm. An. Genov. 75. 305
  setosa Motsch. B. M. 1867. 49
  pilosa Motsch. B. M. 1866. 48
  villosa Motsch. l. c.
v. 4-maculata Mannh. Mon. 33 *[illegible]*

fulva Comolli T. 31 *E.*
cypria Baudi B. 1870. 61
transversicollis Motsch. B. M. 67. 76
unicarinata Motsch. ibid.
attenuata Motsch. ibid. 67
hirtella Thoms. Sk. V. 332
Pharaonis Motsch. B. M. 1867. 74
stigmosa Motsch. ibid. 79
cardiodera Fairm. Ab. 18. 157
v. concolor H. Bris. A. 1880. 236 *C.*
pilosula Rosenh. T. 30 *Hi.*
umbilicata Beck ibid. 31 *E.*
cylindrica Mannh. Mon. 35
umbilicifera Mannh. Mon. 37
borealis Wollast. App. 206
cylindripennis Motsch. B. M. 67. 68
punctatissima Motsch. ibid. 69
v. subpicea Motsch. B. M. 1866. 70
cribricollis Fairm. Cat.Gren.1863.72 *Ga.*
angusta Aub. A. 1866. 162
denticulata Gyll. T. 32 *E.md.b.*
interstitialis Bris. Mon. 393
longicornis Herbst T. 32 *E.*
impressa Oliv. Ent. II. 18
validipes Motsch. B. M. 1867. 54
sculptipennis Fald. Fn. Tr. II. 252
v. badia Mannh. Mon. 25
campicola Mannh. Mon. 26
interstitialis Mannh. T. 32 *E.md.*
abietorum Motsch. B. M. 1867. 71
Mannerheimi Reitter T. 33 *E.*
longicollis Mannh. Mon. 43
depressa Thoms. Op.
linearis Payk. T. 33 *E.*
baicalica Mannh. Mon. 41
rubripes Mannh. Mon. 41
Eppelsheimi Reitt. T. 33 *E.*
foveola Beck ibid. 33 *E.*
amplipennis Reitt. St. 1875. 424
dilatipennis Reitt. (emend.)
corsica Bris. T. 34 *Ga.m.C.*
lateritia Mannh. ibid. 34 *E.b.md.*
bella Redtb. Fn. Aust. 1848. 208
flavescens Thoms. Op.
longicollis Zett. T. 34 *E.*
formicetorum Mannh. B. M. 1843. 85
melanophthalma Thoms.
melanophthalma Mannh. Mon. 30 *E.*
crenicollis Mannh. T. 34 *E.*
fagi Wollast. Mader. 188
lacerata Mannh. Mon. 38
Weisei Reitt. T. 35 *E.md.m.*
Clairi H. Bris. Mon. 401
serrata Payk. T. 35 *E.*
rotundicollis Woll. Mader. 186
Motschulskyi Kolen. Mel. III. 41
v. axillaris Mannh. Mon. 30
v. laticollis Mannh. Mon. 29
lapponica Zett. Mannh. Mon. 65 *L.*
saginata Mannh. T. 35 *E.md.m.*
lapponica Reitt. St. 1865 423
denticulata H. Bris. A. 1881. 399
obscura Bris. T. 35 *E.*
cucujiformis Reitt. ibid. 35 *C.*

*

Thomsoni Reitt. T. 36 *Su.*
spinulosa Thoms. Op.
elongata Gyll. T. 36 *E.*
Beloni Reitt. D. 1889. 22 *Arax.*
ferruginea Gyll. I. Suec. IV. 131 *E.*
fenestralis Reitt. T. 36
nigricollis Zett. I. Lapp. 199
rufula Zett. ibid.
nigriceps Waltl Isis 1839. 224
subacuminata Mannh. Mon. 46
deleta Mannh. B. M. 1853. 212

Melanophthalma
Motschulsky.

Oropsime Gozis.

transversalis Gyll. T. 37 *E.*
brevicollis Mannh. Mon. 52
v. hortensis Mannh. T. 37 *E.*
v. Wollastoni Waterh. ibid.
v. suturalis Mannh. ibid. *E.*
v. crocata Mannh. ibid. *E.*
v. taurica Mannh. ibid. *R.m.*
v. curticollis Mannh. ibid. *R.m.*
maura Motsch. B. M. 1866. 271
v. pallens Mannh. T. 37 *R.m.*
v. moraviaca Reitt. ibid. *G.*
sericea Mannh. T. 37 *R.m.*
v. albipilis Reitt. ibid. 37 *E.*
distinguenda Comolli ibid. 38 *E.*
angulata Woll. C. Canar. 64. 148 *E.m.*
v. parvicollis Mannh. T. 38 *E.*
angulosa Motsch. B. M. 1849. 90
fuscipennis Mannh. T. 38 *E.*
algirina Motsch. B. M. 1866. 273

Corticarina Reitter.

gibbosa Herbst T. 38 *E.*
cylindricollis Motsch. in lit.
impressa Marsh. Ent. Brit. I. 110

*

similata Gyll. T. 38 *E.*
parvula Mannh. Mon. 54 *A.*

subtilis Mannh. Mon. 57 *E.b.*
fuscula Hummel T. 39 *E.*
v. trifoveolata Redtb. ibid. *E.*
v. latipennis Sahlb. ibid. *E.b.*
v. ovalipennis Reitt. T. 39 *H.*
truncatella Mannh. T. 39 *E.*
fulvipes Comolli T. 39 *E.md.m.*
fuscipennis Motsch. B. M. 1867. 88
picipennis Mannh. Mon. 62
curta Wollast. Mader. 187
meridionalis Reitt. St. 1865. 442
ooptera Fairm. A. Genov. 1875. 506

Migneauxia
Duval.

crassiuscula Aub. T. 39 *E.m.*
serraticollis Duv. Gen. Col. II. 248
villigera Motsch. B. M. 1867. 40
inflata Rosenh. T. 39 *Si.Hi.*
orientalis Reitt. ibid. 40 ✕*Dania*

Tritomidae.

Reitter, T. I., ed. 2, Mödling 1885.

Triphyllina
Reitter.

Lederi Reitt. T. 23 *Ca.*

Pseudotriphyllus
Reitter.

suturalis F. T. 23 *E.*
colchicus Reitt. ibid. 24 *Ca.*

Triphyllus
Latreille.

punctatus F. T. 24 *E.*

Litargus
Erichson.

connexus Fourc. *E.*
bifasciatus F. T. 24
lunatus F. Ent. Syst. I. 2. 514
signatus Panz. Fn. Germ. 57. 20
coloratus Rosenh. Th. And. 105 *E.m.*
trifasciatus Woll. Col. Canar. 64.154

Tritoma
Geoffroy.

Mycetophagus Hellw.

quadripustulata L. T. 25 *E.*
v. bipustulata Schilsky D. 1888. 184
v. impustulata Schilsky l. c.
v. ruficollis Schilsky l. c.
ancora Reitt. T. 25 *Lenkor.*
picea F. ibid. 25 *E.*
variabilis Hellw. Schneid. Mag. 397
v. histrio Sahlb. T. 25
v. undulata Marsh. ibid.
v. humeralis Schilsky D. 1888. 184
v. salicis Bris. T. 25 *Ga.H.*
decempunctata F. ibid. 25 *E.*
atomaria F. ibid. 26 *E.*
quadriguttata Müll. ibid. 26 *E.*
variegata Sahlb. D. I. Fen. 1837.168
infulata Reitt. T. 26 *Ca.*
populi F. ibid. 26 *E.*
multipunctata Hellw. ibid. 26 *E.*
fulvicollis F. ibid. 27 *E.*

Atritomus
Reitter.

univestris Reitt. T. 27 *Ca.*
irregularis Reitt. W. 1888. 174 *Ca.oc.*

Eulagius
Motschulsky.

acernus Motsch. (R. 1887. 78) *Ca.*

Esarcus
Reiche.

Entoxylon Ancey.

Fiorii Reitt. D. 1889. 148 *Calabr.*
cribratus Reitt. l, c. *Si.*
? Abeillei Ancey Ab. VII. 85 *Ga.m.*
Baudii Seidl. D. 1889. 149 *Alp.mar.*

Typhaea
Curtis.

Brycolacion Gozis.

fumata L. T. 27 *E.*
maculata Perris ibid. 27 *E.m.*
umbrata Baudi B. 1870. 62
curticollis Fairm. A. 1879. 167

Berginus
Erichson.

tamarisci Woll. T. 27 *Ga.E.m.*

Nitidulidae.

Erichson, Ins. Deutschl. III. pg. 123—236

Brachypterini.

Cercus
Latreille.

Anomaeocera Shuck.
Pulion Gozis.

pedicularius L. Er. 126 *E.*
arundinis Lap. Hist. Nat. II. 12

? glaberrimus Payk. Fn. Su. I. 287
inglorius Gozis R. 1882. 196 *Ga.*
bipustulatus Payk. Er. 127 *E.*
v. ochraceus Murr. Mon. 233 *R.*

Cercus i. sp.

dalmatinus Strm. Er. 128 *E.md.m.*
rufilabris Latr. Er. 129 *E.*
rubicundus Heer H. 411
pallidus Heer ibid.
fulvus Er. Germ. Zt. IV. 232

Heterhelus
Duval.

solani Heer H. 412 *E.*
sambuci Er. 127
♀ scutellaris Heer
rubiginosus Er. 131 *E.*
rhenanus Bach
spiraeae Märk. Isis 1857. 177

Amartus
Leconte.

Anthonaeus Horn.

aurosericeusReitt.V.Brünn.1874.169*Gr.*
dilutitarsis Solsky Turk. 147 *Ca.*

Brachypterus
Kugelann.

Heterostomus Duval.

gravidus Ill. Er. 130 *E.*
v. linariae Steph. Cornel.
laticollis Küst. K. Eur. 15. 35
villiger Reitt. W. 1885. 316 *D.I.Si.*
vestitus Kiesw. St. 1850. 223 *E.m.*
obtusus GuillebeauEchang.86.19*Ga.*
cinereus Heer Er. 131 *E.md.m.*
longulus Reitt. D. 1885. 377 *Lu.*

Brachyleptus Motsch.

quadratus Sturm Er. 130 *E.m.or.*
v. canescens Motsch. B. M. 1845.54*Ca.*

Brachypterus i. spec.

Lucasi Murray Mon. 244 *Ga.m.*
glaber Newm. E. Mag. II. 200 *E.*
pubescens Er. 132
meridionalis Küst. K. Eur. 15. 28
unicolor Küst. K. Eur. 18. 29 *S.*
? ater Motsch. B. M. 1849. 93 *Hi.*
urticae F. Er. 132 *E.*
fulvipes Er. Germ. Zt. IV. 231 *E.m.*
v. affinis Heer Fn. H. I. 111 *H.*

pallipes Murray Mon. 243 *Bal.*
metallescens Schauf. Nq. ot. 530
labiatus Er. Germ. Zt. IV. 232 *S.*
velatusWollast.A.n.hist.63.217 *E.m.or.*
rotundicollis Murr. Mon. 244
flavicornis Küst. K. Eur. 15. 40 *I.*

Carpophilini.

Microctilodes
Reitter.

Ragusae Reitt. Col. Hft. XIII. 30 *Si.*

Carpophilus
Leach.

rubripennis Heer Er. 135 *E.md.m.*
castanopterus Er. Grm. Zt. IV.256*Si.*
immaculatus Luc. Alg. 217 *E.m.*
mutilatus Er. Grm. Zt. IV. 258 *E.m.*
hemipterus F. E. Syst. I. 261
dimidiatus F. ibid. 261 *E.*
hemipterus L. Er. 135 *E.*
pictus Heer H. 413
dimidiatus Heer ibid.
v. 4-pustulatus Schauf. *Gr.*
v. 4-signatus Er. Germ. Zt.IV.257*E.m.*
bipustulatus Heer Er. 136 *E.m.*
sexpustulatus F. Er. 137 *E.*
abbreviatus Panz. Fn. Germ. 24

Nitidulini.

Omosiphora
Reitter.

georgica Reitt. B. 1877. 296 *Ca.Crim.*
limbata F. Er. 157 *E.*
v. Skalitzkyi Reitt.V.Brünn.1874.57*A.*

Epuraea
Erichson.

Reitter, Revision; Verh. Brünn 1872 sep. 1—25.

Dadopora Thomson.

guttifera Reitt. Sic. 1887. 83 *Si.*
decemguttata F. Er. 141 *E.md.b.*
fuscicollis Steph. Ill. Br.V. 406 *E.md.m.*
diffusa Bris. Cat. Gren. 1863. 46

Epuraea i. sp.

silacea Herbst Er. 142 *E.b.*
aestiva L. Er. 143 *E.*
v. bisignata Sturm Er. 143 *E.*
melina Er. 144 *E.*

deleta Er. 144 E.
fagi Bris. A' 1874. 71 E.md.
terminalis Mannh. B. M. 1843. 95 E.
immunda Er. 145
laricina Motsch.Sahlb.En.Col.89.100 F.
nana Reitt. V. Brünn 1874. 19 E.
v. binotata Reitt. 15 E.m.
silesiaca Reitt. 9 G.
neglecta Heer Er. 147 E.
rufomarginata Steph. Ill. Br. III. 41 E.
parvula Sturm Er. 150
castanea Duft. Er. 146 A.
variegata Herbst Er. 146 E.
obsoleta F. Er. 148 E.
incompleta Mtsch. Schrenck.Reis.26
v. bipunctata Heer H. 398 H.
longula Er. 154 E.
opalizans J. Sahlb. En. Col. 89. 104 F.
palustris J. Sahlb. l. c. 105 F.
excisicollis Reitt. 18 G.
distincta Grimmer Er. 149 A.Ga.
boreella Zett. Er. 151 E.
rugulosa J. Sahlb. En. Col. 89. 105 F.
angustula Er. 150 E.
Marseuli Reitt. 21 Ca.Si.
thoracica Tourn. Rev. Zool. 1872.250 H.
pygmaea Gyll. Er. 152 E.
rubromarginata Reitt. 21
carpathica Reitt. D. 1878. 51 Hu.
pusilla Ill. Er. 151 E.
abietina J. Sahlb. En. Col. 89. 108 F.
parallela Reitt. D. 1875. III. 6 A.
oblonga Herbst Er. 153 E.
Fussi Reitt. D. 1875. III. 7 E.md.
sericata Reitt. V. Brünn XII. 21 G.Hi.
suturalis Reitt. ibid. 22 G.
florea Er. 155 E.
laeviuscula Gyll. Reitt. 24 E.md.b.

Micrurula
Reitter.
Micruria Reitt. olim.

melanocephala Marsh. Er. 156 E.
ferruginea Heer H. 400
brunnea Heer ibid.

Nitidula
Fabricius.

bipunctata L. E.
bipustulata L. Er. 158
flavomaculata Rossi Fn. Etr. I. 58 E.m.
flexuosa Oliv. Er. 159
fusula Gebl. B. M. 1833. 283 E.or.
regalis Zoubk. B. M. 1853. 320
elegans Stierl.
rufipes L. Syst. Nat. I. 2. 573 E.
obscura F. Er. 160
v. castanea Sahlb. I. F. I. 74 E.b.
carnaria Schall. Schr. N. 9. Hall. 257 E.
quadripustulata F. Er. 160
v. variata Steph. Ill. Br. III. 36 Br.
flavipennis Heer H. 400 H.

Stelidota
Erichson.

sexguttata Sahlb. B. M. 1834.273 F.Cr.
lata Aub. A. 1850. 328 Ca.
integra Wankow. A. 1867. 252 R.

Omosita
Erichson.

depressa L. Er. 166 E.
colon L. Er. 167 E.
discoidea F. Er. 168 E.
v. cincta Heer H. 396 H.

Soronia
Erichson.

punctatissima Ill. Er. 162 E.
ferruginea Laich.
grisea L. Er. 163 E.
oblonga Bris. Cat. Gren. 1863. 46 Ga.m.

Amphotis
Erichson.

marginata F. Er. 165 E.
orientalis Reiche W. e. Mt. 1861. 1 Gr.
Martini Bris. A' 1878. 63 Hi.

Ipidia
Erichson.

quadrinotata F. Er. 100 E.
binotata Reitt. D. 1875. III. 88 Hu.

Pria
Stephens.

dulcamarae Scop. Er. 169 E.
breviuscula Kol. Mel. V. 53 Ca.
pallidula Er. Grm. Zt. IV. 308 E.m.

Meligethes
Stephens.

Reitter. Revision d. G. Melig. V. Brünn IX. 1870.

Odontogethes Reitt.

hebes Er. 172 E.
olivaceus Heer H. 402
marginalis Motsch. Ab. 16. 93
marginatus Gredl. Col. Hft. 1870. 6

Meligethes i. sp.

rufipes Gyll. Er. 171 *E.*
lumbaris Sturm Er. 172 *E.*
m. foveifrons Reitt. 20
Försteri Reitt. 19 *E.*
cpuraeoides Reitt. D. 1875. III. 10 *A.*
prioides Reitt. D. 1875. 393 *Si.*
humerosus Reitt. 25 *Ill.*
v. subalpinus Friv. *Hu.or.*
simplex Kr. Reitt. 26 *Gr.*
discolor Reitt. B. 1872. 265 *G.*
subrubicundus Reitt. 28 *G.*
rhenanus Reitt. B. 1872. 126 *G.*
rubripes Muls. Op. 13. 4 *E.m.*
fulvipes Bris. Reitt. 27
pumilus Er. 176 *E.md.*
v. decoloratus Först. Reitt. 29 *G.*
coracinus Sturm Er. 175 *E.*
subaeneus Sturm Er. 177 *E.*
anthracinus Bris. Reitt. 32 *E.md.m.*
coeruleovirens Först. Reitt. 32 *E.md.*
brassicae Scop. Ent. Carn. 17 *E.*
aeneus F. Er. 173
v. Bonvouloiri Bris. Ab. 1872. 10 *Ga.*
v. coeruleus Marsh. E. Br. 132 *E.*
v. rubripennis Reitt. 33 *E.*
v. dauricus Motsch. B. M. 1849. 93 *E.or.*
v. australis Küst. K. Eur. 15. 42 *E.m.*
viridescens F. Er. 175 *E.*
virescens Thoms. Sk. IV. 154
v. germanicus Reitt. 34 *E.*
? azureus Heer Reitt. 37. D. 72. 266
? v. olivaceus Gyll. Reitt. 35
Czwalinai Reitt. 36 *E.md.*
gracilis Bris. Reitt. 38 *E.md.*
symphyti Heer Er. 180 *E.*
varicollis Wollast. Mader. 1854. 126 *E.m.*
metallicus Rosenh. Reitt. 40
moraviacus Reitt. 41 *A.*
ranunculi Reitt. B. 1872. 127 *G.*
corvinus Er. 177 Reitt. 42 *E.*
ventralis Baudi B. 1870. 50
subrugosus Gyll. Er. 178 *E.*
v. substrigosus Er. 178
alpigradus Reitt. 47 *P.*
serripes Gyll. Er. 187 *E.*
exaratus Först. V. Rheinl. VI. 12
quadridens Först. ibid. 21
Rosenhaueri Reitt. 49 *A.*
hispanicus Reitt. 51 *Hi.*
nanus Er. 193 *E.*
marrubii Bris. Gren. Cat. 1863. 54
spinipes Reitt. 52
villosus Bris. Reitt. 53 *E.m.*
dalmatinus Reitt. 54 *D.*
obscurus Er. 203 *E.*
♂ palmatus Er. 204
v. confusus Bris. B. 1872. 267
Schneideri Reitt. Led. 157 *Ca.*
Hoffmanni Reitt. 57 *A.*
parallelus Reitt. 57 *A.Hi.*
bidens Bris. Reitt. 61 *E.*
umbrosus Sturm Er. 188 *E.*
ater Bris. Ab. VIII. 29 *Ga.Hu.*
maurus Sturm Er. 189 *E.*
v. durus Reitt. 64 *Belg.*
v. calvus Reitt. 63 *Ill.*
v. meridianus Reitt. 64 *Hi.*
incanus Sturm Er. 190 *E.*
Gredleri Reitt. V. Brünn 1873. 107 *Ti.*
ovatus Sturm Er. 198 *E.*
♀ fuliginosus Er. 196
ovalis Thoms. Sk. IV. 160
melancholicus Reitter 68 *P.*
opacus Rosenh. Reitt. 69 *Hi.*
natricis Bris. Mat. Col. Fr. 67. 175 *Ga.*
brachialis Er. 194 *E.*
dives Reitt. B. 1872. 127
picipes Sturm Er. 199 *E.*
funebris Först. V. Rheinl. VI. 23
Sauleyi Reitt. B. 1872. 133
moestus Heer 194 *E.md.m.*
nigerrimus Rosenh. Th. And. 99
flavipes Sturm Er. 198 *E.*
flavicornis Mill. W. z. b. 1852. 111
memnonius Er. 183 *E.md.*
parvulus Bris. Ab. VIII. 28 *Ga.*
niger Bris. Cat. Gren. 1863. 50
memnonius Reitt. 77
ochropus Sturm Er. 180 *E.*
quadristriatus Först. V. Rheinl. VI 6
brunnicornis Sturm Er. 184 *E.*
floribundus Reitt. Led. 158 *Ca.*
Buyssoni Bris. A' 1882. 29 *Ga.c.*
Letzneri Reitt. V. Brünn 1874. 74 *G.*
angustatus Küst. K. Eur. 15. 44 *E.m.*
liguricus Reitt. B. 1872. 128
haemorrhoidalis Först. Reitt. 79 *E.*
Kirschi Reitt. 80 *G.*
Dieckì Reitt. 81 *G.*
atramentarius Först. Reitt. 82 *G.*

luctifer Reitt. B. 1872. 129 *St.*
difficilis Heer Er. 181 *E.*
v. Kunzei Er. 182
blandulus Reitt. B. 1872. 130 *G.*
Milleri Reitt. ibid. *A.*
morosus Er. 184 *E.*

viduatus Sturm Er. 185 *E.*
melanarius Först. V. Rheinl. III. 24
v. luctuosus Först. ibid. VI. 11 *G.*
m. bituberculatus Först. Reitt. 86
pedicularius Gyll. Er. 186 *E.*
tenebrosus Först. V. Rheinl. V. 13
austriacus Reitt. 89 *A.Ga.*
sulcatus Bris. Cat. Gren. 63. 51 Reitt. 90 *Ga.*
assimilis Sturm Er. 187 *E.*
fibularis Er. 197
distinctus Sturm Er. 203 *E.md.*
minutus Bris. Cat. Gren. 1863. 77
tropicus Reitt. 94 *Ga.*
aestimabilis Reitt. B. 1872. 133 *E.md.*
lepidii Miller Reitt. 95 *E.*
v. chalybaeus Reitt. 96 *A.*
coerulescens Kraatz Reitt. 97 *Gr.*
tener Reitter V. Brünn 1882. 1 *Ill.*

Kraatzi Reitt. 100 *Gr.*
elongatus Rosenh. Reitt. 100 *E.m.*
Crotchi Bris. Ab. VIII. 3
discoideus Er. 200 *E.md.m.*
glaucii Kolen. Mel. V, 53
immundus Kraatz Reitt. 102 *E.m.*
castaneus Bris. Cat. Gren. 1863. 55
picipennis Muls. Soc. Lyon X. 6
rotundicollis Bris. Reitt. 103 *E.m.*
Brisouti Reitt. 103 *Hi.*
hypocrita Bris. Ab. VIII. 17 *E.m.*
subtilis Bris. A. 1866. 388
solitarius Reitt. B. 1872. 131
Krüperi Reitt. V. Brünn 1874. 75 *Hu.*
Frivaldszkyi Reitt. D. 1875. III. 88 *Hu.*
tristis Sturm Er. 190 *E.*
planiusculus Heer Er. 193 *E.*
♂ murinus Er. 191
♀ seniculus Er. 192
v. ruficornis Heer H. 404 *H.*
acicularis Bris. Reitt. 108 *E.m.*
lugubris Sturm Er. 200 *E.*
ebeninus Först. V. Rheinl. VI. 9
gagatinus Er. 201 *E.*
cristatus Först. V. Rheinl. VI. 15
mellitulus Reitt. D. 1872. 132 *G.*
egenus Er. 202 *E.*
menthae Bris. Cat. Gren. 1863. 57
exilis Sturm Er. 206 *E.*
nigrita Luc. Alg. 218
fumatus Er. 205 *E.m.*
Grenieri Bris. Ab. VIII. 7 *Ga.*
Stierlini Reitt. B. 1872. 268 *Si.*
punctatus Bris. Cat. Gren. 1863. 56 *E.m.*
Brucki Reitt. 114
Erichsoni Bris. Reitt. 115 *E.m.*
bidentatus Bris. ibid. *E.*
Gresseri Bach
erythropus Gyll. Er. 205 *E.*
carinulatus Först. V. Rheinl. VI. 16
v. carbonarius Först. ibid. 5

A c a n t h o g e t h e s Reitt.

solidus Sturm Er. 207 *E.md.*
denticulatus Heer Er. 208 *E.m.*
Khevenhülleri Mill. W. z. b. 52. 113 *A.*
brevis Sturm Er. 208 *E.md.m.*
? Reyi Guilleb. Échange 1885 *Ga.*
v. mutabilis Rosh. Th. And. 102
pictus Rye M. M. 1871. 75
fuscus Oliv. Reitt. 125 *E.m.*
v. lamii Rosenh. Th. And. 101

Xenostrongylus
Wollaston.

Deyrollei Duval Glan. ent. 60. 2: 140 *E.m.*
hirsutus Fairm. A. 1860. 167
obsoletus Chevr. Rev. Zool. 1861. 264
arcuatus Kiesw. B. 1859. 57 *I.*
histrio Wollast. Mader. 128 *Hi.*
v. truncatus Kiesw. Heyd. Sp. 1870. 104

Thalycra
Erichson.

fervida Oliv. Ent. II. 12. 15 *E.*
sericea Sturm Er. 209

Pocadius
Erichson.

ferrugineus F. Er. 211 *E.*
Wajdelota Wank. A. 1871. 415 *R.Cro.*

Cychramini.

Cychramus
Kugelann.

4-punctatus Herbst Er. 214 *M.E.*
luteus F. Er. 215 *E.*
v. fungicola Heer Er. 214
♂ alutaceus Reitt. D. 1875. 359

Cyllodes
Erichson.

S t r o n g y l u s Herbst, Reitt.

ater Herbst Er. 219 *E.*
morio Kugelann Schn. Mag. 537
laticollis Heer H. 407 (sp. dub.) *H.*

Pityophagini.

Cryptarcha
Shuckard.

strigata F. Er. 221 *E.*
lateralis Sahlb.
imperialis F. Er. 222 *E.*
quadrisignata Küst. K. Eur. II. 15 *G.*
punctatissima Boield. A. 1859. 467 *Si.*
sulcata Fisch. B. M. 1844. 41 *R.m.*

Glischrochilus
Murray.
Ips Fab.
Librodor Reitt.

grandis Tourn. Ab. 14. 16 *Ca.*
latefasciatus Rtt. Rv. Mens. Ent. Petr. 41 *C.*
quadripunctatus Oliv. Er. 224 *E.*
quadriguttatus F. Er. 223 *E.*
v. 10-guttatus Ol. Ent. II. 12

Glischrochilus i. spec.

quadripustulatus L. Er. 224 *E.*

Pityophagus
Shuckard.

quercus Reitt. V. Brünn XV. 17 *Gr. Hu.*
laevior Abeille Et. Col. Cav. 1872. 29 *Ga.*
ferrugineus L. Er. 225 *E.*

Rhizophagini.

Rhizophagus
Herbst.

grandis Gyll. Er. 228 *E.*
depressus F. Er. 229 *E.*
cribratus Gyll. Er. 229 *E.*
ferrugineus Payk. Er. 230 *E.*
v. alpicola Baudi Col. Piem. 89. 97 *Pe.*
perforatus Er. 231 *E.*
Gyllenhali Thoms. A' 1885. 108
parallelocollis Gyll. Er. 231 *E.*
Erichsoni Thoms. A' 1885. 108
protensus Reitt. W. 1890 *Armen.*
nitidulus F. Er. 232 *E.*
Hahnenfeldi Tourn. Rev. Zool. 1872. 25 *R.*
similaris Reitt. Led. 160 *Ca.*
dispar Payk. Er. 233 *E.*
bipustulatus F. Er. 234 *E.*
punctiventris Baudi B. 1870. 53

♀ longicollis Gyll. I. Su. IV. 639 *Su.*
politus Hellw. Er. 235 *E.*
v. Brucki Reitt. V. Brünn 1872. 30 *G. Ga.*
puncticollis Sahlb. Dis. I. F. 1837. 179 *E.b.*
Wagae Wankow. A. 1865. 299 *E.or.*
aeneus Richter Supplem. I. 1820. 9 *E.*
coeruleipennis Sahlb. Dis. I. F. 37. 180
coeruleus Waltl Er. 236
parvulus Payk. Er. 236 *E.*

Trogositidae.

Reitter Best. T. VI.

Nemosomini.

Nemosoma
Latreille.

elongatum L. T. 31 *E.*
v. corsicum Reitt. ibid. 31 *C.*
caucasicum Ménétr. ibid. 31 *Ca.*
fascicolle Hampe W. e. Mt. 1864. 193
cornutum Sturm T. 31 *Ca.*

Trogositini.

Trogosita
Olivier.
Temnochila Westw.

coerulea Ol. T. 32 *E.m.*
v. virescens Rossi

Tenebroides
Piller.

mauritanicus L. T. 33 *E.*
caraboides F. Syst. Ent. 256
maroccanus Reitt. D. 1884. 254 *C.S.*

Leperinini.

Cymba
Seidlitz.

procera Kr. T. 33 *Gr.*

Calitys
Thomson.
Nosodes Leconte.

scabra Thunb. T. 34 *E.md.b.*
dentata F. Mant. I. 50

Ostomini.

Ostoma
Laicharting.
Peltis Illiger.
Zimioma Gozis.

grossum L. T. 35 — *E.mont.*

Ostoma i. sp.
Gaurambe Thoms.

ferrugineum L. T. 36 — *E.*
  rubicundum Laich. Tyr. Ins. I.2.102

Grynocharis Thoms.

oblongum L. T. 37 — *E.*
pubescens Er. ibid. 37 — *Ca.Cri.*

Lophocateres Olliff.

pusillum Klug. T. 37 — ×*E.*
  Yvani Allib. Rev. Zool. 1847. 12

Thymalus
Latreille.

limbatus F. T. 37 — *E.mont.*
subtilis Reitt. D. 1889. 278 — *Ca.*
Aubei Léveillé D. 1889. 277 — *Arm.*

Colydiidae.

Reitter, Best. T. VI.

Orthocerini.

Diodesma
Latreille.

subterranea Er. T. 4 — *G.Ga.*
  picea Sturm Ins. XX. 15 — *St.Car.*

Orthocerus
Latreille.
Sarrotrium Illig.

muticus L. T. 5 — *E.*
  clavicornis L. Fn. Su. 142
  hirticornis Degeer Ins. V. 47
crassicornis Er. T. 5 — *G.*
tereticornis Er. ibid. 5 — *G.Ga.*

Diplagia
Reitter.

hellenica Reitt. T. 6 — *Gr.*

Corticus
Latreille.

diabolicus Schauf. T. 6 — *Hg.Gr.*
tauricus Germ. ibid 6 — *Cri.Ca.*
tuberculatus Germ. ibid. 7 — *Tr.R.*
celtis Germ. ibid. 7 — *D.Si.*
  foveicollis Costa Asp. I. 150
  foveolatus Fairm. A. 1848. 171
brevipennis Reitt. T. 7 — *Ca.*

Apistus
Motschulsky.

Rhopalocerus Redtb.
Spartycerus Motsch.

Rondanii Villa T. 8 — *E.m.*
  setosus Redtb. Quaed. gen. Ins. 22

Pycnomerini.

Dechomus
Duval.

sulcicollis Germ. T. 8 — *Ca.Tr.*

Pycnomerus
Erichson.

terebrans Ol. T. 8 — *E.*
inexpectum Duval. ibid. 9 — *G.Ga.*

Coxelini.

Coxelus
Latreille.

pictus Sturm T. 9 — *E.mid.*

Tarphius
Erichson.

gibbulus Germ. T. 10 — *I.Si.*
Kiesenwetteri Heyd. ibid. 10 — *I.a.*

Helioctamenus
Schaufuss.

hippopotamus Schauf. Nq. ot. 531 — *Bal.*

Agelandia
Reitter.

grandis Reitt. T. 3 (2) 16 — *E.m.or.*
Merkliana Reitt. W. 1890 — *T.*

Langelandia
Aubé.

anophthalma Aub. T. 3. 16 *E.m.*
Reitteri Belon ibid. 3. 16 *C.S.I.*
exigua Reitt. olim.
exigua Perris T. 3. 17 *C.S.*
incostata Perris
callosipennis Reitt. T. 3. 17 *Herz.*

Synchita
Hellwig.
Ditoma Crotch., Reitter.

juglandis F. T. 14 *E.*
v. obscura Redtb. ibid. 14 *A.*
separanda Reitt. ibid. 14 *E.md.*
mediolanensis Villa ibid. 14 *Ca.E.md.*

Cicones
Curtis.

variegatus Hellw. T. 14 *E.*
pictus Er. ibid. 15 *E.*
undatus Guér. Échange 1889. 53 *Ga.*

Xylolaemus
Redtenbacher.

fasciculosus Gyll. T. 15 *Su.St.*

Endophloeus
Erichson.

spinulosus Latr. T. 16 *E.m.*
squarrosus Germ. ibid. 16 *Gr.T.*
exsculptus Germ. ibid. 16 *R.m.*

Colobicus
Latreille.

marginatus Latr. T. 16 *E.*

Niphopelta
Reitter.

imperialis Reitt. T. 17 *Ca.*

Lastrema
Reitter.

verrucicollis Reitt. T. 17 *Ca.*

Lyreus
Aubé.

subterraneus Aub. T. 18 *Ga.m.*

Ditoma
Herbst.
Synchitodes Crotch., Reitt.

crenata F. T. 18 *E.*

Lado
Wankowicz.
Othismopteryx J. Sahlb.

Jelskii Wankow. T. 19 *E.b.*
carinatus J. Sahlb. 1870. 441

Colydiini.

Colydium
Fabricius.
Paschabium Gozis.

elongatum F. T. 20 *E.*
filiforme F. ibid. 20 *E.*

Aulonium
Erichson.

trisulcum Fourc. *E.md.m.*
sulcatum Ol. T. 20
ruficorne Oliv. ibid. 20 *E.md.m.*
bicolor Herbst Er. Nat. III. 277

Aglenus
Erichson.

brunneus Gyll. T. 20 *E.*
v. rugipennis Schauf. A. 1882. 48 *Gr.*
v. major Schauf. ibid. *Hi.m.*

Deretaphrini.

Oxylaemus
Erichson.

cylindricus Panz. T. 21 *E.*
variolosus Dufour ibid. 22 *Ga.*
caesus Er. Nat. III. 284 *G.*

Teredus
Shuckard.

cylindricus Oliv. T. 22 *E.*
nitidus F. Ent. Syst. II. 505
volvulus F. l. c. 363
opacus Habelm. T. 22 *G.b.Ga.*

Bothriderini.

Bothrideres
Erichson.

contractus F. T. 23 *E.*
interstitialis Heyd. ibid. 23 *Hi.*
Massanae Marquet *Ga.m.*
angusticollis Bris. T. 24 *Ga.m.*

Cyprogenia
Baudi.
naxiana Reitt. D. 1884. 65 *Gr.*

Cerylonini.

Philothermus
Aubé.
Montandoni Aub. T. 25 ×*Ga.*

Cerylon
Latreille.
Aphardion Gozis.
grandicolle Reitt. W. 1888. 177 *Ca.oc.*
evanescens Reitt. T. 25 *Tr.Cro.*
magnicolle Reitt. ibid. 25 *Ca.*
semistriatum Perr. ibid. 25 *Ga.m.*
attenuatum Fairm. A. 1866. 21 *Hi.*
aetolicum Reitt. D. 1876. 386 *Gr.*
? spissicorne Fairm. A' 1877. 82 *T.*
conicicolle Reitt. T. 26 *Ca.*
fagi Bris. ibid. 16 *E.md.*
forticorne Muls. A. Lyon. XVIII. 95
caucasicum Reitt. T. 26 *Ca.*
histeroides F. ibid. 26 *E.*
atratulum Reitt. ibid. 27 *Cp.*
ferrugineum Steph. ibid. 27 *E.*
angustatum Er. Nat. III. 295
impressum Er. T. 27 *E.md.m.*
deplanatum Gyll. ibid. 27 *E.*

Rhysodidae.

Reitter, Best. T. VI.

Rhysodes
Dalman, Westwood.
exaratus Serv. Enc. Méth. 25.308 *Hu.m.*
americanus Lap. T. 28 *E.m.or.Ca.*
aratus Newm.

Epiglimmius Lewis.
sulcatus Fabr. T. 29 *Hu.E.m.Ca.*
exaratus Dalm. Analect. 1823. 93
europaeus Ahrens Fn. I. Eur. 6. 1
v. Lederi Lewis A. Mg. N. Hist. 88.82 *Ca.*

Clinidium
Kirby.
canaliculatum Costa Att. Nap. 1839 *Si.Gr.*
trisulcatum Germ. T. 29
sulcipenne Muls. Op. II. 1853. 6
marginicolle Reitt. D. 1889. 23 *Talysch*

Cucujidae.

Reitter, Best. T. I. (edit 2) Mödling 1885.

Passandrini.

Laemotmetus
Gerstäcker.
Orycoecus Reitter.
ferrugineus Gerst. T. 8 ×*G.*
cathartoides Reitt. C. H. XV. 38

Prostomis
Latreille.
mandibularis F. T. 8 *E.*

Cucujini.

Cucujus
Fabricius.
cinnabarinus Scop. *E.md.*
sanguinolentus L. T. 8
depressus F. Syst. Ent. 204
haematodes Er. T. 9 *E.*
depressus Hbst. Fues. Arch. 1782. 1.38
v. caucasicus Motsch. W. 1888. 177

Pediacus
Shuckard.
depressus Herbst T. 9 *E.md.I.*
dermestoides F. ibid. 9 *E.md.I.*
fuscus Er. ibid. 9 *E.md.b.*

Phloeostichus
Redtenbacher.
denticollis Redtb. T. 9 *Ga.G.A.I.*

Laemophloeus
Stephens.
monilis F. Er. Nat. III. 316 *E.*
denticulatus Preyssl. T. 9
nigricollis Luc. ibid. 9 *E.m.*
muticus F. ibid. 9 *E.md.b.*
castaneus Er. ibid. 10 *Ga.Ti.*
bimaculatus Payk. ibid. 10 *E.*
unifasciatus Latr. Hist. Nat. XI. 256
testaceus F. T. 10 *E.*
suberis Luc. Alg. 479
duplicatus Waltl T. 10 *E.*
pusillus Schh. ibid. 10 *E.*
longicornis Mannh. B. M. 1843. 303
brevis Fairm. Rev. Zool. 1850. 56
turcicus Grouv. T. 10 *T.*

ferrugineus Steph. ibid. 10 *E.*
testaceus Payk. Fn. Su. II. 168
Emgei Reitt. D. 1887. 286 *Gr.*
capensis Waltl Faunus 1883. 169 × *Ga.*
ater Oliv. T. 10 *E.*
spartii Curt. Bris. Ent. XI. 510
brevicornis Thoms. T. 10 *Su.*
abietis Wankowicz ibid. 10 *R.*
Weisei Reitt. ibid. 10 *G.*
Krüperi Reitt. ibid. 10 *Gr.*
juniperi Grouv. ibid. 11 *E.md.*
Perrisi Grouvelle ibid. 11 *C.*
alternans Er. ibid. 11 *E.md.b.*
fractipennis Motsch. ibid. 11 *Ga.m.*
Dufouri Laboulb. A. 1848. 297 *Gr.*
hypobori Perris. T. 11 *Ga.m.*
clematidis Er. ibid. 11 *E.*
corticinus Er. ibid. 11 *E.*

puncticollis Fleich. B. M. 29. 72 *Mitavia*

Lathropus
Erichson.

sepicola Müll. T. 11 *E.*

Hyliotini.

Dendrophagus
Schönherr.

crenatus Payk. T. 13 *E.md.b.*

Hyliota
Latreille.

Brontes Fabricius.

planatus L. T. 13 *E.*
arabs F. (Scarites) Syst. El. I. 126
pallens F. l. c. 96

Psammoecini.

Psammoecus
Latreille.

bipunctatus F. T. 13 *E.*
v. Boudieri Luc. ibid. 13 *E.m.Ca.*

Cryptamorpha
Wollaston.

Pseudophanus Luc.

Desjardinsi Guér. Ic. Regn. an. 196 *E.m.*
musae Woll. T. 13 ×

Hypocoprini.

Hypocoprus
Motschulsky.

Myrmoctnomus Chaud.

lathridioides Motsch. T. 14 *Ca.*
Hochhuthi Chaud. B. M. 1845. 207
caucasicus Kolen. Mel. III. 43
quadricollis Reitt. T. 14 *E.m.G.*
lathridioides Seidl. Fn. Tr. 249

Silvanini.

Airaphilus
Redtenbacher.

elongatus Gyll. T. 15 *Su.G.b.*
geminus Kr. ibid. 15 *E.m.*
v. ruthenus Solsky ibid. 16 *R.E.md.*
hirtulus Reitt. ibid. 16 *Gr.*
siculus Reitt. ibid. 16 *Si.*
carpetanus Heyd. ibid. 16 *Hi.*
corsicus Grouvelle ibid. 16 *C.*
talpa Kr. ibid. 16 *E.m.*
nasutus Chevrl. ibid. 17 *E.m.*
fibulatus Kr. B. 1862. 128
depressus Reitt. D. 1889. 278 *Arax.*
subferrugineus Reitt. T. 17 *P.*
ferrugineus Kr. ibid. 17 *Hi.I.S.*
arcadius Reitt. ibid. 17 *Gr.*
filiformis Rosenh. ibid. 17 *Hi.*
Grouvellei Reitt. ibid. 17 *Hi.*

Astilpnus
Perris.

Nilina Motschulsky.
Derotoma Reitter.

multistriolatus Perris. T. 17 *Si.*
sericellus Rottbg. B. 1870. 237
Lederi Reitter B. 1872. 171

Xenoscelis
Wollaston.

Diocharos Reitter.

costipennis Fairm. T. 17 *E.m.*
depressus Reitt. B. 1872. 169

Nausibius
Redtenbacher.

clavicornis Kugelann *E.*
dentatus Marsh. T. 18
latus Fairm. Rev. Zool. 1850. 53

Silvanus
Latreille.

surinamensis L. T. 18 *E.*
frumentarius F. Syst. El. II. 557
sexdentatus F. l. c. I. 232
cursor F. ibid. 126
♂ bicornis Er. T. 18
mercator Fauv. R. 1889. 132 *E.m.*
signatus Frauenfeld T. 18 ×*E.*
fasciipennis Reitt.
reflexus Reitt. T. 18 *Si.*
unidentatus Oliv. ibid. 19 *R.*
siculus Stierlin B. 1864. 147
bidentatus F. T. 19 *E.*
laricis Chevr. *E.*
similis Er. T. 19 *E.*
fagi Guérin. Ic. 107

Cathartus
Reiche.

Ahasverus Gozis.

cassiae Reiche T. 19 ×*E.*
gemellatus Duv. ibid. 19 ×*G.*
excisus Reitt. ibid. 19 ×*G.*
advena Waltl ibid. 19 *E.*
angustatus Luc. Alg. 221
striatus Rouget A. 1876. 207

Monotomini.

Monotoma
Herbst.

Reitter, Zeitschr. f. Ent. Breslau 1877, 1—7.

conicicollis Aub. Reitt. 4 *E.*
angusticollis Thoms. Sk. V. 213
angusticollis Gyll. Reitt. 4 *E.*
formicetorum Thoms. Sk. V. 213
spinicollis Aub. Reitt. 5 *E.*
spinigera Chaud. B. M. 1845. 201
spinifera Woll. Mad. 1857. 67
quadrifoveolata Aub. Reitt. 4 *E.*
quadriimpressa Motsch. Reitt. 4 *E.md.*
rufa Redtb. Fn. Aust. I. 203 *[Br.*
subquadrifoveolata Waterh. Cat. Br. 105.
ferruginea Bris. Reitt. 5 *E.m.R.*
Diecki Reitt. 6 *C.*
quadricollis Aub. Reitt. 5 *E.*
v. quisquiliarum Redt. Fn. Aust. I. 203
obtusicollis Motsch. B. M. 1845. 96
v. bicolor Villa Cat. Col Eur. 35. 49
brevicollis Aub. Reitt. 5 *E.*
v. trapezicollis Chd. B M. 1845. 210 *R.*
conicithorax Reitt. D. 1891 *Arax.*
punctaticollis Aub. Reitt. 5 *Ga.I.*
picipes Herbst Reitt. 6 *E.*
scabra Kunze Grm. Ztschr. I. 384
robustula Motsch. B. M. 1868
v. brevipennis Kunze Grm. Ztsch. I. 383
? quadridentata Thoms. Op. 333 *Su.*
Thomsoni Reitt. emend. *Su.*
parallela Thoms. Op. 334
brevicornis Motsch. B. M. 1845. 97 *Ca*
longicollis Gyll. Reitt. 6 *E*
flavipes Kunze Grm. Ztsch. I. 386

Trixagidae.

Trixagus
Kugelann.

Byturus Latreille.

fumatus F. E. N. 1877. 69 *E.*
rosae auct.
tomentosus Deg. E. N. 1877. 69 *E.*
sambuci auct.
urbanus Lindem. B. M. 1865. 149
v. flavescens Marsh. E. N. 1877. 69
ochraceus Scriba Jour. 153

Dermestidae.

Reitter, Best. T. III. (edit. 2) Mödling 1887.

Dermestes
Linné.

vulpinus F. T. 41 *E.*
sibiricus Er. ibid. 41 *R.m.*
Frischi Kugel. ibid. 41 *E.*
dimidiatus Stev. ibid. 42 *R.m.Ca.*
leopardinus Muls. An. Lyon 1855. 273
coronatus Stev. T. 42 *R.m.*
murinus L. ibid. 42 *E.*
laniarius Illig. ibid. 42 *E.*
sardous Küst. ibid. 42 *E.m.*
diadema Motsch B. M. 1849. 89 *Hi.*
mustelinus Er. T. 43 *E.m.*
fasciiventris Reitt. V. Brünn XIX. 2. *R.m.*
undulatus Brahm T. 43 *E.*
variegatus Brullé Er. Mor. III. 163
atomarius Er. T. 43 *E.*
tessellatus Gyll.
Helmi Reitt. D. 1889. 279 *G.b.*
pardalis Billb. T. 43 *E.m.*
hirticollis F. ibid. 43 *Hi.m.*

tessellatus F. T. 44 *E.*
aurichalceus Küst. ibid. 44 *E.m.*
holosericeus Tourn. St. 1860. 318
mustelinus Perr. A. 1853. 638
cadaverinus F. T. 44 *Ga.R.m.*
noxius Muls.
Favarcqui Godart
chinensis Motsch. B. M. 1866. 168
v. domesticus Gebl. T. 44 *R.m.o.*
rufofuscus Sol. Gay.Hist.Chil.IV.365
peruvianus Laport. T. 44 *Ga.*
haemorrhoidalis Küst. K. Eur.25.64
gulo Muls. A. Lyon 1855, 275
elongatus Hoppe Hist.Egypt.1834.55
bicolor F. T. 44 *E.*
lardarius L. ibid. 45 *E.*
ater Ol. ibid. 45 *Ga.G.E.m.*
v. fuliginosus Rossi ibid. 45 *Ca.A.I.*

Montandonia
Jacquet.

latissima Bielz. T. 45 *Tr.Mold.*
catopoides Jacq. Échange 1886. 19

Attagenus
Latreille.

Megatoma Reitt. T. 46.

Schäfferi Herbst T. 46 *E.*
piceus Oliv. ibid. 46 *E.*
megatoma F. Ent. Syst. Sup. 71
Schäfferi Sahlb.
v. dalmatinus Küst. T. 46 *D.I.*
stygialis Muls. 73 *C.S.*
v. sordidus Heer T. 47 *Ga.H.*
fulvipes Muls. 71
v. brunneus Fald. Fn. Tr. I. 227 *Ca.*
marginicollis Küst. T. 47 *E.md.*
pellio L. ibid. 47 *E.*

Lanorus Mulsant.

vigintiguttatus F. T. 47 *E.md.b.*
pantherinus Ahr. ibid. 48 *E.md.*
trifasciatus F. ibid. 48 *E.m.*
verbasci Duv.
bifasciatus Rossi T. 48 *E.m.*
rufipennis Muls.
fallax Gené T. 48 *I.Gr.*
v. distinctus Muls. ibid. 48
calabricus Reitt. ibid. 48 *I.*
tigrinus F. ibid. 49 *E.or.*
poecilus Germ. i. l.
bifasciatus Oliv.
v. Wachanrui Muls. T. 50 *Hi.Gr.*
v. pulcher Falderm. ibid. 49 *Ca.*
v. persicus Reitt. ibid. 49 *Ca.Gr.*
quadrimaculatus Kr. ibid. 50 *Gr.*
bivittatus Muls.
quadritinctus Reitt. D. 1889. 280 *Arax.*
simplex Reitt. T. 51 *I.Si.*
lobatus Rosenh. Th. And. 108 *Gr.Hi.*
sericeus Reitt. T. 51

Telopes Redtenbacher.

maritimus Gené T. 51 *S.*
seniculus Solsky ibid. 51 *R.m.*
orientalis Reitt. ibid. 52 *Ca.*
posticalis Fairm. ibid. 52 *And.*
lynx Muls. ibid. 53 *R.m.Arm.*
fasciolatus Solsky Turk. 275
sareptanus Reitt. Led. 178
hirtulus Rosenh. T. 54 *Hi.Lu.*
obtusus Gyll. ibid. 55 *E.m.o.*
holosericeus Sahlb. I. F. I. 51
v. dispar Redtb. T. 55 *Gr.*

Megatoma
Samouelle.

Asprogramme Gozis.

undata L. T. 55 *E.*
glabra Sahlb. I. F. I. 50
pubescens Zett. T. 55 *E.Ca.*
fusca Gebler B. M. 1841. 585
rufovittata Abeille
conspersa Solsky Turk. 275
?v. ruficornis Aub. T. 55 *Ga.*
maculosa Reitt. ibid. 55. W. 90. 15 *Ca.*

Globicornis
Latreille.

marginata Payk. T. 57 *E.*
Guillebeaui Muls.
corticalis Eichh. T. 57 *G.I.b.*
sulcata Bris. ibid. 57 *Hi.*
Antoniae Reitt. ibid. 57 *Ca.*

Hadrotoma Erichson.

Mesalia Mulsant.

nigripes F. T. 57 *E.*
breviclavis Reitt. ibid. 57 *Ca.*
depressa Muls. ibid. 58 *Ga.*
fasciata Fairm. ibid. 58 *Ga.*
quadriguttata Reitt. ibid. 59 *Ca.*
variegata Küst. ibid. 59 *S.Si.C.*
sicula Allard (Attag.)
tristis Reitt. T. 59 *Gr.*
picta Küst. ibid. 60 *D.I.Gr.Si.*

Trogoderma
Latreille.

versicolor Creutz. T. 60 *E.md.*
grande Thunb.
elongatulum Dft. Fn. Aust. III. 26
Costae Muls.
v. meridionale Kr. T. 60 *E.m.*
flexuosum Thoms. Sk. IV. 207 *Su.*
testaceicorne Perr. *Ga.*
hieroglyphicum Ab. Et. Col. Cav. 30
megatomoides Reitt. T. 61 ×*A.R.*
glabrum Herbst ibid. 61 *Ga.G.I.*
elongatulum F. Syst. El. I. 106 *Hi.*
versicolor Ill. Mag. I. 86
fuscicorne Muls.
5-fasciatum Duval T. 61 ×*Ga.*
albonotatum Muls. ibid. 62 *P.*
nobile Reitt. ibid. 62 *Gr.*
trizonatum Fairm.
villosulum Duftsch. T. 62 *E.md.*

Ctesias
Stephens.

Tiresias Er. Reitt. Seidl.
serra F. T. 62 *E.*
serricornis Latr.

Anthrenus
Geoffroy.

fasciatus Herbst T. 64 *Gr.Hi.*
isabellinus Küst. K. Eur. 13. 38
pimpinellae F. T. 64 *E.*
v. delicatus Kiesw. ibid. 65 *E.m.*
v. flavidulus Reitt. D. 1889. 23 *Arax.*
v. cinnamomeus Gredl. T. 65 *Gr.*
v. Goliath Muls. ibid. 65 *Gr.Hi.*
Isabellinae Muls.
v. niveus Reitt. T. 65 *Ga.*
rotundulus Reitt. D. 1889. 23 *Arax.*
festivus Rosenh. T. 66 *E.m.*
funestus Muls. Mon. 145
muscorum Oliv. Ent. II. 14
scrophulariae L. T. 67 *E.*
histrio F. Ent. Syst. I 264
variegatus Scop.
verbasci Herbst Käf. VII. 328
v. Proteus Kr. T. 67 *Gr.*
v. gravidus Küst. ibid. 67 *D.*
v. albidus Brullé ibid. 68 *D.Gr.*
v. signatus Er. ibid. 68 *A.I.*
v. senex Kr. ibid. 68 *Gr.*
incanus Friv. ibid. 68 *Cro.*
molitor Aub. ibid. 68 *E.m.*
ochraceus Muls. Mon. 161
apicalis Küst. T. 68 *D.Mont.*
verbasci L. ibid. 69 *E.*
varius F. Syst. Ent. 60
tomentosus Thunb. Soc. Ups. VII. 155
tricolor Herbst Käf. VII. 333
v. nitidulus Küst. T. 69 *D.*
v. nebulosus Reitt. ibid. 69 *E.m.*
v. confusus Reitt. ibid. 69 *E.m.*
funebris Reitt. D. 1889. 256 *Sporad.*
versicolor Reitt. T. 70 *Gr.*

Anthrenops Reitter.

coloratus Reitt. T. 70 *Gr.*
minor Wollast. R. 1889. 194 *Gr.*
claviger Wollast. C. Can. 161
albidoflavus Reitt. T. 71
zebra Reitt. D. 1889. 280 *Arax.*
v. tigrinus Reitt. l. c. 281 *Arax.*

Florilinus Mulsant.

Oberthüri Reitt. T. 72 *P.*
muscorum L. ibid. 72 *E.*
caucasicus Reitt. ibid. 73 *Ca.*
sordidulus Reitt. D. 1889. 257 *Sporad.*
flavidus Solsky Col. Turk. 281 *Arax.*

Helocerus Muls.

fuscus Latr. T. 73 *E.*
claviger Er. Nat. III. 458
minutus Er. I. D. III. 459 *S.Lu.*

Trinodes
Latreille.

hirtus F. T. 74 *E.*

Orphilus
Erichson.

niger Rossi (R. 1888. 244) *Ga.G.*
glabratus F. T. 74 *E.m.*

Cistelidae.

Reitter, Best. T. IV. Wien, 1880.

Nosodendrini.

Nosodendron
Latreille.

fasciculare Ol. T. 2 *E.*

Cistelini.

Syncalypta
Stephens.

alpina Halbh. Pub. Mus. Rover. 90.7 *Ti.m.*
setosa Waltl T. 3 *Su.Ga.G I.*
setigera Ill. ibid. 3 *E.md.b.*
v. hystrix Baudi ibid. 3 *Pe.*
paleata Er. ibid. 4 *Ga.G.Hu.*
Reichei Muls. ibid. 4 *Cr.Pe.*
striatopunctata Steff. ibid. 3 *Br.E.m.Ga.*
? hirsuta Sharp. *Br.*
spinosa Rossi T. 4 *E.*
arenaria Sturm Ins. II. 117
minuta Reitt. D. 1884. 119 *Gr.R.m.o.*

Curimus
Erichson.

(Reitter, D. 1884. 72—74.)

insignis Steff. Grm. Ztsch. IV. 26 *T.*
submaculosus Fairm. A' 1875. 193
tauricus Reitt. D. 72 *Cri.*
interstitialis Reitt. D. 73 *E.m.*
rudis Fairm. D. 73 *Creta*
taygetanus Reitt. D. 73 *Morea*
parnassius Reitt. D. 73 *Gr.*
circassicus Reitt. D. 1890. 168 *Ca.oc.*
petraeus Gredler D. 73 *Ti.*
terrifer Reitt. D. 74 *Morea*
decorus Steff. D. 74 *Ban.Tr.*
hispidus Er. D. 74 *A.Il.*
Erichsoni Reitt. D. 74 *Carp.oc.Sudet.*
lariensis Villa D. 74 *Alp.Pe.*
Brenskei Reitt. D. 74 *Morea*
erinaceus Reitt. D. 74 *A.Alp.Cro.*
terminatus Reitt. D. 74 *Morea*
montenegrinus Reitt. D. 74 *Monten.*
caucasicus Reitt. D. 74 *Ca.c.*

Porcinolus
Mulsant.

murinus F. T. 7 *E.md.b.*
v. alternans Muls. ibid. 7

Seminolus
Mulsant.

Byrrhus auct.
Cistela Crotch, Reitter.

gigas F. T. 8 *Alp.*
alpinus Gory ibid. 8 *Alp.*
scabripennis Steff. Er. Nat. III. 476
inaequalis Er. T. 8 *Alp.*
pyrenaeus Dufour. ibid. 8 *P.*
lobatus Kiesw. A. 1851. 580
Suffriani Kiesw. ibid.
bigorrensis Kiesw. ibid. 581
sorreziacus Fairm. T. 8 *P.*
signatus Panz. ibid. 8 *Alp.P.*
melanostictus Fairm. A. 1861. 581
auromicans Kiesw. T. 8 *P.*
Kiesenwetteri Muls. ibid. 9 *P.*
nigrosparsus Chev. Rev. Zool. 66. 101
striatus Steff. T. 9 *Alp.Ti.Cr.P.*
similaris Muls. Mon. 82
ornatus Panzer T. 9 *E.md.*

*

luniger Germ. T. 9 *E.md.*
lineatus Panz. Fn. Germ. 110
picipes Duft. T. 9 *Alp.*
pilosellus Heer ibid. 9 *H.*

*

depilis Graëlls T. 9 *Hi.b.*
regalis Steff. ibid. 9 *Hu.Tr.*
pilula L. ibid. 10 *E.*
ater Ill. K. Preuss. 91
v. auratopunctatus Reitt. T. 10
v. albopunctatus F. ibid. 10
v. oblongus Strm. ibid. 10
v. Dennyi Curt. ibid. 10 *Br.Ga.*
quadrifasciatus Muls.
v. aurovittatus Reich. T. 10 *I.*
Dennyi Er. Nat. III. 480 *E.m.*
tuscanus Dohrn St. 1872. 485
v. aurofuscus Reitt. T. 11
montanus Czwal. D. 1887. 495 *MR.*
dubius Czwal. D. 1887. 496 *G.b.*
fasciatus F. T. 11 *E.*
flavocoronatus Er. I. D. III. 483
v. inornatus Reitt. T. 11
v. subornatus Reitt. ibid. 11
v. auratofasciatus Duft. ibid. 11
v. arietinus Steff. ibid. 11
v. bellus Reitt. ibid. 11
v. cinctus Ill. ibid. 11
argenteofasciatus Duft. F. Aust. III. 14
v. complicans Reitt. T. 12 *Ga.*
v. Dianae F. ibid. 12
cinctus Sturm Ins. II. 98
decipiens Fairm. Cat. Gren. 1863. 74
v. Fabricii Reitt. T. 12
v. fusculus Reitt. ibid. 12
v. bilunulatus Muls. ibid. 12 *Ga.*
v. niveus Reitt. ibid. 12 *Ga.*
v. sulcatus Zett. Fn. Lap. I. 130 *L.*
Starcki Reitt. W. 1889. 99 *Ca.oc.*
ruficornis J. Sahlb. En. Col. 89. 122 *L.*

pustulatus Forster T. 12 *E.*
dorsalis F. Mant. I. 38
v. ater F. Spec. Ins. I. 69

Cistela
Geoffroy.

Cytilus Erichson.

sericea Forster T. 14 *E.*
varia F. Syst. Ent. 60
pulchella Heer H. 448
v. fusca Steph. T. 14
v. tessellata Reitt. ibid. 14
auricoma Duft. ibid. 14 *Ga.b.G.*

Pedilophorus
Steffahny.

Morychus Er.
Hypolorus Mulsant.

nitens Panz. T. 15 *E.md.m.*
aeneus F. ibid. 15 *E.*

Pedilophorus i. sp.

Apfelbecki Reitt. D. 1889. 279 *Herzeg.*
modestus Kiesw. T. 15 *P.MR.Cr.*
auratus Duft. ibid. 15 *Cr.D.*
transsylvanicus Suffr. ibid. 15 *T.*
metallicus Chevr. ibid. 16 *Hi.b.*

*

variolosus Perris T. 16 *Hi.b.*
rufipes Muls. Mon. 150
Stierlini Gozis R. I. 193 *Alp.Ga.*
Piochardi Heyden T. 16 *Ga.occ.Hi.b.*

Simplocaria
Marsham.

striata Bris. T. 16 *Hi.*
metallica Sturm ibid. 16 *Alp.*
maculosa Er. ibid. 16 *G.m.I.*
semistriata F. ibid. 17 *E.*

Trinaria Mulsant.

acuminata Er. T. 17 *Cp.Hu.St.*
jugicola Baudi Col. Piem. 1889. 103 *Pe.*
carpathica Hampe T. 17 *Cr.Cp.*

Limnichini.

Pelochares
Mulsant.

versicolor Waltl T. 17 *E.md.m.*
emarginatus Muls. A. Lyon 1869.161
v. opacus Weise T. 18 *E.or.*
murinus Baudi ibid. 18 *Ca.*

Limnichus
Latreille.

aurosericeus Duv. T. 18 *Ga.Hi.*
angustulus Weise ibid. 18 *S.*
pygmaeus Sturm ibid. 18 *E.*
sericeus Steph. Ill. Br. V. 411
v. auricomus Reitt. T. 18 *Ca.*
variegatus Guillb. Échange 86.19 *Ga.*
incanus Kiesw. T. 19 *E.md.m.*
sericeus Duft. ibid. 19 *E.*
Lederi Weise ibid. 19 *Ca.*
subchalybeus Reitt. ibid. 19 *Ca.*
punctipennis Kraatz B. 1858. 148 *Gr.*

Bothriophorus
Mulsant.

Physemus Leconte.

atomus Muls. T. 19 *Ga.m.I.*
venetus Ferrari W. e. Mt. 1864. 108

Thorictidae.

Reitter, Best. T. IV. (Wien 1881)

Thorictus
Germar.

Ehlersi Perez T. 23 *Hi.*
pilosus Peyron ibid. 23 *Gr.*
piliger Schaum B. 1858. 141
castaneus Peyron A. 1857. 701
pubescens Coye Ab. VI. 172
seriesetosus Fairm. T. 23 *Hi.*
sulcicollis Perez Ins. nuev. 1868. 59
Lederi Reitt. T. 24 *Ca.*
foveicollis Reitt. ibid. 25 *Ca.or.*
bifoveolatus Reitt. D. 1887.286 *Indersk*
mauritanicus Luc. T. 26 *S.Si.Hi.*
myrmecophilus Reitt. ibid. 27 *Ca.*
laticollis Motsch. ibid. 28 *Hu.Ca.*
hungaricus Weise V. Brünn XIV. 17
striatus Reitt. D. 1889. 278 *Arax.*
loricatus Peyron T. 28 *E.m.*
bicolor Kr. B. 1858. 141
castaneus Waltl Reis. Sp. II. 64
grandicollis Germ. T. 28 *E.m.*
laticollis Peyron A. 1857. 712
gallicus Peyron ibid. 113
Germari Luc. Alg. 234
stricticollis Kr. T. 29 *D.*

Thorictodes
Reitter.

Heydeni Reitt. T. 29 ×*Ga.Hi.*

Histeridae.

Schmidt, Best. T. XIV. (Berlin 1885.)

Hololeptini.

Hololepta
Paykull.

plana Füssly T. 6 *E.*

Histerini.

Platysoma
Leach.

algiricum Luc. T. 7 *Si.S.*
laevicolle Küst. K. E. 20. 2
frontale Payk. T. 7 *E.*
puncticolle Redtb. Heer
decemstriatum Thoms.
marginatum Thoms. Sk. IX. 397
v. betulinum Hochh. T. 7 *R.m.*
v. delatum Baudi B. 1864. 231 *S.*
deplanatum Gyll. T. 8 *Su.R.*
sibiricum Reitt. D. 1879. 114
depressum Payk.
compressum Herbst *E.*
depressum F. T. 7
oblongum F. ibid. 8 *E.*
cornix Marseul ibid. 8 *Gr.*
lineare Er. ibid. 8 *E.*
angustatum Hoffm. ibid. 8 *E.*
elongatum Oliv. Ent. I. 8 *E.m.*
filiforme Er. T. 8
dalmatinum Küst. K. E. 20. 5

Margarinotus
Marseul.

scaber F. T. 8 *Lu.Hi.m.*

Hister
Linné.

major L. T. 10 *E.m.*

*

inaequalis Oliv. T. 10 *E.m.*
obliquatus Motsch. B.A.Ptr.I.60.305
labiatus Motsch. B. M. 1845. 55

*

Haroldi Mars. T. 10 *Hi.*
4-maculatus L. ibid. 10 *E.*
v. gagates Ill. ibid. 11 *Ga.Hi.*
aethiops Heer H. 453
v. Pelopis Mars. A. 1861. 515
pustulosus Gené T. 11 *G.Si.S.*
amplicollis Er ibid. 11 *Hi.*
grandicollis Ill. ibid. 11 *I.*

*

Ariasi Mars. ibid. 11 *Astur.*
helluo Truqui T. 11 *G.Ga.I.*
silesiacus Roger Ver. K. Oberschles. 53
modestus Redt. Fn. Aust. 1858. 308 *A.*
teter Truqui T. 12 *H.I.*
unicolor L. ibid. 12 *E.*
v. terricola Redt. Fn. Aust. ed. II. 308 *A.*

*

integer Bris. T. 12 *Hi.*
binotatus Er. ibid. 12 *Ga.m.Hi.*
distinctus Er. ibid. 12 *Ga.G.A.*
merdarius Hoffm. ibid. 12 *E.md.m.*
cadaverinus Hoffm. T. 13 *E.*
striola Sahlb. I. F. I. 25
succicola Thoms. T. 13 *E.md.b.*
terricola Germ. ibid. 13 *E.md.*
Lethierryi Mars. ibid. 13 *Hi.*

*

stercorarius Hoffm. T. 13 *E.*
graecus Brullé ibid. 14 *E.m.*
fimetarius Herbst ibid. 14 *E.*
sinuatus F. Ent. Syst. I. 75
purpurascens Herbst T. 14 *E.*
brunneus Herbst Käf. IV. 35
castanipes Steph. Ill. Br. IV. 38
v. niger Er.
marginatus Er. T. 14 *Ga.G.H.*
ruficornis Grimm. ibid. 14 *G.Ga.*
myrmecophilus Muls. Op. II. 79
neglectus Germ. ibid. 14 *E.*
ventralis Mars. ibid. 15 *Ga.G.A.*
uncostriatus Mars. ibid. 15 *Hi.*
carbonarius Illig. ibid. 15 *E.*
nigellatus Germ. I. sp. nov. 88
stigmosus Mars. T. 15 *Ga.G.*
nigellatus Mars. A. 1854. 538
ignobilis Mars. T. 15 *Ga.*
parallelogrammus Fald. ibid. 18 *Ca.*

*

quadrinotatus Scriba T. 15 *E.*
bipunctatus F. ibid. 16 *And.*
uncinatus Ill. ibid. 16 *E.*
sinuatus Ill. K. Preuss. 57
atticus Schmidt T. 16 *Gr.*
lugubris Truqui ibid. 16 *I.Ga.Gr.*
sepulchralis Er. ibid. 16 *Hu.A.G.Gr.*
Desbrochersi Sénac Ab. V. 139
moerens Er. T. 16 *Ist.*
sordidus Aub. ibid. 16 *Hi.*

funestus Er. T. 17 *G.I.Ga.Hi.*
arenicola Thoms. Sk. IX. 304 *Su.*
bissexstriatus F. T. 17 *E.*
caliginosus Steph. Ill. Br. III. 152

*

smyrnaeus Mars. T. 17 *Gr.Ca.*
? castaneus Mén. Cat. rais. 171
v. Peyroni Mars. Mon. 57. 420 *Ca.*
platysomoides Peyron A. 1858. 407
Coquereli Mars. T. 17 *Cri.*
laco Mars. ibid. 17 *Gr.*
siculus Tourn. Ab. V. 142 *Si.S.*
duodecimstriatus Schrank T. 17 *E.*
v. quatuordecimstriatus Gyll. I. Su. I. 83
scutellaris Er. T. 18 *Gr.Si.*
v. lentus Mars. ibid. 18 *Ca.Tu.*
bimaculatus L. ibid. 18 *E.*
v. morio Schmidt ibid. 18 *C.Si.*
praetermissus Peyr. ibid. 18 *Ga.D.*
corvinus Germ. ibid. 18 *E.*

---

parallelus Mén. Cat. rais. 171 *Ca.*
paralleloides Mars. A. 1862. Cat. 710

Phelister
Marseul.

haemorrhous Mars. T. 18 ×*S.*
Rouzeti Fairm. ibid. 18 ×*Ga.*

Spathochus
Marseul.

Coyei Mars. T. 19 *Ca.*

Epierus
Erichson.

italicus Payk. T. 19 *A.Hu.*
retusus Er. Jahrb. 1834. 160 *Si.*
mundus Hampe St. 1850. 354
comptus Ill. T. 19 *Ga.G.I.*
v. russicus Mars. ibid. 19 *Ca.*

Tribalus
Erichson.

scaphidiformis Ill. T. 19 *E.m.*
mauritanicus Luc. Alg. 230
minimus Rossi T. 19 *E.m.*

Triballodes
Schmidt.

acritoides Reitt. T. 19 *Gr.*

Dendrophilus
Leach.

punctatus Herbst T. 20 *E.*
? latipes Bon. Soc. Torin. IX. 1812
pygmaeus L. T. 20 *E.*
sulcatus Motsch. ibid. 20 *Ca.*
Championi Lewis W. 1888. 280 *Ca.*

Carcinops
Marseul.

Homalister Reitter.

ornata Reitt. T. 20 *Ca.*

Cissister Marseul.

minima Aub. T. 20 *E.m.*
corpuscula Aub. A. 1862. Cat. 112

Carcinops s. str.

14-striata Steph. T. 21 *E.md.*
pumilio Er. Jahr. 1834. 169
Mayeti Mars. T. 21 ×*Ga.m.*

Paromalus
Erichson.

complanatus Panz. T. 21 *E.*
Schaufussi Mars. ibid. 21 *Hi.*
simplicistrius Schmidt ibid. 21 *T.*
parallelopipedus Herbst ibid. 21 *E.*
filum Reitt. ibid. 21 *Bulg.*
flavicornis Herbst ibid. 21 *E.*

Glymma
Marseul.

Candezei Mars. T. 22 ×*Belg.*

Hetaeriini.

Satrapes
Schmidt.

Sartorii Redtb. T. 22 *G.A.D.*
Rayei Mars. Ab. I. 348 *Hu.*
Reitteri Lewis W. 1890. 13 *Ca.*
talyschensis Reitt. T. 22 *Ca.*

Eretmotes
Marseul.

ibericus Bris. T. 22 *Hi.*

Sternocoelis
Lewis.

acutangulus Lew. A. Mg. N. H. 88. 154 *And.*
hispanus Rosenh. T. 22 *Hi.*
puberulus Motsch. ibid. 23 *Si.*
Palumboi Ragusa Ab. Rep. 72
Merkli Schmidt T. 23 *T.*
Lewisi Reitt. ibid. 23 *Gr.*

grandis Reitt. ibid. 23 *Talysch*
incisus Schmidt ibid. 23 *Hi.*
fusculus Schmidt E. N. 1888. 238 *And.*
Marseuli Bris. T. 23 *Hi.*

Hetaerius
Erichson.

ferrugineus Ol. T. 22 *Ga.G.R.m.*
sesquicornis Prs. May. phys. Aufs. II. 3
quadratus Kugel. Schn. Mag. I. 519
Marseuli Schauf. Isis 1863. 197 *Hi.*

Saprinini.

Saprinus
Erichson.

cruciatus F. T. 25 *Hi.*
maculatus Rossi ibid. 25 *E.m.*
biguttatus Stev. ibid. 25 *R.m.Ca.*
externus Fisch. ibid. 25 *R.m.Ca.*
ornatus Er. ibid. 25 *R.m.*
Osiris Mars. A. 1862. 440

*

turcicus Mars. T. 26 *T.*
tauricus Mars. ibid. 26 *Crim.*
semipunctatus F. ibid. 26 *E.m.*
Pharao Mars. ibid. 26 *Gr.*
detersus Ill. ibid. 27 *E.m.*
melas Küst. K. Eur. 17. 19
tripartitus Motsch. M. B. 1849. 98
bipartitus Mars. A. 1855. 752
v. beduinus Mars. T. 27
rugifer Payk. ibid. 27 *E.b.*
furvus Er. ibid. 27 *E.m.*
chalcites Ill. ibid. 27 *E.md.m.*
dubius Motsch. i. l.
georgicus Mars. A. 1862. 471
subnitidus Mars. T. 28 *E.m.*
niger Motsch. ibid. 28 *Ca.Hi.*
suturalis Mars. A. 1862. 451
gangeticus Mars. A. 1855. 398
lateralis Motsch. T. 28 *Ca.*
bilateralis Mars. A. 1862. 454
concinnus Motsch. T. 28 *I.T.Gr.Ca.*
nitidulus Payk. ibid. 28 *E.*
semipunctatus Payk.
uralensis Motsch. B. M. 1849. 98
sparsipunctatus Motsch. ibid. 97
punctatostriatus Mars. A. 1862. 459
Krynickii Kryn.
?v. asphaltinus Hochh. T. 28 *R.*
?v. rugipennis Hochh. ibid. 28 *R.*

caesopygus Mars. T. 29 *Cordova*
figuratus Mars. ibid. 29 *Hi.m.*
cribellatus Mars ibid. 29 *R.m.Ca.*
Brenskei Reitt. ibid. 29 *Gr.*
prasinus Er. ibid. 29 *I.Gr.*
pulcherrimus Weber Obs. Ent. 37 *E.m.*
speculifer Latr. T. 30
personatus Ill. Mag. VI. 39
immundus Gyll. T. 30 *E.*
?v. aegyalius Reitt. D. 1884. 76 *Gr.*
aeneus F. T. 30 *E.*
v. fulminans Koltze B. 1868. 335 *G.*
Perrisi Mars. T. 30 *C.*
foveisternus Schmidt ibid. 30 *Ca.*
pastoralis Duv. ibid. 30 *Ga.m.*
lautus Er. ibid. 31 *E.md.*
v. biterrensis Mars. ibid. 31 *Ga.m.*
virescens Payk. ibid. 31 *E.*
sparsutus Solsky Turkest. 238
brunnensis Fleisch. T. 31 *Moraw.*
Godeti Brull. ibid. 31 *Gr.*
algericus Payk. ibid. 31 *E.m.*

Xenonychus Woll.

tridens Duv. T. 31 *Ga.m.Si.T.*
ciliaris Muls. A. Lyon 1853. 73
serripes Mars. A. 1855. 677
fossor Woll.

Hypocaccus Thoms.

aemulus Ill. T. 32 *Ga.m.Hi.Lu.*
mediocris Mars. A. 1855. 679
quadrilineatus Waltl Reis. Sp. II. 63
portusmagni Coquer. T. 32 *Hi.*
Mocquerysi Mars. ibid. 32 *Ga.m.Hi.*
aemulus Mars. A. 1862. 488
? elongatulus Rosenh. Th. And. 92
andalusicus Mars. A. 1862. 506
metallescens Er. T. 32 *E.m.*
arachidarum Mars. Ab. XVI. 39
praecox Er. T. 33 *Si.*
amoenus Er. ibid. 33 *E.md.m.Ca.*
? sabuleti Rosenh. Beit. I. Eur. 24
spretulus Er. T. 33 *E.m.*
fulvipes Mars. ibid. 33 *Hi.*
corsicus Mars. ibid. 34 *C.*
herbeus Mars. ibid. 34 *Hu.*
cribellaticollis Duv. ibid. 34 *Ga.m.Si.Hi.*
v. puncticollis Küst. K. Eur. 17. 30
Küsteri Mars. A. 1862. Cat. 715
sicanus Mars. ibid. 490
curtus Rosenh. Beit. I. Eur. 47. 24
interpunctatus Schmidt T. 35 *Si.*
rufipes Payk. Fn. Su. I. 50 *E.*

granarius Er. T. 35
v. antiquulus Ill. ibid. 35
longistrius Mars. A. 1855. 684
v. arenarius Mars. T. 35
rubripes Er. Jahrb. 1834. 191 *E.*
rufipes Mars. T. 35
v. arenarius Mars. A. 1855. 691
Fausti Schmidt T. 36 *Ca.or.*
conjungens Payk. ibid. 33 *E.*
v. micans Hochh. *R.*

*

specularis Mars. T. 37 *G.Ga.T.Gr.*
speculum Schmidt ibid. 37 *R.m.*
Pelleti Mars. ibid. 38 *Ga.m.*
quadristriatus Hoffm. ibid. 38 *E.*
?v. rugiceps Duft. Fn. Aust. I. 125 *G.R.*
radiosus Mars. T. 36 *Ga.m.*
apricarius Er. ibid. 38 *E.m.*
grossipes Mars. ibid. 37 *Ga.m.Hi.*
crassipes Er. ibid. 38 *Ga.I.Hi.*
rugifrons Payk. ibid. 39 *E.*
semistriatus Steph. Ill. Br. III. 156
v. smaragdulus Steph. Cat. 102. 1073
v. violaceus Steph. Ill. Br. III. 157
v. subtilis Schmidt T. 39
metallicus Herbst ibid. 38 *E.*
v. pullus Rosenh. ibid. 38
dimidiatus Ill. ibid. 39 *E.m.*
lobatus Wollast. C. Canar. 178
maritimus Steph. T. 39 *Br.Ga.Belg.*
sabulosus Fairm. A. 1852. 688

---

incrassatus Mén. Cat. rais. 170 *Ca.*
subvirescens Mén. ibid. 171 *Ca.*

Gnathoncus
Duval.

rotundatus Kugel. T. 39 *E.*
nannetensis Mars. A. 1862. 499 *Ga.*
punctulatus Thoms. T. 40 *Ga.Su.G.*

Myrmetes
Marseul.

piceus Payk. T. 40 *E.*

Abraeini.

Teretrius
Erichson.

picipes F. T. 41 *E.*
parasita Mars. ibid. 41 *S.Hi.*
Rothi Rosenh. ibid. 41 *Gr.*
Mulsanti Mars. A. 1862. 670
quercus Mars. Ab. I. 1864, 362

Plegaderus
Erichson.

saucius Er. T. 41 *E.*
vulneratus Panz. ibid. 41 *E.*
caesus Ill. ibid. 42 *E.*
dissectus Er. ibid. 42 *Su.Ga.G.*
discissus Er. ibid. 42 *Ga.G.*
Otti Mars. ibid. 42 *Ga.m.*
sanatus Truqui ibid. 42 *Gr.*
Barani Mars. ibid. 42 *Ga.m.*
pusillus Rossi ibid. 41 *I.S.*
hispidulus Muls. Op. VII. 5 *Ga.m.*

Onthophilus
Leach.

cicatricosus Reitt. T. 43 *Gr.I.m.*
caucasicus Reitt. D. 1890 *Ca.*
globulosus Oliv. T. 43 *E.*
sulcatus F. Ent. Syst. I. 74
exaratus Ill. T. 43 *Ga.m.Hi.*
striatus Forster ibid. 43 *E.*
affinis Redtb. ibid. 43 *A.Gr.*
costatus Kiesw. B. 1858. 131

Bacanius
Leconte.

rhombophorus Aub. T. 44 *Ga.Gr.*
Soliman Mars. ibid. 44 *T.*
consobrinus Aub. ibid. 44 *Ca.*

Abraeomorphus
Reitter.
W. 1886. 272.

minutissimus Reitt. T. 44 *Ca.*
punctulum Reitt. ibid. 44 *Ca.*

Abraeodes
Reitter.
W. 1886. 273.

Raddei Reitt. T. 45 *Ca.*
v. subplicatus Reitt. i. lit.

Abraeus
Leach.

globulus Creutz. T. 44 *E.*
convexus Reitt. ibid. 45 *Gr.*
granulum Er. ibid. 45 *E.*
punctatissimus Reitt. V. Brünn XV. 15
parvulus Aub. T. 45 *Ga.G.*
areolatus Reitt. ibid. 45 *Ca.*
globosus Hoffm. ibid. 46 *E.*

Acritus
Leconte.

punctum Aub. T. 46 *Ga.I.G.*
minimus Aub. A. 1850. 324
littoralis Ferrari W. z. b. 1866. 367

minutus Herbst T. 46 *E.*
fulvus Mars. A. 1856. 607
tataricus Reitt. T. 46 *Ca.*

*

rhenanus Fuss T. 46 *E.*
Hopffgarteni Reitt. ibid. 46 *E.md.m.*
nigricornis Hoffm. ibid. 47 *E.*
seminulum Küst. ibid. 47 *E.*
semen Mars. A. 1862. Cat. 720
minutus Mars. A. 1856. 614
balcaricus Schauf. Nq. ot. 529
v. microscopicus Reitt. V.BrünnXV.16
sulcipennis Fuss T. 47 *G.*

Aeletes
Horn.

atomarius Aub. T. 47 *G.Ga.*
clarulus Reitt. ibid. 47 *Ca.*

Murmidiini.

Murmidius
Leach.

Centhocerus Germ.

ovalis Beck (Hist.) Seidl. Fn. Tr. 265 *E.*
ferrugineus Leach Tr.Lin.S.1822.41
advena Germ. Ins. sp. nov. 85

Platyceridae.

Platycerus
Geoffroy.

Lucanus Scop. et auct.

cervus L. I. D. III. 936 *E.*
v. capreolus Fuessl. Er. ibid. *E.*
capra Oliv. Ent. I. 1. 11
hircus Herbst Käf. III. 299
dorcas Panz. Fn. Germ. 58. 11
v. microcephalus Muls.Col.Lamell.586
v. pentaphyllus Reiche A. 1853.71 *Ga.*
v. Fabiani Muls.A.Lyon55.250 *Ga.m.*
v. Pontbrianti Muls. ibid. 119 *Ga.m.*
v. lusitanicus Hope Cat. Lucan. 9 *Lu.*
v. tauricus Motsch. B. M. 1845. 60*Cri.*
v. turcicus Sturm Cat. 1843. 347 *T.Gr.*
ibericus Motsch. B. M. 1845. 60 *Ca.*
orientalis Kr. B. 1860. 272
tetraodon Duv. Gen. Col. III. 11
v. curtulus Motsch. B. M. 1845. 60 *Ca.*
tetraodon Thunb. Mém. Mos.1806.188*I.*
Barbarossa Costa Fn. Napol. t. 17
serraticornis Duv. A. 1859. 275
Barbarossa F. B. 1860. 60 et 265*Lu.Hi.*

Dorcus
MacLeay.

parallelepipedus L. Er. I. D. III. 940 *E.*
v. Truquii Muls.A.Lyon55.14*Alp.mar.*
Peyroni Reiche A. 1856. 407 *Gr.*
Musimon Gené M. Ac.Torin.1836.192 *S.*

Systenocerus
Weise.

Platycerus auct.

caraboides L. Er. I. D. III. 942 *E.*
aeneus Pollich.
virescens Muls. C. Lamell. 595
viridiaeneus Muls. ibid.
cribratus Muls. A. Lyon 1863. 7
v. ♀ rufipes Herbst. Käf. III. 311
spinifer Schauf. Isis. 1862. 189 *Hi.*
caucasicus Parry Cat. 60 *Ca.*

Ceruchus
MacLeay.

chrysomelinus Hochw. Schr. Berl. Ges.
tarandus Panz. Beitr. 25[1785 *Mt.E.*
tenebrioides F. Er. I. D. III. 944
sylvicola Muls. Col. Lamell. 598

Aesalus
Fabricius.

scarabaeoides Panz. Er. I. D. III. 949 *E.*
Ulanowskii Ganglb. Soc. Ent. 86. 89 *Ca.*

Sinodendron
Hellwig.

cylindricum L. Er. I. D. III. 946 *E.*
juvenile Muls. Col. Lamell. 602
americanumBeauv.Ins.Af.et.Am.192

Scarabaeidae.

Erichson, (Nat.) Ins. Deutsch. III.
Mulsant, Lamellicornes.

Coprini.

Scarabaeus
Linné.

Ateuchus Weber.

sacer L. Muls. 95 *E.m.*
pius Ill. Erich. 752 *Ti.E.m.*

europaeus Motsch. B. M. 1849. 103
acuticollis Motsch. ibid. 104
digitatus Motsch. ibid. 105
opacus Motsch. ibid. 107
tauricus Motsch.
affinis Brull. Mor. 165
retusus Brull. Mor. 166
infirmus Fisch. Ent. Rus. II. 211
monachus Fald. Fn. trans. I. 237
subsulcatus Muls. 46
puncticollis Latr. Mém.hist.n.V. 7 *Hi.T.*
armeniacus Mén. Cat. rais. 173 *Ca.*
semipunctatus F. Er. 753 *E.m.*
variolosus F. Er. ibid. *E.m.*
cicatricosus Lucas Alg. 249 *Hi.*
laticollis L. Er. 754 *E.m.*

Sisyphus
Latreille.

Schaefferi L. Er. 758 *Ga.G.Hu.*
Tauscheri Fisch. E. Russ. II. 209 *R.*
Boschnaki Fisch. ibid. 210 *E.m.*

Gymnopleurus
Illiger.

pilularius L. Muls. 54 *Ga.G.H.*
Geoffroyi Fuessl. *E.m.*
Mopsus Pall. Er. 755 *H.E.m.*
obtusus Muls. 58
Sturmi MacLeay Er. 756 *E.m.*
atronitidus MacLeay Hor. Ent. 513
cantharus Er. 757 *Ga.G.E.m.*
v. cyanescens Motsch. B. M. 1849. 101
flagellatus F. Mant. I. 17 *E.md.m.*
confusus Muls. 57
suturalis Muls. 58
v. asperatus Stev. Muls. 58 *Ca.*
serratus Fisch. E. Russ. I. 145

Copris
Geoffroy.

hispanus L. Syst. Nat. I. 2. 546 *E.m.*
lunaris L. Er. 788 *E.*

Bubas
Mulsant.

bison L. Er. 785 *E.m.*
bubalus Ol. Muls. 80 *E.m.*

Onitis
Fabricius.

Belial F. *Ga.m.Hi.*
Olivieri Ill. Mag. II. 197 *I.*
Damoetas Stev. M. Mosc. I. 1806. 163 *R.*
♂ Steveni Brullé Mor. 170 *Gr.*
Jon Oliv. Muls. 92 *Hi.I.*
Vandellii F. Syst. El. I. 28
humerosus Pallas It. Ross. Ap. 462 *R.m.*
Menalcas Pallas Icon. 4
♂ Chevrolati Luc. Alg. II. 253
Sphinx F. Ent. Syst. I. 14 *Gr.*
Inuus F. Ent. Suppl. 25

Chironitis
Lansberge.

irroratus Rossi F. E. Mant. I. 7 *E.m.*
v. Lophus F. Syst. El. I. 27
hungaricus Herbst. Käf. II. 230 *Hu.*
Clinias F. Ent. Syst. I. 13 *E.m.*
Amyntas Stev. Mém. Mosc. I. 1806. 165
meliboeus Muls. 88 [*m.or.*
pamphylius Mén. Mém. A. Petr. 1849. 57 *R.*
Haroldi Ballion B. M. 1870. 331 *R.m.*
luctuosus Lansb. A. B. XVIII. 21 *Ca.*
ponticus Lansb. A. B. XVIII. 36 *Ca.*
Moeris Pall. Icon. 1781. I. 3 *I.T.R.m.*
furcifer Rossi Mant. Ins. 1794. 11 *I.Gr.*
pugil Costa Fn. Napol. 1849. 22
syphax Fairm. A. Genov. 1875. 506

Onthophagus
Latreille.

Kindermanni Harold *R.*
Amyntas Oliv. Ent. I. 3 *E.m.*
Hübneri F. Er. 764 *Ga.m.*
♀ Tages Oliv. Ent. I. 143 *Ga.*
atramentarius Mén. Cat. rais. 179
subviolaceus Mén. ibid. 177
taurus Schreber Er. 766 *E.*
rugosus Poda
♀ morio Brull. Mor. 169
Menetriesi Fald. Fn. trans. I. 239
v. urus Ménét. Cat. rais. 175 *Ca.*
verticicornis Laich. Tyr. Ins. I. 22 *E.md.*
nutans F. Mant. I. 15. Er. 767 *Gr.*
ponticus Harold Stett. 1883. 434 *Grusia*
merdarius Chevr. Rev. Zool. 65. 350 *Hi.*
austriacus Panz. Er. 768 *G.m.*
stylocerus Graëlls M. Madr. 1851. 128 *Hi.*
vacca L. Er. 769 *E.*
v. medius Panz. Fn. Germ. 37. 4
coenobita Herbst. Er. 772 *E.md.*
meleagris Razoum. *Gr.*
specularis Fisch. B. M. 1844. I. 44 *Ca.*
fracticornis Preyssl. Er. 773 *E.*
nuchicornis L. Er. 774 *E.*
lemur F. Er. 776 *E.*
hirtus Ill. Mag. II. 203 *Ga.m.Hi.*

maki Ill. Mag. II. 204 *E.m.*
suturellus Brull. Mor.168 *Gr.Ca.*
trochiscobius Kolen. Mel. V. 1846. 7
fissicornis Kryn. B. M. 34. 166 *Gr.R.m.*
quadridentatus Mén. Cat. rais. 176
marginalis Gebl. Mém.Mosc.17.315 *R.m.*
andalusiacus Wltl. Reis. Sp.II.66 *Hi.*
maurus Luc. Alg. 255 *Si.Gr.*
marmoratus Mén. Cat. rais. 176 *R.m.*
truchmenus Kolen. Mel.V.1846. 8
leucostigma Stev. Mém.Mosc. I.121 *R.m.*
viridis Mén. Cat. rais. 177 *Talysch*
cruciatus Mén. ibid. 178 *Ca.*
camelus F. Er. 777 *Ga.G.A.*
semicornis Panz. Er. ibid. *Ga.G.R.*
furcatus F. Er. 778 *Ga.G.Hu.*
♀ apicalis Fald. Fn. Tr. I. 249 *E.m.*
Mniszechi Hochh. B. M. 1873. 127
ovatus L. Er. 779 *E.*
v. ruficapillus Brull. Mor. 32. 169 *S.Si.*
subaeneus Mén. Cat. rais. 179 *R.m.*
nigellus Ill. Mag. II. 207 *Hi.Gr.*
Meliteus F. Syst. Suppl. E. 30 *Hi.*
punctatus Ill. Mag. II. 208 *Hi.Si.*
emarginatus Muls. 154 *Ga.*
lucidus Ill. Wiedm. Arch. I. 106 *S.Cri.*
♀ nitidicollis Brull. Mor. 168 *Gr.*
excisus Reiche A. 1856. 388 *Gr.*
irroratus Fald. Fn. transc. I. 242 *Ca.*

Caccobius Thoms.

Schreberi L. Er. 780 *E.*
histeroides Ménétr. Cat. rais. 180 *D.Gr.*
anthracinus Fald. Fn. tr. I. 247 *Ca.*
nigellus Kiesw. B. 1858. 233 *Gr.*
mundus Mén. C. II. II. 1867. 4 *Ca.*

Oniticellus
Serville.

festivus Stev. Mém. Mosc. II. 31 *R.m.*
fulvus Goeze Fourcr.Ent. Par. I. 14 *E.*
flavipes F. Er. 782
pallipes F. Er. 783 *E.m.*
concinnus Gené Mem.A.Torin. 36.185 *C.*
Revelierei Muls. (1871) 735
speciosus Costa Fn. Napol. 49. 28 *I.m.*

Aphodiini.

Aphodius
Illiger.
Seidl. Faun. Transsylv. 1889.

Colobopterus Muls.

erraticus L. Seidl. 141. Er. 794 *E.*
v. striolatus Gebl. N. Mém. Msc. II. 50 *Ca.*
submaculatus Muls. 166
v. lineatus Torre
taeniatus Schilsky D. 1888. 306
v. fumigatus Muls. l. c.

Coprimorphus Muls.

scrutator Hrbst. Seidl. 141. Er. 776 *E.*
brevicornis Schrnk. Natf. XXIV. 62. 4
v. nigricollis Muls. D. 1888. 307

Eupleurus Muls.

subterraneus L. Seidl. 141. Er. 797 *E.*
v. coerulescens Harold D. 1888. 307

Teuchestes Muls.

fossor L. Seidl. 141. Er. 799 *E.*
v. sylvaticus Ahr. Nat. Ges. Hall. 33. 4

Otophorus Muls.

haemorrhoidalis L. Seidl. 141. Er. 800 *E.*
v. humeralis Muls. D. 1888. 307
v. sanguinolentus Herbst ibid.

Loraspis Muls.

sulcatus F. Seidl. 141. Er. 807 *Hu.E.o.*

Aphodius Muls.

conjugatus Pnz. Seidl. 141. Er. 801 *G.A.E.*
v. fasciatus Muls. D. 1888. 307 *Ga.m.*
foetens F. Seidl. 142. Er. 804 *E.*
v. nigricollis Muls. D. 1888. 308
v. vaccinarius Herbst D. 1888. 308
fimetarius L. Seidl. 142. Er. 805 *E.*
rufiventris Preller
v. autumnalis Nacz. Acad. Hdl. 1792. 167
orophilus Charp. Hor. Ent. 210
v. bicolor Fourc. D. 1888. 308
punctulatus Muls. 187
scybalarius F. Seidl. 142. Er. 803 *E.*
v. conflagratus F. D. 1888. 307
v. nigricans Muls. D. 1888. 307
suarius Fald. Fn. trans. I. 254 *T.Gr.Ca.*

Eurytus Muls.

ferrugineus Muls. 233 *Ga.Hi.*
brunneus Klug Symb. phys. V. 45. 6 *T.Ca.*

*

Calamosternus Motsch.
Agrilinus Muls. Planolus Muls.

granarius L. Seidl. 142. Er. 813 *E.*
niger Creutz. Ent. Vers. 20
carbonarius Strm. Ins. I. 128

concolor Muls. 199
cribratus Muls. l. c.
moestus Muls. 199
parcepunctatus Muls. 199
rugosulus Muls. 199
retusus Waltl Reis. Sp. II. 67
v. suturalis Falderm. Fn. tr. I. 259
constans Duft. Seidl. 142. Er. 811 *E.md.m.*
vernus Muls. Lam. 193
exiguus Muls. 210
v. martialis Muls. D. 1888. 308
latipunctatus Gredl. K. Tirol 63. 470 *Ti.*
ater Deg. Seidl. 142. Er. 808 *E.md.b.*
v. convexus Er. 810
v. Lucasi Harold B. 1859. 204 *Hi.*
affinis Luc. Alg. 214 *Pe.S.*
v. adscendens Reiche Cat. Gren. 75 *P.*
trucidatus Harold B. 1863. 351 *Hi.Gr.*
Perezi Harold Heyd. Sp. 113 *Hi.m.*
orophilus Muls. Op. XIV. 206 *Ca.*
piceus Gyll. Seidl. 142 Er. 815 *Mt.E.*
alpicola Muls. 191
lapponum Gyll. Seidl. 143 *E.b.*
jugicola Harold B. 1863. 379 *Pe.*
nemoralis Er. Seidl. 143. Er. 816 *G.*
v. ferrugineus Schilsky D. 1888. 309
putridus Herbst Seidl. 143 *E.*
foetidus F. Er. 817
v. uliginosus Hardy Seidl. 143
borealis Gyll. Seidl. 143 *Mt.E.*
putridus Strm. Er. 818
sedulus Harold Col. H. IX. 119
v. Gyllenhali Seidl. 143
putridus Gyll.

Aphodius s. str.

Bodilus Muls.

sordidus F. Seidl. 143. Er. 822 *E.*
quadripunctatus Panz. Natf. XXIV. 4
rufus Moll. Seidl. 143 *E.*
rufescens F. Er. 823
arcuatus Moll. Nat. Brief. I. 164
rufifrons Duf.
lugens Creutz. Seidl. 143. Er. 825 *Ga.G.*
Faldermanni Sperk B. M. 1855. 157
v. indecorus Muls. D. 1888. 310 *E.m.*
v. emarginalis Muls. D. l. c.
hydrochaeris F. Seidl. 143 Er. 820 *E.m.Ga.*
meridionalis Villa *[G.I.*
punctipennis Er. 821 *Cri.Ca.*
nitidulus F. Seidl. 144. Er. 826 *E.*
immundus Creutz. Seidl. 144 Er. 827 *E.m.*
longispina Küst. K. Eur. 28. 33 *S.Hi.m.*

Melinopterus Muls.

Esimus Muls.

merdarius F. Seidl. 144. Er. 869 *E.*
foriorum Panz. Fn. Germ. 58. 9
tersus Er. 859 *Lu.Hi.Si.*
suturalis Luc. Alg. 263
exclamationis Mots. B. M. 1849. 108 *Ca.*

Volinus Muls.

inquinatus F. Hrbst. Seidl. 144. Er. 839 *E.*
melanostictus Schmdt. Seidl. 144 *E.*
conspurcatus Hrbst. Käf. IV. 140

*

sticticus Panz. Seidl. 145 *E.md.b.*
prodromus F. Syst. El. I. 70
conspurcatus L. Seidl. 145. Er. 846 *E.*
pictus Sturm Seidl. 145. Er. 847 *Ga.G.*
cervorum Fairm. A. 1871. 420 *Ga.*
Lederi Harold Led. 189 *Ca.*
tessulatus Payk. Seidl. 145. Er. 849 *E.*
contaminatus Panz. Fn. Germ. 47
v. umbrosus Muls. D. 1888. 313
v. basalis Schilsky ibid.
v. Gutheili Schilsky ibid.
lineolatus Ill. Mag. II. 191 *E.m.*
lateralis Brull. Mor. III. 171
nigrolineatus Rosh. Beitr. I. 30
dilatatus Reiche A. 1856. 399 *T.Gr.*
flammulatus Harold Leder 122 *Ca.*

Melinopterus s. str.

Nobius Muls.

limbatus Germ. Seidl. 145. Er. 876 *A.H.*
caspius Mén. Cat. rais. 181 *R.m.*
circumcinctus Schmidt Gr. Zt. II. 143
prodromus Brahm Seidl. 145. Er. 871 *E.*
contaminatus Payk. Fn. Su. I. 21
sphacelatus Panz. Fn. Germ. 58
rapax Fald. Fn. trans. I. 256
Guillebeaui Reitt. emend. *Ga.m.*
pectoralis Guilleb. A' 1888. 90
gregarius Harold C. H. VII. 1871. 112 *R.m.*
Zuberi Desbr.
maculicollis Ball. B. M. 1870. 333
punctatosulcatus Strm. Seidl. 145. Er. 872
sabulicola Thoms. Sk. X. 16 *E.*
v. marginalis Steph. D. 1888. 315
v. obscurellus Schilsky ibid.
pubescens Strm. Seidl. 146. Er. 874 *A.G.*
tabidus Er. 876 *D. [G.m.Ga.*
consputus Creutz. Seidl. 146. Er. 877 *E.*
griseus Schmidt Grm. Zeit. II. 135
serotinus Panz. Seidl. 146. Er. 878 *C.A.F.*

Nimbius Muls.

contaminatus Hrbst. Seidl. 146. Er. 881 *E.*
affinis Panz. Er. 882 *A.*
obliteratus Panz. Seidl. 146. Er. 882 *E.md.*

Amidorus Muls.

Anomius Muls.

flavipennis Mill. V. z. b. W. 1883. 265 *Gr.*
barbarus Fairm. A. 1860. 171 *Hi.m.*
unicolor Ol. Ent. I. 3. 183 *Hi.Si.*
castaneus Ill. Mag. II. 194 *Ga.m.*
Solieri Muls. Op. XIV. 213 *Ga.m.*
badius Muls. ibid. 214 *Hi.*
baeticus Muls. Lam. 1871. 270
obscurus F. Seidl. 146. Er. 853 *Mt.E.md.*
sericatus Schmidt Germ. Zt. II. 128
cribarius Brull. Mor. III. 171 *E.m.*
dalmatinus Schmidt Mon. 170
cinereus Muls. Op. XIV. 1870. 218 *Si.*
thermicola Er. Strm. Er. 854. *Ga.A.Ca.*
v. obscurus Panz. D. 1888. 314 *Istr.*
ibericus Harold D. 1874. 203 *Hi.*
Sharpi Harold D. 1874. 205 *Hi.m.*
fimicola Reiche A. 1856. 402 *Gr.*

Sigorus Muls.

porcus F. Seidl. 147. Er. 855 *E.md.S.Su.*
anachoreta Panz. Fn. Germ. 35. 1

Pubinus Muls.

tomentosus Müll. Seidl. 147 *E.*
lutarius Payk. Er. 856
immundus F. Syst. El. I. 77

Trichonotus Muls.

scrofa F. Seidl. 147. Er. 857 *E.*
minutus Herbst Käf. II. 269
tomentosus Kug. Schneid. Mag. I. 269

Orodalus Muls.

Emadus, Calamosternus, Eudolus Muls. (ex part.) Phalacronotus Motsch.

tristis Panz. Seidl. 147. Er. 859 *E.md.b.*
coenosus Panz. Fn. Germ. 58. 7
hypocrita Muls. Lam. 1871. 209 *Ga.*
Diecki Harold Heyd. Sp. 113 *Hi.*
pusillus Herbst Seidl. 147. Er. 860 *E.*
granarius F. Syst. El. 16. 56
granum Gyll. Ins. I. 19
coenosus Ahr. Nat. Ges. Halle II. 36
tyrolensis Rosenh. Er. 862 *Ti.I.*
quadriguttatus Hrbst. Sdl. 147. Er. 864 *E.*
quadripustulatus Dft. Fn. Au. 51. I. 125
quadrimaculatus F. Syst. Ent. 19. 70
macri Costa An. Ac. Aspir. I. 1847. 39
quadrimaculatus L. Seidl. 148. Er. 865 *E.*
quadripustulatus F. Syst. El. I. 78
v. prolongatus Muls. D. 1888. 315
quadrisignatus Brull. Mor. III, 172 *Si.Gr.*
biguttatus Germ. Seidl. 148. Er. 868 *E.md.*
v. sanguinolentus Panz. Sdl. 148. Er. 866
v. fallax Schilsky D. 1888. 315

Nialus Muls.

Labarrus Muls. Subrinus Muls.

lividus Ol. Seidl. 148. Er. 837 *E.*
v. anachoreta F. D. 1888. 311
varians Duft. Seidl. 148 *E.*
bimaculatus F. Er. 832
v. ambiguus Muls. D. 1888. 311
niger Strm. Ins. I. 127
Kraatzi Harold C. H. III. 84 *Gr.Cret.Ca.*
niger Panz. Seidl. 148. Er. 833 *E.*
plagiatus L. Seidl. 148. Er. 835 *E.*
v. concolor Schilsky D. 1888. 311
Sturmi Harold Seidl. 149 *E.md.m.*
rufus Sturm Ins. I. 144
Illigeri Muls.
vitellinus Klug. Symb. phys. V. *E.m.*
cylindricus Reiche A. 1856. 396 *Ga.Hi.*

Mecynodes Muls.

parallelus Muls. A. Lyon 43. 277 *Ga.HiSi.*
tormesGraëlls Mém. Geol. Zool. 58. 60

Limarus Muls.

Zenkeri Germ. Seidl. 149. Er. 852 *Ga.G.I.b*
maculatus Strm. Sdl. 149. Er. 851 *Ga.G.Su*
v. obsoletus Torre
immaculatus Schilsky D. 1888. 313

Oromus Muls.

alpinus Scop. Seidl. 149. Er. 829 *Mt.E.*
rhenonum Zett.
v. rubens Muls. 189
v. Schmidti Heer H. I. 514 *H.*
v. dilatatus Schmidt Er. 829 *St.*

Agolius Muls.

mixtus Villa Seidl. 149 *Mt.E.*
discus Schmidt Er. 885
? abdominalis Bon.
Bilimeki Seidl. 149 *H.I.b.*
Schlumbergeri Seidl. 150 *P.*
Heydeni Harold Seidl. 150 *Hi.b.*
pollicatus Er. Seidl. 150. Er. 888 *Ga.A.m.*
montanus Er. Seidl. 150. Er. 887 *Alp.*
praecox Er. Seidl. 150. Er. 889 *Alp.St.*
montivagus Er. Seidl. 150. Er. 889 *St.*
picimanus Er. Seidl. 150. Er. 890 *St.Ti.*

Biralus Muls.

satellitius Hrbst. Seidl. 150 *Ga.G.E.m.*
pecari F. Er. 898
equinus Fald. Fn. transc. I. 257
v. Menetriesi Mén. Mém. Petr. 49.59 *Ca.*

Acrossus Muls.

Bonvouloiri Harold A. 1860. 615 *Hi.*
bimaculatus Laxm. Seidl. 151 *Ga.G.R.m.*
coccinelloides Pall. Icon. 12. A. 12
bipunctatus F. Er. 893
carpetanus Graëlls A. 1847. 306 *Hi.*
siculus Harold B. 1862. 395 *Si.*
laticollis Baudi B. 1870. 67 *Alp.mar.*
planicollis Reitt. D. 1890 *Ca.*
gagatinus Mén. D. 1890 *Casp.*
rufipes L. Seidl. 151. Er. 892 *E.Ca.*
capitatus Deg. Mém. Ins. IV. 263
depressus Kug. Seidl. 151. Er. 896 *E.*
v. atramentarius Er. Seidl. 151. Er. 897
luridus F. Payk. Seidl. 151. Er. 894 *E.*
v. nigrosulcatus Mrsh. D. 1888. 317
v. variegatus Hrbst. D. l. c.
v. apicalis Muls. D. l. c.
v. nigripes F. D. l. c.

linearis Reiche A. 1856. 394 *Gr.*
hirtipes Fisch. B. M. 1844. I. 45 *R.m.*
graphicus Kol. Mel. V. 1846. 18 *Ca.*
striatulus Waltl Reis. Sp. 1835. 67 *Hi.m.*

Ammoecius Muls.

brevis Er. 907. Seidl. 151 *E.md.b.*
? nitidus Küst. K. Eur. 18. 55 *Mont.*
rugifrons Aub. A. 1850. 335 *S.*
Levaillanti Muls. Mém. Lyon. 52.297
rugiceps Muls. 365 *Ga.*
lusitanicus Er. 908 *Lu.*
frigidus Bris. A. 1866. 374 *Lu.Hi.*
elevatus Oliv. Muls. 302 *Ga.m.Hi.*

Parammoecius Seidl.

gibbus Germ. Seidl. 151. Er. 908 *Mt.E.md.*
elevatus Panz. Fn. Germ. 87. 1
transsylvanicus Küst. K. Eur. 18. 54
corvinus Er. Seidl. 151. Er. 831 *E.md.*
pyrenaeus Duv. Gen. III. Cat. 130 *P.*
monticola Muls. 215 *Ga.I.b.*

Plagiogonus Muls.

rhododactylus Mrsh. E. Br. 29. 51 *E.*
arenarius Ol. Seidl. 151. Er. 900
pusillus Freyssl. Böhm. Ins. 104
syriacus Harold B. 1863. 389 *Ca.*

Coptochirus
Harold.

singularis Har. B. 1868.396 *I.*
cyprius Baudi B. 1870. 68 (Euparia)

Heptaulacus
Mulsant.

sus Herbst Seidl. 152. Er. 901 *E.md.b.*
alpinus Drap. An. phys. Brux. I. 1819
carinatus Germ. Er. 902 *[Mt.E.*
nivalis Muls. 298
porcellus Friv. Termez. *Hu.*
testudinarius F. Seidl. 152. Er. 904 *E.md.*
villosus Gyll. Seidl. 152. Er. 904 *E.*

Oxyomus
Laporte.

sylvestris Scop. Seidl. 152 *E.*
porcatus F. Er. 906

Ataenius
Harold.

Hoxalus Muls.

horticola Harold Ab. V. 429 *T.*
lepidulus Harold B. 1884. 227 *T.*
Alleonis Fairm. (Psammob.) A'83.141
simplicipes Muls. Op. XIV. 200 ✕ *Ga.m.*

Pleurophorus
Mulsant.

caesus Panz. Seidl. 152. Er. 913 *E.*
variolosus Kolen. Mel. V. 20 *Ca.*

Platytomus Muls.

sabulosus Muls. Seidl. 152 *E.m.*
ovipennis Desbr.

Rhyssemus
Mulsant.

germanus L. Seidl. 152 *E.*
asper F. Er. 910
geminatus Reitt. D. 1890 *Gr.*
meridionalis Reitt. D. 1890 *Gr.And.*
plicatus Germ. Reis. Dalm. 17.184 *Ga.D.*
Godarti Muls. Lamell. Suppl.
arenarius Costa An. Napol. 44. II. 17 *Si.*
verrucosus Muls. 316 *Ga.m.Si.*
algiricus Luc. Alg. 266 *Hi.m.*
sulcigaster Muls. Op. IX. 172 *C.S.*
Marqueti Reiche Cat. Gren. 76 *Ga.m.*

Diastictus
Mulsant.

vulneratus Strm. Seidl. 152. Er. 914 *E.*
sabuleti Muls. 319

Psammodes
Laporte.

Psammobius Heer.

sulcicollis Ill. Seidl. 153. Er. 915 *E.*
porcicollis Ill. Mag. II. 195 *E.m.*
basalis Muls. Lamell. 1871. 396 *Ga.m.*
plicicollis Er. 916 *Ga.m.I.*
insculptus Küst. K. Eur. 18. 49
accentifer Muls. Op. IX. 172
ciliatus Küst. K. Eur. 18. 51 *Hi.*
scutellaris Muls. ibid. 187 *Ga.m.Si.*
laevipennis Costa An. Napol. II. 18 *I.*
rugicollis Er. 916
costatus Stierl. B. M. 1863. 489 *R.m.*
laevistriatus Perris Ab. VII. 13 *S.*

Glaresis
Erichson.

FrivaldszkyiWestw.Trans. e.S.52.72*Hu.*
Beckeri Solsky B. M. 1869. 463 *R.m.*

Mendidius
Erichson.

rufescens Reitt. D. 1888. 425 *Astrach.*
curtulus Harold B. 1866. 125 *R.m.o.*

Aegialia
Latreille.

arenaria F. Seidl. 153. Er. 919 *E.mar.*
globosa Kug.
rufa F. Seidl. 153. Er. 918 *Ga.b.G.Su.*

Dimalia Muls.

sabuleti Payk. Seidl.153.Er.917*E.md.b.*

Eremazus
Mulsant.

Tolinus Sharp.

unistriatus Muls. Op. XI. 175 *Arax.*
aeneus Sharp. M. M. 1874. 223

Chiron
MacLeay.

digitatus F. Syst. El. II. 377 *Si.*

Hybosorini.

Hybalus
Brullé.

glabratus F. Ent. Syst. I. 68 *E.m.*
dorcas F. ibid. Suppl. 31
cornifrons Guer. Ic. règn. T.22 f. 1
graecus Strm. Cat. 143. 113 *E.m.or.*
dorcas Germ. Fn. I. Eur. 20. 5
cornifrons Brull. Mor. 173
Benoiti Tourn. M. Schw. 1864. 266 *Si.*
tricornis Luc. Alg. 269 *Hi.m.*

Chaetonyx
Schaum.

robustus Schaum B. 1862. 266 *T.b.I.*

Codocera
Fischer.

Stomphax Fisch.

ferrugineaEsch.Mém.Petr.VI.4 51 *R.Ca*
crucirostris Fisch. Ent. Russ. 23. 160

Ochodaeus
Serville.

chrysomeloides Schrank Seidl.153 *E.m.*
chrysomelinus F. Er. 923 *Bohem.*
clypeatus Motsch. Muls. 495
pocadioides Motsch. Sdl. 153 *E.m.Ca.*

Hybosorus
MacLeay.

Illigeri Reiche A. 1853. 88 *E.m.*
arator Ill. Mag. II. 210

Trogini.

Trox
Fabricius.

Morticini Pallas Icon. I. 11 *R.*
Eversmanni Kryn. Seidl. 154 *E.md.*
concinnus Er. 932 *E.m.*
Perrisi Fairm. A. 1868. 482
transversus Reiche A.1856. 405 *T.Gr.*
graecus Muls. Lamell. 1871. 479
cribrum Gené Mem. Torin. 36. 186 *C.S.*
v. clathratus Reiche A. 1861. 205 *C.*
perlatus Goeze Er. 927 *Ga.A.I.*
subterraneus Fourcr. Ent. Par. I. 8
perlatus Scriba Ent. Beitr. I. 42
v. hispanicus Harold C. H. IX *Hi.*
v. Fabricii Reiche A. 1853. 89 *Hi.m.*
granulatus F. Syst. El. I. 110
granulipennis Fairm. A. 1852. 83*Gr.Hi.*
v. 4-maculatus Ball. B. M. 72. 338
Haroldi Flach D. 1879. 155 *G.Ga.*
nidicola Bonnaire A' 1881. 63
hispidus Pontopp. Seidl. 154. Er.928*E.*

arenosus Gyll. I. Su. I. 11
arenarius Payk. Fn. Su. I. 80
v. asiaticus Fald. Fn. tr. I. 261 *Ca.I.G.*
v. nodulosus Harold C. H. IX *C.S.*
cadaverinus Ill. Seidl. 154. Er. 930 *E.md.*
undulatus Zoubk. B. M. 1829. 158
sabulosus L. Seidl. 153. Er. 929 *E.md.b.*
femoratus Deg. Mém. Ins. IV. 269
scaber L. Seidl. 154 *E.*
arenarius F. Er. 931

Geotrupini.

Bolboceras
Kirby.

unicorne Schrank Seidl. 154 *E.md*
quadridens Panz.
gallicum Muls. 350 *Ga.m.Hi.*
Bocchus Er. Wagn. Reis. III. 170 *Lu.Hi.*
fissicorne Muls. A. Lyon. VI. 43. 280

Odontaeus
Klug.

armiger Scop. Seidl. 154 *E.*
mobilicornis F. Spec. Ins. I. 12
♀ bicolor F. ibid. 17

Geotrupes
Latreille.
Jekel, A. 1865, 315—618.

Ceratophyus Fisch.

polyceros Pall. It. I. App. 461 *R.m.*
Ammon Pall. It. Ros. III. App. 707
dispar F. Ent. Syst. Suppl. 9
Fischeri Fisch. Ent. Russ. II. 148 *R.m.*
Rossii Jekel A. 1865. 539 *I.*
dispar Rossi Faun. Etr. I. 4 *I.*
v. dispar Fairm. A. 1860. 174 *I.*
monoceros Jekel l. c. 539
Hoffmannseggi Frm. Rev. Zool. 56. 530 *Hi.*
Rossii Rosenh. And. 126 *Lu.*
dispar Oliv. Ent. I. 3. 58
Olivieri Jekel A. 1864. 539

Typhoeus Leach.
Minotaurus Muls.

Typhoeus L. Seidl. 155. Er. 726 *E.*
vulgaris Leach Edinb. Encycl. IX. 97
fossor Waltl Isis. 1838. 456 *E.m.*
lateridens Guér. Mag. Zool. 1838. 48 *Gr.*
subarmatus Er. 727
4-geminus Fairm. A. 1859. 48

Chelotrupes Jekel.

Momus Oliv. Ent. I. 3. 60 *Hi.*
Iliostius Gené Mem. Torin. 1836. 187 *S.*
matutinalis Baudi B. 1870. 70 *S.*
laevipennis Muls. A. Lyon 1855. 1 *Hi.*

Canthotrupes Jekel.

Douei Gory Mag. Zool. 1841. 3 *H.S.Si.*
siculus Er. 727
dentifrons Muls. A. Lyon VI. 6

Geotrupes Muls.

stercorarius L. Seidl. 155 *E.*
putridarius Er. 730
v. foveatus Marsh. Seidl. 155 *E.md.*
intermedius Ferr. St. 1852. 306
spiniger Marsh. Seidl. 155 *E.*
mesoleius Thoms. Sk. X. 331
puncticollis Malin. Schr. Gs. Halle I. 6
stercorarius Er. 727
mutator Marsh. Seidl. 155 *E.*
v. impressicollis Ferr. St. 1852. 307
v. incertus Tourn. A. B. 1886. 123
hypocrita Serv. Er. 733 *Ti.E.m.*
fimicola Muls. A. Lyon 55. 277 *I.b.R.m.*

Anoplotrupes Jekel.

sylvaticus Panz. Seidl. 156 *E.*
v. prussicus Czwal. D. 1884. 264 *G.b.*
?v. inaequalis Fald. Fn. tr. I. 263 *Ca.*
molestus Fald. Fn. tr. I. 269 *Ca.*
? caucasicus Sharp. M. M. VIII. 11
v. micanticollis Fald. l. c. 265

Trypocopris Motsch.
Sternotrupes Jekel.

vernalis L. Seidl. 156. Er. 735 *E.*
v. autumnalis Er. 736 *Alp.*
v. alpinus Hagenb. Er. 736 *Alp.*
v. splendens Er. 737 *I.*
v. caspius Motsch. B. M. 1845. 55 *Ca.*
caucasicus Weise Leder 193
purpureus Küst. K. Eur. 24. 46 *T.*
Amedei Fairm. A. 1861. 582 *T.*
pyrenaeus Charp. Muls. 448 *Alsat.P.*
coruscans Chevr. Rev. Zool. 1843. 15 *Lu.*

Silotrupes Muls.

epistomalis Muls. Lamell. 71. 450 ✕ *Ga.*

Thorectes Muls.

laevigatus F. Jek. 553 *E.m.*
v. Brullei Jek. 554 *Gr.*
hemisphaericus Brull. Mor. 174

v. rugosicollis Jek. 557 *Lu.*
v. sericeus Jek. 558 *E.m.*
v. nitidus Jek. 559 *Lu.*
creticus Fairm. A. 1880. 238 *Cret.*
chalconotus Chevr. Rev. Zool. 40. 15 *Lu.*
hemisphaericus Oliv. Jek. 560 *E.m.*
lusitanicus Jek. 563 *Lu.*
Branczki Apfelb. Soc. Ent. 90. 167 *Bosn.*
Hoppei Hagenb. Jek. 566 *A.m.I.*
sardous Er. Jek. 567 *S.Si.*
geminatus Gené M. Torin. 39.61 *Hi.C.S.*
reflexus Jek. 568 *Hi.*
marginatus Poiret Jek. 570 *Hi.Si.*
rotundatus Luc. Alg. 271

*

punctatissimus Chevr. Jek. 571 *Hi.b.*
escorialensis Jek. 572 *Hi.Lu.*
silphoides Jek. 573 *Hi.*

*

inermis Mén. Cat. rais. 183 *Ca.oc.*
Fausti Reitt. W. 1890 *Talysch*

Lethrus
Scopoli.

brachiicollis Fairm Reitt. D. 90. 290 *Gr.T.*
elephas Reitt. D. 1890. 290 *T.*
cephalotes Pall. D. 1890. 290 *A.Hu.*
apterus Solsky *R.*
v. podolicus Fisch. D. 90. 291 *Pol.R.m.*
? Heydeni Fairm. A. 1866. 256 *Arm.*

*

Raymondi Reitt. D. 1890. 293 *Thessal.*
Schaumi Reitt. D. 1890. 293 *Rumel.*
rotundicollis Fairm. D. 1890. 293 *Gr.T.*
Karelini Gebl. Reitt. D. 90. 294 *Volhyn.*
dispar Fisch. B. M. 1845. 340
longimanus Fisch. Reitt. D. 1890. 295 *R.m.*

Dynastini.

Pentodon
Hoppe.

idiota Herbst Käf. II. 164 *A.E.m.*
monodon F. Ent. Syst. I. 20
tauricus Motsch. B. M. 1849. 110
ventricosus Motsch. B. M. 49. III. 110
subdilatatus Motsch. Kr. D. 1882. 58 *Ca.*
curtus Motsch. W. 1889. 230
algerinus Hrbst. Kr. D. 1882. 59 *Hi.Ga.m.*
puncticollis Burm. Handb. V. 104
monodon Muls. 382
v. bispinosus Küst. Kr. D. 1882. 59 *S.*
v. brunneus Muls. Kr. D. 82. 60 *Ga.m.*
balearicus Kr. D. 1882. 60 *Bal.*

*

punctatus Villers Kr. D. 1882. 63 *D.I.*
v. castaneus Muls. 384 *Ga.*
m. testudinarius Ragusa *Si.*
pimelioides Costa Kr. D. 1888. 63 *I.*
bidens Pallas Kr. D. 1888. 63 *R.m.*
emarginatus Küst. K. Eur. 13. 42

*

caminarius Falderm. Fn. tr. IV. 265 *Ca.*

---

bilobus Motsch. B. M. 1849. 110 *Ca.*
distans Er. Küst. K. Eur. 24. 66 *R.m.*
sulcifrons Küst. ibid. 13. 43 *R.m.*
elatus Küst. ibid. 10. 60 *Ca.*

Temnorrhynchus
Hope.

Baal Reiche A. 1856. 369 *Naxos*

Phyllognathus
Eschscholtz.

Silenus F. Syst. El. Ent. 13 *E.m.*

Oryctes
Illiger.

nasicornis L. Er. 570 *E.*
grypus Ill. Er. 573 *Ti.E.m.*
v. Ragusae Riggio *Si.*

Pachypodini.

Calicnemis
Laporte.

Latreillei Lap. Muls. 387 *Ga.m.Hi.*
obesa Er. Wagn. Reis. III. 173 *I.*

Pachypus
Latreille.

caesus Er. Entomogr. 1840. 35 *S.Si.*
siculus Lap. Hist. Nat. II. 129
v. impressus Er. Entomogr. 1840. 33
Candidae Petagna Spec. I. Col. 1786. 3 *C.*
cornutus Oliv. Ent. I. 5
Candidae Muls. 389
excavatus Feistham. A. 1837. 259

Melolonthini.

Propomacrus
Newman.

Euchirus Kirb

bimucronatus Pall. Ic. Ins. 13 *T.*

Elaphocera
Gené.

Kraatz, Revision, D. 1882. 15—32.

Bedeaui Er. Kr. 20 *Hi.m.*
v. adusta Kr. 20 *Hi.*
longitarsis Illig. Kr. 20 *Lissabon*
malacensis Ramb. Kr. 20 *Hi.*
granatensis Ramb. Kr. 21 *Hi.*
Heydeni Kr. 21 *Hi.m.*
hispalensis Ramb. Kr. 22 *Sevilla*
affinis Schauf. Kr. 22 *Hi.m.*
carteiensis Ramb. Kr. 22 *Sanroque*
hirticollis Kr. 23 *And.*
angusta Kr. 23 *And.*
autumnalis Motsch. Kr. 24 *And.*
churianensis Ramb. Kr. 25 *Malaga*
Martorelli Fairm. Kr. 25 *Carthag.*
Capdeboni Schauf. Ins. Bal. *Bal.*
emarginata Gyll. Kr. 26 *I.*
obscura Gené Mém. Torin. 36. 189 *S.*
sardoa Ramb. A. 1843. 352
Erichsoni Duf. Kr. 26 *S.*
obscura Er. Entomogr. 1840. 38
dilatata Er. Kr. 26 *S.*
dalmatina Motsch. Kr. 27 *D.*
hiemalis Er. Kr. 27 *Macedon.*
graeca Kr. Kr. 27 *Attica*
elongata Schauf. Kr. 28 *Aetol.*
Raymondi Kr. 28 *Salonichi*
Erberi Kr. 29 *Tinos*
gracilis Waltl Kr. 31 *Gr.T.*
byzantiaca Ramb. A. 1843. 354
nigroflabellata Burm. Hndb. IV. B. 456 *T.*
insularis Fairm. A' 1877. 66 *Cret.*
Maltzani Heyd. D. 1883. 368

Pachydema
Laporte.

Dasysterna Ramb.

Reichei Ramb. A. 1843. 332 *Gr.*
nigricans Burm. Handb. IV. 2. 443
graeca Motsch. Etud. 1859. 139 *Gr.*
Olivieri Blanch. Cat. C. Ent. 50. 163 *I.Gr.*
hirticollis F. Mant. I. 21 *Si.*
?barbara Ramb. A. 1843. 331
? nigricans Laport. Mag. Zool. IX. 37

Tanyproctus Falderm.

ovaa Motsch. Etud. 1859. 136 *Ca.*
rufidens Mars. W. z. b. 1879. 474 *Ca.*
carbonaria Fald. Fn. trans. I. 272 *Ca.*
inflata Motsch. Etud. 1859. 136 *Lenk.*
persica Mén. Cat. rais. 185 *Ca.*
confinis Motsch. Etud. 1859. 138 *Ca.*
brevipennis Motsch. Etud. 1859. 139 *Ca.*
subcylindrica Mots. Etud. 1859. 138 *Ca.*

Rhizotrogus
Latreille.

Pseudotrematodes Duv.

Frivaldszkyi Mén. B. Ac. Petr. I. 150 *T.Gr.*
carbonarius Blanch. Cat. C. E. 50. 148

Geotrogus Guér.

sicelis Blanch. Cat. C. E. 1850. 148 *Si.*
siculus Burm. Hndb. IV. 2. 369
Genei Blanch. Cat. C. E. 1850. 147 *Pe.*
sardous Burm. Hndb. IV. 2. 371
euphytus Buq. Rev. Zool. 1840. 171 *Si.*

Rhizotrogus Muls.

porosus Fisch. Ent. Russ. II. 213 *Ca.*
porulosus Fisch.
holosericeus Mén. Mém. Petr. 1849. 64
pulvereus Knoch. Neu. Beitr. 1801. 88 *R.*
♀ thoracicus Zoubk. Brsk. Hor. 1888
vulpinus Gyll. Schh. Syn. I. 3. Ap. 81 *R.m.*
Rosalesi Fairm. A. 1862. 549 *Hi.m.*
aequinoctialis Hrbst. Er. 677 *A.*
pilicollis Kryn. B. M. 1832. 124 *I.Hu.*
tauricus Blanch. Cat. Col. 1850. 146 *R.Gr.*
vulpinus Burm. Hndb. IV. 2. 376
Brenskei Reitt. W. 1888. 68 *Ca.oc.*
arcilabris Mars. W. z. b. 1879. 473 *Ca.*
vernus Germ. Er. 678. *E.m.Alp.*
?rusticus Fald. Hor. 1889
fraxinicola Hagenb. Er. 679 *I.b.*
jubatus Reitt. D. 1890. 170 *Arax.*
aestivus Ol. Er. 680 *Ga.G.R.I.*
maculicollis Villa Col. Eur. dupl. 1833. 34 *I.*
thoracicus Muls. 431 *Ga.*
marginipes Muls. 435 *Ga.G.*
foveolatus Bach St. 1850. 16 *H.I.b.*
v. granulifer Rosh. And. 119 *Hi.*
v. geniculatus Chevr. Rev. Zool. 65. 351
vexator Schauf. Balear. 1869. 17 *Bal.*
Reichei Muls. Lam. 1871. 586 *Hi.Ga.m.*
Faldermanni Reiche A. 1862. 540 *R.m.*
cicatricosus Muls. 433 *Ga.G.S.*
v. anachoreta Rosenh. And. 1856. 120
signatitarsis Chevr. Rev. Zool. 102 *Hi.*
lautiusculus Schauf. W. z. b. 1864. 675 *D.*
procerus Baudi B. 1870. 73 *I.Pe.*
proximus Brenske l. c. 203 *Si.*
Baudii Brenske D. 1886. 202 *Calabr.*
ciliatus Reiche A. 1862. 539 *S.Si.*
sassariensis Perris Ab. VII. 14. *S.*
flavicans Blanch. Cat. C.E. 1850. 145 *Hi.*

Chevrolati Graëlls Mém. 1858. 61 *Hi.*
Tornosi Perez Soc. Esp. N. 1871. 98 *Hi.*
neglectus Perez Ins. nuev. 65. 27 *Hi.md.*
lepidus Schauf. Balear. 1869. 16 *Bal.*
fossulatus Muls. Op. IX. 164 *C.S.*
Bellieri Reiche A. 1862. 295 *C.S.*
insularis Reiche A. 1862. 294 *C.*
subemarginatus Reiche A. 1862. 541 *Hi.*
monticola Blanch. Cat. C. E. 50. 145 *Hi.*
  Zapateri Martinez Soc. Esp. 71. 62
parvulus Rosenh. And. 1856. 122 *Hi.*
  Hidalgoi Perez
Bolivari Martinez Soc. Espan. 71. 64 *Hi.*
patruelis Reiche A. 1862. 541 *Hi.*
carthagenae Fairm. A. 1880. 239 *Hi.*
variolatus Fairm. A. 1880. 239 *Hi.*
insubricus Burm. Hndb. IV. 2. 383 *I.b.*
Oertzeni Brenske D. 1886. 201 *Cephal.*
vicinus Muls. 438 *Ga.m.I.*
rugifrons Burm. Hndb. IV. 2. 384. *C.S.*
tarsalis Reiche ibid. 542 *Si.*
parvicollis Perez *Hi.*
  laticollis Perez Soc. Esp. 1874. 126

*

alicantinus Dieck Heyd. Sp. 118 *Hi.m.*

Amphimallon Serv.

pini Ol. Ent. I. 5. 18. *Ga.m.Hi.*
pygialis Muls. Lamell. Suppl. 561 *Hi.*
niger Waltl Reis. Sp. 68 *Hi.m.*
  flavicornis Blanch. Cat. C. E. 1850. 144
solstitialis L. Er. 683 *E.*
v. ochraceus Knoch Er. 685 *Ga.A.*
v. Falleni Gyll. I. Su. IV. 358 *Hu.*
  tropicus Muls. 444 *E.m.*
v. pineticola Grlls. M. geol. Zool. 58. 63 *Hi*
v. subsulcatus Fald. Fn. tr. I. 277 *Ca.*
v. orientalis Brenske *T.Ca.*
Javeti Stierl. B. 1864. 147 *Si.*
volgensis Fisch. Ent. Russ. II. 213 *R.m.*
caninus Zoubk. B. M. 1829. 158 *Ill.R.m.*
caspicus Mén. Cat. rais. 184 *T.R.m.*
Naceyroi Muls. Op. IX. 189 *Hi.*
caucasicus Gyll. Schh. Syn. I. 3. 82. *Ca.*
  vernalis Brull. Mor. III. 1 *Gr.T.*
  torulosus Waltl Isis. 1838. 456
Ariadnae Fairm. A. 1879. 250 *Gr.*
verticalis Burm. Hndb. IV. 2. 389 *Gr.*
spartanus Brenske D. 1804. 77 *Morea*
nomadicus Reiche A. 1862. 543 *P.Gr.*
fuscus Scop. Faun. insub. 1786. 53 *E.m.*
  ater F. Er. 686 *Ga.G.A.*
altaicus Mnnh. Hum. Ess. ent. IV. 29 *Ca.Bl.*

Logesi Muls. Op. XV. 1 *I.m.*
  nebrodensis Ragusa Sic. I. 64
Sainzi Graëlls Mém. Madr. 1858. 65 *Hi.*
ruficornis F. Er. 688 *E.md.*
  paganus Ol. Ent. I. 5. 82 *I.b.*
Brucki Fairm. A. 1879. 253 *Gr.*
limbatipennis Vill. Col. E. dupl. 33. 34 *Hi.*
lusitanicus Gyll. Schönh. Syn I. 3. App. 89
  angulicollis Fairm. A'. 1859. 152 *Lu.*
  cantabricus Heyden Sp. 1870. 116
hirticollis Luc. Alg. 1849. 287 *Hi.m.*
quercanus Burm. Hndb. IV. 2. 395 *I.*
pilicollis Gyll. Schönh. Syn I. 3. Ap. 89 *E.or*
  tauricus Burm. Hndb. IV. 2. 379
assimilis Hrbst. Er. 689 *A.E.m.*
v. obscurus Brske. E. N. 1890. 13 *I.*
v. fulvicollis Er. I. D. III. 689 Brs. 13. *A.m.*
v. Burmeisteri Brenske E N 90. 14 *E.m.o*
  pilicollis Burm. Hndb. IV. 2. 392
rufescens Latr. Er. 691 *Ga.G.H.Pe.*
fallax Mars. W. z. b. 1879. 472 *Ca.*
serrifunis Mars. W. z. b. 1879. 472 *Ca.*

Holochelus
Reitter.

subseriatus Reitt. W. 1889. 279 *R.*
costulatus Friv. Burm. IV. 2. 382 *T.*

Adoretops
Kraatz.

pexus Zoubk. B. M. 1833. 323 *R.m.or.*

Haplidia
Hope.

transversa F. Kr. D. 1882. 34 *A.I.Gr.*
v. quercina Burm. Hndb. IV. 2. 343 *Ti.*
hirticollis Burm. ibid. 344 *S.*
  etrusca Kr. D. 1882. 34 *I.*
graeca Kr. D. 1882. 35 *Gr.*
turcica Kr. l. c. 36 *T.Gr.*
vagepunctata Kr. l. c. 36 *T.*
villigera Burm. Kr. l. c. 36 *Si.*
attenuata Reiche Kr. l. c. 37 *S.*

Lasiopsis
Erichson.

Henningi Fisch. Ent. Russ. II. 213 *R.m.*

Monotropus
Erichson.

Nordmanni Blanch. Cat. C. E. 50. 142 *R.m.*
Staudingeri Schauf. Isis 1861. 48 *Lu.*

Cyphonotus
Fischer.

testaceus Pall. Burm. IV. 2. 402 *R.m.Ca.*
  Anketeri Herbst Käf. III. 43

v. monachus Kryn. B. M. 29. 192 *R.m.Ca.*
pauper Hampe Wagn. Reise 52. 312 *Arm.*

---

thoracicus Kryn. B. M. 1829. 192 *R.m.*
farinosus Kryn. ibid. *R.m.*

Anoxia
Laporte.
Reitter W. 1890. 105 et 173.

orientalis Kryn. Reitt. W. 105. 173 *Hu.R.*
meridionalis Reitt. 105. 173 *Gr.[A.Gr.*

*

matutinalis Lap. Reitt. 106. 174 *E.m.oc.*
suturalis Reitt. W. 1890. 174 *Gr.Carn.*
australis Schönh. Reitt. 106. 174 *E.m.*
occidentalis F. Syst. Ent. I. 32
? hungarica Desbr. A. 1874. 83 *Hu.*
sardoa Motsch. Reitt. 107. 174 *S.*
hirta Reitt. W. 1890. 175 *?Gr.*

*

scutellaris Muls. Reitt. 106. 175 *E.m.Ca.*
sicula Kr. Reitt. 106. 175 *S.*
? v. naxiana Reitt. 106. 175 *Naxos*
pilosa F. Reitt. 107. 175 *Hu.A.E.m.or.*
cretica Kiesw. Reitt. 107. 175 *Creta*
villosa F. Reitt. 107. 176 *A.It.I.E.m.or.*
v. Tethys Reitt. W. 90. 176 *Gr.Naxos*
v. gracilis Reitt. W. 90. 176 *Gr.Naxos*
v. Pasiphae Reitt. W. 90. 176 *Cret.Naxos*

Polyphylla
Harris.
Reitter. W. 1890. 21 et 22.

fullo L. Reitt. 21 *E.*
v. marmorata Muls. 407
v. luctuosa Muls. 407 *A.Ga.*
Lesinae Reitt. 21. E. N. 1890. 189 *D.*

*

Boryi Brull. E. N. 1890 124 *T.Arm.Gr.*
Olivieri Kr. Reitt. 21
caucasica Heyden
v. Olivieri Lap. E. N. 1890. 188 *Naxos*
Ragusae Kr. Reitt. 21. E. N. 1890. 189 *Si.*

*

alba Pallas Reitt. 22 *R.m.*
hololeuca Pall. Ic. I. Ross. 19
adspersa Motsch. Reitt. 22 *Ca.*
pulverea Ballion B. M. 1870. 342

Melolontha
Fabricius.
Ludibrius Gozis.
Reitter, D. 1887. 529—542.

hippocastani F. Reitt. 531 *E.b.md.*
v. nigripes Com. Kr. 1885. 69
pectoralis Torre
(v.) Schwarzi Kr. D. 1888. 362
(v.) nigricollis Muls. Kr. D. 1885. 69
(v.) tibialis Muls. Kr. l. c.
(v.) suturalis Kr. D. 1888. 544
(v.) festiva Westh. Kr. D. 1885. 69
(v.) fuscicollis Kr. l. c.
(v.) discoidalis Kr. l. c.
(v.) rex Torre Kr. l. c.
(v.) coronata Muls. Kr. l. c.
(v.) Metzleri Westh. Kr. l. c.
pectoralis Westh. olim.
v. romana Reitt. 535 *I.*
vulgaris F. Reitt. 537 *E.*
(v.) albida Redtb. Reitt. 536
(v.) albida Muls. Reitt. l. c.
(v.) pulcherrima Torre Reitt. l. c.
(v.) scapularis Westh. Reitt. l. c.
(v.) lugubris Muls. Reitt. l. c.
(v.) nigra Kellner Reitt. l. c.
(v.) discicollis Muls. Reitt. l. c.
(v.) humeralis Westh. Reitt. l. c.
(v.) ruficollis Muls. Reitt. l. c.
(v.) ruficeps Kr. Reitt. l. c.
(v.) marginata Kr. D. 1888. 363
v. tibialis Kr. Reitt. 536 *Arax.*
v. femoralis Kr. Reitt. 537 *Talysch*
v. extorris Er. Reitt. l. c. *R.m.Ca.oc.*
spatulata Ballion B. M. 1870.
v. soror Mars. Reitt. l. c. *Ca.*
v. farinosa Kr. Reitt. l. c. *Gr.Ins.Jon.*
pectoralis Germ. Reitt. 532 *E.md.*
albida Er. 672
aceris Er. 675
rhenana Bach Abh. Rheinl. II. 19
(v.) rufithorax Kr. Reitt. 538
(v.) nigritula Kr. Reitt. l. c.

*

albida Friv. Reitt. 538 *Gr.T.*
candicans Burm. Hndb. IV. 2. 413
v. naxiana Reitt. l. c. *Naxos*
fuscotestacea Reitt. 538 *Gr.*
permira Reitt. 539 *Ca.oc.*
papposa Illig. Reitt. 541 *And.Lu.*
v. hybrida Charp. Reitt. l. c. *Hi.Lu.*
(v.) fucata Blanch. Kr. D. 1885. 70
(v.) rufotestacea Kr. l. c.
aceris Falderm. Reitt. 542 *Ca.*
praeambula Kolen. Mel. V. 1846. 24

Serica
MacLeay.
Maladera Muls.

holosericea Scop. Er. 697 *E.*
variabilis F. Gen. Ins. App. 210

*

brunnea L. Er. 697 *E.*
euphorbiae Burm. Hndb. IV. 2 177 *R.m.or*
mutata Gyll. Schönh. Syn. I. 3. App. 93 *Hi.I*
Ariasi Muls. Lamell. 1871. 599 *Hi.*
elata Küst. K. Eur. 18. 38 *Mont.*
punctatissima Fald. Fn. tr. I. 279 *Ca.Gr.*
iberica Kolen. (Homalop.) Mel. V. 26
?rugosa Blanch. Cat. C. E. 1850. 77

Homaloplia
Stephens.
Reitter, W. 1887. 135—139.

elongata Reitt. 135 *Tayget.*
marginata Füssl. Reitt. 136 *Hu.m.D.Gr*
pruinosa Küst. K. E. 18. 42 *H.T.*
Iris Reitt. 136 *Rhilo.*
ruricola F. Reitt. 136 *G.A.Hu.D.I.Ga.*
v. atrata Fourc. Ent. Par. I. 11
alternata Küst. Reitt. 137 *Gr.T.*
v. graeca Reitt. 137 *Gr.*
minuta Brenske W. 1887. 137 *Gr.*
*
labrata Burm. Reitt. 138 *Balk.*
subsinuata Burm. Hndb. IV. 2. 156
spiraeae Pall. Reitt. 138 *A.Hu.R.m.*
v. limbata Kryn. Reitt. l. c. *A.Hu.Car.Ca*
v. adulta Reitt. l. c. *Arm.*
erythroptera Friv. Reitt. l. c. *D.Ban.Tr.*
transsylvanica Bielz V. Herm. I. 181
v. carbonaria Blanch. Reitt. l. c.

Triodonta
Mulsant.
Reitter. Ent. Nach. (E. N.) 1890. 65—69.

Raymondi Perr. Reitt. 65 *S.*
cribellata Fairm. Reitt. l. c. *C.S.*
aquila Lap. Reitt. 66 *D.Mont.Ga.*
alni Blanch. Reitt. l. c. *S.*
luteipes Fairm. A. 1881. 26
flavimana Burm. Reitt. l. c. *Ca.*
Sieversi Reitt. W. 1889. 283
nitidula Rossi Reitt. l. c. *I.Ti.*
*
pumila Burm. Reitt. 68 *Si.*
alicantina Reitt. l. c. *Hi.*
romana Brenske Reitt. l. c. *I.c.*

Hymenoplia
Eschscholtz.
L. v. Heyden. Ent. Reis. Span. (Sp.) Berlin 1870, 177—183.

Ramburi Heyd. D. 1875. 379 *Hi.*
angusta Heyd. 181 *Hi.m.*
lata Heyd. 180 *Lu.*
strigosa Illig. Heyd. 180 *Lu.Hi.*
bifrons Eschsch. B. M. 30. 65 *Ga.m.*
cristata Graëlls Mém. M. g. Zool. 58. 67
Illigeri Perez Ab. XVII. 52 *Lu.*
rugulosa Muls. Heyd. 181 *Hi.*
lineolata Blanch. Cat. C. E. 1850. 74
costulata Graëlls M. M. g. Zool. 58. 66
Chevrolati Muls. Heyd. 182 *Ga.Hi.*
strigosa Lap. Hist. nat. II. 148 *S.*
estrellana Heyd. 182 *Lu.*
sicula Blanch. Heyd. 183 *Si.*
fulvipennis Blanch. Heyd. 182 *Hi.m.*
♂ Miegii Grlls. Mém. M. g. Zool. 58. 68
cinerascens Rosenh. Heyd. 182 *Hi.m.*
*
distincta Uhagon A. Soc. Esp. 76. 51 *Hi.oc.*

---

hungarica Blanch. Catal. 74 *Hu.*

Chasmatopterus
Serville.

pilosulus Ill. Mag. II. 224 *I.Hi.*
parvulus Graëlls Mém. Madr. 1851. I. 2
hirtulus Ill. Mag. II. 222 *Ast.Lu.*
hispidulus Graëlls A. 1847. 307 *Hi.md.*
villosulus Ill. Mag. II. 223 *Hi.md.*
Illigeri Perris A. 1855. 280
hirtus Blanch. Cat. C. E. 1850. 57 *Lu.*

Rutelini.

Adoretus
Laporte.

nigrifrons Stev. E. N. 1889. 269 *R.m.*
pallidulus Motsch. Petrop. 1860. 522
discolor Fald. E. N. 1889. 268 *Ca.*

Anomala
Samouelle.
Ganglbauer, W. 1882. 174—176, 241—249.

aurata F. Gng. 241 *Cr.Ti.*
♂ auricollis Lap. Gng. 241 *Carn.*
rugatipennis Graëlls Gng. 242 *Hi.*
junii Duft. Gng. 241 *A.m.I.Ga.*
v. thoracica Muls. Gng. l. c. 242
v. etrusca Ganglbauer l. c. *I.*
v. signaticollis Er. Gnglb. l. c.
v. rugosula Fairm. Gngl. l. c. *C.I.b.*
Doublieri Muls. 443 *Si.*
v. scutellaris Muls. Gngl. l. c. *Ga.C.*
praticola F. Gnglb. l. c. *Hu.R.m.*
errans Illig Oliv. Uebers. II. 68 *Lu.I.*
v. brunnea Mén. Gng. l. c. *Ca.*
diluta Motsch. Etud. 1853. 30
v. desertorum Motsch. Gng. l. c. *Ca.*
*

4-punctata Ol. Encycl. VII. 20 *Lu.Hi.*
vagans Er. Gnglb. 243
♀ profuga Er. 617

*

devota Rossi Gnglb. 244 *I.Hi.*
villosa Blanch. Cat. C. E. 50. 184 *Ga.m.*
v. apicalis Muls. Gnglb. l. c.
v. versicolor Muls. Gnglb. l. c.
ausonia Er. Gnglb. 245 *Ga.m.I.*
v. sicula Gnglb. l. c. *Si.*
vitis F. Gnglb. 246 *Hu.Ga.A.*
holosericea Illig. Mag. IV. 80 *E.m.*
varians Muls. 476 *Gr.*
(v.) cupreonitens Bau B. 1938. 286 *Hu.m.*
(v.) viridicollis Schilsky D. 1888. 185
(v.) signata Schilsky l. c.
(v.) variabilis Schilsky l. c.
(v.) lutea Schilsky l. c.
osmanlis Blanch. Gnglb. 246 *T.*
solida Er. Gnglb. 246 *Hu.I.b.T.*
splendida Mén. Gnglb. 247 *Ca.*
v. luculenta Er. Gnglb. 248 *R.m.*
aenea Degeer Gnglb. 248 *E.*
Frischi F. Syst. Ent. 37
julii Payk. F. S. II. 210
dubia Scop.
(v.) coerulescens Schilsky D. 1888. 184
(v.) pygidialis Schilsky l. c.
(v.) bicolor Schilsky l. c.
(v.) virescens Schilsky l. c.
(v.) marginata Schilsky l. c.
(v.) humeralis Schilsky l. c. 185
(v.) maculata Schilsky l. c.
v. coeruleocephala Oliv. Ent. I. 5. 36
cyanocephala F. Syst. El. II. 169
oblonga Er. Gnglb. 248 *A.Ga.I.*
v. cyanicollis Villa Gnglb. 248
v. pedemontana Tourn. Gnglb. 249
(v.) bicolor Schilsky D. 1888. 185
(v.) viridis Schilsky l. c.
(v.) fallax Schilsky l. c.
(v.) lutescens Schilsky l. c.

pallidiventris Gaut. Ab. XIV. 19 *Ca.*

Phyllopertha
Kirby.

Reitter, E. N. 1888. 289—294.

caucasica Reitt. 290 *Aralych*
Ganglbaueri Reitt. 291 *?E.m.or.*
arenicola Muls. Reitt. 291 *Cri.*
v. pilosella Reitt. D. 1885. 398 *Ca.or.*

*

hirtella Brull. Reitt. 291 *E.m.or.*
rumeliaca Friv. A'Magyar. 1835. 260
campestris Latr. Reitt. 291 *E.m.*
arenaria Brull. Reitt. 292 *Gr.*
v. senticola Reitt. 292 *Gr.D.*
v. Krüperi Brenske D. 84. 77 *Veluchi*
lineata F. Reitt. 292 *E.m.or.Ca.*
lineolata Fisch. Ent. Ross. II. 216
v. nigripennis Reitt. 292 *Ca.m.*
horticola L. Reitt. 293 *E.b.md.*
v. ustulatipennis Villa Col. E. dupl 33. 34
v. Perrisi Muls. 500

Anisoplia
Serville.

Reitter, D. 1889. 99—111.

leucaspis Lap. Reitt. 101 *Gr.Ca.*
hypocrita Burm. Hndb. IV. 1. 218 *S.*
segetum Hrbst. Reitt. 101 *E.*
fruticola F. Mant. I. 23
rasa Zoubk. B. M. 1833. 324
velutina Er. 634
v. straminea Brull. Reitt 101 *E.m.*
v. Zoubkoffi Kryn. Reitt. 101 *Casp.?*

*

scytha Motsch. Reitt. 103 *Arax.*
campicola Mén. Reitt. 103 *R.m.*
floricola F. Reitt. 103. *Hi.*
remota Reitt. 103 *E.m.?*
baetica Er. Reitt. 103 *Lu.And.*
clypealis Reitt. 103 *Ca.*
villosa Goeze Reitt. 104 *E.md.Ga.*
agricola F. Syst. Ent. I. 37
simplicifrons Reitt. 104 *I.*
Erichsoni Reitt. 104 *Ist.Cro.D.*
signata Fald. Reitt. 105 *Ca.*
Faldermanni Reitt. 105 *R.m.Ca.*
villosa Fald. Fn. tr. I. 270
armeniaca Kraatz D. 1883. 19
monticola Er. Reitt. 105 *Ill.I.*
neapolitana Reitt. 105 *I.m.*
marginata Kr. Reitt. 106 *Si.*
bromicola Germ. Reitt. 106 *Ill.Pe.*
Brenskei Reitt. 106 *Balk.*
balcanica Reitt. 106 *Balk.*
pubipennis Blanch. Reitt. 107 *Gr.*
valida Kr. Reitt. 107 *D.Gr.*
pallidipennis Er. 636
limbata Kr. Reitt. 107 *Ca.*
parva Kr. Reitt. 107 *R.m.Derbent*
agnata Reitt. 107 *Talysch,Arax.*
depressa Er. Reitt. 108 *Ast.Lu.*
lanuginosa Er. Reitt. 108 *Naxos Salonich.*

*

austriaca Hrbst. Reitt. 108 *A.Hu.Ca.*

v. major Reitt. 108 *Ca.*
v. kurdistana Reitt. 108 *Arax.*
tritici Kiesw. Reitt. 108 *Gr.*
tempestiva Er. Reitt. 108 *E.m.*
austriaca Muls. 485
sicula Reitt. 109 *Si.*
farraria Er. Reitt. 109 *Ca.*
v. Antoniae Reitt. 109 *Arax.*
cyathigera Scop. Reitt. 109 *E.Ca.*
crucifera Herbst Käf. III. 100
lata Er. Reitt. 109 *A.Hu.E.m.or.*
flavipennis Brull. Reitt. 110 *D.Gr.I.b.*
adjecta Er. 647
Bouei Blanch. Cat. C. E. 1850. 176
dispar Er. Reitt. 110 *Hu.*
v. morio Kr. D. 1883. 20
Zwicki Fisch. Reitt. 110 *R.m.*
thessalica Reitt. 111 *Thessal.*
deserticola Fisch. Reitt. 111 *R.m.Hu.Ti.*

Hoplia
Illiger.
Reitter, D. 1890. 375—383.

Decamera Muls.

praticola Duft. Reitt. 376 *E.md.*
♀ palustris Heer H. 544
corallipes Reitt. 376 *Casp.*
Ramburi Heyd. Reitt. 377 *And.*
philanthus Füssl. Reitt. 377 *E.md.*
argentea Oliv. Ent. I. 5. 67 *I.b.*
pulverulenta Illig. Mag. II. 229
farinosa Thoms. Sk. V. 15

Hoplia s. str.

aulica L. Reitt. 378 *Hi.m.*
v. bilineata F. Reitt. l. c.
v. chlorophana Er. Reitt. l. c. *And.Lu.*
aulica Ill. Mag. II. 228
sulphurea Luc. Reitt. 379 *Hi.m.*
pubicollis Küst. Reitt. l. c. *C.S.*
coerulea Drury Reitt. l. c. *Ga.Hi.*
farinosa F. Syst. Ent. I. 38

paupera Kryn. Reitt. 379 *U.R.m.*
Eversmanni Burm. Hndb. IV. 1. 185
Kunzei Schmidt Reitt. 379 *T.*
dubia Rossi Reitt. 380 *I.*
minuta Panz. Reitt. l. c. *I.*
pulverulenta Ol. Ent. I. 5. 69
parvula Kryn. Reitt. l. c. *R.G.b.*
pollinosa Er. 712
minuta Ill. Mag. II. 228
pulverosa Küst. Käf. E. 27. 63

caucasica Kolen. Reitt. 381 *Ca.*
flavipes Germ. Reitt. l. c. *D.I.b.*
farinosa L. Reitt. l. c. *E.md.*
v. fissa Reitt. 383 *Cro.m.*
uniformis Reitt. l. c. 381 *Euboea*
graminicola F. Reitt. 382 *E.*
floralis Ol. Reitt. l. c. *E.md.*
brunnipes Bon. Spec. Faun. 156
misella Schauf. Nq. ot. 557 *Hi.*
hungarica Burm. Reitt. l. c. *Ga.A.Hu.*
nuda Er. 714
nigrina Reitt. l. c. *Gr.*
pollinosa Kryn. Reitt. 383 *R.m.Ca.*
pilicollis Er. 711
dilutipes Reitt. l. c. *Banat*

Cetoniini.

Reitter, E. N. 1889. 37—40.

Epicometis
Burmeister.

Tropinota Muls.

squalida Scop. L. Reitt. 38 *E.m.D.Ga.*
crinita Charp. Hor. Ent. 213
pilosa Brull. Mor. III. 1
Lethierryi Reiche A. 1871. 85
hirta Poda *E.*
hirtella L. Reitt. 38
tonsa Burm. Hndb. III. 437
v. seniculus Mén. Cat. rais. 191 *Ca.*

Paleira
Reiche.

femorata Illig. Reitt. 39 *Hi.m.Lu.*
hispanica Gory Mon. 280

Heteroenemis
Albers.

graeca Brull. Reitt. 39 *Gr.*
quadrata Gory Mon. 294

Leucocelis
Burmeister.

Oxythyrea Muls.

funesta Poda Reitt. 39 *E.*
stictica L. Syst. Nat. I. 2. 552
funeraria Fourc. Ent. Par. I. 8
albopunctata Deg. Mém. Ins. IV. 301
albopicta Motsch. Reitt. 40 *R.m.Ca.*
leucosticta Reiche
cinctella Schaum Reitt. 40 *E.m.*
variegata Gory Mon. 294
longula Desbr. Seidl. Fn. Tr. 163 *Gr.Ca.*

Stalagmosoma
Burmeister.
Stalagmopygus Kraatz.
albella Pall. Reitt. 37 *Casp.*
alterna Gory Mon. 211
Korini Fald. Fn. tr. I. 302
lepida Fald. B. M. 1836. 373

Cetonia
Fabricius.
aurata L. Er. I. D. III. 603 *E.*
(v.) cuprifulgens Muls. Lamell. 563
(v.) piligera Muls. ibid.
(v.) praeclara Muls. ibid.
(v.) meridionalis Muls. ibid. 564 *[m.*
v. lucidula Fieb. Beschr. Cet. 31. 19 *E.md*
v. pallida Drury Ill. Ex. Ins. I. 71 *Ca.*
v. scutellaris Reitt. D. 1891 *Creta*
v. valesiaca Heer Fn. H. I. 552
Oertzeni Reitt. D. 1885. 379 *Creta*
v. asiatica Gory Mon. 244
nigra Gaut. A. 1863. 490 *C.*
v. aereatula Reitt. D. 1891 *Ca. Talysch*
carthami Gory Mon. 243 *I.S.Si.*
(v.) italica Reitt. D. 1891
(v.) bella Reitt. ibid.

Potosia
Mulsant.
*
Pachnotosia Reitter.
marmorata F. Er. I. D. III. 598 *E.md.*

Potosia s. str.
speciosissima Scop. Er. I. D. III. 595 *E.m.*
fastuosa F. Ent. Syst. I. 2. 127
nudiventris Germ. Ins. Spec. nov. 132
(v.) aureocuprea Muls. Lamell. 547
(v.) venusta Mén. B. Ac. Petr. 36. 150 *T.*
v. speciosa Adam Mém. Mosc. 1817. 302
psittacina Mén. Cat. rais. 189 *[Ca.*
*
funebris Gory Mon. 229 *Ca. Arax.*
exlamationis Fald. Fn. tr. I. 297
funesta Mén. Bul. Ac. Petr. 1836. 150 *T.*
tenebrionis Mén. l. c. 1838. 31 *[Arm.*
*
affinis Andersch. Er. Nat. 596 *E.md.m.*
v. mirifica Muls. Lamell. 549 *Gr.C.S.*
floricola Herbst Käf. III. 218 *E.*
aenea Andersch Gyll.
metallica Payk. Fn. Suec. II. 203
v. sternohirta Seidl. Fn. Tr. 165 *Ga.*
(v.) cuprea Muls. Lamell. 554 *Ga.I.*
(v.) atrorubens Friv. Magyar 35. 262 *T.*
(v.) rubrocuprea Muls. Lamell. 554 *Ga.*
(v.) obscura Andersch Ent. Taschenb. 161
metallica Gory Mon. 190
v. florentina Hrbst. Käf. III. 210 *I. Ti.*
olivacea Muls. Lamell. 554 *Ga.*
v. volhyniensis Gory Mon. 198 *R.m.Ca.*
steppensis Mots. Bul. Ac. Petr. 61. 426
v. cuprina Motsch. B. M. 1849. 117 *Ca.*
v. transfuga Schauf. A' 82. 181 *T.Ca.*
subalboguttata Schauf. ibid. *Arm.*
v. hieroglyphica Mén. Cat. rais. 189 *Ca.*
caucasica Kolen. Mel. V. 30
pulverulenta Motsch. B. M. 1845. 59
v. splendidula Fald. Fn. tr. I. 296 *Arax*
v. persplendens Reitt. D. 1891 *Armen.*
v. araxicola Reitt. ibid. *Arax.*
metallica Fbr. Syst. El. II. 138 *E.md.m.oc.*
v. Fieberi Kr. Ent. Monatsb. II. 60 *G.A.I.*
aenea Fieb. Jahrb. Böhm. Mus. 469
v. incerta Costa Fn. Napol. 54. 10 *I.Si.*
v. cuprea Gory Mon. 192 *I.m.Si.*
hesperica Motsch. B. M. 1849. 115
cardui Gyll. Schönh. Syn. I 3. Ap. 47 *E.m.*
corvina Motsch. B. M. 1849. III. 117
opaca Gory Mon. 193
v. cretica Kr. *Creta*
angustata Germ. Er. I. D. III. 597 *D.E.m.*
(v.) coerulescens Schilsky D. 1888. 186 *Ti.*
(v.) purpurascens Reitt. D. 1891 *D.*
v. Diocletiana Reitt. ibid. *D.*

Melanosa Mulsant.
sibirica Gebler Ledeb. Reis. II. 3. 112 *Ca*
v. Godeti Gory Mon. 229 *Ca.*
v. magica Harold Münch. Mit. 80. 160 *Ca.*
v. trojana Gory Mon. 221 *Gr.*
v. albilatera Fald. Fn. tr. I. 291 *Arm.*
v. circumdata Fald. ibid. 292 *Ca.*
v. setosula Reitt. D. 1891 *Arax.*
squamosa Lef. Reitt. D. 1891 *Calabr.*
tincta Germ. Fn. Ins. Eur. 20. 6 *Si.*
v. crassicollis Burm. Hndb. III. 443
sardoa Gory Mon. 216 *S.C.Si.*
hungarica Hrbst. Käf. III. 220 *Hu.*
viridis F. Ent. Syst. I. 2. 128 *R.m.*
quadriguttata Motsch. B. M. 45. 59 *Ca.*
v. viridana Brull. Mor. III. 184 *Gr.*
v. Zoubkoffi Fald. B. M. 36. 371 *Casp.*
v. tristicula Reitt. D. 1891 *Arm.*
v. armeniaca Mén. Cat. rais. 190 *Ca.*
cirsii Motsch. B. M. 1845. 58
simplex Schilsky D. 1888. 186 *G.*
v. ignithorax Reitt. D. 1891 *[illegible]*

afflicta Gory Mon. 215 *Gr. T.*
v. leucogramma Gory ibid. 218 *Gr.*
osmanlis Gory ibid. 220
v. atrocoerulea Waltl Isis 38. 460 *Gr.*
excavata Fald. Fn. tr. I. 299 *Arax.*
v. araratica Reitt. D. 1891 *Arax.*
vidua Gory Mon. 216 *I. Gr.*
v. aegyptiaca Gory Mon. 214
v. adspersa Waltl Isis 1838. 460
exclamationis Burm. Hndb. III. 452
v. asiatica Fald. Fn. tr. I. 300 *Arax.*
oblonga Gory Mon. 227 *Hi.*
v. luctifera Muls. Lamell. 568 *Ga. m.*
v. Raffrayi Desbr. Heyd. Sp. 119 *Hi.*
morio Fbr. Sp. Ins. I. 51 *Ga. E. m.*
lugubris Voet Fbr.
excavata Gory Mon. 225

Aethiessa
Burmeister.

floralis F. Mant. I. 31 *E. m. oc.*
algirica Strm. Cat. 1843. 134
? Dogueraui Gory Mon. 230
deserticola Waltl Reis. Sp. II. 68
v. squamosa Gory Mon. 232 *Si.*
divergens Bedel A. 1889. 90
numisma Newm. Ent. Mag. V. 168
funerea Muls. Lamell. 570
Lefebvrei Muls. ibid.
v. elongata Gory Mon 228 *Si.*
tenebrionis Gory Mon. 233
rugipennis Burm. Hndb. III. 417 *Arm.*
squamosa Fald. Fn. tr. I. 301
v. bagdadensis Burm. l. c. 414 *Arax.*

Valgini.

Valgus
Scriba.

hemipterus L. Syst. Nat. E. I. 2. 555

Trichiini.

Osmoderma
Serville.

eremita Scopoli Er. 580 *E.*

Gnorimus
Serville.

variabilis L. Er. 583 *E.*
octopunctatus F. Syst. El. II. 131
v. Heydeni Beckers D. 1888. 24 *G.*
decempunctatus Helf. A. 1833. 495 *Si.*
v. velutinus Ragusa *Si.*
Bartelsi Fald. Fn. tr. I. 289 *Ca.*
nobilis L. Er. 584 *E.*
viridulus Degeer
subcostatus Mén. Cat. rais. 188 *Ca.*

Trichius
Fabricius.

fasciatus L. Syst. Nat. I. 2. 556 *E.*
?v. Noui Pellet Soc. Pyr. or. 71. 472 *P.*
abdominalis Mén. Reitt. W. 90. 144 *Casp.*
zonatus Germ. Reitt. l. c. *Med.*
gallicus Heer Reitt l. c. *Ga. E. m. A.*
abdominalis auct.
v. bipartitus Heyd. D. 1889. 388 *Rumel.*

Glaphyrini.

Glaphyrus
Latreille.

caucasicus Kr. D. 1882. 312 *Ca.*
modestus Kiesw. B. 1858. 258 *Gr.*
v. nigripes Schauf. Nq. ot. 478
micans Fald. Fn. tr. I. 282 *Ca.*
oxypterus Pall. Icon. 14 *R. m.*
uralensis Gmel. IV. 1. 1557 *Ca.*
serratulae F. Ent. Syst. II. 168 *Hi. m.?*

---

globulicollis Mén. B. Ac. Petr. I. 36. 150 *T.*

Anthypna
Latreille.

abdominalis F. Er. 720 *H. Ti. I.*
Carceli Lap. A. 1832. 411 *I. md.*
romana Duponch. A. 1833. 254

Amphicoma
Latreille.

Reitter Rev.: D. 1890. 53—64.

Pygopleurus Motsch.

vulpes F. Reitt. 53 *R. m. Ca.*
♀ hirta F. Spec. Ins. I. 47 *E. m. or.*
(v.) vulpecula Truqui Reitt. 54
(v.) hirsuta Brull. Reitt. l. c.
(v.) scutellata Brull. Reitt. l. c.
(v.) distincta Fald. Reitt. l. c.
(v.) anemonina Brull. Reitt. l. c.
(v.) chrysonota Brull. Reitt. l. c. *Ca. Cand.*
(v.) psilotrichia Waltl Reitt. l. c.
(v.) purpuricollis Waltl Reitt. l. c.
(v.) psilotrichia Falderm. Reitt. l. c.
(v.) foina Reitt. l. c. *Candia.*
v. suturangula Reitt. l. c. *T.*

v. humeralis Brull. Reitt. l. c. *Gr.Ca.*
v. humerosa Reitt. ibid. *Morea*
(v.) cyanescens Reitt. 55 *Ca.*
(v.) apicalis Brull. Reitt. l. c. *Gr.T.*

Psilodema Blanch.

ciliata Mén. Reitt. 56 *T.*
mustela Waltl Isis. 1838. 459

Eulasia Truqui.

vittata F. Reitt. 56 *Gr.T.*
v. flavicans Truqui Stud. ent. 1848
Goudoti Cast. Reitt. 57 *And.?*
Lasserrei Germ. Reitt. l. c. *Gr.*
bicolor Waltl Reitt. 60 *T.*
distincta Burm. Hndb. IV. 1. 22
v. dichroa Reitt. 60 *Salonichi*
bombyliformis Pall. Reitt. l.c. *Ca.Cri.*
ochraceipennis Mén. Cat. rais. 187
v. rufipennis Casteln. Reitt. l. c. *Gr.*
arctos Pall. Reitt. 61 *Ca.*
(v.) pallidopilosa Motsch. ibid. *Daghest.*
v. chrysopyga Fald. Reitt. l. c. *Ca.*
v. armeniaca Reitt. l. c. *Arax.*
v. martes Friv. Reitt. l. c. *Balk.*
chalybaea Fald. Reitt. 62 *Ca.m.or.*

Buprestidae.

Marseul Monogr. Ab. II. 1865.

Iulodini.

Julodis
Eschscholtz.

Faldermanni Mnnh. Mars. 45 *Arm.*
variolaris Pall. Mars. 46 *R.m.Ca.m.*
Ehrenbergi Lap. Mars. 48 *Gr.I.*
syriaca Lap. et Gor. Monogr. 19
pubescens Lap. ibid. 21
onopordi F. Mars. 56 *Ga.m.Hi.*
onopordinis F. Syst. El. II. 201
Sommeri Küst. Käf. Eur.
Hampei Thoms. Typ. Bupr. 78. 11 *T.*
pilosa F. Ent. Syst. sup. 135 *Hi.m.*
pilosula Hrbst. Käf. IX. 290
fidelissima Mars. 61 *Hi.*
onopordi Oliv. Ent. pl. 79. f. 34
lineigera Mars. 62 *Arm.*
setosa Stev. Mars. 63 *Arm.*
Andrei Ol. Mars. 64 *Ararat*
ampliata Mars. 66 *Ararat*
globithorax Stev. Mars. 73 *Arax*
rotundicollis Lap. Gory Mon. I. 23
Yveni Mnnerh. Mars. 77 *T.Gr.Ca.*
pubescens Oliv. Ent. II. 1832. 55 *T.Gr.*
Olivieri Lap. Mars. 78
Brullei Lap. Mon. I. 25
onopordinis Brull. Mor. 136
Oertzeni Gnglb. St. 1886. 309 *Syria*
intricata Mars. 80 (non Redtb.)

Buprestini.

Chalcophora
Solier. *E.*

mariana Lap. Mars. 92
v. florentina Kiesw. I. D. IV. 64 *I.T.Gr.*
detrita Klug. Mars. 93 *I.S.Si.T.Gr.*
Fabricii Rossi Mars. 94 *S.I.Gr.*
stigmatica Dalm. Mars. 96
v. quadrinotata Klug Symb. phys I. 20 *Gr.T.*
Lefebvrei Lap. Mars. 94

Psiloptera
Solier. *Ca.*

argentata Mannh. Mars. 106

Aurigena
Laporte.

Porotis Spinola.

unicolor Oliv. Mars. 107 *Ga.m.* *Hi.*
tarsata Herbst Käf. IX. 118
Lyoni Vigors Zool. Journ. 11. t. 19
chlorana Lap. Gory Mon. II. 3 *Gr.*
Xerxes Mars. 109
v. viriditarsis Schauf. Nq. ot. 479 *I.m.*
aereiventris Reiche Mars. 111 *Ca.*
lugubris F. Mars. 112 *A.E.m.*
capnodiformis Reitt. Rev. mens. Pr. 86 *Ca.*

Capnodis
Eschscholtz.

cariosa Pallas Mars. 123 *I.T.Gr.R.*
bruttia Petagna I. Calab. 22
miliaris Klug Mars. 122 *Ca.*
daedalea Stev. Mém. Mosc. II. 93
porosa Klug Symb. phys. 17 *T.Gr.R.m.*
Mannerheimi Fald. Fn. tr. I. 142
hypocrita Gehin Bul. Mosel. 1855. 5
carbonaria Klug Mars. 119 *T.Gr.*
Lefebvrei Lap. Mon. II. 4 *R.m.*
porosa Lap. Mon. II. 7

Henningi Mannh. Mars. 120 *Ca.Gr.*
anthracina Fisch. Mars. 118 *Ca.*
excisa Ménétr. Mars. 124 *Ca.*
tenebrionis L. Mars. 125 *Ga.m.A.E.m.*
tenebrioides Pall. Icon. 67
v. aerea Lap. Mon. II. 9 *Ca.*
tenebricosa Herbst Mars. 126 *E.m.*
v. lugens Küst. Käf. E. V. 52 *D.S.Si.*

Cyphosoma
Mannerheim.

Coeculus Laporte.

Lawsoniae Chevr. Rev. Zool. 38. 56 *S.Si.*
gravidum Lap. 1839, Mars. 130
Buqueti Lap. Mon. II. 3
sibiricum F. Mars. 131 *R.m.Ca.*
tataricum Pall. Icon. 64
repandum Mén. Cat. rais. 150
insulare Kiesw. B. 1858. 244 *Gr.*

Latipalpis
Spinola.

plana Oliv. Ent. II. 1832. 93 *Ga.m.T.*
pisana Rossi Mars. 113 *I.*
stellio Kiesw. Mars. 114 *Gr.*

Dicerca
Eschscholtz.

aenea L. Mars. 139 *E.*
oxyptera Pall. Icon. 70
carniolica F. Syst. El. II. 189
reticulata F. ibid. 205
subrugosa Payk. Fn. Suec. II. 218
scabrosa Mannerh. B. M. 1837. 54
mariana Deg.
berolinensis Payk.
berolinensis Herbst Mars. 138 *G.Ga.*
♂ calcarata Schall. F. Syst. El. II. 188
v. obscura Schilsky D. 1888. 186 *A.*
alni Fisch. Mars. 142 *E.*
calcarata Mannerh. B. M. 1837. 55
fagi Lap. Mon. I. 103
(v.) nigricans Schilsky D. 1888. 186
chlorostigma Mannh. Mars. 143 *Ca.*
fritillum Mén. Mars. 144 *R.m.Ca.*
furcata Thunb. Mus. Acad. IV. 52 *E.*
acuminata Pall. Mars. 141
calcarata F. Syst. El. II. 188
(v.) opaca Schilsky D. 1888. 186

Argante Kiesenw.

moesta F. Mars. 146 *E.*
4-lineata Herbst Käf. IX. 104
Herbsti Kiesw. I. D. IV. 40 *Alp.*

Poecilonota
Eschscholtz.

variolosa Payk. Fn. Suec. II. 219 *E.*
conspersa Gyll. Mars. 155
plebeja Herbst Käf. IX. 153
v. albae Richard Echang. 1889. 49 *Ga.*

Lampra Spin.

rutilans F. Mars. 159 *E.md.m.*
v. obscura Schilsky D. 1889. 186
decipiens Mnnh. Mars. 161 *E.md.m.*
limbata Mnnh. B. M. 1837. 59
dives Guilleb. R. 1889. 7
?v. modesta Guilleb. R. 1889. 5 *Ga.m.*
mirifica Muls. Op. 1856. 4 *C.Ga.m.*
decipiens Guilleb. R. 1889. 3
gloriosa Mars. 160 *Bosn.Capri*
nobilissima Mannh. Mars. 157 *R.*
Solieri Lap. Mars. 162 *Ga.G.E.m.*
hieroglyphica Mls. Op. VI. 1855. 5 *Hi.*
Guiraoi Fairm. A. 1855. 315 *Hi.m.*
festiva L. Mars. 163 *Ga.A.S.*
10-punctata F. Ent. Syst. II. 207
bella Gory Mon. IV. 116 *T.*
balcanica Kirchsbg. Kr. E. Mtsh. I. 29

Buprestis
Linné.

Ancylochira Esch.

splendida Payk. Mars. 170 *Su.G.*
splendens F. Syst. Ent. II. 204
pretiosa Herbst Käf. IX. 127
rustica L. Mars. 171 *E.*
v. bimaculata Kr. E. Monatsh. II. 134 *G.*
v. signaticeps Fleisch. W. 87. 234 *Mor.*
v. bisornata Fleisch. ibid.
haemorrhoidalis Hrbst. Käf. IX. 137 *E.*
punctata F. Mars. 172
v. inframaculata Fleisch. W. 1887. 235
v. nigricans Schilsky D. 1888. 187 [*Mor.*
v. 4-stigma Herbst Käf. IX. 177
dalmatina Mannh. Enum. Bupr. 62 *D.*
v. Ledereri Mars. 179 *T.*
araratica Mars. 174 *Ararat*
tarsensis Mars. 178 *Gr.*
strigosa Gebl. Mars. 176 *R.m.*
flavomaculata Fisch.
maculata Lap.
9-maculata L. Syst. Nat. II. 662 *E.*
flavomaculata F. Mars. 177
flavopunctata Deg. Ins. IV. 129
v. maculata F. Spec. I. 275
v. tristis Schilsky D. 1888. 187

Salamoni Thoms.Typ. Bupr.78 40 *Arm.*
Davidis Fairm. A. 1884. 168
Nikolskyi Semenow B. M. 1888
octoguttata L. Mars. 181 *E.*
albopunctata Deg. Ins. IV. 132
v. magica Lap. Mon. II. 138 *E.m.*
mauritanica Luc. Rev. Zool. 1844. 50
Douei Luc. Mars. 184 *Alg.*
v. Amori Graëlls Mém. Esp. Mad. 58. 43
cupressi Germ. Mars. 169 *D. [Hi.m.*
mutabilis Costa At. Napol. IV. 9 *Si.*

Eurythyrea
Solier.

austriaca L. Mars. 189 *Ga.G.A.*
quercus Herbst Käf. IX. 120 *Hu.*
aurulenta Rossi Fn. Etr. I. 186 *R.m.*
marginata Herbst Käf. IX. 130 *I.b.*
scutellaris Oliv. Ent. II. 1832. 86 *E.md.m.*
carniolica Herbst Mars. 192
similis Schönh. Syn. Ins. I. 3. 221
v. oblita Fald. Fn. tr. I. 145 *Ca.*
micans F. Mars. 191 *Ti.Ga.E.m.*
marginata Oliv. Ent. II. 1832. 67
aurata Pall. Mars. 190 *R.m.or.*

Melanophila
Eschscholtz.

decastigma F. Mars. 197 *Ga.A.*
chrysostigma F. Ent. Syst. I. 2. 203 *E.m*
14-guttata Oliv. Ent. II. 32. 89
v. picta Pall. It. II. App. 719 *Gr.*
acuminata Deg. Mém. Ins. IV. 133 *E.*
appendiculata F. Mars. 198
morio Payk. Fn. Su. II. 230
Pecchiolii Lap. Mon. II. 33
anthaxioides Marq. Ab. VI. 368 *Ga.m.*
aequalis Mannerh. Mars. 199 *E.m. [Hi.*
oxyura Marquet Toulouse VIII. 8 *Ga.m.*

Kisanthobia
Marseul.

Ariasi Robert Mars. 200 *D.Ga.m.*
v. Krüperi Gnglb. D. 1886. 89 *Gr.*
v. Emgei Gnglb. ibid. *Gr.*

Phaenops
Lacordaire.

cyanea F. Mars. 195 *E.*
tarda F. Ent. Syst. II. 209

Anthaxia
Eschscholtz.

Cratomerus Sol.
(Ganglbauer, D. 1885. 317.)

hungarica Scop. Gnglb. 316 *Ga.G.m.*
cyanicornis F. Mars. 210
femorata Vill. Ent. 338 *E.m.*
♀ trochilus F. Ent. Syst. II. 203 *Ca.*
v. ♀ sitta Küst. Käf. E. 1824. 75
sponsa Kiesw. Mars. 213 *Gr.*
v. cyanescens Mars. 213
nupta Kiesw. Mars. 213 *T.*
scorzonerae Friv. Gnglb. 319 *Hu.*
v. Euphrosinae Gnglb. 320 *Gr.*
diadema Fisch. Gnglb. 320 *R.m.*
adoxa Küst. Käf. E. 24. 76
? v. divina Reiche A. 1856. 415

Anthaxia i. spec.

Croesus Vill. Kiesw. I. D. IV. 82 *Ga.m.*
viminalis Lap. Mars. 217 *E.m.*
scutellaris Gené Mem. Torin. 1839. 52
ditescens Abeille Col. Cavern. 71. 31
fulgidipennis Luc. Alg. 155
olympica Kiesw. Kr. Monatsh. II. 131 *Gr.*
fulgidipennis Mars. 218 *G.*
ignipennis Abeille A' 1882. 146
parallela Lap. Mars. 219 *Ga.m.*
v. basalis Küst. Käf. 9. 29 *Hi.*
praeclara Mnnh. Mars. 220 *E.m.*
variipennis Küst. Käf. E. 22. 23
cichorii Oliv. Ent. II. 32. 91 *Ga.A.E.m.*
chlorocephala Luc. Alg. 155
chamomillae Mnnh. B. M. 1837. 90
millefolii F. Mars. 221 *E.m.*
smaragdifrons Mars. 222 *Hi.m.*
umbellatarum F. Mant. I. 183 *E.m.*
inculta Germ. Mars. 224

*

aurulenta F. Mant. I. 182 *Ga.G.Hu.*
auricolor Herbst Mars. 226 *I.T.*
deaurata Gmel. Ed. Lin. IV. 1934
v. senicula Schrank Naturf. 1824. 85
Hanaki Küst. Käf. E. 23. 18
manca L. Mars. 227 *E.md.m.*
elongatula Schrank Fn Aust. 1771. 365
Hackeri Friv. Term. F. 1884. 281 *Hu.Tr.*
Kiesenwetteri Mars. 228 *Gr.*
melancholica Kr. B. 1862. 121
vittula Kiesw. I. D. IV. 91. Mrs. 235 *Gr.Cret*
Midas Kiesw. ibid. 90 *E.m.*
Croesus Lap. Mars. 229
candens Panz. Mars. 233 *Ga.G.S.*
fulminans Schrank Naturf. 1824. 84
fulminatrix Herbst Käf. IX. 244
lucens Küst. Mars. 234 *D.Si.Hu.*
candens Lap. Mon. II. 9 *Gr.Cret.*
Edithae Reitt. W. 1890. 194 *Arax*
Passerinii Pecch. Mars. 232 *I.Gr.*

brevis Lap. Mars. 230 *Gr.R.m.*
ephippiata Rdtb.Dnkschr.Wien 50.
dimidiata Thunb. *E.m.*[47
saliceti Ill. Mars. 236
salicis F. Mars. 231 *Ga.G.Hu.I.*
Maschelli Kiesw.Kr.Monatsh.II. 130 *Ca.*
semicuprea Küst. Käf. E. 23. 21 *A.E.m.*
bicolor Fald. Mars. 236 *Ca.R.m.*
fulgurans SchrankNaturf.1824.85*E.md.*
nitens F. Syst. El. II. 215 *Hu.*
foveolata Herbst Käf. IX. 233 *E.m.*
fulgens Herbst Käf. IX. 298
dorsalis Lap. Mon. II. 18
nitida Rossi Mars. 237
v. azurescens Lap. Mon. II. 18
grammica Lap. Mars. 238 *A.R.E.m.*
podolica Mnnh. Mars. 238
cyanescens Gory Mars. 246 *Hi.I.*
luctuosa Luc. Alg. 157
aeneiventris Küst. Käf. E. 23. 31
Türki Gnglb. D. 1886. 87 *A.*
nitidula L. Mars. 239 *E.*
♀ laeta F. Syst. El. II. 215
v. cyanipennis Lap. Mon.IV. Supp.286
v. signaticollisKryn.B.M.32.92*Hu.* [*D.*
hypomelaena Ill. Mars. 240 *E.m.*
annulicollis Sturm Cat. 1843. 62
v. nitidicollis Lap.Mon. IV. 287
ferulae Gené Mars. 241 *S.*
anatolica Chevr. Mars. 241 *Ca.*
vittaticollis Luc.Rev.Zool.44.89 *Hi.*
lucidiceps Gory Mars. 244 *T.Gr.*
discicollis Lap. Mars. 244 *A.T.Gr.*
Olivieri Lap. Mars. 245 *Rhodus*
Mulsanti Mars. 243 *Gr.*
hilaris Muls. A. Lyon. 1855. 7
funerula Ill. Mars. 246 *Ga.H.Ti.*
Chevrieri Lap. Mon. II. 33 *A.Hu.*
Spinolae Lap. Mon. II. 36 *D.E.m.*
pygmaea Lap. ibid. 35
banatica Lap. Mon. Suppl. IV. 297
similis Saund. *Bohem.*
rugicollis Luc. Mars. 251 *Hi.Bal.*
morio F. Mars. 249 *Ga.G.I.b.*
confusa Lap. ibid. 251 *Ga.C.S.*
Magdalenae Fairm. A' 1883. 145 *T.*
plicata Kiesw.Mars. 252 *Serb.*
biimpressa Mars. 248 *Gr.*
Marmottani Bris. A' 1884. 22
sepulchralis F. Mars. 253 *Mt.E.*
umbellatarum Oliv. Ent. II. 32. 81
v. istriana Rosh. Beitr. K. Eur. I. 13
v. helveticaStierlAb.VII.200*A.H.*[*Istr*
pinguis Kiesw. Kr.Monatsh. I. 131 *Gr.*
quadripunctata L. Mars. 253 *E.*
punctata Ponza
quadriimpressaMotsch.M.Ac.Ptr.59.
v. Godeti Lap. Mon. II. 31 [26
v. granulata Küst. Käf. E. 23. 27
v. angulata Küst. Käf. E. 23. 30
v. angulicollis Küst. ibid. 28
corsica Reiche Mars. 254 *C.S.*
nigritula Ratz. Forstins. I. 52 *G.Ga.*
praticola Lafert. Mars. 255 *I.*
umbellatarum Lap. Mon. II. 29
tenella Kiesw. Mars. 256 *Gr.*
venerabilis Mars. C. H. V. 122 *?Gr.*
verecunda Mars. 256

Polycestini.

Polycesta
Solier.

aegyptiaca L. Mars. 259 *Gr.*
Cottyi Fairm. *Gr.*

Ptosima
Solier.

11-maculataHerbstFüs.Arch.V.120 *Ga.*
flavoguttata Ill. Mars. 262 *E.m.*[*A.*
9-maculata F. Mant. I. 179
v. 6-maculataHrbst.Füs.Arch.V.120*D.*
v. confusa Vill. Col. E. dupl. 33 *I.*
cyclops Mars. 263 *T.*

Polyctesis
Marseul.

rhois Mars. 265 *Balk.*

Acmaeodera
Eschscholtz.

pulchra F. Mars. 274 *Hi.*
v. postversa Buq. Mars. 274
Revelierei Muls. Mars. 275 *C.*
convolvuli Waltl Reis. Sp. II. 59 *E.m.*
acuminipennis Lap. Mon. I. 25
cylindrica auct.
persica Mannh. Mars. 300 *Arax.*
v. araxicola Reitt. E. N. 1890
brevipes Kiesw. Mars. 292 *Gr.*
v. praecox Mars. 284 *T.Gr.*
crinita Lap. Gory Mars. 283 *Gr.*
melanosoma Luc. Rev. Zool.1844.88
v. Reichei Boield. Mars. 530 *Gr.*
degener Scopol. Ent. Carn. 95 *E.m.*
18-guttata Piller Mars. 277
16-punctata Schrnk. Naturf. 24. 83
multipunctata Luc. Rev. Zool. 44.87
v. Frivaldszkyi Lap. Mars. 278
v. Feisthameli Lap. Mars. 278

v. 18-punctata Lap. Mon. IV. 36 [I.
v. Prunneri Gené Mem. Torin. 1839. 51
quadrifasciata Rossi Mars. 279 *C.Hi*
mutabilis Spinola A. 1838.372 *I.Hu.*
ottomana Friv. Mars. 280 *Gr.T.[Ga.*
confluens Baudi. B. 1870. 81 *Gr.T.*
saxicola Spin. Mars. 281 *T.*
pilosellae Bon. Mars. 289 *I.Ti.*
discoidea Oliv. Ent. II. 32
cecropia Kiesw. Mars. 291 *Gr.*
flavolineata Lap. Mars. 291 *S.Gr.*
dorsalis Spinol. A. 1838. 392
modesta Lap. Mars. 295 *?Gr.*
bipunctata Oliv. Ent. II. 1832.52 *E.m.*
sexpustulata Lap. Mars. 294 *Ga.m.*
Pittneri Rosenh. Beitr. Eur. I. 96 *Ti.*
flavopunctata Luc. Alg. 136
v. Vaillanti Spin. Mars. 297 *S.*
flavonotata Luc. Alg. 137
Oertzeni Gnglb. D. 1889. 55 *Creta*
flavofasciata Pill. It. 38 *E.md.m.*
taeniata F. Mars. 301
v. hirsutula Lap. Mon. IV. 47
tristis Luc. Rev. Zool. 1844. 87
v. Mimonti Boield. Mars. 530 *Gr.Arax*
dermestoides Friv.Kir.Magyar.45.80 *T.*
farinosa Reiche Mars. 304 *Gr.*
refleximargo Reitt. E. N. 1890 *Crim.*
adspersula Ill. Mars. 351 *Med.*
dermestoides Sol. A. 1833. 275
inamoena Fald. Mars. 303 *Ca.*
vetusta Mén. Mars. 302 *Ca.*
gibbulosa Mén. Mars. 303 *Ca.*
Levrati Mars. 306 *Si.A.*
Chevrolati Levr. A. Lin. Lyon. V. 262
virgulata Illig. Mars. 306 *Lu.Hi.*
scabiosae Chevrl.Rev.Zool.1859.381
v. flavovittata Luc. Rev.Zool. 1844. 89
v. chrysanthemi Chevr. l. c. 1854. 394
v. lineola Chevr. Mars. 308
discoidea F. Mars. 309 *Ga.m.S.Si.*
v. barbara Lap. Gory Mon. IV. 45 *I.*
v. albosetosa Rosh. Th. And. 133 *Hi.*
fulvinaeva Reitt. E. N. 1890 *Arax.*
parvula F. Mars. 311 *Lu.Hi.*
lanuginosa Lap. Mon. I, 17
coarctata Luc. Alg. 142
lanuginosa Gyll. Mars. 312 *Hi.C.*
cylindrica Lap. Mon. I. 24 *S.Si.*
v. ovis Chevr. Silb. Rev. V. 51 *C.*
cuprifera Lap. Mars. 318 *Gr.*
producta Lap. Mon. I. 26
lugens Lap. Gory Mars. 313 *T.*
cyanipennis Luc. Mars. 315 *Hi.m.*
villosula Stev. Mars. 316 *R.m.*
Boryi Brull. Mars. 317 *Gr.T.*
cyanescens Lap. Mon. IV. 46 *S.*
hyacinthina Friv. Kir. Magyar. 45. 180
cyaniventris Reitt. E. N. 1890 *Arax*
subcyanea Reitt. ibid. *Arax*
obscura Reitt. D. 1889. 281 *Arax*
pellitula Reitt. ibid. *Arax*
circassica Reitt. ibid. *Ca.oc.*

Sphenopterini.

Sphenoptera
Solier.

orichalcea Pall. Mars. 396 *R.m.*
v. cupraria Mannh. Mars. 396
Dejeani Zoubk. B. M. 1829. 156 *R.m.*
glabrata Mén. Mars. 335 *Ca.*
rugulosa Fald. ibid. 336 *Ca.*
cribrata Fald. ibid. *Ca.*
sordida Jakowl. Hor. XX. 84 *Ca.*
clauda Mars. 341 *Ca.*
coracina Stev. ibid. 342 *R.m.S.*
Babel Mars. 340 *T.*
antiqua Illig. ibid. 342 *Ga.m.A.Hu.*
v. litigiosa Mannh. B. M. 1837.94 *E.m.*
iridiventris Lap. Mon. II. 7
sicula Jakowl. Hor. XX. 95 *Si.*
latesulcata Jakowl. ibid. 99 *Ca.*
ardua Lap. Mars. 345 *Ga.m.*
hypocrita Mannh. ibid. 346 *Ca.*
foveola Gebl. ibid. 348 *U.Ca.*
Solskyi Becker *R.m.*
fossulata Gebl. Mars. 351 *R.m.or.*
sulcata Fisch. Ent. Ros. II. 197
Gebleri Lap. Mars. 349 *R.m.*
inaequalis Stev. ibid. 351 *R.m.*
Mannerheimi Thoms. Typ. Bupr. 1878.
adelphina Thoms. ibid. *Ca.*[63 *Ca.*
subcostata Muls. Mars. 352 *T.*
dianthi Stev. ibid. 353 *R.m.*
exarata Fisch. Ent. Ross. II. 169
mendax Mars. C. II. V. 69 *R.m.*
impressicollis Mars. 355
chrysostoma Lap. Mars. 399 *Gr.*
Pharao Lap. ibid. 358
gemellata Mnnh. Mars. 357 *Ga.A.I.*
conica Lap. Mon. II. 16
cupriventris Lap. Mon. II. 18
lapidaria Brull. Mars. 363 *Ga.m.Gr.*
demissa Mars. 365 *Ca.*
somchetica Kolen. Mars. 368 *Ca.*
rauca F. Mars. 366 *E.m.*
laticollis Oliv. Ent. II. 32. 69

Bassii Lap. Mon. II. 13
celtiberica Lap. Gory Mon. IV. 302
carduorum Chevr. Rev. Zool. 40. 24
geminata Illig. Mars. 369 *E.m.*
lineata F. Syst. El. II. 211
lineola Herbst Käf. IX. 284
? gemmata Oliv. Ent. II. 1832. 90
v. smyrnensis Lap. Gor. Mars. 370
cuprifrons Fald. Mars. 370 *Ca.*
excavata Fald. Mars. 371 *Ca.*
speciosa Jakowl. R. 1887. 110 *Ca.*
*
metallica F. Mars. 377 *Ga.A.Hu.I.*
canescens Motsch. ibid. *U.*
substriata Kryn. Mars. 380 *R.m.*
basalis Moraw. ibid. *R.m.*
parvula Lap. ibid. 381 *Ga.I.*
minutissima Desbr. Heyd. Sp. 119 *Hi.m.*
*
jewlachensis Reitt. (emend.) *Ca.*
prosternalis Reitt. E. N. 1890. 279
mesopotamica Mars. 389 *Ca.*
Fairmairei Mars. 528
tamaricis Klug Mars. 399 *Ca.*
Scovitzi Fald. Mars. 398 *Ca.*
Beckeri Dohrn. Ab.VI. 166, St. 66. 249
sancta Reitt. E. N. 1890.280 *Arax [R.m.*
vestita Jakowl. R. 1887. 117 *Ca.*
hispidula Reitt. E. N. 1890. 281 *Arax.*
molitor Reitt. ibid. 278 *Arax.*
artemisiae Reitt. D. 1889. 281 *Arax.*
Pelleti Muls. Op. XIV. 1870.31 *Crim.*
excisa Jakowl. i. l. Reitt. E. N. 1890 *S.*
astrachanica Reitt. ibid. 281 *R.m.*
Araxidis Reitt. ibid. 282 *Arax.*
Tappesi Mars. 387 *Gr.T.Arm.*
Oertzeni Jakowl. R. 1887. 113

Chrysobothryini.

Chrysobothrys
Eschscholtz.

chrysostigma L. Mars. 405 *E.md.b.*
affinis F. Mars. 406 *E.*
chrysostigma Hrbst. Füs. Arch. V. 117
congener Payk. F. S. II. 222
v. tetragramma Mén. Cat. rais. 149
Solieri Lap. Mars. 407 *Ga.Hi.*
pini Klingelh. St. 1845. 347 *G.*

Agrilini.

Coroebus
Laporte.

fasciatus Villers *I.Ga.G.m.*
bifasciatus Oliv. Mars. 416
florentinus Herbst Käf. IX. 178
Oertzeni Gnglb. St. 1886. 310 *Morea*
undatus F. Mars. 417 *Ga.G.*
pruni Panz. Fn. Grm. 29. 21 *L.*
4-fasciatus Rossi Fn. Etr. I. 187
rubi L. Mars. 418 *Ga.G.E.m.* [104
nebulosus Scop. Annus Hist. nat. V.
elatus F. Mars. 418 *Ga.G.A.*
lampsanae Bon. Mem. Torin. IX. 176
metallicus Lap. Mon. II 14 *E.m.[Hu.*
pruinosus Küst. Käf. Eur. V. 53
subfasciatus Küst. ibid. 54
v. comari Mars. 419 *Lithuan.*
gibbicollis Illig. Mars. 419 *Lu.*

Melybacus Mars.

episcopalis Mannh. Mars. 420 *Ga.D.*
purpureus Lap. Mon. II. 13 *Hu.Gr.*
saginatus Kiesw. I. D. IV. 115 *Si.*
subulatus Moraw. Mars. 422 *R.m.*
graminis Panz. ibid. *Ga.S.R.*
cylindraceus Lap. Mon. II. 14 *Ti.*
aeratus Muls. Mars. 423 *Ga.m.*
aeneicollis Villers Mars. 424 *Ga.Hi.I.*
fulgidicollis Luc. Alg. 153
robustus Küst. Mars. 425 *I.R.m.*
amethystinus Oliv. Mars. 426 *E.m.*
coeruleus Herbst Käf. IX. 251
granulatus Lap. Mon. II. 15
chalybaeus Küst. Käf. E. 24. 64
violaceus Kiesw. I. D. IV. 115 *Ga.E.m.*
parvulus Küst. Mars. 428 *Gr.*
subfasciatus Mén. Mars. 429 *Ca.*
tribulis Fald. Mars. 430 *Ca.*
cryptocerus Kiesw. B. 1858. 247 *Gr.*

Agrilus
Curtis.

Anambus Thoms.

Guerini Lac. Mars. 440 *Ga.R.m.*
sexguttatus Herbst ibid. 441 *E.m.*
biguttatus Rossi Faun. Etr. I. 191 *Ga.*
biguttatus F. Mars. 443 *E.*
pannonicus Piller Iter. 92
v. coerulescens Schilsky D. 1888. 187
sinuatus Oliv. Mars. 445 *Ga.G.*
chryseis Curt. Br. Ent. II. t. 67 *E.m.*
mendax Mannh. Mars. 446 *Ga.G.*
Faldermanni Lap. Mon. II. 42 *R.*
subauratus Gebl. Mars. 447 *Ga.G.*
coryli Ratzeb. Forstins. 62 *Ti.Pc.*
auripennis Lap. Mon. II. 46 *A.R.*
viridis L. Mars. 448 *E.*
viridipennis Lap. Mon. II. 45

capreae Chevr. Rev. Zool. 1838. 56
v. linearis Panz. F. Grm. 101. 12
v. nocivus Ratzb. Forstins. 63
distinguendus Lap. Mon. II. 44
bicolor Redtb. Faun. Aust. 48. 287
v. fagi Ratzb. Forstins. I. 63
Aubei Lap. Mon. II. 44
quercinus Redtb. Fn. Aust. 48. 287
v. ater F. Syst. El. II. 213
auricollis Kiesw. Mars. 450 *Mt.Ga.G.*
lineola Redtb. ibid. 451 *Ga.A.*
coeruleus Rossi ibid. 452 *Ga.G.*
cyaneus Lap. Mon. II. 52 *A.*
amabilis Lap. Mon. II. 52 *I.F.*
cyanescens Ratzb. Forst. I. 62 *Hi.*
sulcaticeps Abeille A. 1870. 79
pseudocyaneus Kiesw. I. D. IV. 150 *Ga.I.*
betuleti Ratzb. Mars. 455 *G.Su.*
pratensis Ratzb. l. c. 456 *Ga.G.Su*
linearis Payk *R.*
Roberti Chevr. Silb. Rev. V. 89 *I.*
elongatus Herbst Käf. IX. 203 *Ga.G.*
tenuis Ratzeb. Mars. 456
Sahlbergi Mnnrh. B. M. 1837. 113 *Su.*
viridis Lap. Mon. II. 48 *I.Hu.*
sulcicollis Lac.
v. cyaneus Rossi Fn. Etr. I. 200
angustulus Illig. Mars. 457 *E.*
olivaceus Gyllh. I Suec. I. 454
lactefrons Mnnh. B. M. 1837. 115
pavidus Lap. Mon. II. 53
laticornis Lap. ibid. 54
v. rugicollis Ratzb. Forst. I. 62
scaberrimus Ratzb. Mars. 490 *G.Ga.I.*
laticornis Illig. Mars. 458 *E.*
laticollis Kiesw. I. D. IV. 142
olivicolor Kiesw. l. c. 135 *Su.Ga.*
olivaceus Ratzb. Forst. I. 61 *G.I.b.*
hastulifer Ratzb. Mars. 460 *Ga.G.I.*
graminis Lap. Mars. 461 *Ga.G.I.R.*
derasofasciatus Lac. Mars. 462 *Ga.A.*
angustulus Lap. Mon. II. 54 *E.m.*
litura Kiesw. I. D. IV. 139 *Alp.*
curtulus Muls. Mars. 465 *Ga.md.*
hemiphanes Mars. 467 *Ga.m.*
sinuatocollis Bris. R. 1883. 83 *Hi.*
Linderi Mars. 468 *Ga.m.*
transversesulcatus Reitt. W. 90. 195 *Ca.*
cintus Oliv. Mars. 469 *Ga.E.m.A.*
v. cytisi Baudi B. 1870. 86 *Alp.mar.*
Solieri Gory Mars. 475 *Ga.m.C.*
turcicus Mars. 467 *T.*
Sperki Hochh. B. M. 1873. 159 *R.m.*
Baudii Bauduer R. 1883. 23 *Ist.*
proximus Bauduer ibid. 19 *Ga.*
antiquus Muls. Mars. 470 *Ga.m.*
artemisiae Bris. Mars. 474 *Ga.m.*
cisti Bris. Mars. 475 *Ga.m.*
elegans Muls. Op. XIII. 14. Mars. 476
convexifrons Kiesw. I. D. IV. 148 *Ga.A.I.*
grandiceps Kiesw. ibid. 126. Mars. 477
ziczag Mars. 478 *R.m.[T.Gr.*
sericans Kiesw. I. D. IV. 127. Mars. 479
cuprescens Lap. Mon. II. 56 *[Ca.*
cuprescens Mén. Mars. 480 *Ca.*
albogularis Gory Mars. 481 *Hu.*
binotatus Gory Mars. 482 *I.b.*
aurichalceus Redtb. Mars. 483 *Ga.G.*
convexicollis Redtb. ibid. *Ga.G.A.R.*
integerrimus Ratz. ibid. 485 *Ga.A.*
cupreus Redtb. Fn. Aust. 1849. 286 *R.*
hyperici Crtz. Mars. 486 *Ga.G.I.R.*
prasinus Muls. Mars. 488 *Ga.m.*
roscidus Kiesw. I. D. IV. 127 *Ga.I.T.*
obscuricollis Kiesw. ibid. 144 *Ga.G.*
Reyi Bauduer R. 1883. 21 et 23 *Ga.*
asperrimus Mars. 492 *I.*
minusculus Mars. 493 *A.*

Cylindromorphus
Kiesenwetter.

subuliformis Mnnh. Mars. 496 *Hu.R.*
tauricus Lap. Mon. IV. 269 *Ga.*
carpetanus Perris Mars. 497 *Hi.*
filum Gyll. Mars. 498 *Ga.A.I.b.*
bifrons Rey A' 1889. 159 *Bohem.*
strigatulus Rey ibid. *Ga.md.*
parallelus Fairm. A. 1859. 49 *Ga.m.*
gallicus Muls. Op. 1863. 22 *Ga.m.*
pyrethri Stierl. Mars. 501 *R.m.or.*
Popoffi Mars. 500
Araxidis Reitt. D. 1889. 25 *Arax.*

Trachyini.

Aphanisticus
Latreille.

distinctus Perris Mars. 521 *Hi.*
angustatus Luc. ibid. 522 *Ga.m.I.*
siculus Muls. ibid. 523 *Si.*
emarginatus F. ibid. 524 *E.md.m.*
elongatus Villa ibid. 525 *Ga.E.m.*
Lamothei Guér. Rev. Zool. 1839. 139
v. canaliculatus Schf. Nq. ot. 554 *[Ga.G.*
pusillus Oliv. Mars. 526 *E.*
lineola Germ. Fn. I. Eur. 3. 10
pygmaeus Luc. Mars. 527 *Hi.Ga.*

Trachys
Fabricius.

reflexa Gené Mars. 509 *S.*
minuta L. Mars. ibid. 510 *E.*
corusca Ponz. *E.md.m.*
pygmaea F. Mars. 15
Koenigi Reitt. W. 1890. 146 *Ca.occ.*
splendidula Reitt. ibid. *Arax.*
troglodytes Gyll. Mrs. 512 *Su.Ga.G.Hi.I.*
pygmaea Gyll.
fragariae Bris. Ab. XV. 20 *Ga.G.*
hipponensis Mars. 513 *Pr.*
pumila Illig. Mars. 515 *Ga.G.E.m.*
intermedia Lap. Mon. II. 7
v. scrobiculata Mars. 516 *D.*
v. phlyctaenoides Kolen. Mars. 512
v. ahenata Muls. ibid. 514 *Cri.*
v. major Perris ibid. 515 *Hi.md.*
Marseuli Bris. Ab. XV. 20 *Ga.*
Goberti Gozis R. 1889. 204 *Ga.*
quercicola Mars. A. 1871. 80 *Ga.*

Habroloma Thoms.

nana Herbst Mars. 516 *E.*
troglodytes Lap. Mon. II. 13
triangularis Lac. Fn. Par. 616 *Ga.m.*
Pandellei Fairm. Mars. 516

Eucnemidae.

Bonvouloir: Monogr. (Paris 1871—75.)

Throscini.

Throscus
Latreille.

Bonvouloir, Monogr. Paris 1859.
Reitt. W, 1889. 35.

brevicollis Bonv. 17. Reitt. 35 *Ga.G.I.*
dermestoides L. Bonv. 11 *E.*
adstrictor Panz. Fn. Grm. 75. 15
carinifrons Bonv. 20 *E.*
elateroides Redtb. Fn. Aust. 57. 403
similis Baudi B. 1870. 89
asiaticus Bonv. 19. Reitt. 35 *I.Arm.*
corsicus Reitt. W. 1889. 35 *C.*
elateroides Heer Bonv. 22 *E.*
gracilis Woll. Mader. 237
v. Bonvouloiri Desbr. Op. 1875. 35 *Hu.*
? modestus Weise V. Brünn 77. 23 *Tr.*
Bougeti Fauv. R. 1885. 333 *Ga.*
exul Bonv. 27. Reitt. 36 *Ga.G.*
aurociliatus Reitt. W. 1885. 340 *A.*
Duvali Bonv. 32 *E.md.m.*
? Dohrni Bethe St. 1868. 36 *R.m.*
orientalis Bonv. 28 *Gr.Ca.*
obtusus Curt. Bonv. 29 *E.*
pusillus Heer H. 453

Drapetes
Redtenbacher.

biguttatus Piller Iter. Poseg. *E.*
mordelloides Host 1789. 298
equestris F. Bonv. 72
cinctus Panz. Faun. Germ. 21. 31
caucasicus Mén. Cat. rais. 160. Bv. 95 *Ca.*

Cerophytini.

Cerophytum
Latreille.

elateroides Latr. Bonv. 80 *E.md.*

Melasini.

Melasis
Olivier.

buprestoides L. Bonv. 90 *E.md.b.*
♂ elateroides Illig. Mag. V. 227 *I.*

Tharops
Laporte.

Isorhipis Lacord.

melasoides Lap. Bonv. 97 *Ga.G.I.*
Lepaigei Lac. Fn. Par. 623
nigriceps Mannerh. Bonv. 103 *Cro.T.*
Marmottani Bonv. 99 *Ga.*

Eucnemini.

Eucnemis
Ahrens.

capucina Ahr. Bonv. 155 *Su.Ga.G.I.*

Thambus
Bonvouloir.

Frivaldszkyi Bonv. 166 *Slav.*

Dromaeolus
Kiesenwetter.

barnabita Villa Bonv. 202 *I.b.St*
Heydeni Bach St. 1856. 247 *Ga.G*
maronita Bonv. 23 *Ca.*

Dirrhagus
Latreille.
Hypocoelus Eschsch. part.

Microrrhagus Esch.
lepidus Rosenh. Seidl. Fn.Tr.180 *Ti. Tr.*
♀ Manueli Fairm. A. 1856.530 *Ga.I.*
nitidus Costa An. asp. nat. 2. II. 101
clypeatus Bonv. 542
pygmaeus F. Seidl.Fn.Tr.180 *Ga.G.Su.R.*
Chevrolati Stierl. B. 1864. 148 *Si.*
brevis Hampe W. Mt. 1863. 288

Dirrhagus Lac.
pyrenaeus Bonv. 548 *P.G.*
Heydeni Kr. i. l.
clypeatus Hampe Seidl. Fn.Tr. 180 *Ga.G.*
Büttneri Seidl. Fn. Balt. 109 *[Tr.*
Emyi Rouget Bonv. 556 *Ga.*
attenuatus Mäkl. Seidl. Fn.Tr.180 *F.A.*
longicornis Hampe W. z. b. 52. 160
Sahlbergi Mannh.Seidl.Fn.Tr.180 *F.Alp.*
cinnamomeus Hampe W. z. b.55. 256
ferrugineus Reitt. D. 1889.282 *Talysch*

Hylochares
Latreille.
Farsus Duval.
dubius Piller. (R. 1889. 195) Iter. *Ga.I.*
unicolor Latr. Bonv. 620
alticollis Kiesw. I. D. IV. 203

Nematodes
Latreille.
Hypocoelus Eschsch. part.
filum F. Kiesw. Bonv. 661 *E.*
foveicollis Thoms.

Anelastidius
Duval.
Feisthameli Graëlls Bonv. 702 *Hi.*
ineditus Duv. Gen. Col. III. 117

Hypocoelus
Lacordaire.
Hylis Gozis.
procerulus Mannh. Bonv. 695 *Su.G.A.*
elaterinus Villa Col. E. dup. 38.62 *I.*
v. musculus Rosenh.Beitr.Ins.47.98 *Ti.*

Anelastes
Kirby.
Silenus Latr.
barbarus Luc. Alg. 1849. 167 *C.Ga.m.*

Phyllocerus
Serville.
Isosoma Ménétr.
flavipennis Guér. Bouv. 734 *D.*
fulvipennis Grm. Fn. I.Eur.39.21 *Si.*
v. Grohmanni Spin. A' 1838. 41
Spinolae Guér. Rev. Zool. 1838. 13
elateroides Mén. Cat. rais. 160 *Ca.*
♀ herculeanus Schauf.Nq. ot.72 *Gr.*
♂ longipennis Ferrari W.z.b.69.193

Xylobius
Latreille.
corticalis Payk. Seidl.Fn.Tr.181 *E.md.b.*
humeralis Duf. Bonv. 764
alni F. Gyll. Thoms. Sk. VII. 48
alni Bonv. 762. Seidl. Fn.Tr. 182 *P.A.Ca.*

Xylophilus
Mannerheim.
cruentatus Gyll. Bonv. 1767 *F.R.*

Otho
Kiesenwetter.
sphondyloides Germ. Bonv. 772 *G.Hu.R.*

Elateridae.

Candéze, Mon. I. (1857.) II. (1859) III. (1860) IV. (1863).

Agrypnini.

Agrypnus
Eschscholtz.
notodonta Latr. Cand. I. 27 *Si.*
himerensis Ragusa Sic. I. 8

Adelocera
Latreille.
Lacon Laporte.
punctata Hbst. Besch. Berl.Ges.1779.316
carbonaria Schrank Aust. 1781. 184
atomaria F. Cand. I. 51 *E.m.[G.Ga.F.*
lepidoptera Panz. ibid. 52 *Ga.G.Su.*
conspersa Gyll. ibid. 54 *E.b.G.*
fasciata L. ibid. 53 *R.*
quercea Herbst Füssl. Arch. V. 113 *E.*
varia Oliv. Cand. I. 55
graeca Cand. ibid. 61 *Gr.*

Archontas
Gozis.
Lacon auct.

murinus L. Cand. I. 112 *E.*
mucoreus Lec. Tr. Amer.Phil.X.491
v. Kokeili Küst. Käf. Eur. II. 6 *Alp.*
crenicollis Mén. Cand. I. 139 *Ca.I.D.*

Hemirrhipini.

Alaus
Eschscholtz.
Calais Laporte.

Parreyssi Stev. Cand. I. 223 *Gr.R.m.*

Elaterini.

Aeolus
Eschscholtz.
Heteroderes Latr.

crucifer Rossi Cand. II. 355 *E.m.*
Rossii Germ. ibid. 381 *R.m.Ca.*
atricapillus Germ. ibid. 380 *R.m.*
tessellatus Moraw. B. M. 1861. 285
algirinus Luc. Cand. III. 368 *Ga.m.Hi.*

Porthmidius
Germar.

austriacus Schrank Cand. II. 396 *Ga.*
fulvus Redtb. Quaed. gen. 42.11 *A.I.*

Anchastus
Leconte.
Brachycrepis Lec.

acuticornis Grm. Cand. II. 402 *Ga.G.Hi.*
subcyaneus Kiesw. I. D. IV. 351 *Gr.*

Drasterius
Eschscholtz.

bimaculatus Rossi Cand.II. 423 *E.md.m.*
pallipes Küst.
variegatus Küst.
v. lateralis Reitt. D. 1890. 171 *E.m.or.*
v. dorsalis Reitt. ibid. *E.m.or.*
v. diluticollis Reitt. ibid. *Lenkoran*
v. anticus Reitt. ibid. *Arax.*
v. fenestratus Küst. K. Eur. 22. 45 *D.*
v. quadrisignatus Küst.ibid.18.16 *E.m.*
propinquus Desbr. Ab. VII. 106
v. basalis Reitt. D. 1890. 171 *E.*
v. binotatus Rossi ibid. *E.*
v. apicalis Reitt. ibid. *D.*
v. immaculatus Paulino Catal. 189 *Lu.*

Elater
Linné.
Ampedus Germar.

cinnabarinus Esch. E. N. 1889. 110 *E.*
lythropterus Germ. Zeitsch. V. 156
v. satrapa Kiesw. I. D. IV. 338
v. angusticollis Heyd. D. 1889. 260
sanguineus L. E. N. 1889. 110 *E.*
v. rubidus Cand. II. 447
v. burdigalensis Buyss. A' 1886.27 *Ga.*
v. semisanguineus Reitt. E. N. 90. 110
praeustus F. E. N. 1889. 111 *E. [E.Ca.*
cardinalis Schioedte N.Tidsk. 65.534
? exsanguis Eschsch.
aurileguloides Buyss. A' 86. 24
v. aurilegulus Schauf. A' 1886. 27
v. coccinatus Rye M. M. 1867. 249
v. talyschensis Reitt. D. 89.111 *Talysch*
v. tauricus Reitt. ibid. *Crim.*
pomonae Steph. D. 1889. 111 *E.*
v. dibaphus Schioedte ibid. *E.b.*
v. pictaviensis Buyss. ibid. *Ga.*
v. pomonaeformis Buyss. ibid. *Ga.*
v. lenkoranus Reitt. ibid. *Talysch*
v. quercicola Buyss. ibid. *Ga.*
sanguinolentus Schrank D. 1889.112 *E.*
coccineus Schioedte
v. ephippium Oliv. D. 1889. 112 *E.*
ferrugatus Lac. ibid. *E.Ca.*
pomorum auct.
ochropterus Eschsch.
v. ferrugatulus Reitt. D.1889.112 *E.Ca.*
v. fulvilegulus Reitt. ibid. *Crim.*
v. nigriventris Reitt. ibid. *E.Ca.*
elongatulus F. ibid. *E.*
? melanurus Muls. Cand. II. 484
v. balteatulus Reitt. E. N. 1889. 113 *G.*
balteatus L. ibid. *E.Ca.*
pulcher Baudi B. 1871. 51 *(Cypr.)*
? carpathicus Buyss. A' 85. 116 *Mold.*
v. Araxidis Reitt. E. N.1889.113 *Arax.*
v. apicalis Reitt. ibid. *Tauria*
Ganglbaueri Reitt. ibid. *Ca.*
Antoniae Reitt. ibid. *Arax.*
crocatus Lac. ibid. *E.*
? erubescens Esch. Thon. Arch. 29.33
v. podolicus Reitt. E. N. 89.114 *Podol.*
rufiventris Cand. ibid. 114 *Hi.*
coenobita Costa ibid. *E.m.Ca.*
ochripennis Reitt. W. 1887. 212
circassicus Reitt. E. N. 1889. 114
ochropterus Germ. ibid. *E.m.Ca.*
v. auranticulus Reitt. ibid. *Ca.*
stramineipennis Heyd. D. 1889.260 *Hi.*

ochrinulus Reitt. E. N. 1889. 114 *Crim.*
quadrisignatus Gyll. ibid. *Cro.Ga.*
Chalusii Guér. Rev. Zool. 1847. 7
elegantulus Schönh. E. N. 1889.114 *E.*
austriacus Lap. Hist. N. I. 244
elongatulus Illig.
v. Lederi Reitt. E. N. 1889. 114 *Ca.*
*
sinuatus Germ. E. N. 1889. 115 *E.Ca.*
v. cuneiformis Hampe ibid. *St.*
erythrogonus Müll. ibid. *E.Ca.*
auritus Gyll. Schönh. Syn. App. 139
tristis L. E. N. 1889. 115 *E.mont.*
basalis Mannh ibid. *R.m.o.*
ruficeps Muls. ibid. *E.md.m.*
pallidus Redtb. Fn. Aust. ed. 2. 500
v. concolor Stierl. E. N. 1889. 115
Megerlei Lac. E. N. 1869. 115 *E.*
v. melanotites Gredl. Käf. Tir. 230 *Ti.*
*
meraculus Reitt. E. N. 1889.116 *Morea*
nigrinus Payk. ibid. *E.*
pilosulus Herbst Käf. X. 79
nigerrimus Lac. E. N.1889.116 *E.md.m.*
obsidianus Grm. Zeitsch. V. 174
brunnicornis Germ. ibid. 173
aethiops Lac. E. N. 1889. 116 *E.mont.*
scrofa Germ. l. c.

Ischnodes
Germar.

sanguinicollis Panz. Cand. II. 494 *E.*

Megapenthes
Kiesenwetter.

tibialis Lac. Cand. II. 500 *Su.E.md.*
subcarinatus Germ. Zeitsch. V. 177
cothurnatus Curt.Tr. e. Soc.1854. 16
v. divaricatus Desbr. A. 1865.208 *Ga.*
lugens Redtb. Cand. II. 501 *Ga.G.A.*
aterrimus Curt. Br. Ent. t. 694 *Br.*
gagates Curt. Tr. e. Soc. 1854. 12 *I.*
Volxemi Cand. A. B. 1878. 138 *Ca.Cri.*
v. Retowskii Heyd D. 1882. 45 *Cri.*
rutilipennis Cand. II. 502 *Ca.*
transcaucasicus Strl.M.Schw.75.474 *Ca.*
fulvescens Reitt. D. 1887. 512 *Daghest.*

Betarmon
Kiesenwetter.

bisbimaculatus Schh. Cand. III. 19 *E.m.*
4-maculatus F. Ent. Syst. I. 2. 233
vittatus Cand. B. 1880. 297 *Astur.*

Logesius Gozis.
Idolus, Metopius Desbr.

picipennis Bach Cand. IV. 399 *E.md.*
styriacus Redtb. Fn. Aust. 2 ed. 512
v. axillaris Kiesw. I. D. IV. 266
v. adrastoides Reitt. W. 88. 180 *Ca.oc.*
scapulatus Cand. IV. 400 *Alp.P.*
breviusculus Desbr. *S.*

Hypnoidus
Stephens.
Cryptohypnus Latr. Eschsch.

Hypolithus Stephens.

hyperboreus Gyll. Cand. III. 60 *L.Alp.*
planatus Esch. Thon. Arch. II. 1. 34
Brucki Cand. A. B. 1865. 38 *P.*
arcticus Cand. III. 66 *L.*
riparius F. Cand. III. 67 *Mt.E.*
Meyeri Stierl. M. Schw. 1862. 1. 36 *H.*
rivularis Gyll. Cand. III. 72 *L.Alp.*
frigidus Kiesw. I. D. IV. 361 *St.*
valesiacus Stierl. M. Schw. V. 440 *H.*

Hypnoidus in. spec.

maritimus Curt. Cand. III. 62 *Br.*
scotus Cand. ibid. *I.Ga.*
morio Kiesw. I. D. IV. 362 *G.*
? gracilis Muls. Op. VI. 30 *Alp.Ga.*
gracilis Cand. III. 65 *H.Ti.*
boreaphilus Thoms. Sk. VI. 112 *L.*
tetratoma Rosenh. Th. And. 136 *Hi.*
algidus J. Sahlb. Meddel. Soc. F.83.98 *L.*
tenuicornis Germ. Cand. III. 77 *A.*
elongatus Redtb.Fn. Austr. 2.501 *R.*
minusculus Bach Käf. III. 35 *G.*
consobrinus Muls. Op. VI. 30 *Ti.*
4-pustulatus F. Cand. III. 76 *E.md.b.*

Negastrius Thoms.

pulchellus L. Cand. III. 78 *E.*
v. arenicola Boh. Thoms. Sk. VI. 115
v. bipunctatus Schilsky D. 1888. 187
sabulicola Boh. Thoms. Sk. VI. 113 *E.*
pulchellus Duv.

Zorochrus Thoms.
(Quasimus Gozis.)

4-guttatus Lap. Cand. III. 83 *E.*
tetragraphus Germ. Zeitsch. V. 143
v. bipustulatus Schilsky D. 1888. 188
dermestoides Herbst ibid. 83 *E.*
flavipes Aub. A. 1850. 338
minimus Lac.
curtus Germ. Cand. III. 81 *E.m.*
alysidotus Kiesw. ibid. 82 *D.I.*
angularis Cand. C. H. V. 1869 *Hi.*
exilis Cand. III. 84

meridionalis Lap. Cand. III. 86 *E.md.*
lapidicola Germ. Zeitsch. V. 144
pumilio Kiesw. I. D. IV. 368 *Si.*
minutissimus Germ. Cand. III. 87 *E.md.*
liliputanus Germ. ibid. 88 *Si.*
crux Küst. Käf. Eur. 18. 15 *S.*

Cardiophorus
Eschscholtz.

gramineus Scop. Ent. Carn. 95 *E.*
thoracicus F. Cand. III. 122
miniaticollis Cand. III. 122 *Gr.*
syriacus L. ibid. *Ca.*
pictus Fald. Fn. transc. I. 170
Hinkei Friv. Magyar. 1837. 176
maculicollis Reiche Cand. III. 124 *Gr.*
discicollis Herbst ibid. 126 *A.R.Gr.*
ruficollis L. ibid. 129 *E.*
collaris Er. ibid. *Ga.I.*
ulcerosus Gené ibid. 132 *S.Si.*
caucasicus Desbr. Op. Gannat 1875,40
argiolus Gené Cand. III. 131 *S.Si.[Ca.*
anticus Er. ibid. 130 *E.m.*
signatus Oliv. ibid. 133 *Lu.Hi.*
sexpunctatus Latr. Hist. nat. IX. 31
sexmaculatus Luc. Alg. 164
formosus Curt. A. nat. Hist. V. 278 *Br.*
biguttatus Oliv. Cand. III. 135 *E.m.*
v. pictus Lap. Hist. Nat. I. 249 *Ga.*
v. submaculatus Lap. ibid. *P.*
v. Farinesi VillaCol.E.Dupl.Sup.38.62
ornatus Cand. III. 136
bipunctatus F. Cand. III. 134 *Hi.I.*
nigropunctatus Motsch. ibid. *R.m.*
v. cruciatus Faust Hor. XII. 307 *R.m.*
quadrinaevus Reitt. D. 1891 *Arax.*
Eleonorae Gené Cand. III. 152 *I.*
rufipes Goeze ibid. 154 *E.m.md.*
maculicrus Desbr. Ab. VII. 100 *C.*
v. Beloni Desbr. ibid. 101 *Malta*
pusillus Desbr. ibid. 103 *C.*
Senaci Desbr. ibid. 104 *T.*
Getschmanni Cand. D. 1880. 297 *Hi.b.*
permodicus Fald. Cand. III. 186 *Ca.*
vestigialis Er. ibid. 155 *E.m.*
pallipes Brull. Mor. III. 141
tenellus Reiche Cand. III. 155 *Gr.*
procerulus Kiesw. B. 1859. 21 *Gr.*
Kiesenwetteri Cand. III. 156
ruficrus Brull. ibid. 158 *Gr.Si.*
tibialis Er. Mon. 295 *Hi.*
nigerrimus Er. Cand. III. 158 *E.md.b.*
Graëllsi Cand. ibid. 160 *Hi.*
longicornis Schauf. A. 1862. 310

annulicornis Desbr. Op. Gannat. 75.40 *Hi.*
melampus Ill. Cand. III. 159 *E.m.*
deflexus Schauf. A. 1862. 310
breviatus Desbr. l. c. 35 *H.*
ebeninus Germ. Cand. III. 162 *E.*
curtulus Muls. A. Lyon 1855. II. 317
turgidus Er. ibid. 163 *Gr.T.*
rotundicollis Friv. Magyar. 1845. 181
atramentarius Er. Cand. III. 164 *E.m.*
musculus Er. ibid. 160 *Ga.G.R.I.*
aenescens Desbr.
asellus Er. Cand. III. 161 *E.*
concolor Desbr. l. c. 38 *R.m.*
exaratus Er. Cand. III. 171 *Ga.m.Hi.I.*

*

cinereus Herbst Cand. III. 188 *E.*
equiseti Gyll. I. Su. I. 396
v. testaceus F. Ent. Syst. I. 2. 229 *Hu.*
v. obesus Brull. Mor. III. 138 *Gr.*
versicolor Muls. Op. VII. 96 *Ga.*
v. asperulus Cand. III. 194 *Lu.*
agnatus Cand. III. 189 *E.md.*
incanus Er. Mon. 311 *S.*
crassicollis Er. Cand. III. 190 *R.m.*
geminatus Er. Mon. 314 *Cri.*
decorus Fald. Cand. III. 192 *Ca.Cri.*
equiseti Herbst Käf. X. 67 *E.*
luridipes Lac.
rubripes Germ. Cand. III. 194 *E.m.*
♀ pollux Germ. Ins. Sp. nov. 59
messenicus Brull. Mor. III. 138

Melanotus
Eschscholtz.
Cratonychus Lac.
Perimecus Steph.

robustus Er. Grm. Ztsch. III. 99 *Sporad.*
niger F. Cand. III. 305 *E.*
punctolineatus Pelerin Z. Jour. IV. 129
tenebrosus Er. Cand. III. 307 *G.E.m.*
aspericollis Muls. Op. VI. 18 *Ga.Si.*
brunnipes Germ. Cand. III. 307 *E.m.*
subvestitus Brull. Mor. III. 137 *G.*
♀ fascicularis Küst. Käf. E. 23. 37 *T.*
sulcicollis Muls. Cand. III. 110 *Ga.Hi.b.*
castanipes Payk. Cand. III. 311 *E.*
fulvipes Gyll. Ins. Su. I. 407
longipennis Küst. Käf. E. 14. 25
bernhardinus Stierl. M. Schw. V. 439
rufipes Herbst Cand. III. 313 *E.*
brunnipes Duf.
v. bicolor F. Syst. El. II. 234
monticola Mén. Cand. III. 309 *R.m.or.*
punctaticollis Bris. A. 1861. 600 *Ga.Pe.*
crassicollis Er. Cand. III. 314 *E.md.m.*

tristis Küst. Käf. E. 23. 32
picticornis Heyd. Sp. 1870. 119 *Lu.*
Hidalgoi Perez Ab. XVII. 56
cinerascens Küst. Käf. E. 23. 34 *D.I.*
dichrous Er. Cand. III. 316 *E.m.*
amplithorax Muls. Op. VI. 17 *Ga.*
aemulus Er. Cand. III. 318 *Gr.*
Candezei Stierl. B. 1864. 149 *Si.*
torosus Er. Cand. III. 319 *T.*
fusciceps Gyllh. ibid. 320 *R.m.*
♂ villosus Brull. Mor. III. 137 *T.*
fuscatocollis Brull. ibid. *Gr.*
anachoreta Mén. Cat. rais. 159 *R.m.or.*
sobrinus Mén. ibid. 157 *R.m.or.*
Menetriesi Fald. Nouv. M. Mos. 35. 162

Limonius
Eschscholtz.

rufus Cand. III. 384 *Hi.*
violaceus Müll. ibid. *Ga.G.I.*
suturalis Gebl. ibid. 387 *R.m.*
pilosus Leske Reis. Sachs. 1785. 11 *E.*
nigripes Gyll. Cand. III. 391
aeruginosus Oliv. Ent. II. 31. 33 *E.*
cylindricus Payk. Cand. III. 392
turdus Cand. III. 393 *Ca.*
marginellus Perris A. 1864. 284 *Hi.*
minutus L. Cand. III. 394 *E.*
♂ forticornis Bach Käf. III. 34
aereus Brull. Mor. III. 141 *Gr.*
nitidicollis Lap. Hist. Nat. I. 242 *Ga.*
parvulus Panz. Cand. III. 395 *E.md.m.*
mus Illig. Mag. VI. 12
quercus Oliv. (R. 1888.246) *E.md.m.*
nigricollis Schilsky
v. lythrodes Germ. Cand. Mon. III. 399

Pheletes Kiesw.

aeneoniger Deg. Mém. Ins. IV. 159 *E.*
Bructeri Panz. Cand. Mon. III. 400

Athous
Eschscholtz.

Stenagostus, Grypocarus Thoms. Anathrotus Steph. Crepidophorus Muls.

impressifrons Hampe B. 1866. 373 *Cro.*
rufus Deg. Cand. III. 423 *E.*
robustus Stierl. B. 1864. 149 *H.I.*
rhombeus Oliv. Cand. III. 424 *E.*
Menetriesi Reitt. E. N. 1890. 243 *Talysch*
Fausti Reitt. ibid. 244 *Ca.*
nigerrimus Desbr. Ab. VII. 106 *H.*
Langsdorfi Stierl. M. Schw. V. 590 *Niz.*
niger L. Redtb. Cand. III. 425 *E.*
? hirtus Herbst Füss. Arch. V. 114
? nigrinus Mrsh. Ent. Br. I. 389
laesus Germ. Ins. Sp. nov. 56

porrectus Thoms. Sk. X. 356
scrutator Herbst Käf. X. 73, t. 164. f. 8
aeneithorax Desbr. Ab. VII. 108 *E.*
semirufus Desbr. Ab. IX. 356
v. alpinus Redtb. Fn. Aust. ed. 2. 491
deflexus Thoms. Sk. X. 355
pubescens Mnnh. i. l. Hum. Essai VI. 6
nigritulus Reitt. E. N. 1890. 244 *Ca.*
? pubescens Mén. Cat. rais. 158 *Lenk.*
vulpeculus Reitt. E. N. 1890. 245 *Ca.*
jugicola Perez *Lu.*
tartarus Cand. III. 426 *Cri.n.*
mutilatus Rosenh. Cand. III. 427 *E.md.*
foveolatus Hampe St. 1850. 351
anthracinus Muls. M. Lyon 54. IV. 31
cavatus Cand. III. 431 *Ca.oc.*
haemorrhoidalis F. Cand. III. 436 *E.*
leucophaeus Lac. Fn. Par. 641
? murinus Reiche A. 69. 380 *Ga.mont.*
v. faeculentus Buyss. A' 1888. 50 *Ga.*
parallelopipedus Brull. Cand. III. 484 *Gr.*
obsoletus Illig. ibid. 438 *Lu.S.*
rubrotestaceus Desbr. Ab. IX. 358 *And.*
difficilis Duf. Cand. III. 438 *P.*
vittatus F. Cand. III. 439 *E.*
v. angularis Steph. Ill. Br. III. 277
v. dimidiatus Drapiez A. phys. Brüx.
semipallens Muls. Op. VI. 28
v. subfuscus Steph. Ill. Br. III. 276
v. Ocskayi Kiesw. I. D. IV. 317
conicicollis Desbr. Ab. VII. 109 *Ga.mont.*
pallidipennis Desbr. ibid. 110 *Ga.mont.*
nigricornis Bris. A. 1866. 377 *Hi.b.*
puncticollis Kiesw. Cand. III. 441 *Gr.I.*
analis Muls. Op. VII. 89
ineptus Cand. III. 442 *C.Si.*
vicinus Desbr. Ab. IX. 361 *Hi.*
curtulus Desbr. ibid. 360 *Hi.*
utschderensis Reitt. E. N. 90. 246 *Ca.oc.*
angustulus Cand. III. 443 *Hi.*
v. cantabricus Schauf. Nq. ot. 45
subtruncatus Muls. Cand. III. 490 *P.*
strictus Reiche Cat. Gren. 1863. 100
v. Grandini Desbr. Ab. VII. 111
virgatus Reich. Cat. Gren. 63. 82 *Vosg.Alp.*
depressifrons Desbr. Ab. VII 113 *C.*
distinctithorax Desb. Ab. IX. 361 *Hi.*
longicollis Oliv. Cand. III. 443 *E.*
marginellus Herbst Käf. X. 75
unicolor Mrsh. E. Br. I. 379
♀ lateralis Mrsh. Ent. Br. I. 380
suturalis Panz. Taschenb. 239
marginatus Payk. Fn. Su. III. 5
♀ crassicollis Lac. Fn. Par. 642

mingrelicus Reitt. E. N. 1890. 247 *Ca.*
Kiesenwetteri Schauf. Nq. ot. 333 *Hi.*
SchneideriKiesw.Leder 203.E.N.90.242
circassicusReitt.E.N.90.242 *Ca.oc.*[*Ca.*
debilis Reiche A. 1869. 382 *Hi.b.*
tomentosus Muls. Cand. III. 445 *Ga.I.*
sinuatocollis Desbr. Ab. VII. 112 *Ga.*
villiger Muls. Cand. III. 446 *Ga.S.*
brevicornis Desbr. Ab. IX. 363 *C.*
filicornis Duf. Cand. III. 447 *P.*
filicollis Reitt. D. 1890. 147 *R.m.*
infuscatus Esch. Cand. III. 448 *R.m.*

*

undulatus Deg. Cand. III. 450 *E.mont.*
trifasciatus Herbst Käf. X. 31
v. bifasciatus Gyll. Ins. Su. I. 383
Sacheri Kiesw. Cand. III. 452 *Banat*
proximusHmpe.W.e.Mt.64.190 *Vallach.*
spectabilis Hampe l. c. 191
Raddei Faust Hor. XII. 307 *Ca.c.*

*

gigas Reitt. E. N. 1890. 249 *Montenegro*
subfuscus Müll. Cand. III. 455 *E.*
analis F. Ent. Syst. I. 2. 230
linearis Payk. Fn. Su. III. 3
Reynosae Bris. A. 1866. 376 *Hi.b.*
flavescens Muls. Cand. III.488 *Ga.mont.*
emaciatus Cand. III. 454 *Ga.I.*
cingulatus Mill. D. 1881. 219 *D.m.*
corsicus Reiche A. 1861. 207 *C.*
villosulus Desbr. Op. Gannat 75.41 *C.I.*
cachecticus Cand. III. 455 *Si.*
Perrisi Desbr. Ab. IX. 366 *C.*
crassicornis Cand. III. 456 *MB.Pe.*
Godarti Muls. ibid. 457 *Ga.Hi.*
olbiensis Muls. Cand. III.458 *Ga.*
Senaci Buyss. A' 1889. 104 *T.*
propinquusBuyss. ibid. *T.*
Brucki Cand. A. B. 1879. 168 *Gr.*
Zebei Bach Cand. III. 459 *E.md.mont.*
biformis Redtb. Fn. Aust.2.ed. 493
leucophaeus Kiesw. I. D. IV. 321
recticollis Graëlls Cand. III. 460 *Hi.*
castaneus Fairm. A. 1852. 80 (Harm.) *I.*
spiniger Cand. III. 460 *Si.*
florentinus Desbr. Ab. VII. 114
crenatostriatus ReicheA.1869.383 *Ga.m.*
laevistriatus Duf. *Ga.P.or.*
sylvaticus Muls. Cand. III. 461
v. laevigatus Desbr. M.Schw.1871.371
quadricollis Desbr. Ab. VII. 134 *Ga.*
obtusifrons Desbr. Schw.M. 1871.43 *Ga.*
pallens Muls. Cand. III. 462 *E.m.*
cavifrons Redtb. Fn. Aust. 2ed. 492

montanus Cand. III. 463 *Hi.A.*
jejunus Kiesw. I. D. IV. 326 *E.md.*
Lavergnei Reiche A. 1869.384 *Tosc.*
delphinas Reiche ibid. 381 *Ga.mont.*
daghestanicus Reitt. E. N. 90.246 *Ca.oc.*
marginicollis Reitt. ibid. 245 *Ca.c.*
astrabadensis Fst. Hor. XII. 309 *Talysch*
lateralis Bris. A. 1866. 378 *Hi.*
circumductusMén.Seidl.Fn.Tr.193 *Ca.A.*
melanoderesKiesw.I.D.IV.323 *G.Hu.*
circumscriptus Cand. III. 464 *A.Hu.*
austriacus Desbr. Ab. IX. 360
mollis Reitt. D. 1889. 372 *Carp.or.*
difformis Lac. Cand. III. 467 *Ga.I.*
Bonvouloiri Reiche A. 1869. 386 *P.*
interstitialis Desbr. Ab. IX. 366 *Ga.*
Ecoffeti Reiche Cat. Gren. 1863. 80 *Ga.*
cavus Germ. Cand. III. 469 *D.Ga.*
procerus Illig. Cand. III. 469 *Hi.*
escorialensis Muls. Op. VII. 71 *Lu.*
tenuis Bris. A. 1866. 379 *Hi.*
elongatus Bris. ibid. 380 *Hi.*
tauricus Cand. III. 470 *Crim.*
herbigradus Muls. Op. VI. 26 *Ga.*
basalis Cand. III. 472
v. Chamboveti Muls. Op. XIV. 39 *P.*
longicornis Cand. A. B. XVII. 50 *P.*
pyrenaeus Cand. ibid. *P.*
flavipennis Cand. III. 473 *I.*
hispidus Cand. III. 474 *Ga.*
thessalonicusReicheA.1869.386 *Maced.*
Dejeani Lap. Cand. III. 475 *Ga.m.*
♂ cervinus Lap. Nat. Hist. I. 244
♀ fuscicornis Muls. Op. VII. 67
agnatus Reiche A. 1869. 387 *Ga.*
epirus Stierl. Ab. XVI. 18 *Albania*
melanoderes Muls. Cand. III.478 *Gr.Pe.*
Peragalloi ReicheA.64.247 *Alp.mar.*
fallax Desbr. Ab. VII. 115
frigidus Muls. Cand. III. 479 *Ga.mt.*
castanescens Muls. Cand. III,480 *Ga.mt.*
v. vestitus Muls. Op. VII. 80 *P.or.*
oblongicollis Desbr. Schw. M. 1871. 370
uncicollis PerrisA. 64.285 *Hi.*[*Alp.mar.*
cylindricollis Muls. Cand. III. 489 *Ga.*
mandibularis Duf. Cand. III. 482 *P.*
Dejeani Duf.
♀ Titanus Muls. Cand. III. 477
haemus Buyss. A' 1889. 205 *T.Balk.*
canus Duf. Cand. III. 483 *P.*
limoniiformis Cand. A. B. XVII. 50 *I.*
chloroticus Cand. ibid. 51 *Lu.*
Revelierei Muls. Op. XVI. 81 *C.*
amicus Perr. Ab. XIII. 4

humeralis Fisch. Ent. Ross. II. 203 *R.*
strictus Fisch. ibid. 204 (Gen. dub.) *R.*

Elathous
Reitter.

Buyssoni Reitt. E. N. 1890. 248 *Arax.*
Candezei Reitt. ibid. *Crim.*

Isidus
Rey.

Moreli Rey Op. XVI. 70 *Ga.m.C.*

Ludius
Eschscholtz.

Corymbites Latr.

virens Schrank Schr. Berl. G. 1781. 317 *Ga.*
inaequalis Oliv.
aeneicollis Oliv. Cand. IV. 94
aulicus Panz. Fn. Grm. 1801. 77
v. signatus Panz. ibid.
pectinicornis L. Cand. IV. 90 *E.md.b.*
Heyeri Saxesen Cand. l. c. 91 *G.Ga.I.*
cupreus F. Cand. IV. 92 *Mt.E.md.*
humeralis Duf. Ossau. 42
v. aeruginosus F. Ent. Syst. Suppl. 139
pyrenaeus Charp. Hor. ent. 1825. 189 *P.*
Kiesenwetteri Bris. A. 1866. 375 *MR.*
apicalis Perris in lit.

Calosirus Thoms.

purpureus Poda I. Mus. graec. 1761. 41 *E*
haematodes F. Cand. IV. 95
v. flavus Gredl. Käf. Tir. 1863. 226 *Ti.*
Lederi Heyd. Led. 104 *Ca.*
Eschscholtzi Fald. Cand. IV. 99 *Ca.*
haemapterus Ill. ibid. 96 *Lu.Hi.*
castaneus L. ibid. 97 *E.md.b.*
sulphuripennis Grm. ibid. 98 *E.m.*
affinis Lap. Hist. Nat. I. 239 *Ga.A.*
Zenii Rosenh. Th. And. 138 *Ti.*
melas Koenig Hor. XXI *Ca.oc.*

Actenicerus Kiesw.

sjaelandicus Müll. Fn. Fridr. 1764. 170 *E.*
tessellatus F. Cand. IV. 104
v. assimilis Gyll. Ins. Su. I. 394
Paulinoi Desbr. A' 1873. 118 *Lu.*

Orithales Kiesw.

serraticornis Payk. Cand. IV. 102 *G.*
♀ longulus Gyll. Ins. Su. I. 399 *Su.F.*

Metanomus Buyss.

montivagus Rosenh. Cand. IV. 128 *Alp.*
acutus Muls. (Athous.)

Liotrichus Kiesenw.

affinis Payk. Cand. IV. 119 *Mt.E.*
famulus Germ. ibid. 128 *Si.*
quercus Gyll. Ol. Cand. IV. 117 *E.m.b.*
Gyllenhali Reiche A' 1860. 109
incanus Gyll. I. Su. IV. 358
v. ochropterus Steph. Ill. Br. III. 272 *Br.*
testaceus Steph. ibid. 271
testaceus Schilsky D. 1888. 187
nivicola Kiesw. B. 1865. 391 *Hi.*
tibiellus Chevrl. Guer. Rev. 65. 351
angustulus Kiesw. I. D. IV. 291 *G.*
Putoni Desbr. A' 1873. 118 *Ga.*

Pittonotus Kiesw. Seidl.
Ectinus Candèze.

Theseus Germ. Cand. IV. 436 *Med.*

Pristilophus Kiesw.

insitivus Germ. Cand. IV. 138 *Ga.Hu.*
depressus Germ. Fn. Ins. 7. 9 *G.R.*
Gougeleti Fairm. A' 1859. 151 *Hi.b.*

Prosternon Latreille.
Tactocomus Kiesw.

tessellatus L. Syst. Nat. ed. 10. 406 *E.*
holosericeus Ol. Cand. IV. 148
undulatus Herbst Käf. X. 41
v. bifasciatus Küst. Cand. IV. 150 *Tr.*
chrysocomus Germ. ibid. 151 *Hu.*
nubilipennis Germ. ibid. *R.m.*

Selatosomus Stephens.
Diacanthus Latreille.

impressus F. Cand. IV. 160 *E.md.b.*
v. rufipes Schilsky D. 1888. 187
aeratus Muls. Cand. IV. 180 *Ga.*
nigricornis Panz. Fn. Germ. 1799. 61. 5
metallicus Payk. Cand. IV. 159 [*E.md.*
melancholicus F. ibid. 139 *E.md.*
v. simplonicus Stierl. M. Schw. 84. 44 *Alp.*
paradoxus Koenig Hor. 1887 *R.m.*
amplicollis Germ. Cand. IV. 155 *P.*
aeneus L. Cand. IV. 153 *E.*
pyrenaeus Duf.
v. germanus L. Fn. Su. 207
lugubris Duf.
nitens Scop. Ent. Carn. 91
v. viridinitens Voet Col. 118 *Ga.*
v. coeruleus Schilsky D. 1888. 190
v. caucasicus Mén. Cat. rais. 155 *Ca.*
rugosus Germ. Cand. IV. 156 *Alp.*
v. confluens Gebl. Ledeb. Rs. II. 3 *R.m.*

sulcatus Cand. *Siles.*
latus F. Cand. IV. 162 *E.md.m.*
gravidus Germ. Ztsch. IV. 78
Milo Germ. ibid.
♀ saginatus Mén. Cat. rais. 154 *Ca.*
cruciatus L. Cand. IV. 169 *E.*
alpestris Mén. Çat. rais. 155 *Talysch*
profugus Fald. Fn. transc. I. 176
globicollis Germ. Cand. IV. 147 *Ca.*
globithorax Reitt. W. 1890 *G.*
globicollis Kiesw. I. D. IV. 297
bipustulatus L. Cand. IV. 166 *E.md.b.*
v. semiflavus Fleisch. W. 86. 235 *Morav.*
v. flavescens Schilsky D. 1888. 190

Hypoganus Kiesw.

cinctus Payk. Cand. IV. 167 *Su.F.*
inunctus Lac. Fn. Par. 642 *Ga.G.*

Paranomus Kiesw.

guttatus Germ. Cand. IV. 176 *M.E.md.*
costalis Payk. ibid. 177 *Su.L.F.*
♂ parvicollis Mannh. B. M. 1853. 229

---

flavescens Esch. Mém. Petr. VI. 480 *Ca.*

Dima
Eschscholtz.

Celox Schaufuss.

elateroides Charp. Cand. IV. 238 *A.Ti.*
almatina Küst. ibid. 239 *Cro.D.*
dDima Schauf. Nq. ot. 336 *Hi.*
Perezi Seidl. B. 1867. 178
Assoi Perez (B. 1884. 227) *Hi.*

Steatoderus
Eschscholtz.

Ludius Latreille.

grandis Fald. B. M. 1836. 368 *R.m.or.*
ferrugineus L. Cand. IV. 305 *E.*
v. occitanicus Villers Ent. I. 319
v. morio Schilsky D. 1888. 187

Trichophorus Muls.

Guillebeaui Muls. Cand. IV. 302 *Ga.m.I.*
taygetanus Reitt. D. 1887. 514 *Gr.*
? Schaumi Cand. (B. 1884. 227)
Montandoni Buyss. A. 1888. 202 *Rumän.*

Agriotes
Eschscholtz.

*

Ectinus Eschsch.

aterrimus L. Cand. IV. 392 *E.*
niger Degeer Mém. Ins. IV. 151
nigrinus Herbst Käf. X. 48
v. volhynensis Fisch. Ent. Ross. II. 202 *R.*
meticulosus Cand. IV. 396 *Ca.*

Agriotes i. sp.

gurgistanus Fald. Fn. transc. I. 161 *Ca.*
turcicus Cand. IV. 379 *D.T.Ca.*
Paulinoi Cand. Paul. Cat. Col. 195 *Lu.*
flavibasis Heyd. D. 1889. 328 *Lu.*
corsicus Cand. IV. 379 *C.Pe.*
pilosus Panz. ibid. 380 *E.*
pilosellus Schönh. Syn. Ins. I. 3. 307
Panzeri Duf.
v. nudus Küst. Käf. Eur. 27. 84
tauricus Heyd. D. 1882. 145 *Cri.*
Laichartingi Grdl. Käf. Tir. 63. I. 219 *Ti.*
meridionalis Desbr. Ab. VII. 119 *Ga.*
♂ attenuatus Desbr. */m.*
ustulatus Schaller Cand. IV. 382 *E.md.*
blandus Germ. Ins. sp. nov. 48 *E.m.*
gilvellus Lac. Fn. Par. I. 670
flavicornis Rdtb. Fn. Aust. 2. ed. 509
confusus Bach Käferfaun. III. 47
sputator Rdtb. l. c. 509
nitidicollis Miller D. 1881. 220 *D.Gr.*
sputator L. Cand. IV. 384 *E.*
rufulus Lac. Fn. Par. I. 672
graminicola Redtb. Fn. Aust. 2 ed. 509
? cribrosus Esch. Quatem. II. 3. 30. 17
? corallifer Eschsch. ibid.
v. lapicida Fald. Fn. transc. I. 177 *Ca.*
v. brevis Cand. IV. 390 *Ga.*
v. tristis Schilsky D. 1888. 190
infuscatus Desbr. Ab. VII. 117 *Balk.Ca.*
hispanicus Desbr. M. Schw. 1871. 369 *Hi.*
lineatus L. Cand. IV. 385 *E.*
segetis Bjerk. Gyll. I. Su. I. 428
v. strigosus Kiesw. I. D. IV. 261 *Gr.*
obscurus L. Cand. IV. 387 *E.*
variabilis F. Ent. Syst I. 2. 230
rubiginosus Cand. IV. 389 *Ca.*
sordidus Illig. Cand. ibid. 391 *E.m.*
rufipalpis Brull. Morea 137
v. scutellatus Schauf. *Bal.*
italicus Baudi B. 1871. 55 *I.Pe.*
parallelus Baudi i. lit.
punctulatus Brull. Mor. 142 *Gr.*
carinifrons Desbr. Op. Gannat. 75. 41 *Ca.*
paludum Kiesw. Cand. IV. 392 *Gr.*
litigiosus Rossi ibid. 394 *Ga.m.I.*
modestus Kiesw. Cand. IV. 395 *A.Hu.*
filiformis Cand. ibid. 397 *T.*
sobrinus Kiesw. ibid. *Ga.G.*

pallidulus Redtb. Fn. Aust 2ed. 511 *H.*
pallidulus Illig. Cand. IV. 398 *E.md.m.*
umbrinus Germ. Ins. Spec. nov. 46
Miegi Graëlls Cand. IV. 470
gallicus Lac. Cand. IV. 401 *Ga.G.R.*
picrolus Küst. ibid. 402 *D.Ga.*
monachus Muls. ibid. 406 *Cri.*
murinus Mill. W. e. Mt. 1862 343 *Lu.Jon.*
karabaghensis Kolen. Cand. IV. 404 *Ca.*

---

acuminatus Steph. Ill. Br. III. 248 *Br.*

Dolopius
Eschscholtz.

marginatus L. Cand. IV. 432 *E.*
sticticus Panz. Fn. Germ. 77. 9
depressus Esch. Mém. A. Petr. VI. 479

Sericus
Eschscholtz.

Sericosomus Redtb.

brunneus L. Cand. IV. 427 *E.*
♂ fugax F. I. Su. I. 428
v. sulcipennis Baudi *I.*
subaeneus Redtb. Cand. IV. 429 *Mt.E.md.*
♂ jucundus Märk. St. 1847. 80
♀ xanthodon Märk. ibid. 79
contiguus Fald. Cand. IV. 435 *Ca.*

Synaptus
Eschscholtz.

Ctenonychus Steph.

filiformis F. Cand. IV. 450 *E.*
incola Herbst Käf. X. 80
cinereus Illig. Mag. VI. 4 [*E.or.*
v. unguliserris Gyll. Schnh. Ins. App. 136
v. crivanus Fald. Fn. transc. I. 160 *Ca.*

Silesis
Candèze.

terminatus Er. Cand. IV. 460 *E.m.*
dimidiatipennis Reiche A. 1856. 416
rutilipennis Illig. Cand. IV. 460 *Ga.m.*
bicolor Lucas [*Lu.*
cordubensis Heyd. D. 1882. 43 *Hi.*
concolor Desbr. Op. Gannat 1875. 42 *T.*

Adrastus
Eschscholtz.

limbatus F. Cand. IV. 465 *E.md.m.*
v. porrectifrons Gozis R. I. 175 [*Sab.*
axillaris Er. Cand. IV. 466 *G.H.*
turcicus Stierl. Ab'. IV. 17 *T.*
pallens F. Cand. IV. 467 *E.*
limbatus Payk. Fn. Su. III. 43
pusillus Herbst Käf. X. 85
lacertosus Er. Cand. IV. 468 *E.m.*
nanus Herbst Käf. X. 96 *E.md.*
♂ pusillus Er. Cand. IV. 468
♀ luteipennis Er. Grm. Zeitsch. III. 125
humilis Er. Cand. IV. 469 *Ga.G.A.*
rudis Küst. Käf. Eur. 14. 38 *I.*

Denticollini.

Denticollis
Piller.

Campylus Fisch.
Lepturoides Herbst.

rubens Piller Cand. IV. 476 *Mt.E.*
denticollis F. Ent. Syst. IV. App. 451
linearis L. Cand. IV. 477 *E.*
♀ mesomelas L. Syst. Nat. X. 404
v. suturalis Duf. *F.*
suturanigra Chevr.
v. testaceus Schilsky D. 1888. 188
v. livens F. Syst. Ent. 213
v. marginatus F. Spec. Ins. I. 272
v. nigricans Schilsky D. 1888. 188
borealis Payk. Cand. IV. 479 *E.A.*
parallelocollis Aubé ibid. 478 *Ca.*

Campylomorphus
Duval.

homalisinus Illig. Cand. IV. 483 *E.m.*

Ceroplastus
Heyden.

Plastocerus Cand.
Callirhipis Germ.

angulosus Grm. Cand. IV. 485 *T.Gr.*

Nomopleus
Reitter.

Macrodes Seidl. Pleonomus Cand.

strictus Cand. IV. 498 *Hi.m.*

Cebrionidae.

Chevrolat A. 1874.

Cebrio
Olivier.

morio Leach Chevr. 24 *Lu.*

superbus Duv. Chevr. 24 *Hi.m.*
carbonarius Chevr. 25 *Hi.m.*
Fabricii Leach Chevr. 24 *Hi.b.Si.*
  xanthomerus Germ. Fn. Ins. E. 21. 8 *P.*
pubicornis Fairm. Chevr. 424 *Lu.*
frater Duv. Chevr. 24 *Hi.b.*
insularis Chevr. 26 *D.*
  Alleonis Fairm. A. 188. 240 *Alban.*
gigas F. Chevr. 24 *Ga.m.*
  promelus Leach Mon. 39 *E.m.*
  ♀ Latreillei Leach ibid. 43
dubius Rossi Chevr. 24 *I.*
  neapolitanus Costa An. Ac. asp. 47. 137
  ♀ brevicornis Oliv. Ent. II. 30
corsicus Duv. Chevr. 25 *C.*
  Benedicti Fairm. Chevr. 25 *Si.*
fossulatus Perris Chevr. 25 *C.*
varicolor Perris Chevr. 25 *S.*
Seoanei Perez Chevr. 25 *Hi.md.*
fuscatus Costa Chevr. 30 *Si.*
sardous Perris Chevr. 35 *S.*
Goetschmanni Chevr. 35 *Hi.m.*
strictus Gené Chevr. 26 *S.*
suturalis Boisd. Chevr. 377 *And.*
andalusicus Duv. Chevr. 391 *And.*
gypsicola Graëlls Chevr. 387 *Hi.*
impressicollis Chevr. 392 *Hi.*
antennatus Chevr. 392 *Gr.*
Bruleriei Heyd. Chevr. 420 *Lu.*
insignatus Duv. Chevr. 388 *Hi.*
malaccensis Dieck Chevr. 423 *Hi.*
Dufouri Graëlls Chevr. 389 *Hi.*
anthracinus Chevr. 403 *And.*
rufifrons Graëlls Chevr. 404 *Hi.*
tricolor Graëlls Chevr. 404 *Hi.*
Yserni Graëlls Chevr. 426 *Hi.m.*
melanocephalus Germ. Chevr. 405 *Si.*
  Germari Duv. Synops. 127
cordubensis Perez Chevr. 405 *And.*
angusticornis Fairm. Chevr. 405 *And.*
personatus Chevr. 419 *Hi.m.*
ruficollis F. Duv. Chevr. 407 *Hi.m.*
  maculicollis Fairm. Rev. Z. 1856 531
  ? testaceus Lap. Hist. nat. I. 253
Moyses Fairm. Chevr. 430 *Lu.*
parvicollis Dieck Chevr. 424 *And.*
Amori Graëlls Chevr. 421 *Hi.*
tavirensis Dieck Chevr. 425 *Hi.*
puberulus Chevr. 422 *Hi.*
Carrenoi Graëlls A. 47. 306 *Hi.md.*
rubicundus Duv. Chevr. 423 *Hi.*
apicalis Chevr. A. 1862. 4 *Hi.*

Rhipiceridae.

Arrhaphipterus
Kraatz.

A r r h a p h u s Kraatz.

olivetorum Kraatz B. 1860. 55 *Gr.*

Dascillidae.

Tourn. Dasc. Lem. 1868. — Bourg. Fg. 1884.

Dascillini.

Dascillus
Latreille.

A t o p a Payk.

cervinus L. Brg. 13 *E.*
  ♂ cinereus F. Syst. Ent. 116
sicanus Fairm. Brg. 13 *Si.*
  parallelus Dohrn St. 1872. 182
elongatus Fald. Tourn. 26 *Ca.*

Pseudodactylus
Hampe.

cribratus Hampe B. 1866. 374 *Apen.*

Cyphonini.

Helodes
Latreille.

minuta L. Brg. 17 *E.*
  pallida F. Syst. Ent. 117
 v. lacta Panz. Brg 18
 v. nigripennis Tourn. Brg. 18 *T.*
 v. nebrodensis Rag. Sic. 84. 335 *Si.*
sericea Kiesw. Brg. 20. 22 *Gr.*
Genei Guér. Tourn. 36 *Ga.m.S.*
elongata Tourn. Brg. 18 *H.Gr.*
 v. subterranea Rey Brg. 18 *Ga.m.*
Kiesenwetteri Tourn. 34 *Gr.*
chrysocoma Abeille Brg. 19 *Ga.m.*
scutellaris Tourn. 33 *Hi.*
Tournieri Kiesw. Brg. 71. 88 *Si.*
flavicollis Kiesw. Brg. 22 *H.md.m.*
  Carolinae Tschapek St. 1880. 425
Gredleri Kiesw. Brg. 22 *Ti.*
  ♀ signaticornis Bandi Brg. 23
Hausmanni Gredl. Brg. 21 *Ti.Alp.*
Bonvouloiri Tourn. Brg. 20 *H.*
marginata F. Brg. 19 *E.*

v. nimbata Panz. Brg. 20
v. fuliginosa Brg. 20 *P.*
trilineata Chevr. Brg. 19 *Hi.Lu.*

Microcara
Thomson.

testacea L. Brg. 23 *E.*
lívida F. Ent. Syst. I. 2. 22
v. luteicornis Reitt. W. 1888. 207 *Ca.*
Bohemani Mannh. Brg. 23 *Su.G.*
caspica Reitt. D. 1889. 207 *Ca.*
dispar Seidlitz F. B. 329 *Hi.*

Cyphon
Paykull.

variabilis Thunb. Brg. 30 *E.*
pubescens F. Ent. Syst. I. 2. 47
laevipennis Tourn. Mon. 64 *Jura*
v. nigriceps Kiesw. Brg. 30
punctipennis Sharp. M.M.IX.155 *Sc.*
siculus Tourn. 74 *Si.*
pallidulus Boh. Brg. 31 *E.md.b.*
suturalis Tourn. Mon. 75 *Ga.H.G.*
padi L. Brg. 32 *E.*
pygmaeus Payk. F. Su. II. 121
pusillus Guér. Spec. Ic. fasc. 8
v. discolor Panz. Fn. Germ. 99
v. gratiosus Kolen.
hydrocyphonoides Tourn. 66 *T.*
Putoni Bris. Brg. 32 *Ga.*
♀ depressus Muls. Brevicol. 426 *Ga.*
sulcicollis Muls. Brg. 33 *Ga.*
Pandellei Bourg. 34 *Ga.m.P.*
impressus Kiesw. Brg. 34 *S.*
coarctatus Payk. Brg. 35 *E.*
♀ fuscicornis Thoms. I. D. IV. 411
elongatus Tourn. Mon. 55 *Ga.Br.*
♀ Barnevillei Tourn. Mon. 71 *Ga.*
Künckeli Muls. Brevicol. 73 *MR.Ga.*
v. palustris Thoms. Brg. 35 *E.*
intermedius Tourn. Mon. 59 *H.*
cartusiensis Gozis R. I. 197 *Ga.Alp.*
v. meridianus Bourg. 35 *Genova*
tabidus Kiesw. Tourn. 58 *Gr.*
ruficeps Tourn. Brg. 36 *H.*
Paykulli Guér. Brg. 36 *Ga.*
nitidulus Thoms. I. D. IV. 410 *E.*
♀ pallidiventris Thoms. ibid. 412
grandis Tourn. Mon. 62 *H.Ga.*
v. macer Kiesw. Brg. 37
puncticollis Tourn. Mon. 56 *H.*
v. alpinus Bourg. 36

Prionocyphon
Redtenbacher.

serricornis Müll. Brg. 25 *E.md.b.*

Hydrocyphon
Redtenbacher.

deflexicollis Müll. Brg. 39 *E.m.*
australis Linder Brg. 40 *Ga.Hi.*

Scirtes
Illiger.

hemisphaericus L. Brg. 26 *E.*
v. attenuatus Baudi Brg. 71. 92 *Pe.*
orbicularis Panz. Brg. 27 *E.md.*

Eubriini.

Eubria
Shuckard.

palustris Germ. Brg. 41 *Ga.G.I.*
marchantiae Duval. A' 1854. 38

Cantharidae.

Lycini.

Bourgeois Mon. Abeille 1882. (XX.)

Homalisus
Geoffroy.

Fontisbellaquei Fourcr. Brg. 32 *E.*
suturalis Oliv.
♀ Rougeti E. Oliv. A. 84. 42 *Ga.*
v. monochloros Torre
nigricans Schilky D. 1888. 188
Victoris Muls. Brg. 35 *Ga.*
sanguinipennis Lap. Brg. 37 *D.*
taurinensis Baud. Brg. 40 *Pe.*

Phaeopterus Costa.

nigricornis Reitt. Brg. 42 *D.*
unicolor Costa Brg. 44 *I.m.Roma*

Euanoma
Reitter.

Starcki Reitt. W. 1889. 99 *Circas.*

Thilmanus
Baudi.

obscurus Baudi Brg. 47 *C.s.*

Paradrilus
Kiesenwetter.

opacus Kiesw. Brg. 51 *Hi.*

Dictyoptera
Latreille.

Aurora Herbst Brg. 60 *E.*
coccinea Gemm.
v. hybrida Mannh. Brg. 65 *G.b.F.*
rubens Gyll. Brg. 67 *Ga.G.R.*
sanguinea Scop.
alternata Fairm. Brg. 70 *Hi.*
decipiens Mars. Ab'. XI. 72 *Hi.*
longicornis Reiche Brg. 73 *Ca.*
erythroptera Baudi B. 1871. 93 *R.m.*
Wankowiczi Bourg. 75 *Polon.*
superba Motsch. Ab' 1878. 77 *R.m.*

Pyropterus
Mulsant.

affinis Payk. Muls. 41 *G.R.*
nigroruber Deg. (pars) Brg. 79 *Su.*

Platycis
Thomson.

Schneideri Kiesw. Brg. 94 *Ca.*
abdominalis Reiche A'. 1878. 28
Cosnardi Chevr. Brg. 89 *Su.*
flavescens Redtb. Fn. Aust. 2ed. 522 *G.*
Mercki Muls. Op. XI. 166 *Ga.*
minuta F. Brg. 85 *E.*
♂ nigrorubra Deg. (pars)
pusilla Gmelin

Lygistopterus
Mulsant.

sanguineus L. Brg. 101 *E.*
rufipennis Latr. Crust. I. 256
villosus Deg. Ins. IV. 47 *Si.*
anorachilus Rag. Sic. 1883. 251 *Si.*

Lampyridini.

E. Olivier Mon. Ab. 1884.

Pelania
Mulsant.

mauritanica L. Oliv. 6 *Ga.m.Hi.*

Lampyris
Geoffroy.

Nyctophila E. Oliv.

molesta Duv. Ol. 13 *Pe.*
caucasica Motsch. Ol. 15 *Ca.*
Heydeni Oliv. 16 *Bal.*
Reichei Duv. Ol. 17 *P.Ga.m.*
mauritanica Oliv. Ent. II. 28 *Hi.*
v. hispanica Oliv. 17 *Hi.*
v. Bonvouloiri Duv. Oliv. 17 *Si.*

Lampyris in spec.

depressiuscula Motsch. Oliv. 20 *Ca.*
noctiluca L. Oliv. 20 *E.*
longipennis Motsch. Etud. 1854. 21
v. Bellieri Reiche Oliv. 20 *Ga.P.*
v. limbata Motsch. Oliv. 53 *Ca.*
v. brevicollis Motsch. Oliv. 53 *Ca.*
orientalis Fald. Oliv. 22 *Ca.*
soror Schaum Oliv. 22 *E.m.*
Zenkeri Duv. Mon. I. 10
v. cincta Motsch. Oliv. 22 *R.m.*
membranacea Motsch. Oliv. 23 *R.m.*
Raymondi Muls. Oliv. 24 *Lu.*
lusitanica Motsch. Etud. 1854. 19 *Ga.*
mauritanica Küst. Käf. Eur. 9. 26 *Hi.*
brutia Costa Heyd. D. 83. 364. Ol. 51 *I.m.*
Lareyniei Duv. Oliv. 25 *S.*
bicarinata Muls. Op. XI. 120 *C.Ga.*
Zenkeri Germ. Oliv. 26 *D.*
Germari Duv. Mon. II. 97
caspica Motsch. Oliv. 27 *Ca.R.m.*
ambigena Duv. Oliv. 30 *Si.*
mutabilis Oliv. 31 *Si.*
Brullei Reiche Oliv. 53 *Gr.*
Zenkeri Brull. Mor. III. 143
angustata Motsch. Oliv. 53 *Ca.*
berytensis Fairm. Oliv. 27 *Taygetos*

Lamprohiza
Motschulsky.

splendidula L. Oliv. 33 *E.*
antiqua Brull. Mor. 143
Delarouzeei Duv. Oliv. 34 *Ga.m.*
Boieldieui Duv. Oliv. 34 *Ga.m.*
morio Baudi Oliv. 54 *Etruria*
Mulsanti Kiesw. Oliv. 34 *P.*
Farinesi Villa Cat. Col. Dup. 1838. 62 *I.*
Paulinoi Oliv. 34 *Hi.Lu.*
foliacea Baudi B. 1871. 99 *S.*
Germari Küst. Oliv. 54 *D.*

Phosphaenopterus
Schaufuss.

Metzneri Schauf. Oliv. 37 *Lu.*

Phosphaenus
Laporte.

hemipterus Goeze Oliv. 58 *E.*
v. coarctatus Oliv. 39
v. flavocinctus Oliv. 39 *Slav.*
v. brachypterus Motsch. Oliv. 39
v. macropterus Oliv. 39 *Ga.*

Lampyroidea
Costa.

graeca Lap. Oliv. 47 *Syria.*
dispar Fairm. Oliv. 46 *T.*

Luciola
Laporte.
Cholophotia Dejean.

italica L. Oliv. 49 *I.Ga.m.*
v. illyrica Küst. Oliv. 49
v. suturalis Mén. Oliv. 49 *T.*
v. pedemontana Motsch. Oliv. 50
v. minuta Motsch. Oliv. 50
obtusangula Motsch. Oliv. 50 *Cri.*
mingrelica Mén. Oliv. 50 *Tr.Ca.*
mehadiensis Fald. Fn.tr.I.185 *Hu.*
v. caucasica Motsch. Oliv. 50 *Ca.*
lusitanica Charp. Oliv. 50 *E.m.*
collaris Motsch. Etud. 1854. 51 *R.m.*
v. mentonensis Perag. A. 1863. 665
v. minor Oliv. 51 *Alp.mar.*
pontica Motsch. Oliv. 54 *Ca.*

Cantharini.
Marseul, Abeille 1864

Podabrus
Westwood.

alpinus Payk. Mars. 10 *Mt.E.*
v. annulatus Kiesw. I. D. IV. 470
v. rubens F. Kiesw. l. c. *E.b.*
v. lateralis Er. Kiesw. l. c.
Mocquerysi Reiche A. 78. 383 *Ga.b.*

Anolisus Muls.

procerulus Kiesw. Mars. 11 *Alp.mar.*
lapponicus Gyll. Mars. 11 *L.*
obscuripes J. Sahlb. Seidl. F. B. 472 *L.*
nigriventris Fisch. Mars. 11 *Volhyn.*
lunulatus Fisch. Mars. 12 *R.m.*

Nastonycha
Motschulsky.

brachyptera Motsch. Ét. 1852. 77 *Ca.*

Cantharis
Linné.

Thelephorus Schaeffer.
*
Ancistronycha Märk.

abdominalis F. Mars. 18 *E.md.*
v. cyanipennis Bach Mars. 18
cyanea Dietr. St. 1857. 119 pars
v. occipitalis Rosenh. Mars. 18
consobrina Märk. A. 1851. 589
v. passeriana Gredl. Mars. 18 *P.*
rufidens Mars. 20 *F.*
hispanica Reiche A. 78. 383 *Hi.b.*
astur Heyden D. 80. 298 *Asturia*
violacea Payk. Mars. 19 *E.m.d.*
v. tigurina Dietr. ♀ Mars. 19
violacea Dietr. ♂ St. 1857. 119 pars.
cordicollis Küst. Mars. 20 *R.m.*
Erichsoni Bach Mars. 20 *Ga.G.*

Cantharis i. sp.

annularis Mén. Mars. 21 *E.m.*
illyrica Muls. A.Lyon VII. 188 *Ga.G.*
v. longitarsis Pand. Brg. Fg. 109 *Ga.P.*
oculata Gebl. Mars. 22 *R.m.*
fusca L. Mars. 23 *E.*
m. rugifrons Lap. Mars. 23
v. immaculicollis Lap. Mars. 23 *Ga.Si.*
fuscipennis Muls. Mars. 25 *D.Si.*
rufifrons Mars. 25
rustica Fall. Mars. 24 *E.*
Reichei Muls. Mars. 24 *Hi.L.*
tristis F. Mars. 26 *Mt.E.md.*
obscura L. Mars. 28 *E.*
funesta Fald. Mars. 29 *R.m.Ca.*
brevipennis Fald. Mars. 28 *Ca.*
funebris Mars. 29 *T.*
pulicaria F. Mars. 30 *E.*
opaca Germ. Ins. Sp. nov. I. 68
discicollis Brull. Mor. 144
fibulata Märk. Mars. 31 *Mt.E.md.*
instabilis Kiesw. B. 1866. 246 *Hi.*
albomarginata Märk. Mars. 31 *Alp.*
cornix Abeille Brg. Fg. 113 *Ga.*
nigricans Müll. Mars. 34 *E.md.b.*
v. plumbea Eschsch. M. Pet. 6. 461
xanthoporpa Kiesw. Mars. 32 *P.*
v. signaticollis Muls. Col. Fr. 62. 234
hospes Rosh. Mars. 35 *T.b.*
versicolor Baudi B. 1871. 102 *I.*
pellucida F. Mars. 35 *E.md.b.*
livida L. Mars. 37 *E.*
v. scapularis Redt. Mars. 38
v. rufipes Herbst Mars. 38
dispar F. Ent. Syst. I. 213
v. Menetriesi Fald. Mars. 37
v. eremita Rosh. And. 56. 142
v. distinguenda Gaut. Brg. Fg. 118 *H.*
decolorans Brull. Mars. 39 *Gr.*
longicollis Kiesw. Mars. 39 *Gr.*
cyanipennis Redt. F. Austr. 2ed 528 *A.*

brevicornis Kiesw. Mars. 45 *P.*
palliata Gyll. Mars. 40 *St.Hi.*
figurata Mannh. Mars. 45 *E.md.b.*
v. scotica Crotch Ab. 69. 116 *Scot.*
iliaca Mars. 41 *Rumel.*
assimilis Payk. Mars. 41 *E.md.Su.*
♀ fulvipennis Germ. Ins. Spec. nov. 68
dilatata Redt. Fn. Aust. 1ed. 324
v. montana Stierl. Sch. M. 89. 76 *H.*
sudetica Letzn. Mars. 44 *G.*
coronata Gyll. Mars. 43 *Hi.*
foetida Mén. Mars. 48 *R.m.*
rufa L. Mars. 47 *E.*
maculicollis Steph. Ill. Br. V. 415
analis Steph. Cat. nr. 1347
v. liturata Fall. Mars. 47
v. pallida Goeze Brg. Fg. 124
bicolor Panz. Mars. 48
v. ustulata Kiesw. Mars. 49
Darwiniana Sharp Brg. Fg. 123 *Scot.*
ocreata Reiche A. 1878. 384 *C.*
inculta Gené Mars. 49 *S.*
Genei Gené Mars. 50 *S.*
rufocapitata Gemm. emend. *Gr.*
ruficeps Kiesw. Mars. 50
edentula Baudi B. 1871. 106 *R.m.*
Paulinoi Kiesw. Heyd. Sp. 70. 125 *Lu.*
praecox Gené Mars. 51 *C.*
vittatocollis Reiche Mars. 30
pagana Rosh. Mars. 27 *T.b.*
fulvicollis F. Mars. 51 *E.*
nivalis Germ. Ins. Spec. nov. I. 71
thoracica Redtb. Fn. Aust. 2 ed 527
v. flavilabris Fall. Mars. 53 *E.md.b.*
fuscicollis Kiesw.
v. affinis Stph. Mars. 52
pygmaea Mén. Mars. 65 *Ca.*
bicolor Herbst *E.*
thoracica Oliv. Mars. 52
fulvicollis Redtb.
dissipata Gemm. emend. *C.*
dichroma Reiche Mars. 53 *S.*
paludosa Fall. Mars. 54 *E.md.b.*
borealla Zett. Ins. Lapp. 1840. 83
Ariasi Muls. Mars. 56 *Hi.*
lateralis L. Mars. 55 *Br.Ga.G.*
oralis Germ. Ins. Spec. nov. 70
hellenica Heyd. D. 1883. 310 *Gr.*
olympica Mars. 57 *Gr.*
atrata Mars. 27 *And.*
marginiventris Reiche Mars. 26 *T.*
ephippigera Brull. Mars. 64 *Gr.*
lineata Kiesw. Mars. 58 *P.*
v. bivittata Mars. 57 *Ga.Hi*

v. Getschmanni Heyd. D. 80. 291 *Ast.*
Seidlitzi Kiesw. B. 1866. 247 *Hi.*
antennalis Mars. 40 *And.*
franciana Kiesw. B. 1866. 248 *Hi.*
turcica Mars. 60 *T.*
♀ apicalis Reiche A. 1857. 176 *Gr.*
rufimana Mén. Mars. 61 *Gr.R.*
decipiens Baudi B. 1871. 112 *Pe.*
?haemorrhoidalis Thoms. Sk. VI. 183
unguiculata Baudi B. 1871. 104 *Hi.*

Brullei Mars. 49 (emend.) *Gr.*
bicolor Brull. Mor. 146
melanodera Eschsch. Petr. 18. 462 *Ca.*
melanoscelis Kolen. Mars. 65 *R.m.*

Metacantharis
Fauvel.

discoidea Ahr. Brg. Fg. 129 *Ga.G.*
signata Fald. Fn. tr. I. 186 *Hu.*
humeralis Redt. Fn. Aust. 2ed 528 *Gr.*
v. liturata Redt. Brg. Fg. 130
notata Waltl
lineata Bach Käferf. III. 68
deserta Dietr. St. 1857. 131
haemorrhoidalis F. Brg. Fg. 130 *E.*
clypeata Illig. Käf. Preuss. I. 299
nivea Panz. Fn. Germ. 57
Picciolii Ragusa B. It. 1870. 316

Rhagonycha
Eschscholtz.

Absidia Muls.

pilosa Payk. Brg. Fg. 132 *E.md.b.*
v. Schönherri Mannh. Brg. Fg. 133 *L.Su.*
v. unicolor Curt. Mars. 66 *Br.*
discreta Bourg. Fg. 87. 134 *P.Alp.gall.*
unicolor Fald. Fn. tr. 1835. 195 *Ca.*
pallescens Reitt. i. l.
prolixa Märk. Brg. Fg. 133 *G.Alp.*
♀ sulcifrons Märk. A. 1851. 599
rufotestacea Letzn. Seidl. Fn. Tr. 506 *Sil.*
angularis Sahlb. *F.*

Armidia Muls.

nobilissima Reitt. D. 1884. 78 *Gr.*
signata Germ. Mars. 75 *Mt.Ga.G.*
ericeti Kiesw. Mars. 76 *Ga.Hi.*
sulcicollis Brull. Mars. 72 *Gr.*
v. tibialis Brull. Mars. 64
fuscipes Luc. Mars. 75 *Gr.*

Rhagonycha i. spec.

puncticollis Levr. Mars. 63 *Si.*

translucida Kryn. Mars. 76 *Ga.G.*
rufescens Letzn. Arb. schles. G. 44. 10
concolor Märk. A. 1851. 605
gracilis Pand. Mars. Ab. 1873. 422 *P.*
angulatocollis Costa Heyd. D. 77. 423 *I.m.*
nigriceps Waltl Mars. 77 *Alp.*
♂ v. boops Kiesw. Mars. 77 *P.*
v. atricapilla Kiesw. Brg. Fg. 139
cantabrica Heyd. B. 1880. 298 *Hi.*
fuscicornis Oliv. Mars. 77 *Ga.Sa.*
v. Märkeli Kiesw. Mars. 78 *G.*
nigritarsis Brull. Mars. 78 *Gr.*
fulva Scop. Ent. Carn. 1763. 80 *E.*
melanura Oliv. Mars. 79
v. usta Gemm. (emend.) *A.I.*
terminalis Redtb. Mars. 80
chlorotica Gené Mars. 81 *Co.S.*
v. corsica Reiche Mars. 81
patricia Kiesw. B. 1866. 249 *Hi.*
vicina Baudi B. 1871. 109 *R.m.*
aetolica Kiesw. B. 1859. 25 *Gr.*
oliveti Kiesw. B. 1866. 251 *Hi.*
gilvipennis Rosh. Mars. 83 *Hi.*
notaticollis Rosh. Mars. 83 *And.*
opaca Muls. Mars. 84 *Ga.Hi oc.Lu.*
genistae Kiesw. B. 1866. 253 *Hi.*
plagiella Mars. 85 *Hi.*
quadricollis Kiesw. Mars. 86 *Hi.*
limbipennis Mars. 85
v. marginella Baudi B. 1859. 297
querceti Kiesw. B. 1866. 251 *And.*
maculicollis Märk. A. 1851. 607 *Cr.*
Meisteri Gredler Mars. 86 *Ti.*
v. pedemontana Baudi B. 1871. 113 *Pe.*
testacea L. Mars. 87 *E.*
limbata Thoms. Brg. Fg. 143 *E.md.*
vitticollis Mén. Mars. 88 *Ca.*
sareptana Mars. Ab. 1868. 178 *R.m.*
femoralis Brull. Redtb. Mars. 88 *Alp.Gr.*
v. nigripes Redtb. Mars. 89 *E.md.*
alpicola Heer
v. Scopolii Gredler Brg. Fg. 146 *Ti.*
nigricollis Motsch. Mars. 89 *Hi.m.*
semiflava Küst. Käf. E. 28. 69 *Ga.*
guadarramensis Grls. M. mag. g. '58. 49
pallipes F. Mars. 100 *E.*
pallida F. Mant. I. 167
v. fugax Mannh. Brg. Fg. 148 *F.*
straminea Kiesw. B. 1859. 27 *Gr.*
Fairmairei Mars. 91 *Hi.oc.Lu.*
♀ heteronota Pand.
cruentata Reiche Mars. 91 *Gr.*
nitida Baudi B. 1859. 296 *Hi.S.*
banatica Rosenh. Mars. 92 *Hu.*
Milleri Kiesw. Ins. D. IV. 516 *Ti.*
circassicola Reitt. W. 1888. 207 *Circas.*
araxicola Reitt. D. 1891 *Arax.*
hesperica Baudi B. 1859. 296 *Hi.*
varians Rosenh. Mars. 94 *Hi.*
bithynica Mars. 95 *Rumel.*
viduata Küst. Mars. 95 *D.*
xanthopus Kiesw. B. 1859. 27 *Gr.*
rorida Kiesw. S. F. Tr. 508 *Tr.*
morio Kiesw. Mars. 97 *P.*
elongata Fall. Mars. 96 *E.md.b.*
paludosa Redtb. Fn. Aust. 2ed. 531
galiciana Goug. Mars. 97 *Hi.b.Lu.*
atra L. Mars. 97 *E.*
v. rhaetica Stierl. Schw. M. 62. 91 *H.*
soror Kiesw. Ins. D. IV. 518 *D.*

Pygidia
Mulsant.

sicula Mars. 100 *Si.*
distinguenda Baudi Mars. 101 *Pe.Alp.*
laricicola Kiesw. Mars. 100 *Rhaet.Alp.*
denticollis Schumm. Mars. 101 *Ga.G.*
Redtenbacheri Märk. A. 1851. 601
planicollis Kiesw. Mars. 102 *Si.*
punctipennis Kiesw. Mars. 102 *Ga.Hi.*
hypocrita Muls. Soc. Cherb. 1861. 1. 3
laeta F. Mars. 103 *Ti.I.*
v. discolor Baudi Brg. Fg. 154

Silis
Latreille.

nitidula F. Mars. 106 *Ga.G.*
♂ excisa Germ. Ins. Spec. nov. 71 *R.*
spinicollis Charp. *I.*
ruficollis F. Mars. 105 *E.md.b.*
rubricollis Charp. Hor. I. 194
torquata Gyll. Ins. Su. IV. App. 340
neapolitana Mars. 107 *I.md.*

Malchinus
Kiesenwetter.

pseudorhagonycha Reitt. W. 89. 67 *Caucas.*
demissus Kiesw. Reitt. 68 *Hl.D.*
sinuatocollis Kiesw. Reitt. 68 *D.Hl.*
circassicus Reitt. 67 *Circas.*
tunicatus Kiesw. Reitt. 68 *Ga.Pe.*
telephoroides Abeille A. 1869. 39
holomelas Fairm. Reitt. 68 *Bulg.*
nigrinus Schauf. Reitt. 68 *D.Hu.*
gibbiceps Reitt. 68 *Ca.*
Majori Piccioli Ab. 1878. 46 *I.*

Podistra
Motschulsky.

alpina Motsch. Reitt. W. 1889. 100 *Ca.*
circassicola Reitt. l. c. 100 *Circas.*
rupicola Kiesw. Rttr. l. c. 101 *Illyr.*

Macrocerus
Motschulsky.

oculatus Motsch. Mars. 114 *Ca.*

Malthinus
Latreille.

Maiseul, Ab. 1878.

rubricollis Muls. Mars. 14 *C.*
striatulus Muls. Mars. 18 *Ga.m.*
obscuricollis Fairm. A'. 1883. 34 *Bulg.*
incanus Kiesw. Mars. 19 *T.*
biguttulus Payk. Mars. 20 *E.md.b.*
rhaphidiceps Kiesw. Mars. 20 *T.*
alpinus Muls. Mars. 21 *Ga.*
filicornis Kiesw. Mars. 22 *E.m.*
v. scriptus Kiesw. Mars. 23 *Hi.*
scapularis Mars. 23 *Malta*
scutellaris Rosh. Mars. 25 *Hi.*
punctatus Fourcr. Ent. Par. I. 174 *E.*
flaveolus Payk. Mars. 26
bilineatus Kiesw. Mars. 29 *Ga.*
Kiesenwetteri Bris. Mars. 30 *Ga.*
cincticollis Kiesw. Mars. 31 *P.*
ornatus Rosh. Mars. 32 *Hi.*
diffusus Kiesw. Mars. 32 *Hi.*
obscuripes Kiesw. Mars. 33 *Hi.*
geniculatus Kiesw. Mars. 35 *Gr.*
stigmatias Kiesw. Mars. 36 *Hi.*
armipes Kiesw. Mars. 37 *Ga.S.*
seriepunctatus Kiesw. Mars. 38 *E.m.*
fasciatus Oliv. Mars. 39 *E.md.b.*
dromioides Bourg. A' 1885. 126 *Gr.*
facialis Thoms. Mars. 40 *Su.*
balteatus Suffr. Mars. 40 *Ga.G.b.*
dryocoetes Rottb. Mars. 41 *Si.*
sicanus Kiesw. B. 1871. 77
glabellus Kiesw. Mars. 42 *Ga.G.*
laevicollis Kiesw. Mars. 43 *Gr.*
vitellinus Kiesw. Mars. 44 *Hi.*
sordidus Kiesw. Mars. 45 *Etrur.*
frontalis Marsh. Mars. 45 *Ga.G.Su.*
longicornis Kiesw. Mars. 46 *Hi.*
pyrrhoderus Fairm. A'. 1883. 34 *Bulg.*
Novaki Reitt. D. 1889. 373 *D.*

---

lituratus Motsch. Mars. 48 *And.*
robustus Motsch. Mars. 47 *R.m.*
lateralis Motsch. Mars. 48 *Cri.G.*
dubius Motsch. Mars. 47 *T.*
carbonarius Waltl Mars. 48 *Bavar.*
fuscus Waltl Mars. 49 *Bavar.*
laetus Waltl Mars. 49 *Bavar.*

Malthodes
Kiesenwetter.

*

Malthinellus Seidl.

vincens Gredler Har. Col. II. 70. 10 *Ti.*
marginatus Latr. Mars. 63 *E.md.b.*
biguttatus Panz. Fn. Grm. 11
guttifer Kiesw. Mars. 72 *Su.Ga.G.*
mysticus Kiesw. Mars. 81 *E.md.b.*
v. obscuriusculus Dietr. Mars. 81
trifurcatus Kiesw. Mars. 85 *Alp.*
v. penninus Baudi Mars. 85
volgensis Kiesw. Mars. 64 *R.m.*
insularis Kiesw. Mars. 79 *C.*
cruciatus Baudi Mars. 81 *S.*
rosmarini Kiesw. Mars. 82 *And.*
siculus Kiesw. Mars. 83 *Si.*
ensifer Kiesw. Mars. 86 *S.*
hastulifer Kiesw. Mars. 92 *Si.*
cephalotes Baudi Mars. 102 *D.*
crassicornis Mäkl. Mars. 60 *Su.*
helveticus Kiesw. Mon. 279 *G.H.*
brevicollis Payk. Seidl. F. B. 481 *E.md.*
nigellus Kiesw. Mars. 62 *E.md.b.*
lunifer Czwal. D. 1884. 272 *G.b.*
atomus Thoms. Seidl. F. B. 481 *E.b.*
simplex Kiesw. Mars. 60 *I.m.*
forcipifer Kiesw. Mars. 68 *Ga.Hi.*
stylifer Kiesw. Mars. 78 *Hi.*
parthenias Kiesw. Mars. 91 *I.*
corsicus Kiesw. Mars. 93 *C.*
umbrosus Kiesw. Mars. 93 *I.*
facetus Kiesw. Mars. 94 *I.*
cordiger Kiesw. Mars. 95 *C.S.*
sulphuribasis Reitt. D. 1888. 209 *Ca.*
cyphonurus Kiesw. Mars. 97 *MR.*
quadrifidus Weise Zt. Bresl. 87. 58 *MR.*
Schreiberi Reitt. W. 1891 *Goric.*

Malthodes in spec.

pulicarius Redtb. Mars. 83 *G.R.m.*
dimidiatocollis Rosh. Beit. F. E. 47. 20
? auritus Motsch. Etud. I. 9
spretus Kiesw. Mars. 73 *H.Carn.*
cognatus Costa Heyd. D. 77. 423 *I.m.*
misellus Kiesw. Mars. 71 *Ga.G.*
profanus Kiesw. Mars. 72 *G.*
maurus Lap. Mars. 70 *Ga.G.*

obliquus Weise Zeit. Brsl. 1887. 58 *G.*
fibulatus Kiesw. Mars. 71 *Ga.G.Su.*
distans Thoms. Mars. 72 *L.*
hexacanthus Kiesw. Mars. 95 *E.md.*
chelifer Kiesw. Mars. 67 *Ga.m.Hi.*
bifurcatus Kiesw. Mars. 69 *Si.*
arbustorum Kiesw. Mars. 77 *Hi.*
aemulus Kiesw. Mars. 80 *MR.Ti.*
berberidis Kiesw. Mars. 83 *Hi.*
manubriatus Kiesw. Mars. 89 *I.*
boicus Kiesw. Mars. 90 *G.*
hamatus Kiesw. Mars. 99 *S.*
subductus Kiesw. Mars. 96 *Carn.*
montanus Kiesw. Mars. 97 *Carn.*
fundator Weise Zeit. Brsl. 1887. 56 *Tr.*
pellucidus Kiesw. Mars. 60 *E.md.b.*
flavoguttatus Kiesw. Mars. 66 *Ga.G.*
dispar Germ. Mars. 65 *Su.G.I.*
neglectus Muls. Mollip. 394 *Ga.*
limbiventris Thoms. Mars. 61 *Su.*
ruficollis Latr. Mars. 59 *G.*
sanguinicollis Fall. Mon. Canth. I. 15
sanguinolentus Gyll. Schh. Syn. I. 2. 75
minimus Thoms. Sk. VI. 207
spathifer Kiesw. Mars. 98 *E.md.b.*
brevicollis Kiesw. I. D. 557 *Ga.G.*
Raymondi Kiesw. Mars. 68 *S.*
ordubadensis Reitt. D. 1889. 24 *Ca.*
spectabilis Kiesw. Mars. 69 *I.*
picticollis Kiesw. Mars. 75 *I.*
validicornis Suffr. Mars. 76 *Lu.Hi.*
hispanicus Baudi B. 1859. 300 *Hi.*
cruciferarum Kiesw. Mars. 82 *And.*
pinnatus Kiesw. Mars. 87 *I.m.*
recurvus Baudi Mars. 88 *Pe.*
tetracanthus Kiesw. Mars 88 *I.A.*
laciniatus Kiesw. Mars. 94 *Si.*
genistae Kiesw. Mars. 99 *Hi.*

---

creticus Kiesw. Mars. 59 *Cret.*
tristis Kiesw. Mars. 65 *A.I.b.*
graecus Kiesw. Mars. 61 *Gr.*
turcicus Kiesw. Mars. 62 *T.*
modestus Kiesw. Mars. 62 *Hi.b.*
tenax Kiesw. Mars. 66 *C.*
discicollis Baudi Mars. 69 *Ga.m.*
meridianus Muls. Mollip. 458
alpicola Kiesw. Mars. 73 *Alp.H.*
affinis Muls. Mars. 74 *Ga.*
mendax Kiesw. Mars. 74 *C.*
argivus Kiesw. Mars. 78 *Gr.*
lautus Kiesw. Mars. 84 *G.m.Hu.*
atramentarius Kiesw. 86 *St.*
quadrispinus Kiesw. Mars. 90 *Si.*
procerulus Kiesw. Mars. 92 *Ga.m.*
lobatus Kiesw. Mars. 95 *G.md.*
ruralis Kiesw. Mars. 97 *Si.*
setifer Baudi Mars. 98 *Alp.mar.*
subsericeus Kiesw. Mars. 99 *D.Ill.*
debilis Kiesw. Mars. 101 *Ga.m.*
castanicollis Reitt. W. 1888. 208 *Ca.*

---

prodigiosus Kiesw. Mars. 80 *?Hu.*
nigricollis Baudi Mars. 101 *D.*
atratus Baudi Mars. 103 *P.or.*
curtipennis Motsch. Mars. 109 *Ca.*
pumilus Motsch. Mars. 107 *Cri.*
ibericus Rosenh. Mars. 103 *Hi.*
nigriceps Muls. Mars. 104 *Ga.*
sulphuriguttatus Motsch. Mars. 109 *Ca.*
curtipennis Motsch. Mars. 109 *Ca.*
unicolor Motsch. Mars. 110 *Ca.*
angusticollis Motsch. Mars. 110 *H.*
brachythorax Motsch. Mars. 109 *St.*
cinctellus Motsch. Mars. 109 *Ga.m.*
croceicollis Motsch. Mars 109 *Sar.*
dilutus Motsch. Mars. 112 *G.*
morio Motsch. Mars. 111 *Carn.*
obscuricollis Motsch. Mars. 110 *Cri.Ga.*
pumilus Motsch. Mars. 112 *Cri.*
sardous Motsch. Mars. 110 *S.*
ustulatus Motsch. Mars. 108 *St.*
ventralis Motsch. Mars. 111 *H.*
viridiventris Motsch. Mars. 111 *R.b.*

*

Podistrella Seidl.

meloiformis Linder Brg. Fg. 159 *P.or.*

*

Podistrina Fairm.

(Apodistrus Reitt.)

apterus Muls. Mars. 105 *E.md.*
brachypterus Kiesw. Brg. Fg. 160
lobicollis Reitt. W. 1888. 208 *Ca.*

Drilini.

Malacogaster
Bassi.

Passerinii Bassi Rdtb. 19 *Si.*
v. thoracica Redtb. Fn. A. 1. 525
nigripes Schauf. Ab. 1870. 172 *Hi.*

Drilus
Olivier.

flavescens Rossi Kiesw. I. D. 566 *E.md.m.*
v. flabellatus Kiesw. B. 1859. 158 *Gr.*

fulvitarsis Baudi B. 1871. 120 *Ca.*
concolor Abr. Kiesw. I. D. 578 *G.Su.*
pectinatus Gyll. Schh. Syn. I. 3. Ap.
ater Audouin A. nat. II. 459 *Ga.*
v. longulus Kiesw. B. 1859. 159 *Creta*
funebris Reitt. D. 1884. 79 *Gr.*
fulvicornis Kiesw. B. 1859. 159 *Gr.*
fulvicollis Audouin Brg. Fg. 85. 95 *D.*
venustus Guér. Ic. règn. 48 *Ga.*
amabilis Schauf. Ab. 1870. 171 *Bal.*

Thelydrias
Motschulsky.

contractus Mot. B. M. 39. 76 *Ca. Astrach.*

Malachiini.

(Peyron Ab. 1877. XV.)

Atelestus
Erichson.

brevipennis Lap. Peyr. 230 *Ga.m.*
hemipterus Er. Ent. Mon. 123
Erichsoni Küst. Peyr. 229 *D.*
Peragalloi Perris Peyr. 231 *Ga.m.*

Troglops
Erichson.

verticalis Er. Peyr. 237 *Hi.*
capitatus Er. Peyr. 240 *Hi.Lu.*
corsicus Perris A. 1861. 290 *C.*
silo Er. Peyr. 241 *Ga.I.b.C.S.*
impressifrons Ponza M.A.T. 1805. 76
cephalotes Oliv. Peyr. 242 *Ga.G.I.*
Dufouri Perris A. Lyon IV. 128
corniger Kiesw. I. D. IV. 729
bicornis Costa Asp. I. 103 *I.*
cruentus Kiesw. l. c. 618
albicans L. Peyr. 236 *E.*
angulatus F. Ent. Syst. I. 223
diminutus Abeille R. 1885. 14 *Ga.A.Gr.*
albicans auct.
marginatus Waltl Peyr. 245 *Hi.S.*
marginalis Er. Kiesw. Mon. 128
♀ aterrimus All. Ab. V. 467
brevis Er. Peyr. 246 *S.*
nigripes Waltl Reis. Sp. II. 60 *Hi.*
♀ glaber Kiesw. B. 1865. 371
punctulatus Abeille R. 1885. 16 *Hi.*
nigripes Peyr. 247

Charopus
Erichson.

rotundatus Er. Peyr. 211 *Hi.S.*
multicaudis Kiesw. Peyr. 212 *Hi.*
v. saginatus Küst. Käf. E. 49. 18 *S.*
nitidus Küst. Peyr. 213 *I.*
apicalis Kiesw. Peyr. 215 *Gr.I.*
Philoctetes Abeille R. 1885. 13 *Ca.*
concolor F. Peyr. 216 *Ga.G.E.m.Ca.*
nigripes Kolen. Peyr. 280
♂ furcatipennis Villa Com. Col. 17
docilis Kiesw. Peyr. 217 *Ga.m.*
hamifer Kiesw. B. 1865. 387 *Hi.m.*
pallipes Oliv. Peyr. 218 *Ga.Hi.A.*
grandicollis Kiesw. A. 1851. 620 *T.*
varipes Baudi B. 1871. 128 *I.S.*
plumbeomicans Goeze *E.*
flavipes Payk. Peyr. 219
pallipes Er. Mon. 120
madidus Kiesw. Peyr. 220 *Ti.*
thoracicus Moraw. Peyr. 222 *R.m.*

Colotes
Erichson.

(Antidipnis Woll. Homoeodipnis Duv.)

maculatus Lap. Peyr. 264 *E.*
trinotatus Er. Mon. 130
suturalis Motsch. Etud. II. 56
pulchellus Baudi B. 1871. 128
Hampei Redtb. Peyr. 265 *A.*
obsoletus Er. Peyr. 254 *D.Hi.*
heteropalpus Mars. A. V. 186
nigripennis Mots. Küst. Käf. E. 13. 18
punctipennis Kiesw. B. 1859. 32 *Hi.*
Kiesenwetteri Abeille A. 1890 *R.m.T.*
maculatus Kiesw. B. 1864. 387
galbula Kiesw. B. 1864. 387 *R.m.*
flavomaculatus Beck
Uhagoni Abeille R. 1890. 49 *Hi.c.*
Javeti Duv. Peyr. 250 *Ga.m.*
v. rufithorax Duv. Gen. Col. III. 706
punctatus Er. Peyr. 253 *Ga.oc.E.m.*
rubripes Duv. A. 1852. 707

Hypebaeus
Kiesenwetter.

Allogynes Abeille.

scitulus Er. Peyr. 206 *Gr.*
♀ cordicollis Kiesw. B. 1859. 33
♂ nodipennis Kryn. B. M. 1832. 100

Hypebaeus in sp.

hypocrita Abeille A. 1890 *Hi.*
flavipes F. Peyr. 197 *Ga.G.R.*
productus Oliv. Ent. II. 27
praeustus F. Ent. Syst. I. 224

♀ perspicillatus Bremi St. 1855. 199
posticus Kiesw. Peyr. 198 *Hi.*
Brisouti Rey Peyr. 202 *P.Hi.*
pius Kiesw. Peyr. 203 *Hi.*
flavicollis Er. Peyr. 204 *E.*

Alloceps Abeille.

alicianus Duv. Peyr. 195 *P.*
albifrons Oliv. Peyr. 196 *Ga.*
anticus Lap. Silb. Rev. IV. 29

Ebaeus
Erichson.

nigrocaudatus Abeille R. 1885. 11 *? I.*
coerulescens Er. Peyr. 183 *A.*
nigricollis Küst. Peyr. 186 *D.*
mediterraneus Ab. Sic. 82. 148 *Cri.Si.Bal.*
appendiculatus Er. Peyr. 185 *A.E.*
ater Kiesw. I. D. 608 *A.*
pedicularius Schrank Peyr. 190 *E.*
biguttatus Geoffr.
praeustus Gyll.
praeoccupatus Gemm. C. H. VI. 1870
mendax Kiesw. Peyr. 188 *Hi.*
rufipes Moraw. Peyr. 188 *R.m.*
flavicornis Er. Peyr. 191 *G.R.*
abietinus Abeille Peyr. 189 *Ga.m.*
luctuosus Abeille R. 1890. 48 *Arax.*
araxicola Reitt. i. l.
cyaneus Lap. Peyr. 182 *I. Malt.*
taeniatus Muls.
Senaci Abeille R. 1890. 78 *T.*
collaris Er. Peyr. 176 *Ga.m Hi.*
congressarius Fairm. A. 1857. 637
v. flavifrons Baudi B. 1871. 126 *S.*
caspius Peyron Peyr. 177 *R.m.*
bulbifer Kolenati Peyr. 279 *Ca.*
caspius Reitt. W. z. b. 1879. 475
thoracicus Oliv. Peyr. 178 *Ga.G.Hi.*
humilis Er. Abeille R. 1883. 34 *S.*
♀ viridifrons Schauf. *Hi.*
glabricollis Rey. Peyr. 181 *P or.Hi.*

Antholinus
Rey.

Nepachys Thomson.

cardiacae L. Peyr. 168 *Su.G.Ga.Alp.*
♀ pedicularius L. Fn. S. 1761. 205
peucedani Abeille R. 1885 10 *Ga.m.*
pulchellus Muls. Peyr. 169
pectinatus Kiesw. Peyr. 168 *Hi.*

Abrinus Rey.

analis Panz. Peyr. 153 *E.m.*
fagi Motsch. Etud. 1853. 56 *St.*
amictus Er. Peyr. 154 *Hi.P.*
limbatus F. *Ga.m.*
v. ulicis Er. Peyr. 154 *Hi.*
parietariae Er. Peyr. 148 *Si.*
Ragusae Schauf. Nq. ot. 157 *Si.*
panormitanus Ragusa Peyr. 148
pictus Kiesw. Peyr. 155 *P.or.Hi.*

Ebaeimorphus Abeille.

thalassinus Abeille R. 1883. 31 *A.*
maculicollis Luc. Alg. 191 *Ga.m.*
ecaudatus Peyr. 135

Antholinus in spec.

varitarsis Kr. Peyr. 151 *Hi.Ga.m.*
jocosus Kiesw. I. D. IV. 602 *Si.Hi.*
distinctus Rey Mollip. 154
tarsalis Perris *C.*
jocosus Er. Peyr. 152 *Ga.m.Hi.*
sericans Er. Peyr. 147 *S.C.*
lateralis Er. Peyr. 149 *Ga.m.I.Hi.*
v. aemulus Er. Peyr. 146 *S.C.*
labilis Er. Peyr. 150 *S.C.*

Sphinginus
Rey.

lobatus Oliv. Peyr. 142 *Ga.G.Hi.*
limbatus Mink St. 1853. 59 *A.*
coarctatus Er. Peyr. 143 *Si.Gr.*
constrictus Er. Peyr. 144 *Ga.m.S.*
apicalis Perris Peyr. 145 *C.S.*
posticus Rey Mollip. 184

Attalus
Erichson.

semitogatus Fairm. Peyr. 158 *Ga.*
coloratus Abeille Sic. 1882. 141 *Bal.*
cyaneus Rosenh. Peyr. 167 *Hi.m.*
Rosenhaueri Reiche A. 1863. 131
alpinus Giraud Peyr. 167 *Alp.*
gracilis Kiesw. Peyr. 162 *Hi.m.*
melitensis Peyr. 159 *I.Malta.*
dalmatinus Er. Peyr. 163 *St.D.*
v. jonicus Miller Peyr. 163 *Gr.*
anticus Kiesw. Peyr. 165 *Hi.*
erythroderus Er. Peyr. 160 *I.Ga.m.*
luxurians Er. Mon. 90 *Si.*
?Genei Küst. Käf. E. 13. 13 *Malt.*
lusitanicus Er. Peyr. 160 *Lu.Hi.*
sicanus Er. Peyr. 164 *Si.*
viridifrons Schauf. Ab. 73. 18 *Bal.*
v. dalmatinus Baudi Peyr. 164 *P.*
v. ventralis Abeille R. 1883. 55 *Si.*

Nourricheli Lap. Silb. Rv. 36. 29 *I.*
transfuga Kiesw. B. 1859. 58
v. palliatus Baudi Peyr. 166
postremus Abeille Sic. 1882. 146 *Si.*
Ragusae Abeille R. 1883. 55

Pelochrus
Rey.

pallidulus Er. Peyr. 156 *Ga.m.Lu.*
pallidus Abeille Sic. 1882. 146 *Hi.*
laevicollis Abeille R. 1885. 145 *Ca.*

Axinotarsus
Motschulsky.

Adenophorus Thoms.

peninsularis Ablle. A. 1881. 112 *Hi.C.*
insularis Ablle. A. 1881. 113 *C.*
ruficollis Oliv. Peyr. 130 *E.*
rubricollis Marsh. Ent. Brit. 306
nigritarsis Ablle. R. 1885. 10 *Lu.*
longicornis Kiesw. Peyr. 129 *Si.*
rufithorax Kiesw. B. 1859. 59
pulicarius F. Peyr. 131 *E.md.b.*
marginalis Lap. Peyr. 133 *E.*
♀ chrysopterus Brébisson
tristis Perris Peyr. 132 *Hi.*
brevicornis Kr. Peyr. 134 *Hi.*
tristiculus Kr. B. 1866. 267 *Hi.*

Cerapheles
Rey.

Diaphonus Rey.

lateplagiatus Fairm. Peyr. 126 *Ga.m.*
ruficollis F. Ent. Syst. I. 223 *Ga.G.*
terminatus Ménétr. Peyr. 125 *Ca.*
festivus Redtb. Quaed. G. 14 *Gr.*

Anthocomus
Erichson.

Celidus Muls.

rufus Herbst Füssl. A. V. 108 *E.*
sanguinolentus F. Peyr. 114
cardinalis Ablle. A. 1881. 111 *Astrach.*
miniatus Kolen. Peyr. 116 *Ca.*
sellatus Solsky Hor. IV. 91 *R.m.*
equestris F. Peyr. 118 *E.*
v. dealbatus Kr. D. 1875. 420 *A.*
v. humeralis Moraw. Peyr. 118 *R.m.*
fasciatus L. Peyr. 121 *E.*
v. regalis Charp. Peyr. 121
fenestratus Linder Peyr. 122 *Hi.P.Ga.m.*
flavicrus Ablle. R. 1883. 30 *Caspi.*

Omphalius Abeille.

haeres Ablle. R. 1883. 31 *Gr.*

Malachius
Fabricius.

rufus Oliv. Peyr. 87 *Ga.m.*
coccineus Waltl Peyr. 47 *T.*
judex Ablle. R. 1885. 7 *Baku.*
versicolor Fald. Peyr. 86 *Ca.*
♂ tricolor Baudi
v. viridibasis Reitt. D. 1890. 168 *Arax.*
scutellaris Er. Peyr. 65 *Ga.Hu.*
Fausti Ablle. R. 1885. 7 *Ca.*
basalis Ablle. R. 1890. 37 *Arax.*
v. crucifer Reitter D. 1888. 427 *Ca.*
v. miniatus Reitter l. c. *Ca.*
Faldermanni Fald. Rttr. W. 85. 228 *Ca.*
♀ ornatus Fald. Peyr. 70
carnifex Lap. Er. Peyr. 74 *T.Gr.*
stolatus Muls. Op. VI. 168 *R.m.*
suturellus Kiesw. B. 1859. 31 *Cret.*
Mariae Ablle. R. 1885. 6 *T.*
rubidus Er. Peyr. 73 *Ga.G.Hu.*
fallax Strübing Stett. 1854. 198 *G.b.*
aeneus L. Peyr. 82 *E.*
angustatus Motsch. Étud. 1853. 32 *Ca.*
fucatus Peyr. 58
macer Kiesw. Led. 1878. 208 *Ca.*
? carinifrons Baudi Peyr. 95 *Ca.*
Oberthüri Uhagon An. Esp. 79. 209 *Hi.*
sardous Er. Peyr. 50 *S.C.*
marginellus Ol. Peyr. 88 *E.md.m.*
♂ bispinosus Curt. Brit. Ent. II. 167
dentipennis Lap. Silbm. Rv. 36 28 *Ga.*
coeruleus Er. Peyr. 97 *Lu.Hi.*
v. limbifer Kiesw. Peyr. 97 *Ga.m.Hi.*
♀ hilaris Rosh. Thier. And. 150
semilimbatus Fairm. A. 1862. 550
v. lippus Chevr. Peyr. 97 *Hi.*
cornutus Gebler Peyr. 46 *R.m.*
dentifrons Er. Peyr. 45 *Ga.m.I.*
dilaticornis Germ. Peyr. 44 *E.md.m.*
lusitanicus Er. Peyr. 77 *Lu.Hi.Si.*
v. australis Muls. C. Fr. 67. 93 *Ga.m.*
bipustulatus L. Peyr. 79 *E.*
v. aetolicus Kiesw. B. 1866. 264 *Gr.*
vittatus Mén. Ablle. R. 1883. 53 *Ca.*
monticola Kiesw. Led. 1878. 210 *Ca.*
graecus Kr. Peyr. 76 *Gr.T.R.m.*
? ♀ submarginatus Motsch. Etud. II. 31
♀ fallaciosus Baudi B. 1871. 64
assimilis Baudi Peyr. 50 *T.Ca.*
labiatus Brull. Peyr. 61 *Gr.*

tenellus Kr. B. 1862. 123
nigrosetosus Motsch. Etud. 1853. 32
linearis Moraw. Peyr. 57 *R.m.*
cavifrons Kiesw. Led. 1878. 209 *Ca.*
sculptifrons Ablle. R. 1883. 27 *Caspi.*
flabellatus Friv. Peyr. 43 *T.*
♀ strigicollis Motsch. Etud. 1853.32
hispanus Perris Peyr. 42 *Hi.*
dissimilis Baudi Peyr. 52 *Ca.*
Bellieri Peyron 53 *Si.Malt.*
parilis Er. Ablle. R. 1883. 51 *E.m.*
calabrus Baudi Ablle. R. 1883. 50 *I.m.*
elegans Geoffr. Peyr. 105 *E.md.*
falcifer Ablle. Sic. 82. 114 *R.m.or.Ca.*
geniculatus Germ. Ablle. R. 83. 52 *E.*
v. armeniacus Fald.Ablle.R. 83. 52*Ca.*
affinis Mén. Peyr. 99 *R.m.*
♂ laticollis Rosh. Th. And. 149 *Hi.*
gracilis Miller W. Mt. I. 138 *A.*
viridis F. Peyr. 54 *E.*
? ♀ apicalis Villa Col.Eur.Dup.33.33
v. ♀ elegans F. Peyr. 54
Barnevillei Puton Peyr. 55 *Ga.m.Hi.*
curticornis Kiesw. R. 1885. 20 *Hi.*
spinipennis Germ. Peyr. 100 *E.m.*
♂ spinosus Brull. Mor. 149 *R.*
?♀ cruentatus Motsch.Etud. 1853.31
?♀ antennatus Motsch. ibid. 32
v. brevispina Kiesw. Peyr. 101 *Si.*
muticus Baudi B. 1871. 123 *I.*
spinosus Er. Peyr. 108 *E.md.m.*
angustatus Mén. Cat. rais. 163 *Ca.*
v. chlorizans Er. Ent. 40. 81 *S.*
debilis Kiesw. Led. 1878. 211 *Ca.*
opacus Kiesw. Led. 1878. 210
ibex Ablle. R. 1890. 42 *Talysch*
elaphus Ablle. l. c. *Corfu*
melanorrhynchus Ablle. l. c. *Arax.*

Micrinus Rey.

inornatus Küst. Peyr. 41 *H.Ti.P.*
cyanescens Muls. Op. II. 93
dimorphus Ablle.A.81.105.R.85.18 *P.or.*
heteromorphus Ablle. Peyr.40 *Alp.gall.*
laticollis Baudi Gen. IV. 245

Homogynes Abeille.

strangulatus Ablle. Reitt. 85. 143 *R.m.*
Lethierryi Peyron 17 *Hi.*
limbicollis Ablle. Sic. 1882. 112

Oogynes Rey.

Anceyi Ablle. Peyr. 25 *Ca.*
ovalis Lap. Peyr. 28 *I.S.Si.*
v. armifrons Kr. Peyr. 27 *Gr.T.Hi.*
longicollis Er. Peyr. 29 *S.C.*
signicollis Rey
bicolor Perris A. 1864. 288
corniculatus Kraatz B. 1864. 308 *Gr.T.*
nitidicollis Peyr. 21
? ♀ Schneideri Ablle.A. 1890.35 *Ca.*
caspicus Kiesw. i. l.
dispar Fairm. Peyr. 31 *C.S.*

Cyrtosus Motsch.

cyanipennis Er. Peyr. 13 *Ga.m.Hi.*
v. bifrons Ablle. A. 1890 *Hi.*
meridionalis Ablle. R. 1885. 140 *Hi.*
tristis Peyr.
flavilabris Waltl Peyr. 15 *Hi.*
Reitteri Ablle. R. 1890. 35 *Ca.m.*
mundus Reitt. i. litt.

Apalochrus
Erichson.

vittatus Moraw. Peyr. 270 *R.m.*
variegatus Er. Peyr. 271 *R.m.*
pictus Motsch. Schrk. Rse. 60. 118 *U.*
pectinicornis Er. Peyr. 272 *R.m.*
fulvicollis Gebl. Peyr. 281 *R.m.*
flavicollis Schauf. Peyr. 274
maculicollis Peyr. 274 *R.m.*
flavolimbatus Muls. Peyr. 275 *E.m.*
tricolor Kiesw. B. 1859. 30 *Gr.*
femoralis Er. Peyr. 273 *E.*
imperialis Moraw. B. M. 61. 315 *R.m.*

Dasytini.

Kiesw. I. D. 1863.
Muls. Soc. Lin. Lyon. 1867. (Floricoles.)

Henicopus
Stephens.

Allotarsus Graëlls.
(Bourgeois, A. 1888.)

scutellaris F. Brg. 16 *Hi.m.*
amphicoma Graëlls M.M.Geol.58.50
confusus Duv. Brg. 17 *Hi.m.*
distinguendus Duv. Brg. 17 *Hi.m.*
rugosicollis Duv. Brg. 17 *Hi.? I.m.*
armatus Luc. Brg. 18 *E.m.*
armipes Duv. Mon. 74 *Hi.m.*
ibericus Duv. Brg. 19 *Hi.*
♀ scutellaris Küst. Käf. E. 19. 14
pilosus Scop. Brg. 19 *E.md.m.*
hirtus L. Syst. nat. I. 2. 563

ater F. Mant. I. 91
v. truncatus Fairm. Brg. 20 *Ca.*
Steveni Motsch.
parnassi Kiesw. Brg. 21 *Gr.*
orientalis Fairm. A. 1859. 51
falculifer Fairm. Brg. 21 *Ga.I.Sa.Si.*
acutatus Boield. A. 1859. 469
armatus Duv. Mon. 74
v. subvittatus Fairm. Brg. 21 *Si.*
pyrenaeus Fairm. Brg. 22 *P.*
longimanus Kiesw. Brg. 22 *Hi.or.Lu.*
Perezi Kiesw. Brg. 22 *Hi.md.*
vittatus Kiesw. Brg. 23 *Ga.Hi.or.*
Paulinoi Bourg. 23 *Lu.*
calcaratus Kiesw. Brg. 25 *Ga.Hi.*
Bonvouloiri Boield. A. 1859. 465
spiniger Duv. Brg. 26 *Hi.Lu.*
haplotarsus Duv. Brg. 25 *Hi.*
Heydeni Kiesw. Brg. 26 *Ast.*
v. latior Brg. 26 *Ast.*
melaleucotrichus Graëlls Brg. 26 *Hi.*
senex Rosenh. Brg. 26 *Hi.m.*
aenescens Duv. Brg. 27 *Hi.m.*
Baudii Bourg. 28 *Nevada*
tibiellus Rosenh. Brg. 30 *And. Bal.*
praticola Waltl Brg. 30 *Hi.m.*
hirsutulus Fald. Fn. trs. I. 205 *Ca.*
v. brachialis Duv. Brg. 30 *And.*
simplicipes Duv. Brg. 31 *Hi.md.or.*
privignus Kiesw. Brg. 31 *Hi.m.*

Dasytes
Paykull.

Divales Lap.

4-pustulatus F. Kiesw. 630 *Ga.I.*
communimacula Costa Kiesw. l. c. *I.*
Reyanus Gozis *C.S.*
tibialis Muls. Kiesw. 71. 83 *Ga.*
flavipennis Baudi B. 1873. 296 *Si.*
cinctus Gené Kiesw. 630 *S.Si.*
lateralis Küst. Käf. E. 19. 23
marginicollis Reitt. D. 1891 *Arax.*
bipustulatus F. Kiesw. 631 *E.m.*
v. 4-maculatus Baudi B. 73. 294
variegatus Luc. Kiesw. 632 *S.*
♂ v. nigromaculatus Luc. Kiesw. l. c.
haemorrhoidalis F. Kiesw. l. c. *Hi.*
v. erythromelas Küst. Kiesw. l. c. *Si.*
[illegible] Gené Kiesw. l. c. *S.Si.*
v. pectoralis Baudi B. 1873. 297 *S.*
tardus Schauf. Nq. ot. 72. 384 *D.*
brevicornis Ksw. nec. Lec. 730 *Triest*

Dasytes i. spec.

alpigradus Kiesw. 633 *Alp.*
occiduus Muls. Ab. 1875. 27 *Ga.*
gonocerus Muls. 95 *P.*
incanus Rosenh. Kiesw. 631 *Hi.*
striatulus Brull. Kiesw. l. c. *D.Gr.*
dalmatinus Baudi B. 1873. 305 *D.*
niger L. Kiesw. I. D. 635 *E.*
v. montanus Gredl. Käf. Ti. 66. 254 *Ti.*
moniliatus Kiesw. l. c. 633 *Cret.Da.*
algiricus Luc. Kiesw. l. c. *S.*
coerulescens Küst. Käf. E. 24. 81
sardous Rosenh. Th. And. 164
nigrita Kiesw. l. c. *Gr.*
dolens Rosenh. And. 56. 163 *And.*
tristiculus Muls. 100 *Ga.*
griseus Küst. Kiesw. 634 *E.m.*
v. seriatus Muls. 67. 109 *C.I.*
graeculus Kiesw. 634 *Gr.Si.*
calabrus Costa Muls. 109 *Ga.I.*
fuscipes Brull. Kiesw. B. 59. 170 *Gr.*
thoracicus Muls. 83 *Ga.*
montanus Muls. 86 *Ga.P.*
Letzneri Weise Zeit. Bresl. 1887. 55 *Sil.*

Hypodasytes Muls.

obscurus Gyll. Kiesw. 637 *E.*
rugipennis Thoms. Sdl. F. B. 59. 183 *Su.*
borealis Thoms. Ab. 1875. 30 *Su.*
subalpinus Baudi B. 1873. 304 *A.*
Grenieri Kiesw. B. 1871. 83 *C.*

Metadasytes Muls.

pilicornis Kiesw. B. 1864. 382 *Ga.md.*
? pauperculus Lap. Hist. nat. I. 282
nigrocyaneus Muls. 113 *Ga.C.*
coeruleus Deg. Kiesw. 636 *E.*
cyaneus F. Sp. Ins. I. 72

Mesodasytes Muls.

Hapalogluta Thoms., pars.

flavipes (Ol.) Muls. Sdl. F. B. 489 *Ga.m.*
plumbeus Müll. Kiesw. 638 *E.*
flavipes F.
tibialis Zett. Fn. Lap. 119
coxalis Muls. 126
aerosus Kiesw. B. 1867. 116 *Ga.P.*
plumbeus Muls. 368
cruralis Muls. Kiesw. B. 1871. 84 *S.*
puncticollis Reitt. W. 1888. 211 *Ca.*
aeneiventris Küst. Kiesw. 640 *A.I.*
nigroaeneus Küst. Kiesw. 639 *I.*
oculatus Kiesw. B. 1867. 115 *Hi.*

subfasciatus Kiesw. B. 1867. 118 *Hi.*
croceipes Kiesw. B 1867. 116 *Hi.*
variolosus Baudi B. 1873. 307 *Hi.*

*

Hapalogluta Thoms.

(Pseudodasytes Muls.)

X Waltl Reis. Sp. II. 62 *Hi.*
terminalis Duv. Kiesw. B. 67. 118
fusculus Illig. Kiesw. 637 *Su.Ga.G.I.*
subaeneus Schönh. Kiesw. 640 *Ga.G.*
aeneus Oliv. Ent. II. 21 *A Hi.*
scaber Suffr. St. 1843. 34
nigropunctatus Küst. Kiesw. 641 *Hi.*
? asperulusGrlls.Kiesw. B.67.114*Hi.*

---

setosus Waltl Ab. 1868. 10 *Hi.*
callosus Solsky Ab. 1875. 32 *R.m.or.*
aeratus Steph. Illig. Br. 30. 319 *Br.*
chalybeus Mén. Cat. rais. 32. 164 *R.m*
pyrrhostoma Kolen. Mel. 46. 45 *Ca.*
xanthocnemus Kolen. l. c. *Ca.*

Acanthocnemus
Perris.

ciliatus Perris Ab. 1875. 33 *C.*

Psilothrix
Redtenbacher.

severus Kiesw. 644 *D.*
femoralis Moraw. Kiesw. l. c. *R.m.*
cyaneus Oliv. Ent. II. 21 *G.Ga.E.m.*
nobilis Kiesw. nec Illig. Kiesw. l. c.
illustris Woll. Kiesw. l. c. *Hi.*
splendidus Schauf. Ab. 1870. 167 *Bal.*
protensus Gené Kiesw. 644 *S.Si.*
v. busambrensis Rag. Sic. 89. 236 *Si.*
melanostoma Brull. Kiesw. 644 *Gr.*
lucidulus Brull. Mor. III. 150
v. smaragdinus Luc. Alg. 195 *I.*
aureolus Kiesw. l. c.
ultramarinusSchauf. Ab.70.167 *Rhodos*

Dolichosoma
Stephens.

lineare Rossi Kiesw. 642 *E.*
subdensatum Muls. 273 *Ga.*
submicaceum Muls. 274 *Ga.*
filum Fairm. Kiesw. 643 *C.*
simile Brull. Kiesw. l. c. *Gr.Si.*
cinereum Mén. Cat. rais. 165

Lobonyx
Duval.

aeneus F. Gyll. Kiesw. 625 *Hi.*

aurarius Illig. Mag. VI. 302
metallicus F. Ent. Syst. I. 11
ciliatus Graëlls A. 1842. 221
gracilis Reitter B. 1872. 180
ruficollis RaffrayRev. Zool.1873.3

Haplocnemus
Stephens.

morio Schönh. Kiesw. 650
cumerus Muls. 195
croceicornis Kiesw. 649
pulverulentus Küst. Kiesw. 650 *T.*
obscurus Germ.Reis.Dalm. 1817.20
brevis Rosenh. And. 1856. 161 *An*
tarsalis Sahlb. Sdl. F. B. 486 *Ga.G.Su*
rufitarsis Sahlb. Ins. F. I. 113
coeruleatus Rosenh. And. 1856. 160
impressus Marsh. Ent. Br. I. 226
pini Redtb. Kiesw. 655
femoralis Illig. Mag. VI. 302
nigricollis Illig. Mag. I. 41
v. serratus Redtb. Fn. Aust. 1. 335
rufomarginatus Perr. Ab. VII. 18
marginatus Rottb. B. 1870. 243
Koziorowiczi Desbr. Ab. VII. 122
xanthopus Kiesw. B. 1871. 85
corcyricus Mill. Ab. 1868. 96
tumidus Kiesw. 650
consobrinus Rosenh. Kiesw. 652
andalusicus Rosenh. Kiesw. 650
nigricornis F. Kiesw. 654 *E.*
punctatus Germ. Ins. Sp. nov. 78
v. chalybeusGerm.Kiesw.B.59.173 *S*
virens Suffr. Seidl. F. B. 486 *Ga.G.*
calidus Muls. 239 *Ga.*
quercicola Muls. 243
cylindricus Kiesw. 651
albipilis Kiesw. l. c.
ramicornis Kiesw. l. c.
pectinicornis Luc. Alg. 200
pectinatus Küst. Kiesw. l. c.
crenicollis Kiesw. 654 *Si.*
montivagus Rosenh. Kiesw.B.67.122*Hi.*
abietum Kiesw. 651 *Gr.S.*
cribricollis Muls. Kiesw. B. 1871. 85 *C.*
rugulosus Rosenh. Kiesw. 652 *H*
jejunus Kiesw. l. c.
chlorosoma Luc. Kiesw. l. c. *Si.*
caelatus Brull. Kiesw. B. 1859.174 *Gr.*
cribrarius Brull. Kiesw. l. c. *Gr.*
pristocerus Kiesw. 652
chalconatus Germ. Kiesw. 654
pertusus Kiesw. 653
basalis Küst. Kiesw. l. c.

serratus Brull. Kiesw. B. 59. 174 *Gr.*
alpestris Kiesw. 656 *Alp.*
russicus Reitt. D. 1890. 148 *Ca.*
pinicola Kiesw. 658 *Alp.*
integer Baudi B. 1873. 302 *Pe.*
nigripes Muls. 223 *Lu.Hi.*
erosus Muls. 233 *C.*
rufipes Mill. Kiesw. 654 *Gr.*
limbipennis Kiesw. B. 1867. 123 *Hi.*
pellucens Kiesw. B. 1867. 124 *Hi.*
aestivus Kiesw. 657 *Ti.*
ahenus Kiesw. 656 *Ga.G.*
siculus Kiesw. 654 *Si.*
trinacriensis Ragus. Ab. 1875. 39 *Si.*
serbicus Kiesw. 653 *Serb.R.m.*
Barnevillei Kiesw. B. 1867. 121 *Hi.*
Aubei Kiesw. B. 1867. 122 *P.*
variolatus Costa Heyd. D. 83. 364 *I.m.*
incognitus Fald. Fn. tr. 1835. 204 *Ca.*

Trichoceble
Thomson.
Julistus Kiesw. I. D. IV.

floralis Oliv. Kiesw. 646 *E.md.b.*
floricola Kiesw. B. 1861
funera Kiesw. 647 *Gr.*
arbustorum Kiesw. l. c. *Gr.*
griseohirta Reitt. D. 1885. 380 *Creta*
fulvopilis Reitt. D. 1889. 25 *Arax.*
curta Baudi B. 1873. 297 *D.*
fulvohirta Bris. Kiesw. 648 *Ga.G.*
memnonia Weise
longicornis Kiesw. 647 *Gr.*
memnonia Kiesw. l. c. *G.*

Amauronia
Westwood.

subaenea Westwood Kiesw. B. 59. 182 *Gr.*
picta Kiesw. B. 1859. 181 *Hi.Ga.*
elegans Kiesw. B. 1867. 127 *Hi.*
hispana Kiesw. B. 1867. 126 *Hi.*

Aphyctus
Duval.

megacephalus Kiesw. B. 1859. 182 *Gr.*
saginatus Kiesw. D. 1873. 31 *T.*
Mülleri Kiesw. D. 1873. 32 *Gr.*
Brenskei Reitt. D. 1884. 80 *Gr.*

Dasytiscus
Kiesenwetter.
Reitter Ent. Nachr. 1885
Bourgeois. A. 1885. 253 273.

armeniacus Kiesw. Reitt. 242 *Ca.*
obesus Kiesw. B. 71. 85. Reitt. 242 *R.m.*
melitensis Bourg. A. 1875. 270 *Melita*
medius Rottb. B. 70. 244. Reitt. 242 *Si.*
pexus Kiesw. B. 1871. 85
impressicollis Reitt. 245 *Gr.*
nigropilosus Reitt. 244 *Hi.*
rufitarsis Luc. A. 1885. 259 *Gr.*
graminicola Kiesw. Reitt. 243
affinis Moraw. *R.m.*
ruficollis Reitt. D. 1889. 25 *Arax.*
flaveolus Reitt. D. 1889. 257 *Rhodus*
hirtulus Reitt. 247 *Casp.*
danacaeoides Reitt. 245 *Gr.*
Emgei Reitt. D. 1884. 79 *Gr.*
plumbeus Kiesw. Reitt. 243 *Ca.*
indutus Kiesw. B. 59. 179. Reitt. 243 *Gr.*
aeneolus Reitt. D. 1889. 25 *Arax.*
Beckeri Kiesw. B. 71. 86. Reitt. 243 *R.m.*
subtilis Reitt. 245 *Creta*
aequalis Reitt. 246 *Gr.*

Microjulistus
Reitter.

fulvus Reitt. Verh. Brünn 89. 21 *Arax.*

Ceratlus
Duval.
Pristochira Moraw.
(Kiesenwetter B. 1872.)

brevicollis Kiesw. 314 *R.m.*
luteus Kiesw. 315 *? T.*
concolor Kies. 316 *Ti.*
rubidus Gyll. Kiesw. I. D. 665 *Hu.*
varians Moraw. Kiesw. I. D. 666 *R.m.*
hispanicus Kiesw. 317 *Hi.m.*
bicolor Kiesw. 317 *R.m.or.*
pilosus Reitt. D. 1889. 283 *Arax.*
flavipennis Reitt. l. c. *Arax.*

Danacaea
Laporte.
Cosmiocomus Mot.

Retowskii Reitt. W. 1890. 195 *Cr.*
pallipes Panz. Kiesw. I. D. IV. 660 *E.*
hispanica Gougelet A. 1859. 237 *Hi.b.*
particeps Muls. 282 *Hi.*
longiceps Muls. 305 *Ga.*
Championi Mars. Ab. 1878. 55 *Gr.*
ambigua Muls. 292 *Ga.I.*
nigritarsis Küst. Kiesw. 662 *E.md.*
tomentosa Muls. 297 *E.m.*
Kiesenwetteri Heyd. Sp. 70. 127 *And.*
lusitana Heyd. l. c. *L.*
corsica Kiesw. B. 1871. 86 *C.*
? v. misella Baudi B. 73. 314 *S.*
imperialis Gené Kiesw. 660 *C.S.Si.*
distincta Luc. Alg. 201 *Ga.I.*

auricbalcea Küst. Käf. E. 21. 17
cusanensis Costa Baudi B. 73. 314 *I.*
denticollis Baudi B. 1873. 312 *Pe.*
angulata Küst. Kiesw. 660 *Mont.*
atripes Graëlls Kiesw. B. 67. 125 *Hi.md.*
mitis Küst. Käf. E. 21. 11 *S.*
olivacea Baudi B. 1873. 311 *Cri.*
cervina Küst. Kiesw. 660 *D.R.m.*
incana Reitt. D. 1884. 256 *Da.*
lata Kiesw. B. 1867. 125 *And.*
fuscoaenea Fairm. A. 1880. 241 *Hi.*
morosa Kiesw. 664 *Siles.*
murina Küst. Kiesw. 660 *D.*
montivaga Muls. 274 *Ga.*
valida Heyd. Led. 215 *Ca.*
picicornis Küst. Kiesw. 661 *S.Si.*
sardoa Kiesw. B. 1871. 86 *S.*
marginata Küst. Kiesw. 663 *A.Gr.*
cretica Kiesw. 660 *Cret.*
iners Kiesw. 661 *Gr.*
hypoleuca Kiesw. l. c. *Gr.*
taurica Baudi B. 1873. 311 *Cri.*
aenea Moraw. Ab. 1865. 59 *R.m.*
macrocephala Schauf. Nq. ot. 72. 254 *D.*
serbica Kiesw. 661 *Serb.*
nana Kiesw. l. c. *Hi.b.*
pygmaea Schauf. Ab. 1875. 44 *Bal.*
ziczac Schauf. Ab. 1875. 42 *Bal.*

Phloeophilini.

Phloeophilus
Stephens.

Edwardsi Steph. Kiesw. I. D. 667 *E.md.*

Melyrini.

Melyresthes
Reitter.

cardinalis Reitt. D. 1891 *Arax.*

Melyris
Fabricius.

granulata F. Redtb. 36 *Hi.*
andalusiaca Waltl Reis. Sp. 62

Zygia Fabr.

oblonga F. Redtb. 37 *E.m.*
bicolor F. Syst. El. 1801. 311 *S.*
versicolor Chevr. Guér. Ic. règn. 50.

Diprosopus
Mulsant.

melanurus Muls. Op. I. 73 *Nimes.*

Cleridae.

(Spinola 1844. — Chevr. Rev. M. Z. 1874.)
Kiesw. I. D. IV. (1863.)

Tillini.

Denops
Steven.

albofasciata Charp. Kiesw. I. D. 677 *Ga.G.*
personata Arag. De quib. Col. 30. 14
agilis Lucas A. 1843. 25 *E.m.*
longicollis Stev. B. M. 1829. 67 *Tr.R.*

Tillus
Olivier.

elongatus L. Kiesw. 679 *E.*
♂ ambulans F. Mant. I. 93
ruficollis Herbst Füessl. Arch. V. 68
? rugulosus Torre *A.*
v. bimaculatus Don. Hist. Br. Ins. XII. 50
hyalinus Sturm Kiesw. l. c.
transversalis Charp. Kiesw. l. c. *E.m.*
unifasciatus F. Kiesw. 680 *Ga.G.E.m.*
pallidipennis Bielz Kiesw. 679 *Tr.*

Clerini.

Opilo
Latreille.

mollis L. Kiesw. 681 *E.*
domesticus Sturm Kiesw. 682 *E.md.m.*
pallidus Oliv. Kiesw. l. c. *Ga.A.E.m.*
germanus Chevr. 74. 288
taeniatus Klug Heyd. W. 89. 202 *D.T.*
Mimonti Boield. A. 1859. 471 *Gr.*
scutellatus Schauf. A. 1862. 310
rubrofasciatus Kol. Heyd. l. c. *Ca.*
v. frontalis Klug Heyd. l. c.
v. cruentatus Spin. Heyd. l. c.
v. thoracicus Klug Heyd. l. c.

Clerus
Geoffroy.
(Cleroides Schäff.)

*

Pseudoclerus Duv.

brevicollis Spin. 44. 266 *Hu.*

*

Pseudoclerops Duv.

mutillarius F. Kiesw. 684 *E.md.m.*

*

Thanasimus Latr.
formicarius L. Weise D. 1881. 426 *E.*
v. semifasciatus Fleisch. W. 87. 237 *Bos.*
rufipes Brahm Seidl. F. B. 493 *E.md.b.*
v. femoralis Zett. Seidl. l. c. *L.[Tr.Hi.*
pectoralis Fuss. V. Herm. XIV. 67
v. nigricollis Seidl. F. Tr. 526 *Hi.md.*

*

Allonyx Duv.
4-maculatus Schall. Kiesw. 686 *Ga.G.*

Tarsostenus
Spinola.
univittatus Rossi Seidl. F. Tr. 527 *E.md.m.*

Trichodes
Herbst.
octopunctatus F. Spin. 297 *E.m.*
umbellatarum Oliv. Spin. 298 *Hi.m.*
alvearius F. Spin. 301 *Ga.G.*
v. Dahli Spin. 300 *E.m.*
apiarius L. Spin. 305 *E.*
v. arenatus Spin. 305 *Gr.*
v. elegans Spin. 306 *I.*
v. georgianus Chevr. 306 *Ca.*
v. subtrifasciatus Spin. 306 *Hi.*
v. corallinus Mén. Spin. 306 *Ca.*
suturalis Seidl. F. B. 527 *Hi.md.*
crabroniformis F. Spin. 309 *I.T.*
v. gulo Chevr. 304 *Corfu*
v. rufitarsis Chevr. 302 *Cri.*
zebra Faldm. Spin. 304 *Ca.*
favarius Illig. Spin. 313 *A.*
v. illustris Klug. Mon. 1842. 77 *Cri.*
v. vicinus Spin. 315 *T.*
v. axillaris Spin. 315 *T.*
v. Klugi Kr. D. 1873. 242 *Hi.*
Olivieri Klug Mon. 1842. 80
phedinus Spin. 313 *R.m.*
viridifasciatus Chevr. A. 1843. 40
obliquatus Brull. Spin. 313 *Gr.*
Lafertei Chevr. A. 1843. 39 *T.*
leucopsideus Oliv. Spin. 318 *Ga.m.Hi.*
caucasicus Chevr. 305. Krtz. D. 82. 320 *Ca.*
nobilis Klug. Mon. 1842. 79 *T.Gr.R.*
Carreli Chevr. A. 1843. 94
sanguineosignatus Spin. 311
turkestanicus Kraatz D. 1882. 113 *Ca.*
4-guttatus Adams Chevr. 270 *T.Gr.*
4-pustulatus Brull. Mor. III. 156
sipylus L. Syst. nat. I. 2. 376 *Gr.T.*
vinnagae Spin. 322
atticus Chevr. 308 *Gr.*
v. laminatus Chevr. A. 43. 41 *Gr.*
♂ angustus Chevr. A. 1843. 40
ammios F. Spin. 322 *Hi.*
hispanus Chevr. *Hi.*
v. arthriticus Spin. 324 *And.*
v. flavocinctus Spin. 322 *And.*
flavicornis Germ. Chevr. 309 *Si.*
armeniacus Baudi An. Genov. 73. 254 *Ca.*
subfasciatus Kr. B. 1873. 239 *Caspi.*
irkutensis Laxm. Nov. Com. Petr. 1770
bifasciatus F. Spin. 325 *Bav.alp[Tr.*

Emmepus
Motschulsky.
(Brachyclerus Fairm.)
arundinis Motsch. B. M. 1845. 42 *Ca.*

Enopliini.

Dermestoides
Schäffer.
Orthopleura Spinola.
sanguinicollis F. Kiesw. I. D. 698 *G.Tr.*
dulcis Ledoux A. 1833. 474 *Ga.I.*

Enoplium
Latreille.
serraticorne F. Kiesw. 697 *Ga.E.m.*

Corynetini.

Corynetes
Herbst.
Corynetops Duv.
coeruleus Degeer Kiesw. 691 *E.*
violaceus Oliv.
ruficornis Sturm Kiesw. 692 *Ga.G.*
pusillus Klug Kiesw. 691 *S.*
geniculatus Klug Kiesw. l. c. *Lu.Hi.*
pexicollis Fairm. A. 1868. 484 *Maroc.*

Necrobia
Latreille.
ruficollis F. Kiesw. 694 *E.*
violacea L. Kiesw. 693 *E.*
angustata Fald. Fn. trsc. I, 210 *Ca.*

Agonolia Muls.
rufipes Degeer Kiesw. 693 *E.*
Konowi Hoffm. D. 1887. 96 *Fiume*

Opetiopalpus
Spinola.
defunctorum Waltl Kiesw. 694 *And.*
bicolor Lap. Kiesw. l. c. *Hi.*
hybridus Baudi B. 1873. 324 *Hi.*
sabulosus Motsch. Muls. C. Fr. 63. 125 *Ca.*
scutellaris Panz. Kiesw. 694 *Ga.G.R.*

Laricobius
Rosenhauer.
Erichsoni Rosh. Kiesw. 696 *Alp. Nassov.*

Lymexylini.

Elateroides
Schäffer.

Hylecoetus Latreille.
dermestoides L. Kiesw. 703 *E.md.b.*
♂ proboscideus F. Syst. El. II. 87.
v. ♂ Marci L. Kiesw. l. c.
barbatus Panz. Faun. Grm. 22. 4.
v. ♂ morio F. Kiesw. l. c.
flabellicornis Udd. (Schnd.) Ksw. 705 *E.b.*

Lymexylon
Fabricius.
navale L. Kiesw. 707 *E.*

Bruchidae.

(Ptinidae olim auct.)
Reitter T. XI. 1884. — Boield. Mon. A. 1856.

Gibbiini.

Gibbium
Scopoli.
psylloides Czempinsk. T. 2 *E.md.m.*
scotias F. Sp. Ins. I. 74
v. brevicorne Reitt. W. 1885. 59 *Gr.*
Boieldieui Reitt. 2
Boieldieui Levrat A. Lyon 57. 419 *T.*
laevigena Reitt. 2 *Ca.*

Mezium
Curtis.
affine Boield. T. 2 *E.md.m.*
sulcatum Sturm. Cat. 1843. 86
v. hirtipenne Reiche T. 2
americanum Lap. T. 3 *Gr.*
arachnoides Desbr. Op. Gannat. 50
sulcatum F. T. 3 *E.md.m.*
hirticolle Lap. Hist. nat. I. 297

Bruchini.

Sphaericus
Wollaston.
gibbioides Boield. T. 4 *Ga.I.*
exiguus Boield. T. 4 *Ga.Lu.*

Niptus
Boieldieu.
hololeucus Falderm. T. 5 *E.*

*

Epauloecus Muls.
Tipnus Thoms.
crenatus F. T. 5 *E.*
minutus Illig. Käf. Preuss. 347
fuscus Gradl. E. N. 1881. 306 *A.*
v. salinus Schillg. T. 5 *Wiliczka.*

*

Microptinus Ksw.
Niptodes Reitt.
nobilis Reitt. 6 *Si.*
ferrugulus Reitt. 6 *Nevada*
minimus Heyd. T. 7 *Lu.*
carbonarius Rosh. T. 7 *And.*
constrictus Kiesw. B. 1867. 134
elongatus Boield. T. 7 *Si.*
lusitanus Reitt. D. 1888. 427 *Lu.m.*

*

Paraniptus Kiesw.
globulus Illig. T. 8 *Lu.*

*

Eurostodes Reitt.
quisquiliarum Baudi T. 8 *Pe.*

*

Eurostus Muls.
apenninus Baudi T. 8 *I.*
submetallicus Fairm. T. 8 *P.*
frigidus Boield. T. 8 *Alp.*
Otti Bremi St. 1855. 329

Bruchus
Geoffroy.
Ptinus Linné et auct.

*

Pseudoptinus Reitt.

*

subaeneus Reitt. 10 *Gr.*
micans Reitt. 10 *Ca.*
Capellae Reitt. 10 *Cr.*
Auberti Abeille Reitt. 10 *Ga.m.D.Hi.*
austriacus Reitt. D. 1890. 391 *A.*

*

Kutschenbachi Reitt. 10 *Ca.*
Nikitanus Reitt. 11 *Mosq.*
aragonicus Reitt. 11 *Hisp.*
Lederi Reitt. 11 *Caucas.*
lichenum Marsh. T. 11 *E.m.d.*
simile Marsh. Ent. Br. I. 96
ornatus Müller Mag. Ent. IV. 218

fuscus Sturm. Fn. XII. 62
v. lepidus Villa Col. E. Dupl. 38. 62 *Ga. I.*
Oertzeni Reitt. D. 1888. 428 *Gr.*
leucaspis Reitt. l. c. *Gr.*

*

tauricus Reitt. 11 *Cri.*
coarcticollis Sturm. T. 11 *G. Ga.*
lepidus Muls.
v. debilicornis Boield. T. 11

*

Bruchoptinus Reitt.

rufipes F. T. 13 *E. md. b.*
germanus Kugel. Schneid. Mg. 581
♀ elegans Illig. Käf. Preuss. I. 346
italicus Arag. T. 13 *Ga. I.*
biformis Reitt. 13 *Ca.*
brevivittis Reitt. 13 *D.*
femoralis Reitt. W. 1887. 29 *Creta*

Bruchus i. sp.

*

fur L. T. 14 *E.*
pusillus Sturm. T. 15 *Ga. G.*
corsicus Kiesw. T. 15. *C.*
validicornis Desbr. *C. Hi.*
bicinctus Sturm. Reitt. 15. *Ga. G. R.*
Meisteri Reitt. 15 *Ca.*
latro F. T. 15 *E. md. m.*
brunneus Duft. Reitt. 16 *E.*
v. testaceus Boield. T. 16.
v. hirtellus Strm. T. 16.
argolisanus Reitt. 16 *Gr.*

*

villiger Reitt. 17 *A. Hu. Pol. Ca.*
perplexus Muls. T. 17 *H. Ga. Ca.*
calcaratus Kiesw. I. D. IV. 2. 75 *Ill.*
pilosus Müller. T. 17 *E. md.*
pallipes Duft. Fn. Aust. III. 60. *Su.*
intermedius Boield. Mon. 646.
subpilosus Strm. T. 18 *Ga. G.*
Perrini Reitt. 18 *Ga. m.*
timidus Bris. T. 19 *Hi.*
Desbrochersi Reitt. 19 *C.*
atricapillus Kiesw. T. 19 *I.*

*

Spitzyi Villa T. 19 *And. Ga. m. Ill.*
ruber Rosenh. Th. And. 175.
cisti Chevr. Rev. Zool. 1865. 352.
phlomidis Boield. T. 20 *Gr.*
Kaufmanni Reitt. W. z. b. 1880. 223 *D.*

*

Heteroptinus Reitt.

obesus Lucas T. 20 *S. Si.*
Lucasi Boield. Mon. 636 *Si. I. Hi. C. S.*
pulchellus Boield. ibid. 635.
solitarius Rosenh. Th. And. 172.
♂ rufus Lucas Alg. 207
corticinus Rottbg. B. 1870. 245.
affinis Desbr. T. 20 *Melita*
tarsalis Reitt. 20 *Gr.*
calcarifer Reitt. D. 1888. 429 *Gr.*
Kiesenwetteri Reitt. 20 *Gr.*

*

Gynopterus Muls.

(Ptinobruchus Reitt.)

dubius Sturm. T. 21 *E.*
crenatus Payk. Fn. Su. I. 314.
quadrisignatus Mén. T. 21 *Ca.*
sexsignatus Fald. Fn. trans. I. 215.
basicornis Reitt. 21 *Cro.*
crassicornis Kiesw. T. 21 *Gr. I.*
♂ forticornis Reitt.
sexpunctatus Panz. T. 21 *E.*
subroseus Reitt. D. 1888. 430 *Gr.*
Aubei Boield. T. 22 *E. m.*
formosus Rosenh. Th. And. 175.
exulans Er. T. 22 ×*E. m.*
palliatus Perris T. 22 *Ga. Hi.*
?germanus Illgr. Mag. 1807. 21
variegatus Rossi T. 22 *E.*
Duvali Lareyn. T. 22 *Ga. m.*
insularis Desbr. *Melita*
mutandus Mars. i. l. *C.*

*

Cyphoderes Muls.

raptor Sturm. T. 23 *E.*
Schlerethi Reitt. 23 *Car. D. Gr.*
bidens Oliv. T. 23 *Ti. Ga. Hi.*
sycophanta Illg. Mag. VI. 25. *Ga. Ti.*
quercus Kiesw. B. 1867. 129
hirticornis Kiesw. T. 23 *Hi.*

*

Eutaphrus Muls.

*

albipilis Reitt. 24 *Nevada*
irroratus Kiesw. T. 24 *E. m.*
alpinus Boield. Mon. 30.
quadridens Chevr. Cat. Gren. 86
Frivaldszkyi Reitt. 25 *Creta.*
aureopilis Desbr. T. 24 *Gr.*
dilophus Illig. T. 25 *Lu. Hi.*

*

lusitanus Illig. T. 25 *Lu. Hi.*
loboderus Schaum Cat. Col. E. 1862
dilophus Boield. Mon. 279. [66
brevipilis Desbr. T. 25 *C. S.*
siculus Kiesw. I. D. IV. 2. 52 *Si.*

*

canaliculatus Reitt. 25 *Gr.*
Lesinae Reitt. 25 *D.*
nitidus Duft. T. 26 *Ga. G.*
desertorum Reitt. (emend.) *R.m. Casp.*
    damascenus Reitt. non Baudi. T. 26.
xylopertha Boield. T. 26 *Gr. T.*

*

Reichei Boield. T. 26 *Si. Gr.*
carinatus Luc. T. 26 *Hi. m.*
    foveolatus Boield. Mon. 309.
brevicrinitus Desbr. T. 27 *C.*
fossulatus Luc. T. 27 *Hi. m.*
    agricultor Rosenh. Th. And. 173.
    abbreviatus Boield. Mon. 313
gibbicollis Lucas. T. 27 *And.*
farinosus Boield. T. 27 *Hi.*

---

rufus Brullé. Mor. 157 *Gr.*
nigripennis Comolli Col. novoc. 37. 18 *I.*

Byrrhidae.

Anobiidae auct. olim.

Kiesenwetter I. D. 1877. — Seidlitz F. B.

Byrrhini.

Dryophilus
Chevrolat.

densipilis Abeille Kiesw. 94 *Ga.m.C.*
pusillus Gyll. Kiesw. 91 *E.*
    striatellus Beck Beier. Ins. 15.
anobioïdes Chevr. Kiesw. 93 *Ga.G.*
    compressicornis Muls. Op. II. 17
longicollis Muls. Kiesw. 93 *Ga.G.*

Homophthalmus Ab.

rugicollis Muls. Kiesw. 92 *Ga.G.*
forticornis Abeille Kiesw. 94 *D.*

Pseudodryophilus Heyd.
(Ptinodes Muls. 1864 non Lec. 1861.)

paradoxus Rosenh. Kiesw. 90 *Ga.m.Hi.*
    succinctus Chevr. *Gr.*
    raphaëlensis Muls. A. Lyon 1864. 335

Priobium
Motschulsky.

castaneum F. Seidl. 497 *Ga.G.*
    excavatum Kugel. Schn. Mag. I. 488
Eichhoffi Seidl. 498 *G.oc.*
    ? castaneum Gyll. I. Su. I. 290
tricolor Oliv. Muls. Seidl. l. c. *Ga.G.*
planum F. Muls. Seidl. l. c. *Ga.Sv.*

Episernus
Thomson.

Amphibolus Muls.
Claudius Gozis.

angulicollis Thoms. Seidl. 498 *L.*
gentilis Rosenh. Kiesw. 98 *Ga.Ti.*
    thoracicus Gozis (non Rossi) R. 1. 200
striatellus Bris. Kiesw. 98 *G.*
    ♂ Achillis Gozis R. 1. 201 *Ga.*
hispanus Kiesw. 100 *Hi.*
granulatus Weise Zeit. Brsl. 87. 59 *Sil.*

Gastrallus
Duval.

laevigatus Oliv. Kiesw. 102 *E.*
    exilis Sturm.
    parallelus Küst. Käf. E. 19. 39
    immarginatus Redtb.
immarginatus Müll. Kiesw. 101 *Ga.G.*
    sericatus Lap. Hist. nat. I. 294

Byrrhus
Geoffroy.
Anobium auct.

Dendrobium Muls.

denticollis Panz. Seidl. 502 *E.m.d.m.*
confusus Kr. Seidl. 502 *Su.F.*
    denticollis Thoms. Sk. V. 163
carpetanus Heyd. Sp. 129 *Hi.md.*
pertinax L. Kiesw. 104 *E.*
    striatus F. Mant. I. 39
    fagi Herbst Käf. V. 57
    Latreillei Dufour Val. d'Ossau 1843

Microbregma Seidl.

emarginatus Duft. Seidl. 502 *G.Ga.*

Anobium Fabr.

striatus Oliv. Seidl. 503 *E.*
    pertinax F. Herbst.
    domesticus Muls. Kiesw.

Hadrobregmus Thms.

fagi Muls. Seidl. 503 *E.*
    fagicola Muls. A. Lyon 1864. 377
    ? costatum Arag. Col. 1830. 16 *I.*
fulvicornis Sturm Seidl. 503 *E.md.*
    morio Villa Col. E. Dup. Supp. 45. 48 *I.*
v. rufipennis Duft. Seidl. 503
nitidus Herbst Seidl. 503 *E.md.b.*
    canaliculatus Thoms. Sk. V. 160.
sericeus Thoms. Seidl. 503 *Su.*

rufipes F. Seidl. 503 *E.*
elongatus Payk. Fn. Su. I. 305
brunneus Thoms.nec.Ol.Seidl. 503 *Su.F.*
Thomsoni Kraatz D. 1881. 302
rufus Ill. Mag. 1807. 20 *Lu.Hi.*

Nicobium Leconte.
Neobium Muls.

Schneideri Reitt. Led. 218 *Ca.*
hirtus Ill. Kiesw. 111 *Ga.Hi.I.*
fasciatus Dufour Ex. Ossau 153
tomentosus Muls. Térédil. 110
disruptus Baudi B. 1873. 329 *S.*

Sitodrepa Thoms.
Artobium Muls.

paniceus L. Kiesw. 112 *E.*
minutus F. Ent. Syst. I. 238
nanus Küst. Käf. E. 19. 45

---

variegatus Mén. Cat. rais. 32. 166 *Ca.*
crenulatus Lap. Hist. nat. I. 293 *G.*
pubescens Herbst. vide Harold Cat. *G.*
ruficollis Herbst vide Harold Cat. *G.*

Oligomerus
Redtenbacher.

Reyi Bris. Mat. Fn. Fr. 1867. 180 *Ga.*
brunneus Sturm. Seidl. 501 *E.*
oblongus Lap. Seidl. 501

Xestobium
Motschulsky.

rufo-villosum Deg. Seidl. 504 *E.*
tessellatum F. Ent. Syst. I. 236
rubiginosum Müll. Zool. Dan. Podr. 57
pulsator Schall. Schrft. Hlle. 73. I. 239
subincanum Reitt. Led. 219 *Ca.*
austriacum Reitt. D. 1890. 392 *Alp.*
circassicum Reitt. D. 1890. 393 *Ca.oc.*
declive Dufour Kiesw. 116 *P.*
velutinum Muls. A. Lyon. 1863. 88

*

Hyperisus Muls.

plumbeum Illig. Seidl. 504 *Ga.G.*
coerulescens Fourc.
politum Duft. Fn. Aust. III. 53 *Ti.*

Ernobius
Thomson.
Liozoum Muls.

*

abietinus Gyllh. Seidl. 499 *E. md. b.*
Mulsanti Kiesw. Seidl. 499 *E. or.*
angusticollis Muls. Tered. 16.
anabaptista Gozis. R. 1880. 199 *Ga.*
abietis F. Seidl. 499 *E. md. b.*
brevicornis Bach Kiesw. 123.
pruinosus Muls. Kiesw. 122 *Ga. Pe. C.*
reflexus Muls. Kiesw. 121 *Ga. m.*
lucidus Muls. Kiesw. 123 *Ga. m. G.*
sulcatulus Muls. C. Fr. 158 *Ga. m.*
gigas Muls. C. Fr. 160 *Ga. m.*

*

explanatus Mnnh. Seidl. 499 *F.*
frigidus Thoms. Sk. V. 148 *L.*
mollis L. Thoms. Seidl. 500 *E.*
consimilis Muls. Op. XIII. 117 *Ga.P.R.*
tarsatus Kr. D. 1881. 302 *Ga.*
parens Muls. Seidl. 500 *Ga. G.*
crassiusculus Muls. Seidl. 500. *Ga.*
?pini Sturm. Fn. XI. 121. *G.*
angusticollis Rtzb. Seidl. 500 *E. md.*
parvicollis Muls. Seidl. 500 *Ga.*
tabidus Kiesw. Seidl. 500 *G.*

*

pini Muls. Kiesw.—Seidl. 500 *E.m.*
fuscus Muls. Seidl. 501 *Ga. G. Su.*
nigrinus Thoms. Sk. V. 149.
nigrinus Strm. Seidl. 501 *E. Su.*
?canaliculatus Thoms. Op. *Su.*
abieticola Thoms. Seidl. 501 *Su.*
densicornis Muls. Seidl. 501 *Ga. Pe.*
longicornis Strm. Seidl. 501 *Ga. G. I.*
sericeus Duft. Fn. Aust. III. 53.
microtomus J. Sahlb. *L.*

Hedobiini.

Hedobia
Sturm.

pubescens F. Kiesw. 132 *Ga. G.*

Ptinomorphus Muls.

magnifica Reitt. W. z. b. 79. 67 *Ca.Gr.*
imperialis L. Ksw. 133 *E.*
v. senex Kr. Ent. Mtbl. 1876. 151 *G.*
regalis Duft. Kiesw. 133 *Ga.G.*
angustata Bris. Kies. 134 *Ga.m.Ca.*

Xyletinini.

Trypopitys
Redtenbacher.

carpini Herbst. Seidl. 504 *E.*
serricornis Duft. Fn. Aust. III. 50.
excisus Mannerh. B. M. 1843. 93.

Ptilinus
Geoffroy.

pectinicornis L. Kiesw. 137 *E.*
impressifrons Küst. Käf. E. 9. 42.
aspericollis Mén. Kiesw. 138 *R.m.*
discolor Fald. Fn. trnsc. III. 5
asperulus Gemmg. Col. H. VI. 1870. *Si.*
Mulsanti Mars. (Emend.)
aspericollis Muls. Kiesw. 138.
costatus Gyllh. Kiesw. 138 *E.*
v. flavescens Lap. Kiesw. 139
fissicollis Reitt. Seidl. 505 *A. Hu.*
punctatostriatus Faust Hor.

Plumaria
Reitter.

grandicollis Mén. Reitt. W. 89. 127 *R.m.*

Ochina
Stephens.

Latreillei Bon. Kiesw. 140 *Ga.Pe.S.G.*
sanguinicollis Dft.Fn.Aust.III.56 *Ti.*

Cittobium Muls.

hederae Müll. Kiesw. 140 *E.md.m.*
ptinoïdes Marsh. Ent. Brit. I. 228
hirsuta Seidl. F. Tr. 540 *And.*

Xyletinus
Latreille.

*

Trachelobrachys Gemm.
(Brachytrachelus Mor.)

Kiesenwetteri Mrw. Kiesw. 145 *R. m.*
sanguineocinctusFrm.Ksw.145 *Ga.R.m.*

*

Calypterus Muls.

bucephalus Illig. Kiesw. 144 *Lu. Hi.*
striatipennis Fairm. A. 1857. 638.
sericans Muls. Op. IX. 181 *Ga. I.*
peregrinusChevr.Rev.Zool.1861. 154
ornatus Germ. Kiesw. 144 *Hu. R. m.*
sericeus Moraw. B. M. 1861. 289.

Xeronthobius Moraw.

pallens Germ. Kiesw. 144 *R. m.*
pallidus Lap. Hist. nat. I. 295.

Sternoplus Muls.

ater Panz. Kiesw. 146 *E.*
serratus Panz.
tenebricosus Solsky Ab. 1875. 63 *R.*

Xyletinus Muls.

maculatus Kiesw. 146 *R. m.*
ruficollis Gebl. Kiesw.149 *R.m.Gr.*
rufithorax Lareyn. A' 1852. 90 *Ga.*
thoracicus Friv. Magyar 1835.256 *T.*
discicollisMoraw. B. M. 1861. I. 288
sareptanus Kiesw. 146 *R. m.*
renovatus Gozis R. 1882. 201 *Ca.*
ornatus Fald.
pectinatus F. Kiesw. 148 *E.*
?flabellicornis Hrbst. Col. V. 66.
oblongulus Muls. C. Fr. 64. 279 *Ga.*
flavipesLap.Muls.C.Fr.64.282 *Ga.St.I.*
v. fulvicollis Reitt. W. 1890. 196 *Ca.*
laticollis Duft. Kiesw. 147 *Ga. G. Hu.*
subrotundatusLar.Muls.C.Fr.275 *I.A.D.*

Metholcus
Duval.

cylindricus Germ. Kiesw. 141 *D. I.*
Raymondi Muls. Op. IX. 177 *Ga.*
phoenicis Fairm. A. 1859. 53.

Lasioderma
Stephens.

*

Pseudochina Duv.

thoracicum Moraw. Kiesw. 152 *C.R.*
obscurum Solsk. Kiesw. 152 *R.m.*
micans Mannh. Seidl. 506. ×*R.b.*
apicatum Muls. C. Fr. 64. 295 *Ga. Si.*
haemorrhoidale Illig. Kiesw. 152 *D.E.*
villosum Lap. Hist. nat. I. 295 *Ga.m.*
bicolor Schauf. W. z. b. 81.622 *Ga.Hi.*
Redtenbacheri Bach Kiesw. 151 *G.*
cyphonoides Mor.B.M.1861.290 *R.m.*
testaceum Redtb. Fn. Aust. *A.*
fulvescens Muls. Teredil. 169 *Ga.*
laeve Illig. Kiesw. 152 *E.m.*
torquatum Chevr. Rev. Zool. 59. 384 *C.*
bubalus Fairm. Muls. C. Fr. 64.309 *C. I.*

*

Hypora Muls.

testaceum Duft. Kiesw. 150 *E.*
serricorne Muls. Téréd. 175.

Dorcatomini.

Mesothes
Mulsant.

ferrugineus Muls. Kiesw. 153 *Ga.Pe.C.*

Mesocoelopus
Duval.

niger Müll. Kiesw. 154 *Ga. G. R.*
pubescens Duft. Fn. Aust. III. 46 *I.*

murinus Sturm. Fn. XI. 88.
hederae Dufour A. 1843. 323.
creticus Fairm. A. 1880. 241 *Creta*
collaris Muls. Kiesw. 155 *Ga. I.*

Theca
Mulsant.
(Reitter D. 1884.)

byrrhoides Muls. Reitt. 86 *Ga. I.*
pilula Aubé Reitt. 86 *E.m.*
puncticollis Reitt. 86 *Corfu*
pellita Chevr. Reitt. 87 *Ga.m.*
italica Reitt. D. 1886. 380 *Gr. I.*
elongata Muls. Reitt. 87 *Ga. Pe.*
raphaëlensis Aub. A. 1861. 96 *I. b.*
xyletina Reitt. D. 1889. 283 *Arax.*
remota Reitt. 87 *Si.*
eurimoides Reitt. 87 *Gr.*
andalusiaca Aubé A. 1861. 96 *Hi.*
cribricollis Aub. Reitt. 87 *Lu. m.*

Eutheca
Kiesenwetter.

solida Kiesw. 155 *Lu.*

Dorcatoma
Herbst.

dresdensis Herbst Kiesw. 158 *E.*
bistriata Payk. Fn. Su. I. 318
sinuata Thoms. Sk. V. 173
punctulata Muls. C. Fr. 64. 346 *Ga.G.*
serra Panz Kiesw. 159 *Ga.G.I.*
substriata Hummel Essai VII. 24
Dommeri Rosenh. And. 1856.171 *Ga.S.*
dichroa Boield. A. 1859. 141
lanuginosa Baud. B. 1873. 334 *S.*
setosella Muls. Kiesw. 160 *Ga.G.*
chrysomelina Sturm Kiesw. 161 *E.*
dresdensis F. Syst. El. I. 330
flavicornis F. Kiesw. 161 *E.*
externa Muls. C. Fr. 1864. 367 ×*Ga.*

Coenocara
Thomson.

Enneatoma Muls.

bovistae Hoffm. Kiesw. 163 *E.*
subalpina Bon.Mem.Torin.1812.162
v. meridionalis Lap. Muls. C.Fr.64.374
v. castaneae Gredl. Kiesw. 164 *Ti.*
affinis Sturm. Kiesw. 165 *Ga.G.I.*
subglobosa Muls. Kiesw. 165 *Ga.G.I.*

Anitys
Thomson.
Amblytoma Muls.

rubens Hoffmann Kiesw. 167 *E.md.b.*
cognata Muls. Kiesw. 168 *Ga.*

Sphindidae.

(Reitter T. I. edit 2, 1885)

Sphindus
Chevrolat.
Coniophagus Mink.

dubius Gyll. T. 45 *E.*
hispidus Payk.
Gyllenhali Chevr. Silb. Rev. I. nr. 8
humeralis Mink. St. 1853. 59
grandis Hampe T. 44 *Cro.*

Aspidiphorus
Latreille.

orbiculatus Gyll. T. 45 *E.*
striatopunctatus Lap. Hist. nat. I.294
striatus Kryn.
Lareynici Duv. T.45 *A.Ga.*

Lyctidae.

(Reitter T. I. ed. 2, 1885)

Lyctus
Fabricius.

unipunctatus Herbst. T. 43 *E.*
linearis Thunb.
canaliculatus F. Ent. Syst. II. 504
pubescens F.
suturalis Fald. Reitt. 43 *Ca.*
Deyrollei Tourn. Petit. nouv. 74. 411
pubescens Panz. T. 43 *Ga.G.*
bicolor Comolli Col. nov. Novoc. 41.
v. caucasicus Tourn. T. 43 *Ca.*

Xylotrogus Steph.

brunneus Steph. Reitt. 44 *E.md.m.*
glycyrrhizae Chevr. Guér. Ic. 191

Trogoxylon Lec.

impressus Comolli Reitt. 44 *E.m.*
laevipennis Fald. Fn. trnsc. II. 256
v. capitalis Schauf. Nq. ot. 84. 534

Lyctopholis
Reitter.

foveicollis Reitt. W. z. b. 78. 199 ×*Holl.*

Bostrychidae.

(Kiesenwetter I. D. IV. 1877.)

Psoini.

Psoa
Herbst.
(Kraatz D. 1878. 127.)

grandis Motsch. B. M. 1845. 92 *Ca.*
viennensis Herbst Kiesw. 11 *A.Ca.*
dubia Rossi Kiesw. 9 *Gr.Ti.*
italica Serv. Encycl. méth. X. 224 *I.*
♂ Herbsti Küst. Kiesw. 10 *Ga.m.A.*

Bostrychini.

Ligniperda
Pallas.
Apate Fabr.

monachus F. Syst. Ent. 1775. 54 *Hi.*
francisca F. Syst. El. II. 379
♂ carmelita F. ibid.
v. rufiventris Luc. Rev. Zool. 43. 159

Sinoxylon
Duftschmied.
Trypocladus Guér.

bispinosum Oliv. Kiesw. 32 *E.md.*
muricatum Duft. Herbst
sexdentatum Oliv. Kiesw. 33 *Ga.Hi.I.*
chalcographum Pnz. Fn. Grm. 15 *Ti.*
perforans Schrank Naturf. 24. 64 *A.*

Bostrychus
Geoffroy.

capucinus L. Kiesw. 35 *E.*
v. luctuosus Oliv. Ent. IV. 77 *E.m.*
v. nigriventris Luc. Rev.Z. 43. 159 *Hi.*
varius Illig. Kiesw. 36 *E.m.*
Dufouri Latr. Gen. Crust. III. 7
gallicus Panz. Fn. Grm. 101
bimaculatus Oliv. Kiesw. 37 *E.m.*
auritus Friv. Magyar 1835. 267
xyloperthoides Duv. Glan. 59. 40 *Ga.I.*

Xylopertha
Guérin.
Enneadesmus Muls. 1852

retusa Oliv. Encyc. méth. V. 110 *E.md.*
sinuata F. Kiesw. 38
praeusta Germ. Rsc. Dalm. 17. 226 *Ga.D.*
appendiculata Luc. Alg. 466 *Si.*
pustulata F. Kiesw. 38 *Ti.S.Hi.*
humeralis Luc. Rev. Zool. 1843. 159
aterrima Fald. Fn. trnsc. II. 250 *Ca.*
foveicollis All. Ab. V. 468 *S.*
puncticollis Kiesw. 39 *G.b.*
elongata Strübing B. 1859. 270 *[S.C.*
trispinosa Oliv. Muls. Op. 52. 75 *Ga.I.*

Rhizopertha
Stephens.

pusilla F. Kiesw. 41 ×*E.*
rufa Hope

Dinoderus
Stephens.

bifoveolatus Woll. Col. Hesp. 110 ×*E.m.*
siculus Baudi B. 1873. 336
substriatus Steph. (nec. Payk.)

Stephanopachys
Waterhouse (1888.)

elongatus Payk. Kiesw. 31 *G.E.b.*
substriatus Payk. Kiesw. 30 *E.*
quadricollis Frm. Ab'. 1879. 83.

Hendecatomini.

Hendecatomus
Mulsant.

reticulatus Hbst. Kiesw. 25 *E.md.m.*

Ciidae.

Mellié A. 1848.
Abeille Toulouse 1874.
Reitter D. 1878.

Xylographus
Mellié.

bostrychoides Dufour Mell. 231 *E. m.*
Aubei Mell. 232.

Cis
Latreille.
Hadraule Thoms.

elongatulus Gyll. Reitt. 27 *E.*

Eridaulus Thoms.

nitidus Hbst. Reitt. 28 *E.*
Jacquemarti Mell. Reitt. 28 *Ga. G.*
glabratus Mell. Reitt. 28 *E.*
lineatocribratus Mell. Reitt. 28 *P. Alp.*

*

Cis in spec.

boleti F. Reitt. 27 *E.*
obliteratus Mell. 241.
substriatus Mell. l. c.
caucasicus Mén. Reitt. 22 *E.*
rugulosus Mell. 242.
rubiginosus Mell. ibid.

pyrrhocephalus Mell. ibid.
setiger Mell. Reitt. 27 *E.*
plagiatus Thoms.
v. submicans Ablle. 28.
micans Hbst. Mell. Reitt. 27 *Ga. G. Hi.*
pyrrhocephalus Mrsh.
Lederi Reitt. Led. 477 *Ca.*
hispidus Gyll. Reitt. 27. *E.*
micans Gyll. Thms. Sk. V. 184.
crenatus Sahlb. Diss. I. Fen. II. 1837.
nitidicollis Ablle. Reitt. 27. *Ga.*
striatulus Mell. Reitt. 27 *Ga. G.*
v. flavipes Luc. Ex. Alg. 47. 470 *P.*
comptus Gyll. Reitt. 27 *E.*
quadridens Mell. Reitt. 27. *Alp. P.*
bilamellatus Fowl. M. M. 84. 130 *Br.*
fissicornis Mell. Reitt. 29 *P. I. C.*
sublaminatus Wankow.
v. germanicus Ablle. 39 *G. b.*
laminatus Mell. Reitt. 29 *Ga. G.*
fissicollis Mell. Reitt. 28. *P. I. C.*
bidentatus Oliv. Reitt. 28 *Su. Ga. G.*
inermis Mrsh. Ent. Br. 87.
gladiator Flach D. 1882. 250 *Sax.*
dentatus Mell. Reitt. 28 *Alp. Su.*
microgonus Thms. Sk. X. 46.
Perrisi Ablle. Reitt. 28 *Ga.*
punctifer Mell. Reitt. 28 *H. Ga. P. I.*
punctulatus Gyll. Reitt. 28. *E. md. b.*
sericeus Mell. Reitt. 28. *Ga. Si.*
tomentosus Mell. 253 *D.*
setifer Reitt. Brünn 1883. 8. *Lenkoran*
alni Gyll. Reitt. 29 *E. md. b.*
betulae Zett.
v. recticollis Ablle. 60 *P. G.*
alnoides Reitt. D. 1884. 120 *CorfuCa.*
coluber Ablle. Reitt. 29 *Ga.*
juglandis Reitt. D. 1885. 208 *Bosn.*
reflexicollis Ablle. Mon. 63 *P. A. G.*
Lucasi Ablle. Reitt. 29.
bidentulus Rosh. Reitt. 29 *E.*
alpinus Mell. 347.
castaneus Mell. Reitt. 30 *E.*
fuscatus Mell. 352.
fagi Waltl Isis 1839. 224.
festivus Panz. Reitt. 30 *Alp. P.*
vestitus Mell. Reitt. 30 *Ga.*
oblongus Mell. Reitt. 29 *E.*
rhododactylus Mrsh. Ent. Br. I. 87.
v. Pandellei Ablle. 73.
quadridentulus Perr. Reitt. 30 *Ga.*
bicornis Mell. Reitt. 29 *Ga. P.*

Rhopalodontus
Mellié.

populi Bris. A. 1878. 63 *Ga.*

Perrini Reitt. 30 *Ca.*
perforatus Gyll. Reitt. 30 *E.*
punctiger Waltl Isis 1839. 224.
Baudueri Ablle. Reitt. 30 *Ga. Gr.*
fronticornis Panz. Reitt. 30 *E.*

Ennearthron
Mellié.

affine Mell. Reitt. 30 *E.*
cornutum Gyll. Reitt. 30 *E.*
filum Ablle. Reitt. 30 *Ga.*
pruinosulum Perr. Reitt. D. 78. 56 *Ga. A.*
ramicola Reitt. i. l.
laricinum Mell. 355 *Ga. G. R.*
Wagae Wankow. Reitt. 30 *Carp. R. Ga.*
cucullatum Mell. Reitt. 30 × *Ga.*
Reitteri Flach D. 1882. 249. *Bav. b.*

Diphyllocis
Reitter.

opaculus Reitt. D. 1878. 57 *G. Hu. Cro.*

Cisarthron
Reitter.

laevicolle Reitt. D. 1885. 209 *Bosn.*

Octotemnus
Mellié.

mandibularis Gyll. Kiesw. I. D. 196 *E.*
glabriculus Gyll. Kiesw. 197 *E.*

Tenebrionidæ

(Kraatz, Ten. alt. Welt 1865.)

Zophosini.

Zophosis
Latreille.
(Deyrolle A. 1867.)

ovata Brull. Krtz. 3 *Gr. Creta*
polita Lucas. Rev. Zool. 1854. 28.
Wollastoni Deyr. 212 *Ca.*
subinflata Brull. Krtz. 3. *Gr.*
punctata Brull Deyr. 109 *S. Si. Gr.*
v. Kollari Deyr. 111 *Gr.*
v. sicula Villa Deyr. 111 *Si.*
v. Maillei Sol. Deyr. 111 *Si.*
minuta F. Hrbst. Deyr. 206 *Hi.*
suborbicularis Sol. A. 1834. 616.
errans Sol. Deyr. 207 *Hi.*
rugosa Fald. Deyr. 173 *R. m. Ca.*
dilatata Deyr. 208 *Ca.*

cretica Mot. M. Pet. 1860. 427 *Creta*
sicula Mot. l. c. *Si.*

Cheirosis
Deyrolle.

acuminata Mén. Deyr. 221 *R. m.*
ovata Fald. Fn. trns. II. 5

Erodiini.

Arthrodeis
Solier.

globosus Fald. Reitt. D. 89. 26 *Arax.*
persicus Fald. Dej. Cat. ed. 3. 196
orientalis Fald. l. c.

Erodius
Fabricius.

tibialis L. Krtz. 57. *Lu. Hi.*
europaeus Sol. A. 1834. 567 *S.*
curvipes Sol. A. 1834. 567
v. bilineatus Herbst Krtz. 57
lusitanicus Sol. Krtz. 41 *Lu. Hi.*
nitidiventris Sol. l. c. 576
carinatus Sol. Krtz. 32 *Hi.*
latus Sol. ♀ A. 1834. 474
rugosus Krtz. 57 *Hi.*
puncticollis Rosh. Th. And. 183
pyriformis All. Rev. Mg. Z. 73. 82 *Si.*
proximus Sol. Krtz. 44 *Hi. m.*
obtusus All. l. c. 100 *Huelva*
parvus Sol. Krtz. 58 *Hi. Si.*
nitidicollis Sol. Krtz. 62 *Hi. Si.*
laevis Sol. Krtz. 48 *And. Bal.*
neapolitanus Sol. Krtz. 42. *I.*
v. Destefanii Failla Sic. 1887. 102 *Si.*
siculus Sol. Krtz. 42 *Si.*
vicinus Sol. Krtz. 46 *I.*
Emondi Sol. A. 1834. 585 *Alg.*
v. dalmatinus Krtz. 44 *D.*
v. rotundatus Krtz. 43. *Hi.*
Peirolerii Sol. Krtz. 49 *S.*
orientalis Brull. Sol. Krtz. 59 *Gr.*
longus Sol. A. 1834. 553 *Creta*
Duponti Sol. Krtz. 40 *Gr.*
brevicostatus Sol. Krtz. 33 *Gr.*
Boyeri Sol. Krtz. 59 *Gr.*
oblongus Sol. Krtz. 59 *Gr.*
Fabricii Sol. Krtz. 66 *Gr. Ca.*

Adesmiini.

Adesmia
Fischer.

Ehrenbergi Fald. All. A. 1885. 175 *Ca.*
Maillei Sol. All. A. 1885. 176
pulcherrima Fisch. B. M. 35. [illegible]
strophium Fisch. Rev. Zool. [illegible]

Tentyriini.

Colposcelis
Lacordaire.

longicollis Zoubk. Krtz. 91 *R. m.* [illegible]

Capnisa
Lacordaire.

modesta Faldm. Reitt. D. 89. 29 *Arax.*

Gnathosia
Fischer.
Dailognatha Esch.

laticollis Besser Krtz. 87 *T. Gr.*
quadricollis Brull. Mor. III. 199
v. caraboides Sol. Krtz. 87 *Gr.*
v. Audouini Sol. Krtz. 87 *T.*
v. rugata Sol. Krtz. 87 *Gr.*
v. impressicollis Sol. Krtz. 87 [illegible]
v. laevigata Brull. Krtz. 87 *Gr.*
Carceli Sol. Krtz. 87 *R. m.*
depressicornis Fald. Fn. trs. II. 135.
vicina Brull. Krtz. 88 [illegible]
variabilis Sol. Krtz. 87 [illegible]
caraboides Faldm. Krtz. 89 *Ca.*
Chevrolati All. A. B. 83. 17 *? Toscana.*
pumila Baudi D. 1875. 31 *Armen.*
crassicornis Desbr. Bul. Hip. 81. 66 [illegible]
sinuatocollis Desbr. l. c. [illegible]
caucasica Desbr. l. c. 67 [illegible]
crenata Rche. Krtz. 88 [illegible]

Anatolica
Eschscholtz.

angustata Stev. Krtz. 101 *R. m.*
elongata Gebl. B. M. 1847. 472
subquadrata Esch. Zool. Atl. IV. 7.
v. Audouini Sol. Krtz. 101
Maillei Sol. A. 1835. 386
subquadrata Tausch. Krtz. 93 *R. m.*
macrocephala Stev. N. M. Mosc. I. 87.
rugulosa Gebl. Ledeb. Rs. 1830. 120.
abbreviata Sol. A. 1835. 392
curvipes Schaum Emend.
v. abbreviata Gebl. Krtz. 95
gibbosa Gebl. Krtz. 101 *R. m.*
v. depressa Besser Krtz. 101
v. thoracica Besser Krtz. 101
v. lineata Stev. Krtz. 101
impressa Tausch. Krtz. 100 *R. m.*

lata Stev. Krtz. 100 *R.m.or.*
♀ tristis Sol. A. 1835. 388.
v. albovittis Motsch. Krtz. 100.
eremita Stev. Krtz. 100 *R.m.or.*
v. Besseri Kryn. Krtz. 100.

Calyptopsis
Solier.

caraboides Brull. Krtz. 226 *Gr.*
Emondi Sol. A. 1835. 271.
pulchella Fald. Reitt. D. 89. 28 *Baku*
deplanata Faust Reitt. D. 89. 27 *R.m.*
convexicollis Desbr. Reitt. D. 89. 28 *Ca.*
Antoniae Reitt. D. 1889. 29 *Araxes*
emarginata Reitt. D. 1889. 28 *Ca.*

Scythis
Schaum.

macrocephala Tausch. Krtz. 104 *R.m.*
subquadrata Stev. N. M. Mosc. I. 85.
pygmaea Mannerh. i. l.

Choristopsis
Kraatz.

caucasica Krtz. 228 *Ca.*

Dichomma
Solier.

dardanum Stev. Krtz. 222 *T.Gr.*
Maillei Sol. A. 1835. 273.
glabrum Brull. Mor. III. 201.

Pachychila
Eschscholtz.

punctata F. Krtz. 196 *Hi.m.*
hispanica Sol. Krtz. 196 *Hi.*
Salzmanni Sol. Krtz. 197 *Gr.*
Steveni Sol. Krtz. 198 *Si.*
Dejeani Besser Krtz. 200 *Si.*
subovata Besser N.M.Mosc.II. 11 *S.*
cossyrensis Rag. B.Jt. 1881. 36 *I.*

*

glabra Stev. N. M. Mosc. I. 10 *Hi.m.*
impressifrons Sol. Krtz. 202.
incrassata Rosh. Krtz. 204 *Hi.m.*
sublunata Sol. Krtz. 206 *Bal.*
glabella Herbst Krtz. 207 *Hi.m.*
Frioli Rosenh. Th. And. 184
Servillei Sol. Krtz. 207 *C.S.*
v. pygmaea Gené Krtz. 208 *Si.*
Germari Sol. Krtz. 208 *Hi.Si.*
bifida Rosh. Th. And. 184
sardoa Krtz. 209 *Si.I.*
Frioli Sol. Krtz. 209 *S.Si.I.*
quadricollis Rche. A. 1860. 729
laticollis Dej. i. l. *Gr.*

Microdera
Eschscholtz.

deserta Tausch. Krtz. 185 *R.or.*
deplanata Gebl. B. Petr. 41. 373 *Ca.*
campestris Stev. Krtz. 185 *R.m.*
v. convexa Fald. Krtz. 186
gracilis Esch. Krtz. 186 *R.m.*
subsulcata Krtz. 186 *R.m.*
convexa Tausch. Krtz. 187 *R.m.*
Fausti Krtz. D. 1888. 294 *Ca.*

Tentyria
Latreille.

mucronata Stev. Krtz. 120 *E.m.*
v. oblonga Sol. Krtz. 120 *Ga.*
v. nitida Sol. Krtz. 121 *I.m.*
elongata Waltl Krtz. 140 *And.*
v. sinuatocollis Rosh. Krtz. 140
v. rugoso-striata Krtz. 140
v. arenaria Krtz. 140
emarginata Krtz. 141 *And.*
ligurica Sol. Krtz. 121 *C.S.I.*
Otti Luc. Rev. Zool. 1855. 291
subcostata Sol. Krtz. 122 *Hi.m.*
maura Er. Wagn. Reis. III. 177
acuminipennis Luc. Rev. Zool. 55. 291
maroccana Sol. Krtz. 125 *Hi.m.*
Godartiana Luc. Rev. Zool. 1855. 291

*

Ramburi Sol. Krtz. 123 *C.*
v. angusticollis Sol. Krtz. 124 *C.*
v. Maillei Sol. Krtz. 124 *S.*
v. substriata Sol. Kr. 124 *C.*
v. laevicollis Sol. Krtz. 124 *C.S.*
rugosa Gené Krtz. 147 *S.*
interrupta Latr. Krtz. 125 *I.*
gallica Sol. A. 1835. 333 *Ga.m.*
Floresi Gené Krtz. 147 *S.*
v. monticola Gené Krtz. 147
curculionoides Herbst. Krtz. 143 *Hi.*
curta Stev. N. M. Mosc. I. 92 *Lu.*
Heydeni Haag. Heyd. Sp. 130 *Lu.*
Schaumi Krtz. 142 *Bal.*
basalis Schauf. Ab. 75. 83 *Bal.*
andalusiaca Krtz. 142 *Hi. C.*
gaditana Rosenh. Krtz. 143 *Hi. m.*

*

Thunbergi Stev. Krtz. 126 *Hi.*
bipunctata Sol. A. 1835. 336.
Sommieri Baudi D. 75. 47 *Ins. Linosa*
gigas Fald. Krtz. 150 *R.m.*
italica Sol. Krtz. 130 *D.E.m.*
corrugata Rosh. Krtz. 143 *Lu.Hi.*

cylindrica Sol. Krtz. 133 *Gr.*
acuminata Reiche A. 1857. 209
angulata Brull. Krtz. 130 *T.*
subdepressa Sol. A. 1835. 346 *Gr.*
taurica Tausch. Krtz. 134 *R.m. Gr.*
v. Fischeri Sol. Krtz. 134 *T.*
sardoa Sol. Krtz. 128 *S. Si.*
v. Tarquinia Baudi D. 1875. 44 *S.*

*

grossa Besser N. M. Mosc. II. 11 *S. Si.*
sicula Sol. Krtz. 128
v. Dejeani Sol. Krtz. 130
v. grandis Sol. Krtz. 129
laevigata Stev. Krtz. 148 *I. m. Si.*
v. Leachi Baudi D. 1875. 43 *Malt.*
nomas Pallas Krtz. 131 *R.m.*
v. rugulosa Germ. Krtz. 131
podolica Stev. N. M. Mosc. I. 91
v. striatopunctata Mén. Krtz. 132 *Baku*
Frivaldszkyi Krtz. 150 *Hu.m.*
banatica Friv. Heyd. B. 1869. 57
clavata Krtz. 151 *Ca.*
Bassii Sol. Krtz. 134 *Lu.*
subrugosa Sol. Krtz. 132 *Hi. md.*
Kindermanni Fisch. Krtz. 153 *R. m.*
rotundata Brull. Mor. III. 197 *Gr.*
grossa Sol. A. 1835. 361
orbicollis Sol. Krtz. 137
Peirolerii Sol. Krtz. 134 *Hi. md.*
prolixa Rosh. Krtz. 144 *Hi.m.*
sublaevis Krtz. 144 *Hi.m.*
levis Sol. Krtz. 135 *Hi.m.*
incerta Sol. Krtz. 136 *Hi.m.*
platyceps Stev. Krtz. 136 *Hi.m.*
Goudoti Sol. A. 1835. 360 *Lu.*
v. modesta Rosh. Krtz. 136 *Hi.m.*
velox Chevrol. Ab. 1875. 86 *Hi.md.*
tessulata Tausch. Krtz. 152 *R.m.*

Psammocryptus
Kraatz.
Stenosida Duval.

minutus Tausch. Krtz. 240 *R.m.*

Platamodes
Ménétriés.

dentipes Mén. In. Lehm. 1848. 17 *Ca.*

Adelostomini.

Adelostoma
Duponchel.
Polyscopus Waltl.

sulcatum Duponch. Reit. W. 85. 316 *Hi.m.*
costatum Waltl Reis. Sp. 74 *? S.*
scabrum Chevr. Pet. Nouv. II. 117 *D.*

Machlopis
Pomel.
Hidrosis Haag.

crenatocostata Redtb. Haag D. 75. 120 *[Ins. Lampedusa*

Stenosini.

(Reitter D. 1886.)

Stenosis
Herbst.

Tagenia Latr.

punctiventris Esch. Reitt. 108 *Cri.*
hesperica Sol. A. 1838. 29 *Hi.m.*
quadraticollis Desbr. Reitt. 110 *T. Cri.*
pilosa Motsch. Reitt. D. 1889. 30 *Arax.*
augustata Hrbst. Reitt. 113 *E.m.oc.*
filiformis Latr. X. 272 *Si*
v. sicula Sol. Reitt. 114 *I.Si.S.*
sardoa Küst. Käf. E. 14. 83 *[Cri.*
brevicollis Reiche
laeviventris Desbr. Col. Hip. 81. 30
v. brenthoides Rossi Reitt. 114 *Si. I.Da.*
italica Kr. B. 1862. 99
v. intermedia Sol. Reitt. 114 *Ga.m.C.*

*

pilifera Sol. Reitt. 115 *Gr.*
villosa Bris. A. 1866. 382 *Lu. Hi.*

*

orientalis Brull. Reitt. 118 *Gr.T.*
graeca Sol. A. 1838. 28
angusticollis Rche. Reitt. 120 *S.C.I.*
foveiventris Desb. C. Hip. 1881. 29 *Cri.*
intricata Reitt. l. c. *Balear.*
hispanica Sol. Reitt. 121 *Hi.m.*
v. elongata Sol. Reitt. 122 [illegible]
turkestanica Rttr. 123 [illegible]

Eutagenia
Reitter.

hellenica Reitt. D. 1888. 285 *Gr.*

Microtelus
Solier.

asiaticus Sol. Reitt. 128 *T.Gr.*

Oogaster
Faldermann.

piceus Mén. Reitt. 130 *Baku*

Dichillus
Duval.

carinatus Küst. Reitt. 135 *D.Gr.*
duricornis Reitt. 139 *T.H.*

minutus Sol. Reitt. 140 *Ga. m. I. Si.*
 v. subtilis Kr. Reitt. 140 *Si.*
 v. socius Rottb. Reitt. 140 *Si.*
subcostatus Sol. Reitt. 142 *And.*
  andalusicus Rosh. Th. And. 1856. 202.
 v. elevatus Reitt. 142 *Hi. Lu.*
corsicus Sol. Reitt. 142 *C. S.*
pumilus Sol. Reitt. 143 *C. S.*
pertusus Kiesw. Reitt. 143 *Gr. I. m.*
  biseriatus Reiche A. 1861. 371 *Si.*
araxidis Reitt. D. 1889. 30 *Araxes.*

Aspidocephalus
Motschulsky.

desertus Motsch. Reitt. 144 *Caspi.*

Leptodini.

Leptodes
Solier.

Lederi Reitt. D. 1889. 82 *Araxes*

Helenophorini.

Helenophorus
Latreille.

collaris L. Rdtb. 81 *Ga.m.Hi.I.*

Akisini.

Morica
Solier.

planata F. Krtz. 244 *Hi.m.*
grossa L. Syst. nat. ed. 12. 676 *Lu.Hi.*
  8-costata Sol. Krtz. 244
hybrida Charpent. Hor. ent. 1825. 215 *Hi.*
  obtusa Sol. Krtz. 244

Akis
Herbst.

bacarozzo Schrk. Baier. Reis. 66. 22 *E.m.*
  punctata Thunberg Krtz. 248
  reflexa Oliv. Ent. III. 59. 25
 v. tuberculata Krtz. 249
subterranea Sol. Krtz. 249 *Ga.S.Si.*
acuminata F. Krtz. 250 *Hi.S.Si.*
Sansi Sol. Krtz. 250 *Hi.b.*
elongata Brull. Krtz. 251 *T.Gr.*
  deplanata Waltl Isis 1836. 461
discoidea Quens. Krtz. 252 *Hi.*
Salzei Sol. Krtz. 252 *Hi.m.*
 v. hispanica Sol. Krtz. 252

*

spinosa L. Krtz. 254 *E.m.*
 v. sardoa Sol. Krtz. 254 *D.I.*
 v. Olivieri Sol. Krtz. 254 *S.*
 v. barbara Sol. Krtz. 254 *Hi.S.*
 v. angusticollis Baudi D. 1875. 76 *S.*
granulifera Sahlb. Krtz. 255 *Lu.*
 v. spinosa Herbst Krtz. 255 *Hi.*
 v. Bayardi Sol. Krtz. 255
 v. Genei Sol. Krtz. 255
 v. lusitanica Sol. Krtz. 255
elegans Charp. Krtz. 257 *Hi.*
  carinata Sol. A. 1836. 674
italica Sol. Krtz. 257 *I.*

Cyphogenia
Solier.
Lechriomus Moraw.

lucifuga Adams Ab. 1874. 75 *R.m.*
  depressa Küst. Käf. E. 14. 74
 v. acuminata Fisch. Ab. 1874. 75
aurita Pallas Ab. 1874. 79 *R.m.or.*
  truncata Gebl. B. A. Petr. III. 101.
gibba Fisch. Hor. III. 34 *R.m.or.*
  Zablotzkii Zoubk.

Scaurus
Fabricius.
(Solier A. 1838.)

tristis Oliv. Sol. 167 *E.m.*
  calcaratus F. Ent. Syst. Suppl. 42.
  gracilicornis Fairm. Genov. 1855. 524
 v. gracilipes Sol. 167 *Ga.m.*
 v. giganteus Küst. Käf. E. 13. 54 *S.*
 v. lugens Küst. l. c. 57 *S.Si.*
aegyptiacus Sol. 170 *S.Si.*
vicinus Sol. 171 *Hi.S.*
rugulosus Sol. 174 *Hi.*
gracilis Küst. Käf. E. 13. 61 *Hi.?I.*
uncinus Forst. *Hi.*
  gigas Waltl Reis. Sp. II. 70.
  hespericus Sol. 178.
striatus F. Sol. 180 *E.m.*
 v. maremmanus Sol. 181 *I.*
 v. sardous Costa Mem. Napol. 84. 13 *S.*
sticticus Gemmgr Col. H. VI. 1870 *Ga.Hi.*
  punctatus Hbst. Sol. 182 *S.*
atratus F. Sol. 183 *Ga.m.Hi.I.*

Cephalostenus
Solier.

elegans Brull. Mor. III. 195 *Gr.*
  Dejeani Sol. Rdtb. 84.
orbicollis Mén. B. A. Petr. I. 151 *T. Gr.*
  elegans Sol. Rdtb. 84.
  Dejeani Reiche A. 1857. 234

Blaptini.
(Allard, A. 1880, 81, 82.)

Gnaptor
Solier.

spinimanus Pallas All. 80. 274 *E.m.*
glabratus Herbst Käf. VIII. 56 *Hu.*
Boryi Lap. Hist. Nat. II. 208 *T.*
graecus Küst. Käf. E. 13. 64 *Gr.*
prolixus Fairm. All. 80. 275 *Ca.*

Prosodes
Eschscholtz.

Gebleria Motsch.
Peltarium Fisch.
Nyctipates Sol.

obtusus F. All. 80. 295 *R.m.*
♂ cylindricus Hrbst. Käf. VIII. 185.
attenuatus Fisch. Ent. Ross. I. 188.
♀ punctatus Fisch. Spicil. 109
pasticus Sol. Studi ent. 290

Blaps
Fabricius.

Dineria Motsch.

longicollis Stev. Spicil. 83 *R.m.Hu.*
confusa Mén. All. 82. 97
glabrata Bess. Col. Carel. 15
viatica Mill. i. l. *A.*
fatidica Fisch. Ent. Ross I. 14 *R.Hu.*
halophila Fisch. Spicil. 111
reflexicollis Sol. Spicil. 32
Dahli Sol. Studi ent. 317
pannonica Friv. Strm. Cat. 1843.149
Menetriesi Krtz. D. 1881. 56 *Derbent*
? microphthalma Fisch. All. 82. 97 *Podol.*
Solieri Reiche All. 82. 101 *Cri.Ca.*
acuminata Sol. Studi ent. 302

*

Uroblaps Motsch.

ominosa Mén. Krtz. W. 1888. 66 *Baku*
Reitteri All. W. 1885. 180 *Caspi.*
lusitanica Hbst. All. 81. 145 *Ga.m.Hi.*
producta Lap. Hist. nat. II. 200 *Lu.*
hispanica Sol. All. 147 *Hi.*
Emondi Sol. All. 81. 148 *I.m.*

Lithoblaps Motsch.

gigas L. All. 81. 152 *E.m.*
gages F. Syst. Ent. (err. typogr.)
producta Brull. Mor. III. 203
armeniaca All. *G...*
v. hians Fisch. Krtz. D. 81. 57 *Podol.*
brachyura Küst. All. 81. 156 *Hi.*
abbreviata Sol. Studi ent. 239
pruinosa Fald. All. 81. 160 *R. m.*
♂ Fischeri Fisch. Cat. Col. Karel. 15

Rhizoblaps Motsch.

armeniaca Fald. F. tr. 37. 42 *C...*
taeniolata Mén. All. 81. 172 *R. m. Ca.*
Requieni Sol. All. 81. 177 *A...*
nitens Lap. All. 81. 178 *Hi.*
stygia Er. Wagn. Reis. III. 182
subteres Sol. Studi ent. 341
vicina Sol. ibid. 342
sardoa Ball. M. M. 1888. II *S.*
sulcata Küst. Käf. E. 3. 41

Blapisa Motsch.

gibba Lap. All. 81. 495 *I. Gr. ...*
australis Sol. Studi ent. 322
v. planicollis Sol. All. l. c. *I.m.*
v. impressicollis Sol. All. l. c. *Si.*
v. italica Baudi D. 1875. 97
Jaegeri Humm. All. 81. 504 *Cri.*
? carbo Stev. Spicil. 87
orbicollis Motsch. All. 81. 506 *R.m...*
tenuicollis Sol. All. 81. 509 *Ca.*
abbreviata Mén. All. 81. 510 *R...*
♂ convexa Fisch. Krtz. D. 1881. 60
ecaudata Küst. Käf. E. 3. 45
v. rotundicollis Rche. All. 81. 511 *Gr.*
luctuosa Mén. All. 81. 511 *Ca.*
? ovata Sol. Stud. ent. 305 *Hi.*
brevis Fisch. All. 81. 498 *Volhyn.*

Platyblaps Motsch.

deplanata Mén. All. 81. 516 *Bak...*
♀ muricata Mén. Cat. rais. 199
quinquecostata Fsch. All. 81. 516 *...*
corrosa Fisch. All. 81. 519 *R.m.o...*
planicollis Motsch. All. 81. 519 *...*
tibialis Rche. All. 81. 523 *...*

Blaps Motsch.

mortisaga L. All. 82. 85 *E.*
acuminata Deg. Ins. V. 31
v. elongata Mén. All. 82. 85 *Ca.*
v. confusa Fisch.
dorsata Fisch. All. 81. 86 *...*
montana Mot. All. 82. 90 *...*
graeca Sol. All. 82. 92 *...*
Lederei Fairm. A. 1866. 263

Agroblaps Mot.

reflexicollis Fisch. All. 82. 104 *Hu.T.*
sinuatocollis Sol.
robusta Motsch. All. 82. 106 *Casp.*
putrida Motsch. All. 82. 107 *R.m.*
pulvinata Mén. All. 82. 113 *Bessarab.*
parvicollis Eschsch. 82. 117 *Hu.*
Krynickii Fisch. B.M.1829.195 *R.m.*
scabriuscula Mén. All. 82. 120 *Baku*
subalpina Mén. All. 82. 121 *Ca.*
anthracina Fald. All. 82. 122 *Ca.*
pterotapha Mén. All. 82. 123 *Baku*
angulicollis Motsch. B. A.Petr.II.528
similis Latr. All. 82. 124 *E.*
fatidica Sturm. Fn. II. 205
obtusa Curtis Br. Ent. IV. 148
v. proxima Sol. St. ent. 48. 313 *Ga.Si.*
subquadrata Brll. All. 82. 126 *Tr.G.*
bipunctata Allard All. 82. 127 *Ca.*

*

Leptocolena Allard.

mucronata Latr. All. 82. 129 *E.md.m.*
obtusa Strm. Fn. II. 206 *G.Ga.*
Chevrolati Sol. Studi ent. 298
sublineata Brll. Mor. III. 204
striolata Küst. Käf. E. VII. 46 *S.*
v. stricticollis Sol. All. 82. 132 *Si.*
v. reflexa Sol. All. l. c.
dilatata Lap. Hist. nat. II. 200 *I.*
foveicollis All. l. c. *Melita*

Asidini.

Asida
Latreille.
(Allard Ab. VI. 1869.)

sabulosa Goeze Krtz. B. 1874. 106 *Ga.*
rugosa Fourcr. Ent. Par. I. 157 *Pe.*
grisea Oliv. Ent. III. 56 *A.m.*
vicina Sol. A. 1836. 417.
v. Duftschmidi Gemm. Col. H. VI. 1870.
morbillosa F. Krtz. B. 1874.108 *A.m.*
♂ variolosa F.
v. helvetica Sol. Krtz. B. 1874. 109 *D.*
v. glabricosta Sol. All. 175 *Si. Ga. m.*
v. insidiosa Muls. Fr. 54. 92 *Ga.m.Alp.*
?v. catenulata Muls. Krtz. B. 74. 110 *Ga.*
convexicollis All. A. Belg. 1883. 27 *Hi.b.*
confusa Krtz. D. 74. 114 *Hi. m.*
pygmaea All. 177.
reticulata Sol. All. 180 *Hi.*
Ghilianii Baudi B. It. 1875. 66 *Hi.*
Dejeani Sol. All. 180 *Ga.m.Hi.Pe.*
v. massiliensis Baudi D. 1875. 115 *Ga.*
basiplicata Heyd. D. 1884. 360 *And.*
pygmaea Rosh. And. 56. 199 *Hi. m.*
Paulinoi All. 182.
pusillima Kr. D. 1874. 112 *Hi. m.*
ruficornis Sol. All. 181 *?Hi.?C.*
complanata Luc. Alg. 322
Ricoi Martinez Ab. 1879. 43 *Hi. m.*
Paulinoi Perez Ins. nv. 1868. 66 *Lu.*
Solieri Gené All. 183 *S.*
Lostiae All. B. It. 1887. 333 *S.*
setosa Perez Ab. 1879. 59 *Hi. m.*
planipennis Schauf. All. 185 *Bal.*
Moraguezi Schauf. Nq. ot. 84. 534 *Bal.*
lutosa Sol. All. 187 *R. m. Ca.*
setulifera Küst. All. 296 *Mont.*
Fairmairei Boield. All. 297 *Euboea*
graeca All. 290 *Gr.*
fascicularis Germ. Krtz. B. 74. 111 *D.*
terricola Küst. All. 188.
lineatocollis Küst. All. 205 *D.*
acuticollis All. Col. nouv. 1868. 2.
sardiniensis All. 291 *S.*
consanguinea All. 292 *Ga. m.*
Bayardi Sol. All. 189 *I.*
v. ligurica Baudi B. It. 1875. 27 *I.*
Goryi Sol. All. 190 *Hi. S. Si.*
serripes Chevr. Ab. 1879. 68 *And.*
grisea F. Rossi Krtz. B. 1874. 106 *I.*
longicollis Sol. All. 192 *C.*
Ludovici Perez Ab. 1879. 57 *Bal.*
carinata Sol. All. 193 *C. S.*
lepidoptera All. 194 *C.*
hesperica Perez All. 197 *Hi.m.*
sericea Oliv. All. 199 *Ga.P.H..*
v. difficilis All. 200 *H.md.*
sinuatocollis Sol. All. 208 *Hi.S.*
banatica Friv. Heyd. B. 69. 57 *Balc.Hu.*
Pirazzolii All. 200 *I.*
corsica Lap. All. 201 *C. S.*
Genei Sol. All. 213 *S.*
Combae Gené Ins. Sard. 1839. 31 *S.*
rustica Gené All. 202 *S.b.*
glacialis Gené All. 203 *S.P.*
Jurinei Sol. All. 206 *Hi.I.*
♀ bigorrensis Sol. A. 1836. 430 *Pe.*
Magonis Boield. A. 1865. 9 *Bal.*
Pazi Perez Ins. nuev. 1865. 36 *Hi.*
v. pyrenaea Baudi D. 1875. 117 *P.*
Marmottani Bris. All. 225 *P.*
oblonga Ramb. All. 207 *Hi.*
Bonvouloiri All. 210 *P.*
elongata Ramb. Fn. And. t. 20 *Hi.*
Reichei All. 211 *Bal.*

Cardonae Perez Ins. nuev. 1868. 63.
horrens Schauf. Col. Bal. 1869. 24.
cincta Rosh. All. 214 *Hi.*
Barceloi Perez All. 215 *Bal.*
gibbicollis Perez All. 217 *Lu.*
♀ angustata All. *And.*
setipennis All. 218 *Hi.md.*
minuta Ramb. 1842. All. 219. *Hi.m.*
hebes Rosenh. 1856
granulifera Chvr. All. 221 *Lu.Hi.*
inquinata Ramb. All. 222. *Hi.*
Brucki All. 292. *Hi.m.*
marginicollis Rosh. All. 224 *Hi.*
holosericea Germ. All. 226 *Hi.m.*
Ramburi Sol. A. 1836. 438
Solieri Ramb. Fn. And. t. 19 *Hi.*
Clementei Perez All. 228
v. lorcana Perez Ins. nuev. 65. 46 *Hi.m.*
luctuosa Ramb. All. 228 *Hi.*
puncticollis Sol. All. 234 *Hi.*
opatroides All. 249 *Si.*
sulcipennis Fairm. A. 1868. 485
cariosicollis Sol. All. 261 *And.*
Tournieri All. 64 *Si.*
dubia Ramb. All. 267 *And.*
porcata F. All. 268 *And.*
costulata Sol. All. 269 *Lu.*
tangeriana Sol. 270 *Hi.m.*
scabrosa All. 270 *Hi.md.*
sulcata All. 271 *Hi.m.*
granifera Sol. All. 273 *Hi.m.*
Marseuli All. 274 *Hi.*
punctipennis Perez All. 275 *Hi.Lu.*
Zapatori Perez Ab. 79. 6 *Hi.*
castellana Graëlls All. 276 *Hi.*
Goudoti Sol. All. 277 *Hi.m.*
gaditana Ramb. Fn. And. t. 20
v. Perezi Chevr. All. 277
v. ventricosa Sol. All. 277
gigas Dufour All. 278 *Hi.m.*
hispanica Sol. All. 279 *Hi.md.*
alcirica Sol. err. typogr. All. 282
? iberica Sol. *Hi.*
crassicollis Frm. All. 253 *Hi.*
Morae Perez Ins. nuev. III. 68
gracilis All. 295 *Hi.*
atrata Baudi D. 1875. 107 *And.*
elongata Sol. All. 280 *Hi.*
Amori Perez Ins. nuev. III. 77
Dieck i All. Pt. N. 1870. 50 *Hi.b.*
parallela Sol. All. 282 *And.*
Vuillefroyi Perez Ins. nuev. III. 72
montana Baudi D. 1875. 106 *Hi.m.*
laevis Sol. All. 283 *Hi.*

depressa Sol. All. 284
♀ brevicostata Sol. A. 1836. 449 *Bal.*
laevigata Ramb. Fn. And. t. 19 *And.*
v. ibicensis Perez All. 282
asperata Sol. All. 285 *Hi.m.*
rugosula Ramb. Fn. And. t. 19 *Si.*
alonensis Martinez Ab. 1879. 42
sicula Sol. All. 286
♀ grossa Sol. A. 1836. 454 *Hi.*
syriaca All. 287 *Hi.m.*
grandipalpis All. 288
squalida All. 289

Pimeliini.

(Kraatz. Ten. alt. Welt 1865.)

Pimelia
Fabricius.

Sénac Mon. 1884. *Si.*

angulata F. Krtz. 340
spinosa Forsk. Descr. 80
asperrima Pall. Ic. I. 55 *Gr.*
v. syriaca Sénac Mon. 24 *Bal.*
Latreillei Sol. A. 1836. 93 *Bal.*
v. permixta Sénac A. 1881. 20
sericea Sol. nec Oliv. *Bal.*
v. denticulata Sol. Sénac. 27 *Aegypt.*
sericea Oliv. Sén. Mon. 80 *Bal.*
v. balcarica Sol. Krtz. 288 *S.Si.*
inflata Herbst Krtz. 340
?grossa F. Ent. Syst. I. 101
barbara Sol. A. 1836. 106
v. rugosicollis Levr. Krtz. 333 *C.*
tuberculata Mén. Krtz. 358 *R.m.*
cephalotes Pallas Krtz. 359 *R.m.*
capito Krynicki Krtz. 359
neglecta Mén. Cat. rais. 194
Schönherri Sol. A. 1836. 117
v. anomala Sol. A. 1836. 118
v. Schönherri Fald. Krtz. l. c. *Ca.*
cursor Mén. Krtz. 360 *Ca.*
dubia Fald. Krtz. 360 *Ca.*
v. persica Fald. Krtz. 360

*

variolosa Sol. Krtz. 328 *Hi.m.*
ruida Sol. Krtz. 329 *Hi.m.*
maura Sol. Krtz. 329 *Hi.m.*
Mittrei Sol. A. 1836. 194 [illegible]
sardoa Sol. Krtz. 341 *C.S.Si.*
v. Goryi Sol. Krtz. 341 *S.*
v. subscabra Sol. Krtz. 341 *C.S.*
v. sublaevigata Sol. Krtz. 341 *Si.*
v. corsica Sol. Krtz. 341 *S.*
rugulosa Germ. Krtz. 340 *I.*
v. bifurcata Sol. Krtz. 341 *Si.*

undulata Sol. Krtz. 341 *S.*
Payraudi Sol. Krtz. 342 *C.S.Si.*
v. rugatula Sol. Krtz. 342
angusticollis Sol. Krtz. 342 *C.Si.*
bipunctata F. Krtz. 331. *Ga. Hi.*
muricata Ol. Ent. III. 59 *I.*
sulcata Fourcr. Ent. Par. I. 159.
aspera Germ. Ins. Spec. nov. 134.
distincta Sol. Krtz. 331 *Hi.*
castellana Perez Ab. 1875. 98 *Hi.*
baetica Sol. Krtz. 331 *Hi.*
costata Waltl Krtz. 332 *Hi.*
v. hesperica Sol. Krtz. 332.
v. lineata Sol. Krtz. 332.
v. gadium Sol. Krtz. 332.
v. graphica Baudi D. 1876. 22.
modesta Herbst *Lu. Hi.*
incerta Sol. Krtz. 331.
muricata F. Syst. Ent. 251.
integra Rosenh. Krtz. 329 *Hi. m.*
cribra Sol. Krtz. 329 *Bal.*
v. interjecta Sol. Krtz. 329.
hispanica Sol. Krtz. 330 *Hi. m.*
v. rotundata Sol. Krtz. 330.
punctata Sol. Krtz. 330 *Hi.*
monticola Rosh. Krtz. 330 *Hi. m.*
brevicollis Sol. Krtz. 330 *Hi. m.*
Perezi Sénac Ess. mon. II. 88. 69 *Hi.m.*
Villanovae Sénac l. c. 78 *Hi.m.*

*

polita Sol. Krtz. 351 *Gr.*
subglobosa Pall. Krtz. 357 *R. m. T.*
verruculifera Sol. Krtz. 350 *T. Gr.*
verrucifera Waltl
coordinata Fisch. B.M. 1845. IV. 17.
v. varicosa Mén. Krtz. 350.
v. Mongeneti Sol. Krtz. 350.
v. balcanica Kirchsb. Krtz. E. Mbl. 76. 30
v. graeca Sol. Krtz. 350.
euboica Boield. Ab. 1875. 99 *Gr.*
graeca Brull. Krtz. 345 *Gr.*
v. sericella Sol. Krtz. 351.
v. exanthematica Sol. Krtz. 346.
v. asperula Sol. Krtz. 346.
v. phymatodes Sol. Krtz. 347.
v. Minos Luc. Krtz. 348 *Creta*
cephalonica Kr. 351 *Gr.*
scabrosa Sol. Krtz. 332 *Hi. m.*
fornicata Herbst Krtz. 332 *Hi.m.*
obesa Sol. A. 1836. 191.

---

verrucosa Fisch. Krtz. 358 *R. m. or.*

Podhomala
Solier.

suturalis Sol. Krtz. 372 *R. m. or.*
lucidula Kryn. B. M. 1832. 132.

Pachyscelis
Solier.

quadricollis Sol. Krtz. 308 *Gr.*
v. obscura Sol. Krtz. 308.
v. porphyrea Sol. Krtz. 308
v. parallela Sol. Krtz. 308
villosa Drap. An. gen. Brux. V. 118. *Gr. S.*
granulosa Sol. Krtz. 311
v. tenebrosa Sol. Krtz. 311
crinita Sol. Krtz. 311 *Gr.*
v. hirtella Sol. Krtz. 312
bilineata Baudi B. 1876. 12 *R. m.*
clavaria Mén. Krtz. 305 *R. m.*
leprosa Fald. Fn. trns. II. 14
metopotapha Mén. Krtz. 305 *Ca.*
gastridula Fald. Krtz. 306 *Ca.*
mamillata Fald. Krtz. 307 *Ca.*
musiva Fald. Krtz. 307 *Ca.*

Ocnera
Fischer.
Trachyderma Latr.

imbricata Fisch. Krtz. 295 *R. m. or.*
pilicornis Fald. Faust Hor. XI. 44 *R. m. or.*
pilicollis Fald. Krtz. 295
hispida Forskal Krtz. 289 *Si.*
angustata Sol. Krtz. 291 *S. Si.*
setosa Mén. Krtz. 296 *R. m. or.*
Beckeri Desbr. Col. Hip. 1881. 90.
philistina Rche. Krtz. 290 *Gr.*
graeca Desbr. l. c. 89.

Pterocoma
Solier.

costata Pall. Krtz. 286 *R. m. or.*
Sarpae Sol. A. 1836. 46.
gracilicornis Sol. Krtz. 287 *R. m.*

Platyope
Fischer.

leucographa Pall. Krtz. 271 *R. m.*
Bassii Sol. A. 1836. 14.
v. unicolor Zoubk. Krtz. 273.
Karelini Kryn. B. M. 1829. VI. 193.
lineata F. Krtz. 271 *R. m.*

Lasiostola
Solier.

pubescens Pallas Krtz. 284 *R. m.*
variolaris Gebl. Krtz. 285 *R. m.*

Trigonoscelis
Solier.

muricata Pall. Faust Hor. 75. 188 *R.m.or.*
contraria Desbr. B. Hipp. 1871. 91
deplanata Kryn. Krtz. 283 *R.m.*

Sepidiini.

Sepidium
Fabricius.
(Allard Mag. Zool. 1874.)

bidentatum Sol. All. 9 *Hi.m.*
castilianum Graëlls in lit.
siculum Lap. All. 16 *S.Si.*
Genei Sol. All. 17
barbarum Sol. All. 17 *Si.*
Servillei Sol. All. 17
tricuspidatum F. All. 20 *?Hi.*

Crypticini.

Crypticus
Latreille.

gibbulus Quens. Küst. Käf. 10. 65 *E.m.*
pubens Fairm. A' 1881. 132 *Hi.m.*
substriatus Desbr. B. Hip. 81. 118 *R.m.*
viaticus Fairm. Rev. Zool. 1851. 528 *Hi.*
ulomoides Fairm. A. 1852. 85
quisquilius L. Rdtb. 91 *E.*
glaber F. Syst. Ent. 258
v. pyrenaeus Baudi D. 1876. 33 *P.*
Zuberi Mars. Ab. 1870. 382 *R.m.*
pusillus Rosh. And. 212 *Hi.m.*
zophosoides Heyd. Sp. 131 *Lu. Hi.*
Kraatzi Bris. A. 1866. 383 *Hi.*
alpinus Comolli Col. Nov. 1837. 26 *I.b.*
*

Seriscius Motsch.

pubescens Mot. B. M. 1845. 77 *R.m.or.*
nebulosus Fairm. Ab. 1875. 107 *Hi.*
pruinosus Dufour An. phys. Brux. VI. 310
adspersus Küst. Käf. E. 23. 51 *[Hi.*
helvolus Küst. Käf. E. 24. 83 *Si.*

Oochrotus
Lucas.

Pycnidium Er.

unicolor Luc. Rdtb. 92 *Ga.m.Hi.*

Pedinini.

Platyscelis
Latreille.
(Solier, Stud. ent. 1848.)

hypolithos Pall. Sol. 209 *R.m.*
Spinolae Sol. 211 *R.m.*
polita Sturm Rdtb. 93 *A.Hu.*
melas Fisch. Sol. 212 *R.m.*
gages Fisch. Rdtb. 93 *A.R.m.*
hungarica Friv. Heyd. B. 1869. 57 *Hu.*

Heterophylus
Mulsant.

picipes Fald. Muls. Op. 59. 8 *Ca.*
ellipticus Desb. Bul. Hipp. 81. 72 *R.m.*

Dilamus
Duval.

rufipes Luc. D. 1870. 250 *Hi.m.Si.*
v. congener Rottbg. ibid. *Hi.*
v. Andalusiae Baudi D. 76. 240 *And.*

Dendarus
Latreille.
(Muls. Op. 1854.)

Pandarus Mulsant.

carinatus Muls. 58 *C.S*
corsicus Perris Ab. XIII. 5
v. tricostatus Muls. 60
tristis Rossi Fn. Etr. I. 236 *Ga.m.I.*
coarcticollis Muls. 60
pectoralis Muls. 62 *Hi.*
castilianus Pioch. A. 1869. 31 *Lu.Hi.*
Aubei Muls. 64 *Hi.m.*
insidiosus Muls. 66 *Hi.m.*
sinuatus Muls. 69. *T.Gr.*
emarginatus Brull. Mor. III. 211.
graecus Brull. Muls. 71 *Gr.*
stygius Waltl Muls. 73 *Si.T.Gr.*
simius Muls. 76 *Gr.*
lugens Muls. 77 *D.S.Si.Gr.*
emarginatus Germ. Reis. Dalm. 190 *D.I.*
dalmatinus Germ. Muls. 79 *T.*
torpidus Muls. 82 *Gr.*
plicatulus Brull. Exp. 210 *Gr.*
obscuripennis Brull. 212 *Gr.*
Victoris Muls. 84 *T.*
moesiacus Muls. 87 *Gr.*
cribratus Waltl Muls. 90 *T.R.m.*
dardanus Fald. Fn. transc. II. 51
extensus Fald. Muls. 95. *Ca.*
carbonarius Waltl Isis 1838. 463 *T.*
punctatus Serv. Muls. 93 *R.m.*
messenius Brull. Muls. 98 *Gr.*
gravidus Brull. Mor. III. 210
tentyrioides Brull. ibid. 212
ottomanus Muls. 101 *T.*
rhodius Baudi D. 1878. 39 *[illegible]*

creticus Motsch. Ét. 1858. 188 *Creta*

Pandarinus Mulsant.

foraminosus Küst. Muls. Op. 53. 95 *Cret.*
tenellus Muls. 106 *I.Gr.*
caelatus Brull. Muls. 108 *Gr.*

Paroderus Muls.

elongatus Muls. 111 *Hi.m.*
v. nevadensis Pioch. Ab. 1875. 110

Bioplanes Mulsant.

meridionalis Muls. 118 *Ga.A.I.*

Pedinus
Latreille.

(Muls. Op. 1853. Kiesenw. Ent. Monatsbl. 1880)

Olivieri Muls. 157 *T.Creta*
punctatus Muls. Mém. Lyon 1853. 66
quadratus Brull. Muls. 159 *Gr.Si.*
helopioides Ahr. Muls. 162. *D.Hu.*
gibbosus Gory Ic. reg. an. 117 *I.Gr.*
inflatus Rche. (Crypt.) A. 58. 262
affinis Brull. Mor. III. 206 *D.Gr.*
gibbosus Muls. 165
fallax Muls. 168 *Hu.D.Si.Gr.*
v. gracilis Muls. 171 *Gr.*
punctatostriatus Muls. 172 *E.m.*
olympicus Kiesw. 67 *Gr.*
longulus Rottbg. B. 1870. 249 *Si.*
Ragusae Baudi D. 1878. 44 *Si.*
vicinus Baudi
meridianus Muls. 175 *Ga.m.I.*
fatuus Muls. 178 *Si.*
oblongus Muls. 179 *T.Gr.*
subdepressus Brull. Muls. 184 *Gr.*
cylindricus Waltl Isis 1838. 862
Schaumi Muls. 181 *T.*
taygetanus Kiesw. 67 *Gr.*
curvipes Muls. 189 *T.*
femoralis L. Muls. 191 *Ga.G.A.R.*
dermestoides F. Mant. I. 212 *I.*
debilis Kiesw. 68 *Gr.*
curtulus Muls. 196 *T.*
tauricus Muls. 197 *R.m.*
volgensis Muls. 203 *R.m.*
jonicus Kiesw. 66 *Gr.*

Colpotus
Mulsant.

(Muls. Op. 1853.)

strigosus Costa A. asp. 1847. 144 *I.*
strigicollis Muls. 210 *S.*
similaris Muls. 212 *Lu.I.*

Godarti Muls. 214 *C.Si.*
byzantinus Waltl Muls. 216 *T.*
sulcatus Muls. 218 *Creta*
pectoralis Muls. 220 *Gr.Creta*
v. ruficornis Reitt. D. 1885. 87 *Gr.*
angustulus Reitt. D. 1887. 520 *Circas.*

Isocerus
Latreille.

purpurascens Hrbst. Reitt. W. 86. 152 *Hi.*
v. lusitanicus Reitt. l. c. *Lu.*
balearicus Schauf. Reitt. l. c. *Bal.*

Litoborus
Mulsant.

Moreleti Lucas Muls. Op. 54. 126 *I.Hi.*
planicollis Waltl Muls. 128. Rdtb. 95 *[Hi.Si.*

Heliopates
Mulsant.

lusitanicus Herbst. Muls. 228 *Ga.Hi.*
cribratostriatus Muls. 229 *Hi.*
Perroudi Muls. 237 *Hi.*
simulans Chevr. Rev. Zool. 1865. 391
transversalis Muls. 232 *Hi.*
montivagus Muls. 233 *Hi.m.*
avarus Muls. 234 *Si.Gr.*
v. ambiguus Baudi B. It. 1875. 164 *C.Si.*
v. Neptunius Baudi l. c. *Si.*
obsoletus Marsh. Ent. Br. 475 *?Hi.*
ibericus Muls. 235 *Hi.*
cribratus Chevr. Baudi B. It. 76. 165 *Hi.*
rotundicollis Lucas Muls. 237 *Hi.m.*
agrestis Muls. 239 *Hi.m.*
luctuosus Serv. Muls. 240 *E.m.*
emarginatus F. Muls. 241 *Lu.Hi.*
subvariolosus Lucas Ex. Alg. 330
meridianus Brull. Mor. 208 *Gr.*

Olocrates
Mulsant.

saxicola Muls. 193 *Hi.*
saxeticola Graëlls Map. geol. 58. 71
collaris Muls. 195 *Hi.[Hi.I.*
gibbus F. Muls. 197 *E.*
paludicola Chevr. Rev. Zool. 65. 391 *Hi*
fossulatus Muls. 200 *Hi.*
foveolatus Graëlls M. M. geol. 58. 71 *Hi.*
foveipennis Muls. 203 *Hi.*
v. lineatopunctatus Muls. 205
v. milleporus Baudi B. It. 75. 160 *Hi.*
indiscretus Muls. 208 *Hi.*
nivalis Baudi D. 1878. 50
abbreviatus Ol. Muls. 211 *Ga.Hi.*

hybridus Latr. Hist. nat. X. 284 *I.*
v. dubius Baudi D. 1878. 48
dendaroides Baudi D. 1878. 46 *Hi.m.*
planiusculus Muls. 216 *Hi.*
viaticus Muls. 218
damascenus Mannh.Hum.Es.25.30 *R.m.*
Mulsanti Pioch. A. 1869. 36 *Hi. oc.*
Reyi Pioch. A. 1869. 37 *Hi. oc.*
mediterraneus Pioch. l. c. *Bal.*

Phylax
Brullé.

variolosus Ol.Muls.Op.1854.138 *Lu.Hi.*
littoralis Muls. 141 *Ga.I.*
v. fraternus Muls. 143 *Si.*
v. ingratus Muls. 143 *I.*
v. melitensis Baudi D. 1878. 54 *Melita*
brevicollis Baudi D. 1878. 55 *S.*
punctulatus Luc. Ksw. B. 61. 229 *Creta*
sardous Baudi D. 1878. 53 *S.*

Micrositus
Mulsant.

orbicularis Muls. Op. 1854. 155 *Gr.Cret.*
ulyssiponensis Germ. Muls. 161 *Lu.*
v. montanus Muls. 160
v. lusorius Muls. 166 *Hi.md.*
ventralis Mars. Ab. VI. 20
v. obesus Muls. 165
v. Paivae Perez Ins. nv. 1865. 51 *Lu.*
v. nitidicollis Perez Ab. 1879. 8 *Bal.*
v. agricola Muls. 164 *Hi.*
obesus Waltl Reis. Sp. II. 71 *Hi.m.*
baeticus Muls. 166
levis Perez Ab. 1879. 8 *Hi.*
granulosus Billb. Nov. A. Ups. VII. 276 *Lu.*
plicatus Luc. Muls. 157
circassicus Reitt. D. 1887. 520 *Ca.*

*

Platyolus Muls.

miser Muls. 168 *Hi.*
Heeri Muls. 171 *Hi.*
gibbulus Motsch. 173 *Hi.*
v. melancholicus Muls. 176
furvus Muls. 181 *Hi.m.or.*
subcylindricus Motsch. Muls. 183 *Hi.*
longulus Muls. 185 *Hi.*

Litororus Miedel i. l..

semicostatus Muls. 178 *Bal.*
balearicus Schauf.

Pachypterus
Lucas.

mauritanicus Luc. Rdtb. 97 *Ca.Hi.C.*

Pseudolamus
Fairmaire.

seriatoporus Fairm. Pet. N. 1874.388 *Hi.*
pusillus Baudi D. 1878. 61

Opatrini.

Melanimon
Motschulsky.

Platynosum Muls.
collare Motsch. B. M. 1839. 60 *Arax.*

Scleron
Hope.

abbreviatum Reiche A. 1857. 260 *Gr.R.*
armatum Waltl Rdtb. 98 *Hi.*
algiricum Lucas Alg. 335
multistriatum Forsk. Desc. 1775. 77 *Gr.*
foveolatum Ol. Muls. Op. 59. 80

Opatrum
Fabricius.

(Küster Käf. Eur.)

perlatum Germ. Küst. 16. 37 *Hi.*
verrucosum Germ. Küst. 42. 27 *I.Gr.*
granigerum Bess. Addit. 16
hispidosum Brull. Mor. III. 217
v. verruciferum Muls. Op. 1859. 54 *Gr.*
verrucosum Brull. Mor. III. 216
v. trilobatum Baudi B. It. 1875. 221
v. alternatum Küst. 16. 39 *D.T.*
v. sculpturatum Fairm. A. 1860. 630
obesum Oliv. Muls. Op. 1859. 49 *Scio.*
v. dardanum Stev. Küst. 16. 44 *T.*
v. elevatum Brull. Mor. III. 215 *Gr.*
gibbum Küst. 16. 42
messeniacum Rottb. B. 1870. 251 *Si.*
v. setuligerum Costa Ent. Isch. 56. 4 *I.m.*
? v. Parreyssi Küst. 16. 50 *T.*
? v. sulcatum Küst. 16. 49 *T.*
sabulosum L. Küst. 16. 26 *E.*
v. lucifugum Küst. 16. 41 *D.*
v. riparium Scrib. Oberhes. 65. 50 *Rhen.*
v. distinctum Küst. 16. 48 *C.Pe.*
melitense Küst. 16. 38 - *I.Gr.*
v. tricarinatum Mot. B. Petr. 60. 307 *Cri.*
triste Stev. Küst. 16. 36 *S.R.m.*
granulatostriatum Küst. 16. 43
v. areolatum Küst. 16. 40 *T.*
nivale Gené Mem. Tor. 39. 72 *S.*
porcatum F. Ent. Syst. 1792. 89 *Maroc.*
v. validum Rottbg. B. 1870. 250 *Si.*
porcatum Muls. Op. 59. 45 *Bal.*
baeticum Rosenh. And. 206 *Hi.m.*

v. gregarium Rosenh. l. c. 208 *Hi.m.*
geminatum Brull. Küst. 16. 35 *T.*
Dahli Küst. 16. 34 *S.*
nodosum Gené
asperidorsum Frm. A. 1878. 56 *C.*
Grenieri Perris Ab. VII. 1870. 19 *C.*

Sinorus
Mulsant.

Colliardi Fairm. A. 1860.630 *C.*
ciliaris Muls. Op. 1861. 2

Gonocephalum
Mulsant.

Lefranci Fairm. A. 1863. 643 *C.Si.*
sexcostatum Motsch. Ét. 1858. 188 *Gr.*
scleroides Baudi D. 1876. 72 *Creta*
pygmaeum Stev. Küst. 16. 61 *Ga.I.*
v. pedestre Rosh. Beit. Fn. Eur. 31 *Ti.*
pusillum Küst. 16. 60
v. pesthiense Küst. 16. 63 *Hu.*
v. Sturmi Küst. 16. 62 *Hu.*
v. assimile Küst. 16. 52 *I.*
setulosum Fald. Fn. trans. II. 60 *Ca.Si.*
minutum Mén. M. A. Petr. VI. 239
crenatum F. Syst. El. I. 117 *E.m.*
vestitum Küst. 16. 45
hispidum Brull. B. It. 1875. 228 *Lu.*
prolixum Er. Wgm. Ar. 43. 248 *Hi.S.Si.*
hespericum Motsch. B.M. 49. III.126
obscurum Küst. 16. 46
lugens Küst. 16. 50 *R.m.*
rusticum Oliv. Redtb. 100 *E.m.*
pulverulentum Oliv. Encycl. VIII.500
vicinum Gemm.
patruele Küst. 16. 51 *Ga.m.*
[illegible] Küst. 16. 51
v. terrosum Küst. 2. 28 *S.*
setulosum Küst. 16. 47 *Hi.m.*
trichopterum Gemm. C. H. VI. 1870
villosum Stev. Opatra. 97 *Ga.m.*
muricatum Brull. Mor. III. 215 *Gr.*
famelicum Küst. 16. 48 *Gr.*
v. rugulosum Küst. 16. 55 *T.*
pusillum F. Küst. 16. 60 *E.m.*
viennense Duft. Küst. 16. 53 *A.Hu.*
v. nitidulum Küst. 16. 56 *T.*
v. ragusanum Küst. 16. 52 *D.*
v. interstitiale Küst. 16. 59 *Mont.*
v. nigrum Küst. 16. 58 *E.m.*
v. meridionale Küst. 16. 57 *Hi.*
costatum Brullé Exp. III. 218 *Gr.*
lineare Küst. 16. 54

---

substriatum Bess. Küst. 16. 49 *? I.*
pruinosum Fisch. B. M. 44. 128 *R.m.or.*
intermedium Fisch. l. c. 127 *R.m.*
modestum Küst. 16. 53 *And.*

Scleropatrum
Miedel i. l.

hirtulum Baudi D. 1876. 69 *R.m.*
breviusculum Reitt. D. 1889. 32 *Araxes*

Hadrus
Wollaston.

subellipticus Dsbr. B. H. 81.124 *Creta*
europaeus Motsch. Seidl. F. Tr. 129 *C.*

Penthicus
Faldermann.

dilectans Fald. Mosc. 36. 386 *U.*
pinguis Fald. Muls. Op. 59. 24 *R.m.or.*
rugulosus Desbr.
saginatus Mén. Muls. l. c. 23. *Ca.*
granulatus Desbr. B. Hipp. 81.121 *R.m.*
molestus Fald. Muls. l. c. 21 *Ca.*

Opatroides Brull.

punctulatus Brull. Muls. Op. 59.14 *S.Si.*
v. subcylindricus Mén. Muls. 14 *Gr.*
parvulus Fald. Muls. 15 *R.m.*
thoracicus Rosenh. Muls. 17 *Hi.m.*

Lobothorax Gemgr.
(Lobod erus Muls.)

rufescens Muls. Op. 59. 18 *R.m.or.*

Microzoini.

Microzoum
Redtenbacher.

tibiale F. Rdtb. 101 *E.*

Lichenum
Blanchard.

pictum F. Küst. Kf. Eur. 16. 64 *E.or.*
pulchellum Küst. Luc. 16. 65 *E.m.*
variegatum Küst. 16. 66 *Ga.*

Cnemeplatia
Costa.
Autocera Wollaston.

Atropos Costa Rdtb. 99 *E.m.Hu.*
anticipes Woll. Col. Mader 155
rufa Tourn. A. B. 1875. 86 *Lu.*

Lachnogyia
Ménétriés.

squamosa Mén. Ins. Lehm. 1848. 2 *Ca.*

Trachyscelini.

Anemia
Laporte.
Cheirodes Dej.

granulata Lap. Hist. nat. II. 218 *Seneg.*
sardoa Gené Reitt. D. 84. 260 *E.m.*
rotundicollis Desbr. B. Hipp. 1881. 126 *[I.m.*

Ammobius
Guérin.

Ammophthorus Lac.

rufus Luc. Rdtb. 102 *E.m.*
rugosus Rosenh. And. 214 *Hi.*

Trachyscelis
Latreille.

aphodioides Latr. Rdtb. 102 *E.m.*

Phaleria
Latreille.

pallens Latr. Fauv. R. 1885. 320 *E.m.*
hemisphaerica Küst. Käf. E. 25. 67
cadaverina F. Fauv. l. c. *Ga.E m.*
nigriceps Muls. Mém. Lyon 1852. 10
v. bimaculata Hrbst. Fauv. l. c. *E.m.*
dorsigera F. Fauv. l. c. *E. oc.*
v. limbata Baudi D. 1876. 226 *S.*
Revelierei Muls. Op. 1859. 52 *C.*
acuminata Küst. Käf. 25. 69 *C.S.Si.*
insulana Desbr.
oblonga Küst. 25. 70 *Hi.m.Si.*

Bolitophagini.

Bolitophagus
Illiger.

reticulatus L. Rdtb. 104 *E.*
crenatus F. Ent. Syst. I. 89
interruptus Illig. Rdtb. 104 *Ga.G.E.m.*
serrifrons Reitt. D. 1890. 172 *Arax.*
armatus Panz. Rdtb. 104 *Ga.G.S.*

Eledona
Latreille.

agaricola Herbst Rdtb. 104 *E.*
turcica Seidl. F. Tr. 553 *T.Gr.*
hellenica Reitt. D. 1886. 381 *Gr.*

Diaperini.

Diaperis
Geoffroy.

boleti L. Rdtb. 105 *E.*
v. interrupta Heyd. D. 1890. 78
v. posticalis Heyd. D. 1890. 78
v. quercana Baudi D. 1876. 228 *Cr.*
v. morio Baudi l. c. *St.*
v. bipustulata Lap. D. 1876. 228 *Hi.*
fungi Motsch. B. M. 1873. 466 *Ca.*

Hoplocephala
Laporte.

haemorrhoidalis F. Rdtb. 105. *E.*
quadricornis Mot. B. M. 73. 466 *Ca.or.*
bicornis F. Mant. 1777. 215 × *Vindob.*

Scaphidema
Redtenbacher.

metallica F. Ent. Syst. I. 2. 499 *E.md.*
aenea Payk. Fn. Su. III. 359 *E.b.*
bicolor F. Rdtb. 106

Amarantha
Motschulsky.
Motaclisa Duval.

viridis Mot. Et. 59. 141 *Ca.*
azurea Waltl Isis 1838. 463 *T.St.*
parallela Fairm. A. 1855. 316

Platydema
Laporte.

atra Motsch. (Neom.) B. M. 1873. 477 *Hi.*
europaea Lap. Rdtb. 106 *E.m.*
violacea F. Rdtb. l. c. *E.b.m.*
Dejeani Lap. Rdtb. l. c. *A.Hu.R.*
tristis Lap. Mon. 339 *R.m.*
cophosoides Fald. F. tr. 37. 64 *Ca.*
armeniaca Desbr. Bul. Hip. 81. 129 *Ca.*

Alphitophagus
Stephens.
Phylotus Redtenb.

bifasciatus Say Jour. Ac. Phil. 1823. 268
4-pustulatus Steph. Rdtb. 107 *E.*
populi Rdtb. Fn. Aust. 1. 589
pictus Mén. Cat. rais. 203 *Ca.*

Pentaphyllus
Latreille.

chrysomeloides Rossi Mant. I. 24 *E.m.*
melanophthalmus Mls. C. Fr. 54. 197
testaceus Hellw. Rdtb. 108 *E.*
nitidulus Reitt. V. Brünn 1883. 8 *Ca.or.*

Ulomini.

Latheticus
Waterhouse.

oryzae Waterh. An. Mag. Lond. 80. 147 ×
[Br.Norv.

Lyphia
Mulsant.

ficicola Muls. Op. 1859. 166 *C.*
tetraphylla Fairm. A. 1856. 534 *Ga.I.*

Tribolium
Mac Leay.

ferrugineum F. Rdt. 108. Spec. Ins. I. 324 *E.*
castaneum Herbst
bifoveolatum Dft.
madens Charp. Rdtb. 109 *Ga.G.R.I.*

Stene Steph.

confusum Duval Gen. Cat. 68. 181 *Ga.G.I.*

Ulomina
Baudi.

carinata Baudi D. 1876. 236 *Etruria*

Clamoris
Gozis.

Phthora Muls. non Germar.

crenata Muls. Rdtb. 114 *Ga.I.*
insurgens Gozis Rech. 25

Palorus
Duval.

depressus F. Rdtb. 110 *E.*
Ratzeburgi Wissm. St. 1848. 77 *G.*

Corticeus
Piller.

Hypophloeus Hellw.

castaneus F. Rdtb. 110 *E.*
v. siculus Baudi D. 1876. 233 *Si.*
fraxini Kugel. Rdtb. 110 *E.md.b.*
ferrugineus Creutz Ent. Vers 1799. 126
pini Panz. Rdtb. 110 *Ga.G.I.*
longulus Gyll. Rdtb. 111 *Su.G.*
suturalis Payk. Rdtb. 111 *Su.G.R.*
v. bivittatus Reitt. D. 1875. 362 *Tr.*
rufulus Rosenh. Rdtb. 111 *G.m.*
insidiosus Muls Sdl. F. Tr. 556. *Ga.G.Ca.*
rufulus Reitt.
fasciventris Reitt. D. 1881. 256 *D.*
bicolor Ol. Muls. C. Fr. 54. 257 *E.*
basalis Reitt. Brünn 1883. 9 *Ca.or.*
fasciatus F. Rdtb. 110 *E.*
versipellis Baudi D. 1876. 234 *I.*
Hoppfgarteni Reitt. Brünn 77. 26 *Tr.*
linearis F. Rdtb. 110 *E.*

Phthora
Germar.

Cataphronetis Luc.

crenata Germ. Rdtb. 113 *E.m.*
brunnea Muls.

Pygidiophorus
Mulsant.

Caroli Muls. Rdtb. 112 × *Ga.m.*

Echocerus
Horn.

Gnathocerus auct. non Thbg.
Cerandria Lucas.

cornutus F. Rdtb. 109 × *E.*
v. laeviusculus Steph. Ill. br. 32. 10
maxillosus F. Woll. Ab. 75. 127 × *Ga.m.*

Sitophagus
Mulsant.

hololeptoides Lap. Hyst. nat. II. 220 *Ga.I.*
Solieri Muls. C. Fr. 1854. 265 ×
farinarius Woll. An. nat. Hist. 58. 414

Adelina
Wollaston.

Schedarosus Reitt.

turcica Reitt. Mit. Mnch. 1877. 8 *Balk.*

Uloma
Stephens.

culinaris L. Rdtb. 111 *E.*
v. cucullata Mén. Cat. rais. 32. 204 *Ca.*
picea Küst. Käf. Eur. IV. 77 *D.I.*
Perroudi Muls. Op. C. Fr. 56. suppl. *E.m.*
cypraea Kr. B. 1873. 196 *T.Gr.*
cypria All.
cypriotes Mars.
crenulata Baudi

Melasia Muls.

gagatina Muls. Rdtb. 112 *Si.*

Alphitobius
Stephens.

Heterophaga Redt.

diaperinus Panz. Rdtb. 113 *E.md.m.*
piceus Ol. Ent. III. 58 *G.Ga.Em.*
fagi Panz. Rdtb. 113.
granivorus Muls. Ab. 1875. 129 *Ga.*
gracilipes Baudi D. 1876. 231 *Hu.R.Gr.*
viator Muls. Ab. 1875. 128 × *Ga.*

Diaclina Duv.

chrysomelinus Hbst. Käf. VIII. 17 *G.*
glabratus F. Syst. El. II. 567 *Ga.E.m.*
piceus Rdtb. 113

Erelus
Mulsant.

sulcipennis Muls. Rdtb. 114 *I.*

Clitobius
Mulsant.

Halonomus Woll.

ovatus Er. Wiegm. Arch. I. 249 *Si.*
subplumbeus Frm. Rottb. B. 70. 252

Cossyphini.

Cossyphus
Olivier.
(Brême Essai 1846.)

tauricus Stev. Br. 15 *R.m.Gr.*
insularis Lap. Br. 16 *S.Si.*
Hoffmannseggi Hbst. Br. 19 *Hi.I.*
Dejeani Brême 21 *Lu.Hi.*
algiricus Lap. Hist. nat. II. 228 *C.S.*
ovatus Brême 22
substriatus Lap. Hist. nat. II. 229 *Hi.m.*
barbarus Brême 24
incostatus Brême 25 *Hi.m.*
tuberculatus Brême 27 *Hi.m.*
pygmaeus Brême 29 *Hi.m.*

Coelometopini.

Coelometopus
Solier.

clypeatus Germ. Rdtb. 116 *Lu.*

Tenebrionini.

Anthracias
Redtenbacher.

cornutus Fisch. Rdtb. 115 *Ca.*
bicornis Rdtb. *Hu.*

Iphthimus
Truqui.

italicus Truqui Ab. 1869. 272 *I.C.Si.*
croaticus Truqui Ab. 1869. 273 *Hu.Cro.*

Menephilus
Mulsant.

cylindricus Herbst. Rdtb. 119 *E.md.*
curvipes F. Ent. Syst. I. 111 *E.m.*
♂ loripes Illig. Käf. Preuss. I. 113

Tenebrio
Linné.

Menedrio Mot.

opacus Duft. Rdtb. 119 *Ga.G.Su.*
obscurus F. Rdtb. 119 *E.*
longicollis Motsch. B.M. 1872. 37 *Ca.*
*
molitor L. Rdtb. 118 *E.*
picipes Herbst Rdtb. 118 *R.b.Si.*
transversalis Duft. Fn. Aust. II. 300 *G.*
noctivagus Muls. Op. II. 9 *Ga.*

Boromorphus
Wollaston.

tagenioides Luc. Rdtb. 122 [illegible]
armeniacus Reitt. D. 1889. 33 [illegible]

Calcar
Latreille.

elongatum Herbst Rdtb. 121 [illegible]

Centorus
Mulsant.

procerus Muls. Rdtb. 120 [illegible]
trogosita Stev. Mot. B. M. 72. 39 *Ca* [illegible]
sulcatus Fisch. B. M. 1844. 124 [illegible]
tenuicornis Mot. B. M. 1872. 40 *Ca.or.*
crassipes Fisch. B. M. 1844. 123 *R.m*

Upis
Fabricius.

ceramboides L. Rdtb. 117 [illegible]

Bius
Mulsant.

thoracicus F. Rdtb. 120 [illegible]

Boros

Schneideri Panz. Rdtb. 121 [illegible]

Helopini.

(Allard. Schweiz. Mitth. 1877.)

Laena
Latreille.
(Reitter, D. 1885 et 1887.)

viennensis Sturm Ins. II. 180 *A.*
pimelia Duft. Reitt. 87. 522 *H.St.Car.*
Lederi Weise Reitt. 523 *Ca.*
? caucasica Motsch. B. M. 1845. I. [illegible]
Ormayi Reitt. 523 [illegible]
Reitteri Weise Rttr. 522 [illegible]
quadricollis Weise Rttr. 522 [illegible]
Justinae Reitt. 523 [illegible]
Starcki Reitt. 524 [illegible]
angusta Weise Reitt. 522 [illegible]
Schwarzi Reitt. 522 [illegible]
pulchella Fisch. Reitt. D. 85. 399 *Cri*
pubella Solier Studi ent. 48. 190 *T.*
Kaufmanni Reitt. 398 *D.*
Kraatzi Weise Reitt. 398 [illegible]
Heydeni Weise Reitt. 398 [illegible]
Hopffgarteni Weise Reitt. 398 [illegible]

alternata Reitt. 401 *T.*
graeca Weise Reitt. 399 *Gr.*

*

Ganglbaueri Reitt. W. 1890 *T.*
Oertzeni Reitt. 401 *Creta*
Weisei Reitt. 399 *Gr.*
hirtipes Reitt. 400 *Ca.or.*
Merkli Weise Reitt. 400 *T.*
Baudii Weise Reitt. 400 *Ca.*
piligera Weise Reitt. 400 *Ca.*
♂ longicornis Weise Led. 237 *Ca.*
ferruginea Küst. Reitt. 400 *D.T.*
villosula Motsch.
minima Motsch. Etud. 1858. 111
Marthae Reitt. W. z.b. 1880. 124 *D.*
v. Krüperi Reitt. 400 *Gr.*

Misolampus
Latreille.
(Solier Stud. ent. 1848.)

lusitanicus Brême Rev. Zool. 42. 81 *Lu.*
gibbulus Herbst Sol. 185 *Lu.Hi.*
Hoffmannseggi Latr. Gen. Crst. II. 161
Ramburi Brême Sol. 186 *Hi.m.*
scabricollis Graëlls A. 1851. 15 *Hi.*
subglaber Rosenh. And. 204 *Hi.m.*
Goudoti Guérin Sol. 187 *Bal.*

Acanthopus
Latreille.
Enoplopus Sol.

caraboides Petag. All. 65 *I.Hu.*
dentipes Panz. Fn. Germ. 50. 4
Reitteri Brenske D. 1884. 88 *Gr.*

Entomogonus
Faldermann.

saphyrinus Allard. 69 *Ca.*

Helops
Fabricius.

coeruleus L. Reitt. D. 1885. 382 *Br.E.m.*
v. Steveni Kryn. Reitt. D. 382 *Cri.*
Rossii Germ. Reitt. D. 1885. 382 *Ga.I.*
glabriventris Reitt. D. 1885. 382 *Gr.*
Steveni Küst. All. 74
superbus Muls. All. 74 *C.*
micantipennis All. 75 *Lu.*
giganteus Krtz. All. 76 *Gr.*
fusiformis All. 76 *T.*
ebeninus Villa All. 78 *Ga.I.*
nitidipennis Küst. Käf. E. 21. 23 *Si.*
robustus Muls. Latigen. 320
v. Germari Küst. All. 79 *I.*
anthracinus Germ. All. 80 *S.S.*
laticollis Küst. All. 82 *Ga.m.Hi.*

Cerberus Muls. Latigèn. 316
coriaceus Küst. All. 83 *E.m.*
v. cordicollis Baudi D. 1876. 245 *Hi.m.*
Ehlersi Krtz. D. 1882. 47 *And.*
granulatus All. 84 *Lu.*
interstitialis Küst. Käf. E. 21. 25 *Hu.*
Dieeki Kr. Heyd. Sp. 132
grajus All. 85 *Gr.*
v. euboicus Reitt. D. 1885. 382
rufipes All. 86 *T.Hu.*
subrugosus Duft. All. 87 *R.*
rugosus Küst. Käf. E. 21. 26 *Hu.*
v. damascenus Küst. All. 88 *Hu.*
Schmidti Ahr. Fn. Ins. E. II. 3
melas Küst. All. 88 *Hi.*
tenebricosus Brull. All. 89 *Gr.*
obesus Friv. Magyar 1835. 262 *T.*
lacertosus Küst. Käf. E. II. 30
quadricollis Mén. All. 90 *Ca.*
vicinus All. 91 *Ca.*
maurus Waltl All. 90 *T.*
Fulei Küst. All. 91 *T.*
granipennis All. 93 *T.*
gibbus Küst. All. 94 *T.*
angulicollis Fairm. A. 1882. 170 *Bulg.*
mori Brull. All. 95 *Gr.*
Terreni Friv. Magyar 45. 183 *Creta*
tentyrioides Küst. All. 96 *Gr.*
parvicollis Baudi B. It. 1876. 109

*

Nalassus Muls.

harpaloides Küst. All. 99 *Ga.S.*
Ecoffeti Küst. All. 100 *Ga.I.Alp.*
alpigradus Fairm. A. 1882. 169
Pharnaces All. 101 *R.m.*
picinus Küst. All. 101 *H.*
quisquilius F. All. 102 *E.*
dermestoides Illig. Käf. Preuss. 21. 82
dryadophilus Muls. Latig. 337
picipes All.
longipennis Küst. All. 104 *C.Hi.*
convexus Küst. All. 105 *A.I.*
v. laevigatus Küst. All. 106 *MR.*
diteras Mars. All. 106 *Ca.*
celioides All. i. lit.
plebejus Küst. All. 107 *Gr.T.*
v. distinguendus Küst. All. 108
brevicollis Kryn. All. 108 *A.R.m.*
picipes Küst. Seidl. F. Tr. 561 *A.R.H.*
brevis Sturm. All. 110 *R.m.*
caraboides Panz. All. 111 *E.*
v. ruficollis F. All. 111
lusitanus Kr. Heyd. Sp. 134 *Lu.*

Xanthomus Muls.

pallidus Curtis All. 114 *Ga.b.Br.*
testaceus Küst. Käf. E. 21. 63 *E.m.*
pellucidus Muls. All. 115 *Ga.Si.*
aemulus Küst. All. 116 *E.m.Bal.*
fusculus All. Ab. 40 *Si.*
clavicornis All. 118 *Ca.*
arboreus Küst. Käf. E. 21. 85 *R.m.*
impressicollis Fald. All. 119 *R.m.*
amaroides Küst Käf. E. 21. 69
v. zabroides Küst. All. 121
monilicornis Baudi
Faldermanni Fald. All. 120 *Ca.*
Heydeni All. 121 *And.*
laeviusculus Krtz. D. 1883. 395 *And.*
alicantinus Krtz. l. c. 395 *Hi.m.*
rufescens Küst. All. 122 *T.*
ovipennis All. 123 *Gr.*
minor Weise (emend.) *Hi.*
parvulus Küst. All. 123 *Si.*
parvulus Lucas Alg. 355 *Hi.*
nanus Küst. All. 124 *Si.*
intersparsus Küst. All. 125 *Si.*

Gunarus Gozis.

hirtulus Reiche All. 126 *And.*
piligerus Kr. Heyd. Sp. 135
minutus Muls. Op. XIV. 51

*

Stenomax Allard.

lanipes L. All. 130 *E.*
incurvus Küst. All. 131 *Car.*
piceus Sturm All. 132 *I.Ga.m.*
cordatus Küst. Käf. E. 21. 54
vexator Reitt. D. 1887. 524 *Ca.*
gloriosus Fald. All. 134 *Ca.*
impressus Küst. Käf. E. 21. 51 *R.m.*
aeneipennis Rttr. W. 1888. 212 *Circas.*
pulcher All. 256 *Ca.or.*
Foudrasi Muls. All. 135 *Ga.m.I.*
arboreus Germ. All. 136 *R.m.*
gracilis Fisch. Ent. Ross. II. 200
tarsatus Küst. Käf. E. 26. 29 *Hu.*
perplexus Mén. Mém. Petr. VII. 242
tauricus Muls. Op. XIV. 49
Douei Allard 137 *Cri.Ca.*
recticollis All. 138 *Ca.*
meridianus Muls. All. 139 *Ga.m.*
intricatus All. 257 *Bulg.*
assimilis Küst. All. 140 *Ga.I.*
convexicollis Küst. Käf. E. 21. 34 *S.*
aeneoniger Küst. ibid. 35 *Si.*
grandicollis Küst. All. 141 *Cri.Ca.*
♂ Sturmi Küst. Käf. E. 22. 61 *R.m.*
exaratus Germ. All. 142 *D.*
brunnitarsis Küst. Käf. E. 22. 69
clypeatus Küst. ibid. 68 *Si.*
v. asphaltinus Küst. All. 143 [illegible]
nigropiceus Küst. Käf. E. 26. 56 [illegible]
badius Küst. All. 144 *Hu.I.Gr.*
luridus Mén. All. 258 *Ca.or.*
planivittis All. 145 *Gr.*
crenatostriatus All. 146 *Gr.*
sareptanus All. 147 *R.m.*
bosphoranus All. 149 *T.*
pyrenaeus Muls. All. 150 *P.*
estrellensis Krtz. Heyd. Sp. 133 *L.*
latiusculus Krtz. D. 1880. 300 *Astur.*
monilicornis Baudi D. 1876. 260 *R.m.*

Omaleis Allard.

Omalus, Omalois All.
Isopodus Stein.

congener Reiche All. 151 *L.*
tenebrioides Germ. All. 152 [illegible]
montanus Kr. Heyd. Sp. 137 [illegible]
atticus All. A' 1881. 103 [illegible]
plicatulus Kr. D. 1880. 299 [illegible]
nodifer Kr. D. 1880. 299 [illegible]
ophonoides Luc. All. 156 [illegible]
planipennis Küst. All. 157 [illegible]
Genei Muls. Latigen. 364
v. ruficornis Baudi D. 1876. 259 [illegible]
Genei Gené All. 158 *Ga.C.S.*
micantipennis All. 75 *L.*

*

Nesotes All.

viridicollis Schauf. All. 162 *Bal.*

*

Diastixus All.

crassicollis Küst. All. 175 *Hi.*
carbo Küst. All. 177 *Hi.*
Ghilianii Baudi D. 1876. 253 *Hi.*
ibericus All. 182 *Hi.*
nigroaeneus Küst. Käf. E. 21. 31 [illegible]
obtusangulus Küst. All. 283 [illegible]
subaeneus Baudi D. 1876. 258 *Hi.*

*

Catomus All.

pygmaeus Küst. All. 186 *E.m.*
v. agonus Muls. All. 186 [illegible]
rotundicollis Küst. Käf. E. 21. 40
v. siculus Küst. All. 186 *Si.*
v. juncorum Küst. All. 186 *S.Si.*
v. tagenioides Küst. All. 186 *I.*
consentaneus Küst. All. 188 [illegible]
lapidicola Küst. All. 117 [illegible]

splendidulus Schauf. All. 118
Küsteri Weise (emend.) *T.*
gracilis Küst. All. 190
villosus Schauf. Isis 1861. 92 *Hi.m.*
puber All. 192
macellus Kr. Heyd. Sp. 136 *Hi.m.*
sublinearis Kr. Heyd. Sp. 139 *Hi.*
sphaericollis Küst. All. 195 *Si.*
gibbithorax Gemm. C. H. VI. 1870 *S.*
gibbicollis Küst. All. 198
Antoniae Reitt. D. 1890. 172 *Arax.*
oculatus Baudi All. 230 *Si.*
flavus All. 198 *T.*

*

Rhaeboscelis All.

corvinus Küst. All. 203 *T. Cret.*
tumidicollis Küst. All. 204 *Gr.*
azureus Brull. All. 205 *Gr. T.*
obliteratus All. 206 *Gr.*
coelestinus Waltl All. 208 *T.*
violaceus Kryn.

Odocnemis
Allard.

tuberculatus Küst. All. 213 *Gr.*
tuberculiger Reiche A. 1857. 265

Cylindronotus
Faldermann.

gibbicollis Fald. All. 215 *Ca.*
funestus Fald. All. 217 *Ca.*
umbrinus Fald. Fn. trns. II. 77
lugubris Fald. All. 218 *Ca.*
flavipes All. 219 *Ca.*

Nephodes
Rosenhauer.

villiger Rosenh. All. 221 *Hi.md.*
foveicollis Küst. Käf. E. 22. 72
v. modestus Kr. Heyd. Sp. 142 *Hi.*
metallescens Küst. All. 221 *C. S.*
corsicus All. 222 *Hi.*

*

sardiniensis All. 261 (Parablops) *S.*
pubescens Küst. All. 235 *Hi.*

Hedyphanes
Fischer.

Menetriesi Fald. All. 228 *Ca.*
laticollis Mén. All. 224 *Ca.*
helopioides Fald. Fn. trns. II. 83
nyctenoides Fald. ibid. 93
Mannerheimi Fald. All. 226 *Ca. or.*
impressicollis Fald. l. c. 94
Besseri Fald. ibid. 95
chalybeus Fald. All. 227 *Ca. or.*
tagenioides Mén. All. 228 *Ca.*
Dejeani Fald. l. c. 88
upioides Fald. ibid. 87
v. hegeteroides Fald. All. 229 *Ca.*

Euboeus
Boieldieu.

Mimonti Boield. All. 233 *Gr.*

Adelphinus
Fairmaire.

ordubadensis Reitt. D. 1890. 150 *Arax.*
v. fulvovittatus Reitt. ibid.

Apolites
Duval.

(Anisocerus Fald. Ceretanisus Gemgr.)

mucoreus Waltl All. 63 *T.*
graecus Kr. D. 1877. 304 *Gr.*
Allardi Reitt. D. 1884. 88 *Gr.*
tristis Fald. F. trnsc. 37. 40 *Ca.*

Alleculidae.

Allecula
Fabricius.

morio F. Rdtb. 128 *E. md. b.*
rhenana Bach Heyd. D. 1875. 389 *G. H.*
Lövendali Reitt. W. 1886. 140 *Dan. Ti.*
castanea Faust Hor. 1876. 322 *R. m. or.*
divisa Reitt. Rv. mens. Pet. 83. 115 *Ca.*

Upinella Muls.

aterrima Küst. Rdtb. 129 *A. R.*

Hymenorus
Mulsant.

Doublieri Muls. Rdtb. 128 *Ga. m.*
♀ rugicollis Muls. Op. VII. 20

Eryx
Stephens.

Prionychus Solier.

ater F. Rdtb. 131 *E.*
♂ melanarius Germ. Mag. I. 123.
lugens Küst. Käf. 20. 70 *C. Si.*
mauritanicus Muls. Op. VII. 23
Bellieri Reiche A. 1860. 730.
laevis Küst. Käf. 20. 69 *P. I. b.*
Fairmairei Reiche A. 1860. 731
subsulcatus Fairm. A. 1861. 583 *Si.*

Hymenalia
Mulsant.

gravida Küst. Käf. E. 20. 77 *D.*
rufipes F. Rdtb. 130 *E.*
fusca Illig. Schnd. Mag. I. 5. 610
amplicollis Linder A. 1864. 251 *Hu.*
badia Kiesw. B. 1861. 234 *Gr.*
basalis Faust Hor. 1876. 322 *Ca.or.*

Gonodera
Mulsant.
(Cistela F.)

Luperus Herbst Rdtb. 130 *E.*
fulvipes F. Ent. Syst. I. 2. 44
v. ferruginea F. ibid. 45
bicolor Reitt. D. 1884. 89 *Gr.*
metallica Küst. Käf. E. 20. 73 *Ga.I.*
subaenea Küst. ibid. 72 *Gr.*
pulcherrima Fald. Fn. trns. II. 103 *Ca.*
viridis All. Schw. M. 77. 234 (Eub.)
macrophthalma Reitt. D. 1884. 89 *Ca.*

Pseudocistela Crotch.

ceramboides L. Rdtb. 130 *E.md.b.I.*
v. serrata Chevrol. Rdtb. 131 *G.Hu.*
saperdoides Küst. 50. 71
ruficollis Schilsky D. 1890. 190

Copistethus Seidl.

spadix Kiesw. B. 1863. 424 *Gr.*

Isomira Muls.
(Kiesenwetter B. 1863, Reitt. D. 1890.)

antennata Panz. Kiesw. 424 *E.m.*
v. tristicula Reitt. D. 1890. 293 *Gr.*
funerea Kiesw. 424 *Gr.*
Oertzeni Reitt. D. 1889. 257 *Sporad.*
nitida Reitt. D. 1890. 394 *Creta*
nitidula Kiesw. 424 *Gr.*
paupercula Baudi Sic. 1883. 3 *Si.*
antennalis Reitt. Radde Fn. 86. 229 *Ca.or.*
caucasica Reitt. D. 1890. 394 *Caspi*
melanophthalma Luc. Alg. 356 *S.Si.*
ferruginea Küst. Kiesw. B. 63. 425
corsica Muls. Op. VII. 32 *C.*
Costessii Bertol. Rdtb. 131 *I.*
hispanica Kiesw. Heyd. Sp. 143 *Hi.*
estrellana Kiesw. Heyd. Sp. 144 *Lu.*
ovulum Kiesw. 427 *And.*
semiflava Küst. Kiesw. 426 *Alp.*
hypocrita Muls. Pectinip. 60 *Ga.Hi.*
v. icteropa Küst. Käf. 25. 72 *H.*
v. genistae Rottb. B. 1870. 256 *Si.*
v. parvula Rottb. B. 1870. 257 *I.m.*
umbellatarum Kiesw. 426 *Carn.*
oblonga Küst. Ksw. 424 *Carn.*

granifera Kiesw. Led. 78. 245 *Ca.*
murina L. Kiesw. 424 *E.*
sericea Drap.
v. maura F. Kiesw. 424
v. thoracica F. Kiesw. 424
v. evonymi F. Kiesw. 424
v. ochropus Küst. Kf. 21. 92
marcida Kiesw. 425 *Ti.*
scutellaris Baudi D. 1877. 388 *Pi.*

Mycetochara
Berthold.
Mycetophila Gyllh.
(Reitt. D. 1884.)

axillaris Payk. Reitt. 244 *E.md.b.*
v. maurina Muls. Reitt. 244. *A.Ti.*
♀ morio Rdtb. Fn. Aust. I. 605
♂ linearis Rdtb. ibid. *St.*
flavipes F. Reitt. 244 *E.*
bipustulata Thbg. Nov. Ac. Upl. IV. 10
humeralis Illig. Schn. Mag. I. 5. 607
bimaculata Mannh. B. M. 1844. 197

Ernocharis Thoms.

ocularis Reitt. 245 *Ca.*
bipustulata Illig. Reitt. 245 *E.*
scapularis Gyllh. I. Su. II. 545.
gracilis Fald. Reitt. 246 *Ca.R.m.*
croceipes Weise W. z. b. 1879. 478 *Ca.*
excelsa Reitt. 247 *Ca.*
4-maculata Latr. Reitt. 247 *Ga.Ti.I.*
fasciata Muls. A. Lyon 1855. 255 *Ga.I.*
v. Schwarzi Rttr. D. 1888. 431 *Corfu*
thoracica Gredler Reitt. 247 *Ti.*
Retowskii Reitt. D. 1889. 373 *Cri.*
linearis Illig. Reitt. 247 *E.*
barbata Latr. Hist. nat. X. 348
♀ brevis Panz. Fn. Germ. 25. 17
v. dalmatina Baudi B. It. 77. 22 *D.*
v. pygmaea Rdtb. Reitt. 247 *A.*
obscura Zett. Reitt. 248 *Su. F.*
rudis Küst. Reitt. 248 *F.*
flavicornis Mill. Reitt. 248 *Hr.*
auricoma Reitt. 249 *R.m.*
gracilis Mor. i. lit.

Mycetocharina
Seidlitz.

orientalis Faust. Hor. 76. 322 *E.m.or.*
Beckeri Kiesw. Led. 78. 245
alleculoides Fald. F. tr. 37. 102 *Ca.*

Gerandryus
Rottenberg.
Parablops Rottbg.

aetnensis Rttbg. All. Schw. M. 77. 232 *Si.*

Podonta
Mulsant.
Megischia Redtb.
(Kiesenwetter B. 1873.)

ambigua Ksw. 11 *T.Cri.*
nigrita F. Ksw. 13 *Ga.G.A.*
oblonga Oliv. Ent. III. 54 *Hu.I.Gr.*
dalmatina Baudi D. 1877. 395 *D.Cro.*
turcica Kiesw. 14 *Rumel.*
italica Baudi D. 1877. 397 *Apen.*
Aubei Muls. Ksw. 17 *Gr.*
lugubris Küst. Ksw. 18 *T.*
Heydeni Kiesw. 19 *Rumel.*
Milleri Kiesw. 19 *Gr.*
oblonga Mill. W. Mt. VI. 1862. 347
corvina Kiesw. 21 *T.*
daghestanica Reitt. D. 1885. 383 *Ca.or.*
morio Kiesw. 21 *Gr.Ca.*
elongata Faust Hor. T. XII. 217
convexicollis Küst. Käf. E. 20. 81 *T.*

Cteniopus
Solier.
Sarandonyx Gozis.

Proctenius Reitt.

granatensis Rosenh. Th. And. 221 *Hi.m.*
altaicus Gebl. Muls. Op. 1856. 32 *R.m.*

Cteniopus s. str.

elegans Fald. Fn. trnsc. II. 104 *Ca.*
flavus Scop. Ent. Carn. 1763. 84 *E.*
sulphureus L. Syst. nat. ed. 12. 602
v. bicolor F. Ent. Syst. IV. App. 447
luteus Küst. Muls. Op. 1856. 33 *Hi.Si.*
persimilis Reitt. W. 1890 *Arax.*
neapolitanus Baudi D. 1877. 393 *I.*
sulphuripes Germ. Rdtb. 133 *A.Ti.*
♂ collaris Küst. Käf. E. 20. 75
punctatissimus Kiesw. B. 1861. 238 *Gr.*
♀ graecus Heyd. D. 1883. 312

Omophlus
Solier.
(Reitter D. 1890.)
*
Gastrhaema Duv.

rufiventris Waltl Reitt. 35 *And.*
v. anceps Muls. Reitt. 35 *And.*
abdominalis Lap. Reitt. 35 *And.*

*
Heliotaurus Muls.

ruficollis F. Reitt. 36 *Hi.m.*
rufithorax Reitt. 36 *And.*
distinctus Lap. Reitt. 37 *Hi.Si.*
incertus Muls. Reitt. 39 *And.*
v. punctatosulcatus Frm. Reitt. 37 *And.*
maculicollis Desbr. Bul. Hip. 1881. 138
productus Rosh. Reitt. 39 *And.*

*
Megischia Sol. non Rdtb.

curvipes Brull. Reitt. 40 *Gr.*
galbanatus Ksw. B. 1861. 238
v. prosternalis Reitt. 40 *E.m.oc.*

*
Omophlus i. spec.

armillatus Brull. Reitt. 41 *E.md.m.*
ochraceipennis Fald. Reitt. 41 *T.Ca.*
ochraceus Fald. Dej. Cat. 3 ed. 235
tarsalis Kirsch B. 1869. 115
♀ Küsteri Kirsch B. 1869. 105
v. latitarsis Reitt. 41 *Ca.*
picipes F. Reitt. 42 *E.*
tibialis Costa A. Aspir. 2. I. 156
sericeicollis Küst. Käf. E. 20. 64
Amerinae Curt. Reitt. 42 *E.md.*
pinicola Rdtb. Fn. Aust. A. 604
pubescens Muls. Pectinip. 84
v. picipes Rdtb. Reitt. 42
lividipes Muls. 87
v. frigidus Muls. Reitt. 42
curtus Küst. Reitt. 42 *Gr.T.Ca.*
nigripes Küst. Reitt. 42 *Gr.*
curtulus Kirsch Reitt. 42 *Ca.*
Agrapha Reitt. 42 *Gr.*
arcuatus Gebl. Reitt. 43 *Ca.*
marginatus Kirsch B. 1869. 110
volgensis Kirsch Reitt. 44 *Ca.*
quadricollis Brull. Reitt. 44 *Gr.*
Brullei Kirsch B. 1869. 109
pilicollis Ménétr. Reitt. 45 *R.m.Ca.*
hirtellus Kirsch B. 1869. 111
pruinosus Reitt. 45 *Ca.*
falsarius Kirsch Reitt. 45 *T.*
melitensis Baudi Reitt. 46 *Melita*
nigrinus Reitt. 45 *Gr.or.*
obscurus Reitt. 45 *Arm.*
tumidipes Kirsch Reitt. 47 *Ca.*
dispar Costa Reitt. 47 *I.D.Gr.*
dalmatinus Kirsch B. 1869. 116
basicornis Reitt. 48 *Ca.*
lucidus Kirsch Reitt. 48 *Creta*
flavipennis Küst. Reitt. 48 *Gr.T.*
atripes Küst. Käf. E. 20. 61
turcicus Kirsch B. 1869. 117
infirmus Kirsch Reitt. 48 *Gr.Creta*
betulae Herbst Reitt. 49 *E.mont.*
lepturoides F. Mant. I. 85

elongatus Küst. Käf. E. 20. 59
alpinus Mill. W. z. b. 1852. 112
pilosellus Kirsch B. 1869. 120
fallaciosus Rttbg. Reitt. 49 *Si.*
rugosicollis Brull. Reitt. 49 *E.md.m.*
brevicollis Muls. Pectin. 91
rugicollis Küst. Käf. 19. 60
dilatatus Fald. Reitt. 50 *T.Ca.*
caucasicus Kirsch B. 1869. 123
v. pallitarsis Reitt. 50 *Ca.*
v. longicornis Bertol. Reitt. 50 *E.md.m.*
Proteus Kirsch B. 1869. 123
orientalis Muls. Reitt. 51 *Gr.T.R.m.*
deserticola Kirsch Reitt. 51 *Ca.m.or.*

Lagriidae.

Lagriini.

Lagria
Fabricius.

atripes Muls. C. Fr. 56. 13 *Ga.Si.*
hirta L. Rdtb. 148 *E.*
v. nudipennis Muls. l. c. 20 *Lu.*
v. depilis Muls. l. c. 21
seminuda Reitt. D. 1889. 259 *Creta*
Melichari Reitt. D. 1890. 173 *Ti.*
elliptica Fairm. A. 1880. 242 *Hi.md.*
glabrata Oliv. Muls. l. c. 23 *Ga.m.*
tristis Bon. Mem. Torin IX. 172 *I.b.*
Grenieri Bris. Kiesw. Heyd. Sp. 145 *Ga.Hi.*
lata F. Syst. El. 1801. 270 *Hi.*
rugosula Rosenh. And. 223 *Hi.*
rubida Graëlls Mem. M. geol. 1855. 74 *Hi.*
♂ parvula Perris Ab. 1875. 160
lurida Kryn. B. M. 32. 180 *U.*
caucasica Mot. Ab. 1878. 109 *Ca.*
pontica Mot. Ab. 1879. 109 *Cri.Gr.*
pretiosa Reiche A. 1862. 545 *Ca.*

Agnathini.

Agnathus
Germar.

decoratus Germ. Rdtb. 138 *Ga.G.I.*

Melandryidae.

Tetratomini.

Tetratoma
Fabricius.

fungorum F. Rdtb. 409 *E.md.b.*
Desmaresti Latr. Rdtb. 410 *Br.*[illegible]
ancora F. Rdtb. 410 *E.*[illegible]
Baudueri Perris Ab. 1875. 157 [illegible]
Tedaldii Reitt. Sic. 1887. 84 [illegible]

Mycetoma
Mulsant.

suturalis Panz. Rdtb. 138 *Ga.G.Hu.*

Orchesiini.

Eustrophus
Latreille.

dermestoides F. Rdtb. 139 *E.*

Hallomenus
Panzer.

binotatus Quens. *E.*[illegible]
humeralis Panz. Rdtb. 141 *E.*
bipunctatus Payk. Fn. Su. II. 180
fuscus Gyll. Rdtb. 141 *E.md.b*
variegatus Motsch. B. M. 1872. 42 [illegible]
scapulatus Fairm. A. 1881. 12

Orchesia
Latreille.

Clinocara Thoms.
(Reitter W. 1886. Guillb. Échange 1887. 89.)

acicularis Reitt. 349 *A.*
micans Panz. Reitt. 349 *E.*
picea Reitt. non Herbst
australis Guillb. 87. 3 [illegible]
Reyi Guillb. 87. 3 [illegible]
subimpressa Guillb. 87. 4 *Hi.*
luteipalpis Muls. Reitt. 349 *Ga.m.*
blandula Branczik Reitt. 349 *Carp.*
v. transsylvanica Rttr. D. 1878. 59
v. carpathica Rttr. D. 1878. 60
sepicola Rosenh. Reitt. 349 *E.md.b.*
tetratoma Thoms. Sk. VI. 309
grandicollis Rosenh. Reitt. 349 *St.Ti.*
laticollis Rdtb. Fn. Aust. 1848. 611 *A.*
corsica Guill. 89. 13 *C.*
Abeillei Guillb. 89. 14 [illegible]
Kamberskyi Reitt. W. 1888. 213 [illegible]
v. fuscofasciata Reitt. l. c.
maculata Muls. Op. 56. 108 [illegible]
fasciata Payk. Reitt. 349 *E.md.b.*
trifasciata Zett. I. Lapp. 163
undulata Kr. Reitt. 349 *Br.Ga.G*
fasciata Thoms. [illegible]

Eucinetomorphus
Perris.
Reitt. W. 1890. 210.

asturiensis Reitt. D. 1881. 232 *Ast.*
Ehlersi Heyd. D. 1884. 360 *And.*
anatolicus Friv. Reitt. D. 1881. 223 *Ca.*

Lederia
Reitter.

suramensis Reitt. W. z.b. 1879. 478 *Ca.*

Dircaeini.

Abdera
Stephens.

quadrifasciata Curt. Rdtb. 143 *E.md.*
triguttata Gyll. Rdtb. 144 *Su.R.G.*
v. scutellaris Muls. C. Fr. 1856. 50 *Ga.*
griseoguttata Fairm. Muls. l. c. 54 *Ga.*
undata Perris A. Lyon 1852. 188 *I.*

Adobia Muls.

bifasciata Marsh. Muls. C.Fr. 56. 56 *Ga.*
biflexuosa Curt. Br. Ent. VI. 255 *Br.*

Carida Muls.

affinis Payk. Rdtb. 144 *E.*
flexuosa Payk. Rdtb. 144 *E.md.b.*

Anisoxya
Mulsant.

fuscula Illig. Rdtb. 143 *E.md.b.*
tenuis Rosh. Beit. Ins. Eur. 1847. 34
mustela Ablle. Deyr. Pet. N. 69. Nr. 11 *Ga.*

Dircaea
Fabricius.

*

Phloeotrya Steph.

Vaudoueri Muls. Heyd. St. 66. 225 *E.m.oc.*
rufipes Stph. Ill. Br. V. 35
Stephensi Duv. Gen. Col. III. 392
tenuis Hampe St. 1850. 355

*

Dircaea i. spec.

rufipes Gyll. Heyd. l. c. *E.md.b.*
australis Fairm. A. 1856. 546 *G.Cr.Ga.*
quadrimaculata Ill. prs. Rdtb. 143
4-guttata Payk. Rdtb. 142 *E.md.b.*
quadrimaculata Illig. pars.

Xylita
Paykull.
(Dolotarsus Duv.)

laevigata Hellen. Rdtb. 142 *E.md.b.*
discolor F. Syst. Ent. Supp. 121
livida Sahlb. Ins. F. I. 448 *Mt.E.*
ephippium Schaum B. 1859. 50
suturalis Gredl. Kf. Tir. 1866. 278
m. rufipes Duv.
Parreyssi Muls. Rdtb. 143 *E.m.*
mollis Graëlls Mem. geol. 1858. 73
Revelierei Muls. Op. 1859. 161
ferruginea Gredl. l. c. 279

Serropalpus
Hellenius.

barbatus Schall. Rdtb. 141 *E.*[318
striatus Hellen. Vet. Ak. Hndl. 1786
m. biguttatus Schellb. Heyd. D. 81. 255 *H.*

Hypulini.

Hypulus
Paykull.

quercinus Quens. Rdtb. 144 *E.*
bifasciatus F. Rdtb. 144 *E.md.b.*

Neogonus
Hampe.
Opsigonus Baudi.
(Reitter D. 1884.)

Plasoni Hamp. Reitt. 91 *Gr.*
Krüperi Baudi D. 1877. 409
Fausti Reitt. 91 *Ca.or.*
Emgei Reitt. D. 1884. 90 *Gr.*

Marolia
Mulsant.

variegata Bosc Rdtb. 145 *Alp.Ga.I.Tr.*

Zilora
Mulsant.

ferruginea Payk. Rdtb. 141 *Su.R.*
sericea Sturm Fn. II. 261 *G.*
obscura F. Ent. Syst. IV. Ap. 445
elongata J. Sahlb. E. Fen. 1881. 133 *F.*
Eugeniae Ganglb. Mus. Wien. 1891 *A.*

Melandryini.

Melandrya
Fabricius.

caraboides L. Rdtb. 145 *E.*
dubia Schall. Abh. Hall Ges. I. 326 *E.md.b.*

canaliculata F. Rdtb. 145
rufibarbis Schall. *G.*
flavicornis Duft. Rdtb. 145
barbata Strm. Fn. II. 275 *Ga.I.b.*
v. Goryi Lap. Muls. C. Fr. 1856. 103
rufipes Chevr. Guér. Ic. 126

Phryganophilus
Sahlberg.

ruficollis F. Rdtb. 146 *F.R.A.*
analis F. Ent. Syst. I. 214 *Cp.Tr.*
nigriventris Hampe St. 1850. 355 *A.*

Conopalpini.

Conopalpus
Gyllenhal.

testaceus Oliv. Rdtb. 147 *E.md.b.*
v. flavicollis Gyll. Reitt. D. 1884. 91
thoracicus Baudi M. Torin 1877. 67 *Pe.*
brevicollis Kr. St. 1855. 374 *G.Hi.*
Vigorsi Muls. Barbip. 107 *Ga.*

Osphyini.

Osphya
Illiger
Nothus Oliv.

bipunctatus F. Syst. Ent. 1775. 206 *Ga.G.*
praeustus Oliv. Rdtb. 148 *A.Hu.*
v. ♂ clavipes Oliv. Encycl. VIII. 385 *R.*
aeneipennis Kriechb. Rdtb. 148 *Alp.*
Vandalitiae Krtz. B. 1868. 334 *Hi.*
uralensis Mot. B. M. 1845. 84 *U. Talysch*

Stenotrachelini.

Scotodes
Eschscholtz.

annulatus Eschsch. Rdtb. 146 *E.b.*

Stenotrachelus
Serville.

aeneus Payk. Rdtb. 147 *E.b.*

Mordellidae.

Scraptiini.

Scraptia
Latreille.
Reitter D. 1889.

bifoveolata Küst. Reitt. 267 *D.I.*
dubia Oliv. Reitt. 267 *E.m.*
fusca Latr. Hist. nat. X. 324
♀ subdubia Reitt. 267 *Hi.md.*
fuscula Müll. Reitt. 267 *E.*
minuta Muls. 142
?v. nigriceps Heyd. Reitt. 268 *Alt.*
ferruginea Kiesw. Reitt. 268 *Alp.I.b.*
ophthalmica Muls. Reitt. 268 *Ga.Hi.C.*
longicornis Kiesw. B. 1861. 243 *Gr.*
Revelierei Abeille Reitt. 268 *C.*

Trotomma
Kiesenwetter.

pubescens Kiesw. Rdtb. 151 *Ga.m.I.*

Mordellini.

(Emery Ab. 1876.)

Tomoxia
Costa.

biguttata Gyll. Em. 53 *E.*
bucephala Costa Fn. Napol. 8

Mordella
Linné.

12-punctata Rossi Em. 57 *G.Hu.*
v. perlata Sulz. Ges. Ins. 1776. 67
octopunctata Schrnk.
v. 6-punctata Hrbst. Rdtb. 159
maculosa Naezen Em. 58 *E.*
guttata Payk. Fn. Su. II. 186
atomaria F. Syst. El. II. 123
bisignata Rdtb. Em. 59 *Ga.A.*
albosignata Muls. Longiped. 29
Gacognei Muls. Em. 60 *Ga.m.C.*
aurofasciata Comoll. Em. 61 *A.*
vittata Gemm. *Hu.*
Sacheri Friv. Heyd. B. 1869. 58
bipunctata Germ Em. 62 *Ga.Hi.*
decora Chevr. Rev. Zool. 1840. 16 *I.*
perspicillata Costa Fn. Napol. 15
sulcicauda Muls. Em. 64 *Hi.I.*
fasciata F. Em. 65 *E.*
v. briantea Comolli Em. 65
v. interrupta Costa Em. 65
v. basalis Costa Em. 65
v. coronata Costa Em. 65
v. sericeoguttata Muls. Em. 65
subcoeca Muls. Em. 65
v. villosa Muls. Em. 65
v. Habelmanni Em. 66
villosa Schrank Em. 67 *Ga.I.*
?murina Herbst
Palmae Em. 68 *I.*
aculeata L. Em. 68 *E.*
v. vestita Em. 79 *E.*
v. brevicauda Costa Em. 69 *Ga.*

brachyura Muls. Em. 69 *A.I.*
v. viridescens Costa Em. 69 *I.*
v. velutina Em. 69 *R.m.*
v. Fleischeri Em. 69 *A.*
viridipennis Muls. Em. 72 *Hi.*

Aradasiana Patti Costa Rg. Nap. 54. 31 *Si.*
leucaspis Küst. Em. 111 *D.*
funesta Fald. Em. 113 *Ca.*

Conalia
Mulsant.

Baudii Muls. Em. 73 *Hu.*

Stenalia
Mulsant.

testacea F. Em. 76 *Ga.I.Hu.*
v. brunneipennis Muls. Em. 77 *And.T.*
bisecta Baudi Sic. 1883. 5 *Si.*

Mordellistena
Costa.

Mordellochroa Emery.

Milleri Em. 83 *Hu.*
abdominalis F. Em. 83 *E.md.b.*
♂ ventralis F. Ent. Syst. I. 2. 114 *I.*

Mordellistena i. spec.

Neuwaldeggiana Panz. *E.*
brunnea F. Em. 84
humeralis v. Muls. Longiped. 58
meridionalis Costa
humeralis L. Em. 85 *E.*
axillaris Gyll. Em. 86
v. lateralis Oliv. Em. 86 *Ga.G.H.*
variegata F. Ent. Syst. Supp. 127
nana Motsch. Em. 88 *Ga.R.m.*
v. Baudueri Em. 88 *Ga.m.*
parvula Gyll. Em. 89 *E.*
pusilla Rdtb. Fn. Aust. ed. 1. 614
troglodytes Mannh. B M. 1874. 198.
liliputana Muls. Longiped. 70
v. inaequalis Muls. Em. 89
v. picipes Costa Em. 89
v. helvola Muls. Em. 89
Reichei Em. 91 *I.m.*
Kraatzi Em. 91 *R.m.*
episternalis Muls. Em. 92 *E.m.*
extensa Rosenh. Th. And. 227 *A.*
v. intersecta Em. 93
brevicauda Boh. Em. 94 *E.*
subtruncata Muls. Longiped. 73
obtusata Bris. A' 1860. 233
v. dives Em. 94 *R.*
micans Germ. Em. 95 *E.*
purpurascens Costa
minima Costa Rg. Nap. 54. 18
grisea Muls. C. Fr. 56. 72
rectangula Thoms Em. 96 *Su.*
pumila Gyll. Em. 96 *E.*
stricta Costa Fn. Napol. 16
tarsata Muls. Em. 97 *Ga.I.Ca.*
Perroudi Muls. Em. 98 *Ga.G.I.*
stenidea Muls. Em. 99 *E.m.*
flexipes Muls. Longiped. suppl.
Perrisi Muls. Em. 100 *Ga.m.I.*
confinis Costa Em. 101 *E.m.occ.*

Tolida Muls.

Tournieri Em. 102 *G.H.*
humerosa Rosenh. Em. 103 *Hu.Gr.*
pulchella Muls. Em. 104 *I.*
artemisiae Muls. Em. 106 *Ga.Hi.*

---

longicornis Muls. Em. 116 *Ga.m.*
trilineata Muls. Em. 116 *Ga.m.*
infima Muls. Em. 117 *Ga.m.*
splendidula Fald. Em. 115 *Ca.*
strigipennis Fald. Em. 114 *Ca.*

Anaspidini.

Pentaria
Mulsant.

badia Rosenh. Em. 9 *E.m.*
sericaria Muls. Longipéd. 135

Cyrtanaspis
Emery.

phalerata Germ. Em. 11 *G.St.*

Anaspis
Geoffroy.

Geoffroyi Müll. Em. 16 *E.m.md.*
humeralis F. Syst. Ent. 264
biguttata Rossi Mant. II. App. 103
v. 4-maculata Costa Em. 17
v. vulcanica Costa Em. 17
Defarguesi Ablle. R. 1885. 161 *Ga.m.*
pictipennis Reitt. D. 1891. 31 *Arax.*
maculata Fourcr. Em. 18 *E.*
picta Hampe B. 1870. 333
testacea Snellen Fn. Nederl. II. 54. 70
obscura Marsh. Ent. Br. I. 492
frontalis L. Em. 19 *E.*
assimilis Snellen l. c.

maculicollis Motsch. Em. 110 *R.*
v. verticalis Fald. Em. 107 *Ca.*
v. lateralis F. Em. 20 *E.*
Garneysi Fowl. E. M. M. 1889. 333 *Br.*
thoracica L. Syst. nat. X. 420 *Su.Ga.G.*
confusa Em. 21
lateralis Thoms. ♂
ruficollis F. Em. 22 *E.md.I.*
v. alpicola Em. 22 *Al.*
v. ? punctata Esch. Em. 107 *Ca.*
abollata Gozis R. 1880. 201 *Ga.alp.*
nigripes Bris. Em. 24 *Hi.I.Ca.*
pulicaria Costa Em. 25 *E.*
forcipata Muls. Longiped. 98
Kiesenwetteri Em. 26 *Hu.*
arctica Zett. Em. 27 *E.b.*
v. ruficeps Zett. Em. 27 *L.*
pyrenaea Fairm. Em. 28 *P.*
subtestacea Steph. Em. 29 *E.md.m.*

Nassipa Emery.

flava L. Em. 31 *E.*
v. thoracica Em. 31
v. basalis Em. 118 *Ca.*
occipitalis Em. 118 *R.m.*
melanostoma Costa Em. 32 *Ga.H.I.*
monilicornis Muls. Longiped. 88
Costae Em. 33 *Ga.I.*
thoracica Costa Fn. Napol. 28
rufilabris Gyll. Em. 34 *E.*
atra F.

Spanisa Emery.

subtilis Hampe Em. 35 *Tr.R.m.*
labiata Costa Em. 36 *Ga.Hi.I.*

Larisia Emery.

rufitarsis Luc. Em. 37 *Gr.*
Truquii Baudi D. 1878. 344 *Si.*
Schneideri Em. 119 *Ca.*
Revelierei Em. 38 *I.*
dichroa Em. 39 *I.Gr.Ca.*
Stierlini Em. 39 *R.m.*
steppensis Motsch. Em. 40 *R.m.*
ochracea Stierl. Mit. Schw. 1867. 223.
Chevrolati Muls. Em. 41 *Hi.Si.*
Mulsanti Bris. Em. 42 *Ga.Hi.*

Silaria Muls.

latiuscula Muls. Em. 43 *G.Alp.*
brunnipes Muls. Em. 44 *Ga.G.*
fuscipes Muls. Longiped. 125 *I.Alp.*
varians Muls. Em. 45 *E.*
frontalis Costa Fn. Napol. 21
v. collaris Muls.
palpalis Gerhardt D. 1876. 381 *Sil.*
scapularis Em. 46 *Gr.*
suturalis Em. 47 *C.S.*
trifasciata Chevr. Em. 49 *Ga.Hi.*
4-pustulata Duv. Gen. 91
quadrimaculata Gyll. Em. 50 *Ga.G.*
4-pustulata Müll. Germ. Mag. IV. 212
v. bipustulata Bon Mem Agr. Tor. 1807
versicolor Baudi D. 1878. 341 *I.md.*

---

orientalis Fald. Em. 108 *Ca.*
poecila Fald. Em. 109 *Ca.*

Rhipiphoridae.

Pelecotomini.

Pelecotoma
Fischer.

fennica Payk. Rdtb. 166 *G.R.b.*

Scotoscopus
Reitter.

carbonarius Reitt. D. 1884. 93 *Gr.*

Evaniocera
Guérin.
Ptilophorus Gerst.

Dufouri Latr. Rdtb. 167 *Hu.Cri.*
Steveni Fisch. B. M. 1829. 369
v. Boryi Luc. Exp. Alg. 382 *Ga.m.*
v. striolata Nowicki Beschr. 73. 5 *Calab.*

Rhipidiini.

Rhipidius
Thunberg.
Symbius Sundevall.

pectinicornis Thunb. Baudi D. 78. 349 *A.G.*
blattarum Sund. Seidl. F. Tr. × *Su.*
lusitanicus Gerst. Mon. 1855. 15 *Lu.*
quadriceps Abeille Ab. 1875. 181 *Ga.*

Myiodes
Latreille.
Myodites auct.

subdipterus Bosc Rdtb. 167 *E.m.*
Dorthesi Latr. N. Dict. hist. nat. 22. 131

Rhipiphorini.

Rhipiphorus
Fabricius.

Metoecus Gerstäcker.
(Gradl, Ent. N. Katter 1882. 326.)

paradoxus L. Gerst. Mon. 18. *E.*
♂ v. apicalis Grd. l. c.
v. macularis Grd. l. c.
v. abdominalis Grd. l. c.
v. nigriventris Grd. l. c.
v. nigrescens Grd. l. c.
♀ v. semiflavus Grd. l. c.
v. notiventris Grd. l. c.
v. flavoniger Grd. l. c.

Emenadia
Laporte.

larvata Schrank Naturf. 24. 1789. 90 *Ga.G.*
bimaculata F. Rdtb. 168 *A.*
v. angustula Motsch. B. M. 49. 128 *Hi.*
v. bicolor Oliv. Ent. III. 65 *E.m.*
v. nigrithorax Fisch. B. M. 32. 427 *R.m.*
v. carinthiaca Pnz. 1794. Muls Fr. 56. 155
liturata F. 1798 *I.*
v. binotata Fisch. l. c. *R.*
v. 4-maculata Gyll. Schh. Syn. 17. 36 *Hu.*
bipunctata F. Costa Reg. Nap. 54. 5 *I.m.*
flabellata F. Gerst. Mon. 1855. 26 *E.m.*
v. uniformis Mot. B. M. 1849. 127 *Hi.m.*
praeusta Gebl B. M. 1833. 290 *Ga.m.I.*
apicalis Fisch. B. M. 1832. 429 *R.m.*
rufipennis Chevr. Gerst. Mon. 55. 27
fulvipennis Küst. Käf. E. 5. 71 *D.*
sulcata Fisch. B. M. 1832. 429 *Ca.*

Meloidae.

Meloini.

Meloë.
Linné.
(Brandt et Erichs. Mon. 1832.)

*

Cnestocera Thms.

proscarabaeus L. Redtb. 169 *E.*
cyanellus Brull. Mor. III. 229
incertus Tausch. Mém. Mosc. III. 149
volgensis Tausch. Dej. Cat. 1 ed.
cyaneus Muls. Eschr. W. 88. 241
v. ♂ simplicicornis Eschr. W. 89. 105 *Ca.*
violaceus Marsh. Redtb. 169 *E.*
rufipes Bremi
v. prolifericornis Mot. Eschr. W. 88. 242
autumnalis Oliv. Eschr. W. 89. 108 *E.md.*
v. Heydeni Eschr. W. 1889. 106 *Si.*
v. cribripennis Baudi B. 1878. 352 *T.S.*
punctipennis Eschr. l. c.
v. hiemalis Gred. Eschr. W. 88. 241 *H.Ti*
v. laevis Gredl. ibid. *Ti.*
v. carnicus Katter Eschr. l. c. *Carn.*

Meloë in sp.

majalis L. Brdt. 139 *Ga.m.I.*
laevigatus Oliv. Eschr. D. 89. 335 *Hi.*
fissicornis Gorriz Es. Mon. 82 *Arrag.*
v. maculifrons Luc. Eschr. W. 89. 106 *Hi*
insignis Charp. Brdt. 140 *Hi.*
hungarus Schrnk. Rdtb. 169 *Ga.A.*
limbatus F. Syst. El. II. 588 *Hu.R.*
uralensis Pall. Rdtb. 170 *A.Hu.R.*
decorus Brandt Mon. 137 *Ga.G.*
pygmaeus Rdtb. 171 *I.Hu.*
corallifer Germ. Brdt. 138 *Hi.Lu.*
cicatricosus Leach Rdtb. 170 *E.m.*
ineditus Salvagna Ab. 1875. 183 *Hi.*
iluronensis Salv. Ab. 1875. 183 *Hi.*
coriarius Brandt Mon. 137 *Ga.G.*
reticulatus Brdt. Rdtb. 170 *Hu.*
v. rufiventris Germ. Eschr. W. 88. 242 *R.*
v. cyanicornis Reitt. in lit.
variegatus Donov. Rdtb. 170 *E.*
purpurascens Grm. Fn. Ins. 17. 16. 12. *E.m.*
sardous Gené Mem. Torin. 1836. 198
Latreillei Reiche Eschr. W. 88. 242 *Hi.*
aeneus Lap.
aeneus Tausch. Echr. W. 1890. 91 *R.m.*
Reitteri Eschr. W. 1889. 112 *R.m.*
luctuosus Brandt 122 *Si.*
tuccius Rossi Rdtb. 170 *Hu.E.m.*
v. corrosus Brandt 122 *Si.*
v. scabricollis Brandt 123 *I.*
erythrocnemus Pall. Rdtb. 171 *I.Gr.*
corallipes Gebl. B. M. 1847. 492
rugosus Mrsh. Esch. W. 90. 88 *E.md.m.*
rugulosus Brull. Mor. III. 238
bilineatus Arag. dequib. Col. 30. 20 *Si.*
v. abdominalis Eschr. W. 1890. 89
Baudueri Gren. Eschr. W. 90. 93 *Ga.Hi.*
murinus Brdt. Eschr. W. 90. 92
fascicularis Arag. l. c. *I.b.*
scabriusculus Brdt. Eschr. W. 90. 90 *Ga.G.*
pygmaeus Baudi
brevicollis Panz. Rdtb. 171 *E.*
splendens Eschr. W. 1889. 105; 90. 23

Sitarobrachys
Reitter.
brevipennis Reitt. W. 1883. 309 *Balk.*

Lyttini.

Cerocoma
Geoffroy.
Reitter D. 1885.
festiva Faldm. Reitt. 12 *Ca.*
Schreberi F. Reitt. 12 *Ga.G.E.m.*
Schaefferi L. Reitt. 14 *E.*
v. viridula Reitt. 14 *Bulg.*
Mühlfeldi Gyll. Reitt. 13 *Ga.H.Hi.*
micans Mén. Cat. rais. 206 *R.*
Faldermanni Lap. Hist. nat. II. 267
pallipes Motsch. B. M. 1872. 49 *R.m.*
v. Kunzei Friv. Reitt. 13 *T.*
v. gonocera Mot. B. M. 72. 49 *Balc.Ca.*
v. Schraderi Kr. Reitt. 13 *Gr.*
v. gloriosa Muls. Heyd. B. 1863. 114
marginiventris Reitt. D. 89. 34 *Arax.*
v. pictiventris Reitt. D. 90. 174 *Arax.*
Scovitzi Fald. Reitt. 13 *Arax.*
picticornis Motsch. B. M. 1872. 49
v. rufiventris Reitt. D. 1890. 173
v. lateralis Reitt. ibid. 174
Dahli Kraatz Reitt. 14 *A.T.*

Rhampholyssa
Kraatz.
Steveni Fisch. Krtz. B. 1863. 110 *R.m.*

Zonabris
Harold.
Mylabris auctor.
Megabris Gozis.
(Marseul Ab. 1870.)
syriaca Klug Mars. 43 *Gr.*
intersecta Reiche A. 1857. 274
jugatoria Reiche Mars. 50 *Gr.*
cincta Oliv. Mars. 51 *T.Gr.*
bicolor Waltl Isis 1838. 465
taeniata Waltl ibid.
v. Matthesi Fald. Mars. 52
praeusta F. Mars. 55 *Hi.m.*
v. apicalis Chevr. Mars. 57
v. contexta Chevrol. Mars. 56
6-maculata Oliv. Mars. 58 *R.m.*
superba Fald. Fn. trnsc. II. 123 *Ca.*
cingulata Fald. Mars. 60 *Ca.*
pusilla Oliv. Mars. 66 *R.m.*
variabilis Pallas Mars. 67 *E.m.*
v. lacera Küst. Mars. 70 *D.*
v. mutabilis Mars. 70 *Hi.*
v. disrupta Baudi Atti Acad. Torin. XIII.
v. armeniaca Fald. Mars. 69 *Ca.* [1160
v. maculosopunctata Grlls Map. geol. 58
4-punctata L. Mars. 71 *E.m.* [113 *Hi.*
10-punctata Oliv. Ent. III. 47 *I.*
melanura Pall. Ic. 86 *R.m.*
v. restricta Motsch. B. M. 49. 133 *Hi.m.*
Maldinesi Chevr. Mars. 73
v. 4-punctata Billb. Mars. 72 *R.*
v. Adamsi Fisch. Mars. 72 *E.m.* [224
fasciatopunctata Fisch. Ent. Ros. II.
hispanica Mannh. B. M. 1849. 132
Schreibersi Reiche Mars. 74 *Si.*
terminata Chevrol. Silb. Rev. V. 276
floralis Pallas Ic. 1871. 82 *Ga.G.*
variabilis Oliv. Ent. III. 47 *E.m.*
Fuesslini Panz. Mars. 76
v. spartii Germ. Mars. 79 *D.*
v. Dahli Baudi D. 1878. 367 *Hu.R.m.*
v. quadrifaria Mars. 79
atrata Pallas Mars. 89 *R.m.*
minuta F. Ent. Syst. Supp. 121
euphratica Mars. 84 *Ca.*
scabiosae Oliv. Mars. 84 *T.*
solonica Pall. Mars. 89 *R.m.Gr.*
14-punctata Pall. Mars. 90 *T.*
meliloti Oliv. Encycl. VIII. 99 *R.m.*
combusta Tausch. Enum. 143
setigera Waltl Isis 1838. 466
Dufouri Graëlls Mars. 92 *Hi.*
Korbi Escher. W. 1890 *Hi.*
Amori Graëlls Mars. 94 *Hi.*
hieracii Graëlls Mars. 95 *Hi.*
v. suspiciosa Rosh. Mars. 96
Uhagoni Perez Ab. 1879. 39 *Hi.md.*
sobrina Graëlls Mars. 96 *Hi.*
alpina Mén. Mars. 98 *Ca.*
flexuosa Oliv. Mars. 101 *E.m.*
geminata F. Mars. 102 *E.m.*
v. obsoleta Nowicki Beschr. 73. 6 *Calab.*
Dejeani Gyll. Mars. 104 *Hi.*
Beckeri Eschr. W. 1890. 24 *R.m.*
cynanchi Becker i. l.
varians Gyll. Mars. 105 *Hi.*
inconstans Chevr. Rev. Zool. 1865. 393
v. 10-spilota Chevr. Mars. 106
v. luteipennis Duf. Mars. 106
v. scutellata Rosh. Mars. 107
externepunctata Fald. Mars. 108 *Ca.*
laevicollis Mars. 109 *Ca.*
calida Pall. Mars. 114 *Gr.T.R.*
v. maculata Oliv. Mars. 115 *Gr.*
bimaculata Oliv. Encycl. VIII. 93

impar Thunb. Diss. Nov. I.Sp.VI. 110 *R.*
griseseens Tausch. Mars. 119
Olivieri Billb. Mon. 71
caspia Ménét. Cat. rais. 206
v. rufipes Fisch. Ent. Ross. II. 226
Tauscheri Fisch. Mars. 123 *R.m.*
impressa Chevr. Mars. 124 *Lu.*
v. stillata Baudi D. 1878. 375 *Si.*
crocata Pall. Mars. 125 *I.*
lutea Pall. It. II. Ap. 722. pars. *R.m.*
12-punctata Tausch. Enum. 139
v. aulica Mén. Baudi D 1878. 371 *R.m.*
12-punctata Oliv. Mars. 126 *Ga.Hi.*
cyanescens Illg. Dej. Cat. III. 245 *I.*
brevicollis Baudi D. 1878. 373 *Toulon*
10-punctata F. Mars. 127 *E.m.*
Forti Muls. Vésic. 123 *I.m.*
Lichtensteini Gorriz Mon. Mél. 124 *Hi.*
marginata Fisch. Mars. 136 *Ca.*
confluens Fisch. Ent. Ross. II. 227
ocellata Pallas Mars. 138 *R.m.U.*
Argus Oliv. Encycl. VIII. 98
pupillata Schönh. Syn. Ins. III. 43
Audouini Mars 141 *R.m..or.*
bivulnera Pall. Mars. 159 *R.m.*
sericea Pall. Mars. 162 *E.m.*
decora Friv. Mars. 194 *T.*
Ledebouri Gebl. Mars. 163 *R.m U.*

Coryna Billbg.

confluens Reiche Mars. 186 *T.*
distincta Chevrol. Mars 189 *Si.*
v. sicula Baudi D. 1878. 361 *Si.*
Billbergi Gyllh. Mars. 190 *Ga.H.I.*

Oenas
Latreille.

afer L. Ablle. Bl. Touls. 1880. 15 *E.m.*
fusicornis Abll. l. c. 14
♀ hispanus Ablle. l.c. 15 *And.*
crassicornis Ill. Ablle. l. c. 17 *E.m.Hu.*
v. luctuosus Latr. Hist. n. 1804. 393 *Hi.*

Caloenas
Reitter.

pulcher Reitt. D. 1889. 35 *Arax.*

Lydus
Latreille.

algiricus L. Ablle. Bl. Touls. 80. 18 *E.m.*
tenuitarsis Ablle. 19 *Ca.*
v. unicolor Reitt. D. 1887. 525 *Arax.*
trimaculatus F. Rdtb. 173 *I.Gr.R.*
v. 4-maculatus Tausch. M. M. 12. 141
4-signatus Fisch. Ent. Ross. II. 228

Halosimus
Mulsant.

syriacus L. Rdtb. 175 *Ga.Ti*
rufidorsum Scop.
austriacus Schrk. Enum. Ins. 223
ruficollis Hbst Füssl. Arch. 8. 179
myagri Fisch. Rdtb. 175 *R.m.*
armeniacus Reitt. D. 1889. 36 *Arax.*
noticollis Muls. Op. 1858. 61 *Gr.*
cinctus Schauf. A. 1862. 310
chalybeus Tausch. Muls. Op. 1858. 65 *R.m.*
dichrous Fisch. Heyd. W. 1890. 99
bicolor (e) Fisch.
luteus Waltl Ab. 1868. 57 *T.*
luctuosus Tausch. Fst. Hor. 76. 336 *R.m.*

Micromerus Muls.

collaris F. Seidl. F. Tr. 586 *R.m.Tr.*

Lytta
Fabricius.
Cantharis auct.

optabilis Fald. Fn. trs. 1837. 133 *Ca.*
vesicatoria L. Rdtb. II. 74. 174 *E.*
v. dibapha Reitt. W. 1890. 15
armeniaca Reitt. non Fald. W. 86. 99
Dobiaschi Heyd. i. l. *Ca.D.*
dives Brull. Mor. III. 232 *T.Gr.*
v. phalerata Friv. Muls. Op. 1858. 85
vittata Brull. l. c.
crassicornis Costa Heyd. D. 83. 364 *I.m.*
armeniaca Fald. Fn. trnsc. II. 134 *Arax.*
clematidis Pall. Muls. 89 *R.m.*
v. ♂ bivittis Pall. Muls. 90
♀ Fischeri Gebl. Mém. Mosc. V. 317
trivittis Pallas Ic. 1781. 92 *R.m.*
trivittata Schh. Syn. Ins. I. 3. 25
Menetriesi Fald. Fn. trs. 37. 432 *Ca.or.*

Cabalia Muls.

segetum F. Muls. Op. 1858. 81 *S.Si.*
Bassii Lap. Muls. 80 *Si.*
Perroudi Muls. 78

Lagorina Muls.

sericea Waltl Muls. 74 *Hi.*

Epicauta
Redtenbacher.

verticalis Ill. Muls. Op. 1858. 99 *E.m.*
dubia Oliv.
erythrocephala Pnz. Fn. Germ. 41. 6

erythrocephala Pall. Muls. 102 *A.T.*
sonchi Lepech. *Gr.R.m.*
sibirica Pall. Muls. 91 *R.m.T.*
flabellicornisGrm. Reis.Dalm.17.210
dubia F. Muls. 96 *R.m.*
latelineolata Muls. 99 *Ca.*

Isopentra Muls.

megalocephala Gbl.Mls.Op.58.106 *R.m.*

Zonitis
Fabricius.

immaculata Oliv. Méth.IV. 1866 *G.E.m.*
mutica Scriba Rdtb. 175 *G.*
fulva Rossi Mant. I. 94 *A.*
ligurica Schellbg. Heyd. D. 81.255 *I.*
nana Ragusa Sic. 1882. 43 *Si.*
biimpressa Chevr. A' 1882. 4 *Hi.b.*
nigriventris Motsch. B. M. 1872. 52 *Ca.*
fenestrata Pall. Ic. 1781. 90 *E.m.*
praeusta F. 1787. Rdtb. 175
flava F. 1792
v. bipunctata Rag. N. 1882. 42 *Si.*
v. afra Rossi Muls. C. Fr. 57. 171
v. nigripennis F. Muls. l. c.
sexmaculata Oliv. Rdtb. 175 *E.m.*
rufofasciata Fairm. A' 83. 142 *Rumen.*
lunata Tausch. M. M. 12. 159 *Ca.R.m.*
rubida Mén. Cat. rais. 32. 211 *Ca.or.*
fulvipennis F.Reitt. D.84.93 *Hu.Ga.E.m.*
v. funeraria Fairm A' 1883.142 *Rumän.*
seminigra Reitt. l. c. *Gr.*
adustipennis Motsch. B. M. 1872.53 *R.m.*
obliquata Motsch. l. c. 175 *Ca.*
4-punctata F. Rdtb. l. c. *E.m.*
v. Korbi Eschr. W. 1890. 24 *Aragon.*
bifasciata Swartz Muls. Op. 58.124 *Hu.Ga.*
v. atra Swartz Muls. 126 *R.m.*
nigricollis Mén. Cat. rais. 32. 211 *R.m.*
Haroldi Heyd. Sp. 150 *Hi.md.*
Bellieri Reiche A. 1860. 731 *Si.*
pubescens Waltl Ab. 1868. 58 *T.*
thoracica Lap. Hist. nat. II. 276 *Balear.*
ruficollis Friv. D. 1877. 432 *Creta*

Stenodera
Eschscholtz.

caucasica Pall. Muls. Op. 58.113 *Ca.R.m.*
sexmaculata F. Ent. Syst. Suppl. 120

Nemognatha
Illiger.
(Suffrian st. 1883.)

chrysomelina F. Suffr. 235 *E.m.*
v. nigripes Suffr. 236 *Ga.Hi.*
chrysomelina Oliv. Encycl. VIII. 175

Leptopalpus
Guérin.

rostratus F. Muls. Op. 1858. 128 *Hi.Si.*

Hapalus
Fabricius.

bipunctatus Germ. Muls. Op. 58. 134 *E.*
bimaculatus L. Rdtb. 177 *E.md.b.*
necydaleus Pall. Ic. 1781. 92 *Gr.Cret.*
rufipennis Gebl. Ledeb. Rs. II. 3. 142
v. spectabilis Friv. Schaum B. 59. 52
creticus Friv. D. 1877. 432 *Creta*

Sitaris
Latreille.

taurica Motsch. B. M. 1872. 54 *Cri.*
muralis Forst. Rdtb. 177 *E.m.*
humeralis F. Syst. Ent. 209
v. nitidicollis Ablle. Ab. 1875. 187 *Ga.*
rufiventris Krtz. D. 1881. 175 *Gr.*
Solieri Pecchioli Muls. Op. 58. 137 *E.m.*
v. longicornis Krtz. B. 1858. 388 *I.*
melanura Küst. Käf. 16. 84 *Ga.Hi.*
rufipennis Küst. Käf. 16. 83 *Hi.I.*
lativentris Schauf. Nq. ot. 70. 46 *Hi.m.*
splendida Schauf. l. c. 47 *Hi.m.*

Stenoria Muls.

analis Schaum B. 1859. 51 *G.I.*
v. adusta Schaum l. c. *Siles.*
v. Colletae Mayet A. 1873. 198 *Ga.*
apicalis Latr. Muls 136 *Ga.I.b.*
Kraatzi Muls. Op. 1861. 191 *P.Ga.*
thoracica Krtz. B. 1862. 126 *Gr.I.*
Sturmi Küst Reitt. D. 1889. 37 *D.I.*
acutipennis Fairm. A. 1881. 44 *Catal.*

Criolis Muls.

Guerini Muls. C. Fr. 1858. Suppl. *Ga.T.*

Ctenopus
Fischer.

melanogaster Fisch. Reitt. l. c. *R.m.Ca.*
vitticollis Reitt. D. 1889. 38 *Araxes*

Pyrochroidae.

Pyrochroa
Geoffroy.

coccinea L. Rdtb. 158 *E.md.b.*

serraticornis Scop. Ent. Carn. 42 *E.*
purpurata Müll. Zool. Dan. 80 *E.b.*
rubens Schall. Abh. Hll. Ges. I. 301
satrapa Schrk. Rdtb. 158 *I b.*
pectinicornis L. Rdtb. 158 *E.md.b.*

Dendroides
Latreille.
Pogonocerus Fisch.
thoracicus Fisch. W. z. b. 69. 199 *R.m.*

Pedilus
Fischer.
rubricollis Mot. Muls. C. Fr. 66.47 *R.m.*
fuscus Fisch. Muls. l. c. 46 *R.m.or.*
v. fulvipes Motsch. B. M. 1845. 82
rufipes Motsch. l. c. 47
errans Faust Hor. 1876. 323 *Ca.*

Anthicidae.

(Marseul Ab. XVII. 1879.)

Euglenini.

Phytobaenus
Sahlberg.
amabilis Sahlb. Rdtb. 151 *E.*
bisbimaculatus Hmp. Stett. 50. 356

Euglenes
Westwood.
Xylophilus Curtis, Latr. i. l.
Olotelus Muls.
punctiger Muls. C. Fr. 1866. 23 *Ga.m.*
pruinosus Ksw. B. 1861. 241 *Ga.G.E.m.*
testaceus Kolen. Melet. V. 38 *D.Ga.*
flaveolus Muls. l. c. 26
atomus Costa M. Napol. 1884. 13 *S.*
neglectus Duv. Muls. l. c. 28 *Ga.*
lateralis Gredl. Rdtb. 151 *Ti.*
brevicornis Perris Ab. 1869. 20 *Ga.*
minor Baudi D. 1878. 1 *Pe.*
filicornis Schauf. Nq. ot. 1883. 506 *Bal.*
v. bicolor Schauf. l. c.
nodicollis Reitt. D. 1885. 384 *D.*

Anidorus Muls.
nigrinus Germ. Rdtb. 151 *E.md.b.*
tirolensis Gredl. Rdtb. 151 *Ti.*
patricius Abeille Ab. 1875. 163 *Ga.*
sanguinolentus Ksw. B. 1861. 241 *Ga.m.*
ruficollis Rossi Ksw. l. c. *Ga.A.I.*
nigripennis Villa Cat. Col. Supp. 63

Euglenes i. sp.
oculatus Gyll. Fn. Su. 10. 501 *Su.R.Ga.*
pygmaeus Muls. l. c. 38 *G.Hi.*
pygmaeus Gyll. Mem. Ins. 1774. 137 *E.*
fennicus Mannh. Rdtb. 151 *[md.*
serricornis Reitt. D. 1885. 384 *Hu.*
nitidifrons Thoms. A' 1886. 10 *Su.*
pentatomus Thoms. Ab. 1875. 162 *Su.*
punctatissimus Reitt. D. 1885. 384 *Gr.*

Aderus Westw.
populneus Panz. Muls. l. c. 43 *E.*
boleti Marsh. Ent. Br. 1802. 486

Trotommidea
Reitter.
Salonae Reitt. W. 1883. 307 *D.*

Anthicini.

Steropes
Steven.
Blastanus Illiger.
caspius Steven Rdtb. 149 *R.m.*
colon Illig.

Macratria
Newman.
Leprieuri Rche. Mars. 11 *Hu.Cro.*
hungarica Hampe W. z. b. 1873

Notoxus
Geoffroy.
brachycerus Fald. Mars. 20 *Ga.G.*
major Schmidt St. 1842. 83 *R.I.b.*
monoceros L. Mars. 24 *E.*
platycerus Laferté Mars. 19 *Ga.Hi.*
hispanicus Motsch. Mars. 21 *Hi.*
mauritanicus Laf. Mars. 22 *Gr.*
curycerus Kiesw. B. 1861. 244
bicoronatus Bedel
appendicinus Dsbr. B.Hipp.81.151 *C.*
excisus Küst. Käf. E. 13.68 *Hi.Si.*
cavifrons Laf. Mars. 25 *Lu.*
siculus Laferté Mars. 26 *Si.*
trifasciatus Rossi Mant. I.45 *E.*
cornutus F. non Thbg. Mars. 31
v. armatus Schmidt St. 1842. 86
miles Schmidt Mars. 33 *Hu.*
elongatus Laf. Mars. 18 *R.m.*
hirtus Laf. Mars. 27 *R.m.*
lobicornis Reiche Mars. 30 *Hi.*
impexus Kiesw. Heyd. Sp. 146

Mecynotarsus
Laferté.

serricornis Panz. Fn. Grm. 31. 17 *E.md.*
rhinoceros F. Mars. 40
Fausti Seidl. F. Tr. 1890. 591 *Cri. T.*

Amblyderes
Laferté.

scabricollis Laf. Mars. 44 *Hi. Si.*

Formicomus
Laferté.

coeruleipennis Laf. Mars. 49 *Hi.*
pedestris Rossi Mars. 51 *E.*
v. atratulus Reitt. D. 1889. 33 *Calabr.*
hispanicus Motsch. Mars. 242 *Hi.*
rubidus Reitt. Mars. 242 *Ca.*
nobilis Fald. Mars. 52 *Ca.*
sareptanus Dsbr. Opusc. 75. 42 *R.m.*
v. cursor L. Laf. Mars. 53
tinctus Reitt. D. 1889. 33 *Ca.*
ionicus Laf. Mars. 54 *Gr.*
latro Laf. Mars. 56 *Si.*
canaliculatus Laf. Mars. l. c. *Si.*
Ninus Laf. Mars. 55 *Ca.*

Tomoderus
Laferté.
(Reitter D. 1884.)

compressicollis Motsch. Reitt. 258 *E.m.*
dalmatinus Reitt. 258 *D.*
serbicus Reitt. i. lit. *Serb.*
Ehlersi Heyd. D. 1882. 47 *And.*
Piochardi Heyd. Sp. 147 *Lu.*
italicus Mars. Ab. 1879. 61 *I.m.*
scydmaenoides Reitt. 258 *Ca.*
*
funebris Reitt. 258 *D.*

Anthicus
Paykull. Schmidt.

1.
Leptaleus Laf.

Rodriguesi Latr. Mars. 71 *E.m.*
pulchellus Schmidt St. 1842. 195
Chaudoiri Kolen. Mars. 72 *Ca.*
glabellus Truqui Mars. 73 *Gr.*

2.
Stenidius Laf.

vittatus Luc. Mars. 75 *Si. Gr.*
tenuipes Laf. Mars. 76 *Gr.*

3. 4. latet.

5.
(Cyclodinus Muls.)

femoratus Mars. 82 *Ga.m.*
magistri Gozis R. I. 203
longipilis Bris. Mars. 83 *Ga.*
coniceps Mars. 83 *I.m.*
Morawitzi Desbr. Mars. 84 *R.m.*
salinus Crotch Ab. 79. 117 *Hi.*
humilis Germ. Mars. 90 *E.*
nigrinus Zett. Ins. Lapp. 159
v. Lameyi Mars. 88 *Ga.m.*
v. Beckeri Desbr. Opusc. 1875. 43 *R.m.*
fatuus Truqui Mars. 92 *Cri.*
Bremei Laf. Mars. 92 *Ga.m.I.*
ustulatus Truqui Mars. 93 *S.*
Cerastes Truqui Mars. 95 *Gr.*
incomptus Truqui Mars. 95 *Ca.*
minutus Laf. Mars. 96 *E.m.d.*
sardous Schmidt St. 1842. 175 *S.*
v. lateralis Küst. Käf. 16. 77
v. blandulus Baudi D. 1878. 12 *Si. Hi.*
thessalius Mars. 97 *Gr.*
lotus Mars. 98 *R.m.*

6.

turca Mars. 99. *T.*

7.

floralis F. Mars. 102 *E.*
formicarius Goeze *E.*
formicoides Geoffroy
♂ quisquilius Thoms. Mars. 103
lateriguttatus Mars. 107 *R.m.*

8.

instabilis Schmidt Mars. 111 *E.m.*
v. agilis Küst. Käf. 16. 75
v. geminipilis Desbr. Opusc. 74. 44 *Hi.*
duplicatus Desbr.
ophthalmicus Rottb. B. 1870. 259 *Si.*
gracilis Panz. Mars. 112 *E.md.I.*
gracilior Ablle. R. 1885 150 *Ga.m.*
Schmidti Rosenh. Beit. I. Eur. 35 *Ga.A.*
subfasciatus Laf. Mars. 117 *E.m.*

9.

transversalis Villa Mars. 120 *E.m.*
longicollis Schmdt. St. 1842. 130
tenellus Laf. Mars. 122 *E.m.*
amoenus Schmdt. l. c. 176
araxicola Reitt. D. 1889. 34 *Araxes*
optabilis Laf. Mars. 121 *Ga.m.I.*

10.

longiceps Laf. Mars. 130 *Si.*
dichrous Laf. Mars. 132 *Si.*
Olivieri Desbr. Hipp. 1868. 79
Heydeni Mars. 132 *H[illegible].*

Brucki Kiesw. Heyd. Sp. 147 *Hi.m.*
velox Laf. Mars. 134 *Si.*
tibialis Waltl Rse. Sp. II. 75 *Hi.*
versicolor Kiesw. Heyd. Sp. 147 *Hi.*
v. callimus Baudi B. It. 77. 134 *Hi.m.*

11.

4-guttatus Rossi Mars. 136 *E.m.*
hispidus Rossi Mars. 137 *E.*
hirtellus F. Ent. Syst. Supp. 67

12.

antherinus L. Mars. 144 *E.*
tripustulatus F. Ent. Syst. I. 169
v. 4-decoratus Ablle. R. 85. 160 *Ga.m.*
laeviceps Baudi Mars. 146 *Ga.I.Hi.*
thyreocephalus Solsky Ab. 68. 282 *R.*
[illegible]sus Bohem. Vet. Hand. 49. 220 *Su.*
crinitus Laf. Mars. 147 *R.m.*
Truquii Becker Desbr.
longipennis Desbr. Hipp. 1881. 152
bifasciatus Rossi Mars. 148 *E.m.*
v. Kolenatii Kol. Melet. III. 35 *Ga.G.*
quadrioculatus Laf. Mars. 150 *E.m.*
quadriguttatus Waltl Reis. Sp. II. 75
brunneus Laf. Mars. 152 *Ga.m.*
tristis Schmidt. Mars. 153 *E.m.*
v. Schaumi Wollast. Zool. 57. 5721 *Br.*
ater Steph. Ill. Br. V. 78
v. elegans Stev. Mars. 248 *R.m.*
v. tristiculus Reitt. D. 1884. 92 *Gr.*
biguttatus Laf. Mars. 155 *S.*
ater Panz. Mars. 156 *E.*
niger Oliv. Mars. 157 *E.m.*
morio Laf. Mon. 215
fuscicornis Laf. Mars. 158 *Ga.Hi.*

13.

ochreatus Laf. Mars. 162 *Hi.Si.*
semicinctus Desbr. Mars. 249 *Hi.*
olivaceus Laf. Mars. 162 *Hi.m.*
posticus Laf. Mars. 163 *Hi.m.*
depressus Laf. Mars. 164 *Ca.*
pauperculus Laf. Mars. 166 *Hi.*
[illegible]liceps Reitt. D. 1890. 151 *Arax.*

14.

fenestratus Schmidt Mars. 168 *E.m.*
humeralis Gebl. Mars. 169 *R.m.*
Costae Costa Mem. ent. 47 *Si.*
flavipes Panz. Mars. 170 *E.*
nigriceps Mannerh. B. M. 1843. 97
angustatus Curt. Brit. Ent. 38. 714 *Br.Ga.*
[illegible] Mars. 172 *Ca.*
[illegible] Rye Mars. 249 *Sc.*
[illegible] Lucas Mars. 171 *S.*

latefasciatus Desbr. Mars. 249 *R.m.*
inaequalis Motsch. Mars. 173 *Ca.*
axillaris Schmidt Mars. 173 *Ga.A.I.*
varians Kolen. Mars. 250 *Ca.*
v. inflatus Kolen. Mars. 250 *Ca.*
diversus Laf. Mars. 174 *R.*
luteicornis Schmidt Mars. 176 *Ga.G.*

15.

difformis Mars. 178 *R.m.*
Genei Laf. Mars. 179 *E.m.*
proximus Mars. 179 *T.Gr.*

16.

Liparoderus Laf.

insignis Lucas Mars. 181 *Hi.*
venator Dufour Mars. 255
Paykulli Gyll. Mars. 181 *P.Hi.*
Brisouti Desbr. Mars. 254.

17.

Eonius Thms.
(Platylorus Muls.)

bimaculatus Illig. Mars. 183 *E.md.*
sellatus Panz. Mars. 185 *E.*
pinicola Reitt. D. 1889. 258 *Gr.*

18.

digitalis Mars. 198 *Huelva*
fuscipes Mars. 199 *And.*
Aubei Laf. Mars. 200 *Hi.*
bijubatus Motsch. Mars. 251 *Hi.m.*
andalusicus Laf. Mars. 201 *Hi.*
bispilifasciatus Mars. 202 *Hi.*
Ghilianii Laf. Mars. 202 *Hi.*
fasciatus Chevr. Mars. 203 *E.m.*
genistae Rosh. Beitr. I. Eur. 36 *Ga.G.*
monogrammus Schm. St. 1842. 174
♀ Antoniae Laf. Mon. 249
♂ affinis Laf. ibid. 248
venustus Villa Mars. 205 *Ga.Ti.Pe.*
unifasciatus Schmidt St. 1842. 173
zonatus Laf. Mars. 206 *S.*
nectarinus Panz. Mars. 207 *G.E.m.*
sanguinicollis Laf. Mon. 48. 239
v. ruficollis Schmidt Mars. 208 *E.m.*
v. terminatus Schmdt. St. 42. 128 *Gr.*
chiosicola Reitt. D. 1889. 259 *Gr.ins.*
leptostemma Kol. Mars. 209 *Ca.*
mylabrinus Gené Mars. 211 *C.S.*
cantabricus Mars. 212 *And.*
Dejeani Laf. Mars. 213 *D.S.*
v. corsicus Laf. Mars. 213 *C.*
rectipennis Laf. Mars. 214 *Ca.*
Lederi Mars. 252 *Ca.Cro.*
terminatus Laf. Mars. 215 *D.Gr.*
melanocephalus Mars. 216 *R.m.*

piciceps Desbr. Opusc. 75. 47
vespertinus Rosh. Mars. 216 *And.*
scrobicollis Laf. Mars. 219 *Hi.*
capito Laf. Mars. 220 *Hi.*
plumbeus Laf. Mars. 221 *Ga.Hi.I.*
♂ callosus Schmidt St. 1842. 181
v. ♂ melanarius Schmidt ibid. 178
♂ brevis Schmidt ibid. 180
Gorgus Truqui Mars. 221 *Gr.*
caspius Desbr. Mars. 223 *R.m.*
caliginosus Laf. Mars. 223 *D.I.Gr.*
velutinus Laf. Mars. 224 *Si.*
calliger Mars. 225 *Ga.m.Gr.*
Fairmairei Bris. Mars. 226 *Ga.m.*
validicornis Laf. Mars. 226 *I.*
unicolor Schmdt. Mars. 227 *Ga.G.E.m.*
Volxemi Mars. 228 *Lu.m.*
ovatus Kiesw. Mars. 229 *Gr.*
patagiatus Kiesw. Mars. 229 *Gr.*
corallicollis Reitt. D. 1889. 258 *Cycld.*

19.
Aulacoderus Laf.

Frivaldszkyi Laf. Mars. 231 *Hu.*

Palicari Lap. Mars. 257 *Gr.*
amicitiae Dufour Mars. 256 *Hi.*
pallicrus Dufour Mars. 256 *P.*

Ochthenomus
Schmidt.

punctatus Laf. Mars. 236 *Ga.Hi.Pe.*
unifasciatus Bon. Mars. 237 *Ga.E.m.*
sinuatus Schmidt St. 1842. 199 *Ti.*
tenuicollis Rossi Mars. 238 *E.m.*
melanocephalus Bon. Mém. Torin IX.
angustatus Laf. Mon. 286 *Ga.G.*[178
signatus Kr. B. 1868. 295
v. melanocephalus Küst. Käf. 9. 57 *D.*

Oedemeridae
(Ganglbauer T. IV. 1881.)

Calopus
Fabricius.

serraticornis L. T. 2 *E.*

Sparedrus
Serville.

testaceus Andersch T. 3 *E.md.m.*
Orsinii Costa T. 3 *I.m.*

Ditylus
Fischer.

laevis F. T. 3. *E.md.b.*

Xanthochroa
Schmidt.

carniolica Gistl T. 3 *Alp.*
Blossevillei Guér. Rev. Zool. 1838. 40
gracilis Schmidt T. 3 *Alp.*
Raymondi Muls. T. 3 *Ga.*
Bellieri Reiche A. 1861. 209 *C.*

Nacerdes
Schmidt.

melanura L. T. 4. *E.*
lepturoides Thunb. Nov. Ins. Sp. IV. 18
notata F. Ent. Syst. I. 2. 353 *Ca.*
v. sardoa Schmidt T. 4 *S.*

Anoncodes Schmidt.

rufiventris Scop. T. 5 *Ga.G.R.*
melanocephala F. Ent. Syst. IV. App.
ustulata F. Gglb. T. 5 *Ga.G.R.I.* [453 *I.T.*
scutellaris Wltl. Isis. 1839. 222 *Gr.*
geniculata Schmidt T. 5 *T.*
v. basalis Friv. T. 5
fulvicollis Scop. T. 5 *Mt.E.md.*
v. media Gredler T. 5 *Ti.*
coarctata Germ. T. 6 *R.m.*
ruficollis F. T. 6 *Ga.G.R.I.*
viridipes Schmidt T. 6 *Ga.G.R.*
v. meridionalis Costa T. 6 *I.*
dispar Dufour T. 7 *Ga.G.*
amoena Schmidt Mon. 118 *E.m.*
turcica Schmidt T. 7 *T.*
austriaca Ganglb. T. 7 *A.*
azurea Schmidt T. 7 *Ga.G.I.b.*
alpina Schmidt T. 8 *St.T.I.b.*

Lethonymus Mars.

difformis Schmidt T. 8 *T.*

Pachychirus Redtb.

adusta Panz. T. 9 *Ga.G.R.*
♀ collaris Panz. Fn. Germ. 36. 10 *I.b.*
v. paradoxa Fald. T. 9 *Ca.*
v. flaviventris Fald. T. 9 *Ca.*
v. flavipennis Motsch. 72. 55 *Ca.*
italica Chevr. T. 4 *I.md.*

Xanthochroina
Ganglbauer.

Auberti Abeille T. 9 *Ga.m.*

Asclera
Schmidt.
Ischnomera Steph. pars.

semiflava Reitt. D. 1891. 31 *Arax.*
sanguinicollis F. T. 10 *E.md.m.*
xanthoderes Muls. T. 10 *Ga.m.Si.*
haemorrhoidalis Schmidt T. 10 *T.Si.*
cinerascens Pand. T. 10 *Ga.P.*
coerulea L. T. 10 *E.*
Reitteri Ganglb. T. 10 *Ca.or.*

Opsimea
Miller.

quadrinervosa Reiche A. 1862. 296 *C.*
ventralis Miller T. 11 *Cro.*

Oncomera
Stephens.
Dryops Fabr.

femorata F. T. 11 *E.md.*
♀ calopoides Grm.Reis.Dalm.225 *T.*
v. purpureocoerulea Ggl. W. 1882.137
flavicans Fairm. T. 11 *Gr T.(D*
murinipennis Ksw. B. 61.251.T.11 *Cret.*

Oedemera
Olivier.

basalis Küst. T. 12 *Hi.m.*
cuprata Reiche A. 1864. 245
melanopyga Schmidt Mon. 66 *Si.*
♀ maculiventris Costa Fn.Nap.54.24
brevipennis Gglb. T. 12 *Rumel.*
podagrariae L. T. 13 *E.*
v. sericans Muls.Heyd.W.1883.216 *Ga.*
v. incerta Muls. Heyd. W. 1888. 216
v. obscura Gglb. T. 13 *Ca.*
penicillata Schmidt T. 13 *T.Gr.*
Schmidti Gemm. T. 13 *E.m.*
ventralis Schmidt Mon. 55
brevicollis Schmidt T. 14 *S.Si.*
v. tibialis Luc. T. 14 *Si.*
brevicollis Costa Fn. Napol. 17
simplex L. T. 14 *Ga.Hi.*
flavimana Schmidt Mon. 57 *Lu.*
similis Schmidt T. 14 *I.T.Gr.*
ventralis Ménétr. Cat.rais.32.212 *Ca.*
Menetriesi Fald. Fn. tr. 37. 144
flavescens L. Syst. Nat. ed. 12. 642 *E.*
femorata Ganglb. T. 14
flavipennis Schmidt T. 14 *T.And.*
subulata Oliv. T. 15 *E.md.m.*
marginata F. Ent. Syst. Suppl. 155
v. vittata Friv. T. 15 *Hu.m.*
lateralis Schmidt T. 15 *Ga.I.R.*
caucasica Kolen. B.M. 1847. I. 142
tristis Schmidt T. 15 *Ga.A.Ca.*
rufofemorata Germ. T. 16 *I.D.*
femorata Brull. Mor. III. 227 *Gr.*
cyanescens Schmidt T. 16 *D.I.*
brevicornis Schmidt Mon. 78 *R.m.*
immunda Reitt. D. 1885. 386 *Ca.*
unicolor Schmidt T. 16 *Lu.Hi.*
nobilis Scop. T. 16 *E.md.m.*
coerulea L. Syst. nat. ed. 12. 642
atrata Schmidt T. 16 *Ga.H.I.b.*
rostralis Reitt. D. 1885. 386 *Ca.or.*
flavipes F. T. 16 *E.*
annulata Germ. T.17(Stenaxis) *Ga.A.I.*
barbara F. T. 17 *E.m.*
croceicollis Gyll. T. 17 *G.Ga.Su.*
v. sarmatica Moraw. T. 17 *R.*
natolica Rche. A.62. 544 *Gr.ins.*
virescens L. T. 18 *E.*
lurida Marsh. T. 18 *E.*
crassipes Ablle. T. 18 *Gr.*

quadrinervosa Latr.Hist. nt.1804.12 *Ga.*
angusticollis Costa T. 18 *I.*
pusilla Costa T. 18 *Si.*

Chrysanthia
Schmidt.
(Reitt. D. 1889. 266.)

viridissima L. Reitt. l. c. *E.*
planiceps Kiesw. ibid. *Ca.*
variipes Kiesw. ibid. *Gr.*
superba Reitt. ibid. *And.Lu.*
viridis Schmidt ibid. *E.*

Probosca
Schmidt.

virens F. (Callidium) Ent. Syst. I. 2. 338
viridana Schmidt T. 19 *Ga.I.T.*
unicolor Küst. T. 19 *Hi.*
plumbea Suffr. Revis. 169
incana Schmidt T. 19 *T.*
fucata Fald. Fn. trnsc. II. 139 *Ca.*
cinerea Motsch. T. 20 *R.m.*
cretica Fairm. T. 20 *Creta*

Chitona Schmidt.

Sieversi Kiesw. T.20 *Ca.*
connexa F. T. 20 *Hi.Lu.*
variegata Germ. Ins. Spec.nov.167 *S.*
suturalis Oliv. Encycl. VIII. 446 *Hi.*
ornata Küst. T. 20
strigilata Suffr. Rev. 170
Ganglbaueri Reitt. D. 1889. 39 *Arax.*

Stenostoma
Latreille.

coeruleum Petagna T. 20 *Ga.mar.Hi.*
rostratum F. Mant. I. 159 *S.Si.*

Pythidae.

Pythini.

Pytho
Fabricius.

depressus L.J.Sahlbg.D.75.221 *E.b.Alp.*
v. castaneus F. Rdtb. 135
v. festivus F. Ent. Syst. 1792. 95
kolwensis Sahlb. D. 1875. 224 *F.*
abieticola J. Sahlb. D. 1875.222 *F.G.or.*

Salpingini.

Lissodema
Curtis.

4-pustulatum Mrsh. Ent. Br. 297 *Br.*
denticolle Gyll. Ins. Su. III. 715 *Su.*
4-guttatum Serv. Rdtb. 137 *Ga.G.I.*
cursor Gyll. Rdtb. 137 *Su.Ga.G.*
Heyanum Curt. Ent. Mag. I. 187 *Br.*
lituratumCostaAn.asp.Nap.47.158*Ga.I.*

Salpingus
Gyllenhal.

ater Payk. Rdtb. 136 *E.md.b.*
Reyi Abeille B. Touls. 74. 26 *Ga.m.*
aeneus Steph. Ill. Br. V. 421 *Br.G.*
aeratus Muls. Rdtb. 136 *Ga.*
bimaculatus Gyll. Rdtb. 136 *E.md.b.*
exsanguis Abeille Ab. 1870. 89 *Ga.m.*
castaneus Panz. Rdtb. 136 *E.*
achilleae Bon. Mem. Torin. IX. 175
piceae Germ. Fn. Ins. Eur. 10. 9

Colposis Muls.

mutilatus Beck Rdtb. 137 *Alp.*
virescens Muls. Rostrifér. 41

Rabocerus Muls.

foveolatus Ljungh Rdtb. 136 *E.b.md.*
Lederi Reitt. W. 1888. 213 *Ca.oc.*

Rhinosimus
Latreille.

viridipennis Latr. Rdtb. 138 *Br.Ga.*
ruficollis Panz.. Schmd. St 1868. 380
Genei Costa Aspir. 2. I. 107 *I.G.*
ruficeps Bose St. 1858. 96
ruficollis L. Rdtb. 138 *E.md.b.*
roboris F. Fn. Su. III. 165
planirostris F. Rdtb. 138 *E.*
Spinolae Costa Aspir. 2. I. 109
aeneus Oliv. Rdtb. 138 *E.md.*
tapirus Ablle. B. Touls. 1874. 5 *Ga.*
ornithorrhynchus Ablle. l. c. 6 *Ga.*

Mycterini.

Mycterus
Olivier.

curculionoides F. Rdtb. 187 *E.md.*
griseus Clairv. Ent. Helv. I. 124 *Su.*

Cyclopidius Seidl.
Cyclops Muls. non Müll.

umbellatarum F. Rdtb. l. c. *Ga.m.G.*
ruficornis Muls. A. Lyon. II. 278 *E.m.*
pulverulentus Küst. Käf. 20. 85 *S.*
v. siculus Baudi Sic. 1883. 7 *Si.*
tibialis Küst. Käf. 20. 86 *D.T.I.*

Curculionidae.

Otiorrhynchini.

Stierlin, Rev. (R.) 1861. — T. IX. 1883.

Otiorrhynchus
Germar.

Brachyrrhinus Bedel.

Dodecastichus Strl.

inflatus Gyllh. St. Rev. 37 *Carn.Sil.*
v. salebrosus Boh. S. 7. 299 *Ti.Ill.*
v. picipennis Stierl. T. 19
lauri Stierl. Rev. 35 *Cr.Ist.I.*
Heydeni Stierl. Rev. 39 *D.Ist.Hu.*
pulverulentus Germ. St. Rev. 29 *Crn.*
♀ interstitialis Germ. Ins. 353 *A.*
v. Hopffgarteni Tourn. Mars. Ab. 10. 116
v. periscelis Gyllh. S. 2. 570 *Hu.*
v. adumbratus Stierl. l. c. *Cr.*
v. conspurcatus Stierl. T. 20
consentaneus Boh. St. Rev. 34 *Carn.D.I.*

geniculatus Germ. St. Rev. 36 *A.*
dolomitae Stierlin D. 1862. 368 *Ti.*
dulcis Germ. St. Rev. 41 *D.*
contractus Stierl. Rev. 32 *Tr.*
obsoletus Stierl. Rev. 31 *Carn.*
dalmatinus Gyll. St. Rev. 33 *D.Ti.T.*
pruinosus Germ. St. Rev. 40 *Carn.D.*
v. turgidus Germ. Dalm. 236 *Si.Istr.*
v. scabricollis Germ. ibid. 239 *Ill.*
mastix Oliv. St. Rev. 43 *Alp.*

Otiorrhynchus i. sp

rhacusensis Germ. St. Rev. 44 *D.*
ragusensis Boh. S. 2. 552
v. siculus Stierl. l. c. *Si.*
cardiniger Host Jaquin Coll. 3 295 *D.Istr.*
goerzensis Hbst St. Rev. 45 *Carn.*
v. cattarvensis Stierl. l. c. *D.*
spalatrensis Boh. St. Rev. 46 *D.*
truncatus Stierl. Rev. 53 *Alp.or.*
caudatus Rossi St. Rev. 48 *I.Ti.*
bisulcatus Steph. Man. 242
sensitivus Scop. Ent. 32 *Ti.Hu.*
planatus Hbst. St. Rev. 55 *Car.I.*
latipennis Boh. St. Rev. 80 *Ill.Cro.*
sabulosus Gyllh. St. Rev. 56 *Hu.A Si.*
apenninus Stierl. T. 24 *Apenn.*
Lefebvrei Gyllh. St. Rev. 58 *Si.*
latissimus Stierl. Rev. 79 *?I.Hu.*
aurifer Boh. St. Rev. 57 *T.Ist.I.*
morulus Boh. l. c. *Si.*
scabripennis Gyllh. St. Rev. 82 *Alp.*
v. obsitus Gyllh. St. Rev. 81
meridionalis Gyllh. St. Rev. 91 *I.Ga.Hi.*
v. Peyrissaci Stierl. Sch.M.7.282 *Ga.m.*
v. civis Stierl. Rev. 59 *Gr.*
corticalis Luc. St. Rev. 59 *Ga.m.*
oleae Stierl. Rev. 60 *Ga.m.*
Ghilianii Fairm. St. Rev. 81 *Alp.mar.*
armadillo Rossi Stierl. Rev. 76 *Alp.*
orbicularis Oliv. Ent. V. 83
sulphurifer Herbst
v. salicis Stierl. B. 1858. 267
rhaeticus Stierl. B. 1862. 358 *H.Carn.*
v. collinus Gredler Käf. Tir. 329 *Ti.*
amplipennis Fairm. St. B. 78 *Wallis P.*
auropunctatus Gyllh. St. Rev. 89 *P.*
fossor Boh. S. 7. 260
Lafertei Stierl. l. c.
v. rufipes Boh. S. 7. 269
v. tumefactus Stierl. Rev. 90 *Ga.m.*
v. caryli Chevr. T. 29 *P.*
pyrenaeus Gyllh. St. Rev. 84 *P.*
♀ femoralis Boh. S. 7. 272

amabilis Stierl. Rev. 85 *Pe.*
multipunctatus F. Ent. S. 2. 471 *Alp.*

*

sulphurifer Oliv. St. Rev. 54 *Carn.Ill.*
friulicus Hrbst. Käf. 7. 60 *D.I.*
bisulcatus F. St. Rev. 49 *D.Ill.Cr.*
carinthiacus Germ. Dalm. 246
v. istriensis Germ. Ins. 350 *Ist.*
v. vochinensis Stierl. l. c.
v. longicollis Gyll. S. 2. 557 *Carn.*
scaberrimus Stierl. Rev. 52 *I.Gr.*
orientalis Gyll. St. Rev. 54 *Si.*
auropupillatus Stierl. Rev. 47 *I.*
fortis Rosh. Rev. 60 *MB.Ti.*
vehemens Boh. St. Rev. 62 *Alp.mar.Pe.*
ticinensis Stierl. B. 58. 265 *Tessin*
stricticollis Fairm. A' 1859. B. 164 *P.*
v. gallicus Stierl. Rev. 74 *Ga.I.*
caunicus Perez B. 1872. 336 *Hi.*
amputatus Chevr. Ab. 10. 174
lugdunensis Boh. St. Rev. 69 *Ga.*
jaënensis Stierl. B. 1873. 268 *Hi.m.*
griseopunctatus Boh. St. Rev. 63 *Wallis*
v. clavipes Boh. S. 7. 297 *Pe.*
Peirolerii Chevr. Stierl.
v. Grouvellei Stierl. T. 31 *Alp.mar.*
v. Sellae Stierl. T. 33 *Alp.occ.*
irritans Herbst B. 1872. 340 *A.G.Hu.*
stomachosus Gyllh. S. 2. 586
pubens Boh. St. Rev. 71 *Ga.m.*
v. nigripes Boh. S. 7. 264
v. Ariasi Stierl. Rev. 72 *I.b.*
substriatus Gyll. St. Rev. 71 *Jura Alsat.*
truncatellus Graëlls St. Rev. 94 *Hi.*
montigena Mars. Ab. 10. 193 *Hi.*
montanus Chevr. Rev. Zool. 1866. 25
tenebricosus Herbst St. Rev. 70 *H.*
clavipes Ol. Ent. 5. 83. 368 *Ga.G.*
♂ ater Gyll. Ins. 3. 291 *Su.*
niger Marsh. Ent. 297 *Br.*
♀ morio Payk. Fn. 3. 294
ditatipes Guilb. Echang. 8. 2 *Ga.m.*
hungaricus Germ. St. Rev. 63 *Hu.Ga.*
niger F. Syst. Ent. 150 *E.md.*
scrobiculatus Gyll. S. 2. 561
perlatus Richter Suppl. 3
v. villosopunctatus Gyll. S. 2. 560
v. rugipennis Boh. St. Rev. 88 *Si.*
v. angustatus Stierl. Rev. 88 *H.*
v. montanus Boh. St. Rev. 92 *H.Hu.*
v. ♀ coecus Germ. St. Rev. 86 *Carn.*
sulcogemmatus Boh. St. Rev. 93 *Andal.*
haematopus Boh. St. Rev. 67 *H.Ti.*
fuscipes Ol. St. Rev. 66 *Mont.E.md.*

v. erythropus Boh. St. Rev. 68
v. fagi Gyllh. S. 2. 563
francolinus Schauf. Col. H. 2. 22 *Ga. Baden*
elongatus Stierl. Rev. 65 *Ga.*
longulus Mars. Ab. 10. 143
sanguinipes Boh. St. Rev. 72 *Alp. I.*
laevigatus F. Ent. Syst. 2. 473 *E. md.*
v. cornicinus Stierl. Rev. 75 *G.*
concinnus Gyllh. St. Rev. 76 *Hu.*
v. steppensis Faust Hor. 22. 149 *R. m.*
caesipes Rey St. Rev. 73 *Ga. alp.*
nobilis Germ. St. Rev. 74 *Cr. Carn.*

*

navaricus Gyllh. St. Rev. 99 *P.*
v. intricatus Stierl. B. 1866. 135
sparsiridis Reitt. D. 1890. 154 *Astur.*
reynosae Bris. T. 36 *Hi.*
hispanus Stierl. B. 1862. 360 *Hi.*
morio F. Spec. Ins. 198 *E. occ.*
unicolor Herbst St. Rev. 97
v. ebeninus Gyllh. S. 2. 581 *H. I.*
v. memnonius Gyll. S. 2. 580 *Alp.*
v. imus Boh. St. Rev. 1898 *H.*
Perezi Stierl. B. 1862. 361 *Hi.*
pilicornis Chevr. Pt. N. 1877. 178
atroapterus Deg. St. Rev. 102 *E. md.*
v. arenosus Mac L. *I mar.*
Ehlersi Stierl. T. 38 *Astur.*
dentipes Graëlls St. Rev. 101 *Hi.*
collectivus Reitt. D. 1890. 153 *Hi.*
asturiensis Chevr. B. 1872. 350 *Astur.*
areolatus Stierl. T. 39 *Hi. b.*

*

validus Stierl, T. 39 *Hi. md.*
Getschmanni Stierl. D. 1880. 300 *Astur.*

*

intrusicollis Rosh. St. Rev. 107 *And.*

*

plumipes Germ. St. Rev. 100 *St. Cr. Car.*
crinipes Mill. B. 1872. 351 *D. Tr. T.*
valachiae Fuss ibid. 361
v. herzegovinensis Stierl. T. 41
calcaratus Stierl D. 1875. 337 *T.*
cribrosus Germ. St. Rev. 110 *D. Carn.*
♀ argutus Boh. S. 7. 298 *Ill.*
arrogans Friv. Term. 1880. 111 *Hu.*
Simoni Bedel A'. 1874. 51 *Ga. alp.*

*

cupreosparsus Fairm. St. Rev. 111 *Pe.*
♂ crinitarsis Stierl. Rev. 100 *Ga. m.*
lanuginosus Boh. St. Rev. 112 *H. I.*
insubricus Crist. Consp. 91 *Ti.*
v. neglectus Stierl. B. 1858. 276 *Pe.*
pilosus Gyllh. S. 2. 586 *Cri.*

repletus Boh. St. Rev. 114 *R occ.*
raucus F. Ent. Syst. 2. 472 *E. md. b.*
arenarius Herbst Archiv. 5. 82
v. tristis F. Syst. Ent. 149 *H.*
v. fulvus F. Mant. 113 *Su.*
guttula Fairm. St. Rev. 114 *C.*
assimilis Gemm. Col. H. 9. 118 *I.*
affinis Stierl. Rev. 115.

*

perdix Oliv. St. Rev. 117 *Alp.*

*

squamifer Boh. St. Rev. 157 *Gr.*
Paulinoi Stierl. Sch M. 7. 282 *Lu.*
sordidus Stierl. Rev. 159 *Hi.*
thracicus Stierl. Rev. 158 *T.*
fraternus Stierl. Rev. 160 *Hi.*
decorus Stierl. B 1875. 341 *Jaen*

*

banaticus Stierl. Rev. 121 *Hu.*
vestitus Gyllh. St. Rev. 120 *A.*
chrysomus Boh. St. Rev. 129 *Hu.*
intercalaris Boh. St. Rev. 118 *Hu.*
affinis Hochh. B. M. 1847. 2. 517 *Ca.*
Ludyi Stierl. Sch. M. 7. 37 *Bosn.*
longiusculus Stierl. Sch. M. 1888. 49 *Hi.*

*

necessarius Stierl. Rev. 141 *Hu.*
necessus Mars. Ab. 10. 225
affaber Boh. St. Rev. 143 *Hi. Si.*
plebejus Stierl. Rev. 142 *Cro.*
vulgaris Mars. Ab. 10. 226
pseudomias Hochh. B. M 47. 2. 524 *Ca. A.*
lutosus Stierl. B. 1858. 297 *Ga. Hi.*
tuberculatus Stierl. D. 1885. 272 *Gorizia*
subdepressus Stierl. B 1872. 323 *? T.*
depressior Mars. 752
infensus Faust Hor. 22. 149 *Crim.*
rubiginosus Stierl. Rev. 140 *Lyon*
granulatostriatus Strl. Sch. M. 4. 495 *Ca.*
arenosus Stierl. Rev. 139 *I.*
auroguttatus Stierl. Sch. M. 79. 512 *T.*
Stierlini Gemm. Col. H. 9. 119 *Gr.*
tristis Stierl. B. 1862. 364
tagenioides Stierl. Rev. 149 *Ill.*
compressus Stierl. Rev. 150 *A. R. m.*
misellus Stierl. Rev. 139 *Ga. m.*
crassicornis Stierl. D. 1888. 378 *Gr.*

*

histrio Gyll. St. Rev. 122 *R. m.*
Zebei Stierl. Rev. 122 *Serb.*
conspersus Germ. St. Rev. 123 *E. or.*
Heeri Stierl. B. 1858. 289 *H. I.*
italicus Stierl Sch. M. 1888. 11 *I.*
argillosus Hochh. B. M. 1851. 1. 73 *Ca.*

dobrudschae Stierl. Sch. M. 6. 250 *T.*
rugosostriatus Goeze Beytr. 395 *Ga.*
rugosissimus Villers Ent. 1. 207
scabrosus Marsh. St. Rev. 136 *Br.A.D.*
ligneus Oliv. St. Rev. 137 *E.md.*
scabridus Steph. 4. 119 *Su.*
gallicanus Gyll. S. 2. 616
v. setosus Stierl. l. c. *I.G.*
v. hispidulus Stierl. l. c.
v. riguus Fairm. T. 54
vitellus Gyll. Bedel Faun. 229 *Ga.m.*
Frescati Boh. St. Rev. 138 *I.*
Carceli Gyll. St. Rev. 128 *T.Gr.*
graniger Reiche
v. Desbrochersi Stierl. T. 55
?v. subspinosus Stierl. Rev. 127 *Gr.*
[illegible]lioides Stierl. D. 1888. 376 *Gr.*
depressus Stierl. B. 1875. 338 *?I.?Ca.*

*

conspicabilis Fald. St. Rev. 124 *Ca.*
foraminosus Boh. S. 7. 366 *H.Ca.*
v. insculptus Stierl. B. 1858. 295 *Ti.*
alpestris Stierl. B. 1858. 296 *Alp.*
distincticornis Rosh. St. Rev. 147 *Ti.*
lombardus Stierl. B. 1866. 129 *Tessin I.*

*

densatus Boh. St. Rev. 135 *A.H.*
grisescens Muls. *Ga.*
Ormayi Stierl. Sch. M. 1888. 10 *Tr.*
argenteus Stierl. Rev. 118 *Hu.*
argentatus Stierl. T. 57
chalceus Stierl. Rev. 127 *Carn.*
spoliatus Stierl. B. 1872. 322 *Siles.*
mandibularis Rdtb. Quaed 20 *Hu.A.*
?v. granulosus Boh. St. Rev. 145 *I.Hu.*
pigrans Stierl. Rev. 148 *St.*
Mülleri Rosenh. St. Rev. 147 *MB.*
hypocrita Rosh. St. Rev. 161 *Ti.Alp.mar.*
v. delicatulus Stierl.
v. venustus Stierl. T. 58
[illegible] Stierl. Sch. M. VII. 38 *Ca.*
globulus Gredler Tir. 333 *Ti.*
globatus Mars. Ab. 10. 250
tener Gredler Tir. 434 *Ti.*

*

[illegible] Hochh. B. M. 1847. 2. 523 *Ca.*
Hochhuthi Mars. 248
coronatus Stierl. B. 1872. 324 *Gr.*
Kussineri Stierl. Sch. M. 1880. 58 *Istr.*
[illegible] Germ. St. Rev. 162 *Ga.G.H.*
setifer Boh. St. B. 1858. 296 *Jura*

*

ovatus L. 2. 609 *E.*
septentrionis Hbst. Käf. 6. 360

helveticus Desb. (Lit.) Sch. M. 3. 345
arvernicus Desbr. l. c.
v. Ecchelii Gredl. 6 Nachlese 28 *Ti.*
v. fuscatus Stierl. T. 13. 91
subcostatus Stierl. B. 1866. 129 *Mt.Ga.H.*
Chaudoiri Hochh. B. M. 1851. 1. 77 *Ca.*
Kuenburgi Stierl. B. 1866. 130 *Tr.*
obtusus Boh. St. Rev. 154 *Ill.*
obtusoides Stierl. D. 1885. 272 *Görz*
quadratopunctatus Strl. Sch. M. 2. 92 *Ca.*
Troyeri Stierl. T. 62 *Cro.*
costipennis Rosh. St. Rev. 155 *Tr.*
v. Rosenhaueri Stierl. T. 63
antennatus Stierl. Rev. 156 *Tr.*
styphloides Stierl. T. 63 *T.*
proximus Stierl. Rev. 163 *Tr.Hu.*
Brancsiki Stierl. D. 1875. 340
Bohemani Stierl. D. 1877. 184 *T.*
lasius Germ. St. Rev. 152 *Carn.W.*
porcatus Herbst ibid. 153 *E.md.*

*

malefidus Gyll. St. Rev. 103 *P.*
planidorsis Fairm. A. 1856. 541
Noui Fairm. A. 1862. 556 *P.or.*
praelongus Fairm. Mars. 188 *P.*
Johannis Stierl. T. 67 *Hi.b.*

*

nodosus Fabr. Faun. Grönl. 187 *Mt.E.*
dubius Ström.
maurus Gyll. Stierl. Rev. 165
adscitus Germ. Ins. 358
v. comosellus Boh. S. 7. 340 *Hu.*
v. aurosus Rey Opusc. 9. 26 *H.*
v. Bructeri Germ. Ins. 360 *G.*
demotus Boh. S. 7. 347
v. pauper Boh. l. c. 341 *St.*
Tournieri Stierl. B. 1875. 342 *G.m.occ.*
Schmidti Stierl. Rev. 167 *Carn.*
subcoriaceus Reitt. W. I. 222 *Ca.*
Gobanzi Gredler Col. H. 3. 74 *Ti.*

*

trichographus Stierl. Rev. 169 *D.*
seriehispidus Stierl. B. 1872. 325 *H.*
seriehirtus Mars. 754
obcoecatus Boh. St. Rev. 170 *Ca.*
puncticornis Gyllh. ibid. 170 *Cri.*
puncticollis Mars. Cat. 371
jugicola Stierl. Rev. 175 *Astur.*
silvestris Chevr. B. 1872. 350
gossypiipes Chevr. A. 1872. 410 *Hi.b.*
cantabricus Seoane Not. p. F. Galleg. 78. 11
alpinus Richter Suppl. 4 *Sil.H.[Hi.b.*
monticola Germ. St. Rev. 172 *P.*
laevigatus Gyll. Ins. 3. 292 *L.Hu.*

v. blandus Gyll. St. Rev. 174 *L.*
patruelis Stierl. Rev 175 *Hu.*
corallipes Stierl. Sch. M. 90. 163 *Bosn.*
corsicus Fairm. St. Rev. 143 *C.*
fulvipes Gyllh. l. c. 171 *Ga.mont.*
brevicornis Boh. St. Rev. 177 *T.*
punctifrons Stierl. Sch. M. 88. 50 *St.*
cribripennis Hochh. B. M. 51. 1. 81 *T. Ca.*
cribratostriatus Stierl. B. 1872. 326 *Gr.*
modestus Stierl. B. 1875. 343 *Gr.*
lithanthracius Boh. St. Rev. 180 *A.*
denigrator Boh. St. Rev. 179 *Cro. Ill.*
v. Ocskayi Stierl. *Hu. Tr.*
praecellens Strl. Sch. M. 7. 282. *D. Hu. m.*
angusticollis Boh. St. Rev. 180 *T.*
politus Gyll. B. 1862. 374 *Hu.*
borealis Stierl. B. 1872. 342. T. 74 *L.*
glabratus Stierl. Rev. 183 *Tr. Serb.*

*

rhilensis Stierl. Sch. M. 1888. 50 *Rhilo*

*

(Dorymorus Seidl.)

varius Boh. St. Rev 197 *H. Ill.*
varians Mars. 282
v. maritimus Stierl. T. 76 *Alp. mar.*
singularis L. Syst. 2. 1066 *E.*
picipes F. St. Rev. 190
granulatus Herbst Arch. 5. 84
v. Chevrolati Gyllh. St. Rev. 190 *A.*
v. Marquardti Fald. Gyll. S. 7. 357 *R. m.*
impressiventris Fairm. St. Rev. 191 *P. G.*
v. Ariasi Marseul *I. b.*
procerus Stierl. B. 1875. 344 *G. P.*
luganensis Stierl. Sch. M. 90. 165 *Lugano*
carmagnolae Villa Stierl. B. 1858. 288 *I. H.*
pupillatus Gyll. St. Rev. 192 *H. G.*
v. subdentatus Bach St. Rev. 193 *Mt. E.*
frigidus Muls. Op. 9. 24 *[md.*
v. angustipennis Stierl. T. 81 *Engadin*
Baudii Stierl. T. 78 *Pe.*
rhododendri Stierl. Rev. 192 *Ti.*
teretirostris Stierl. B. 1866. 131 *Pe.*
breviclavatus Stierl. T. 80 *D.*
labilis Stierl. T. 81 *Tr.*
difficilis Stierl. B. 1858. 283 *H. MR.*
simplonicus Stierl. Sch. M. 7. 226 *MR.*
rotundatus Siebold B. 1872. 328 *Danzig*
imparidentatus Hochh. *R. m. Ca.*
rotundus Mars. 444
Dzieduszyckii Lomnicki Kosmos 81.
crassipes Stierl. T. 83 *Pe. [Haliz.* 433
cancellatus Boh. St. Rev. 194 *Alp. mar.*
Clairei Stierl. T. 85 *Alp. mar.*
nicaeensis Stierl. Sch. M. 5. 601 *Alp. mar.*

pusillus Stierl. Rev. 196 *Pe.*
Diecki Stierl. T. 85 *H. I.*
Dieckidius Mars. 756
vernalis Stierl. Rev. 199 *I.*
heteromorphus Rottb. B. 1871. 226 *Si.*

*

Milleri Stierl. B. 1862. 364 *Cro.*
duinensis Germ. St. Rev. 205 *Carn. Ill.*
v. confusus Boh. St. Rev. 205
signatipennis Gyllh. St. Rev. 204 *Cro.*
aureolus Gyll. S. 2. 623 *Carn.*
illyricus Stierl. Rev. 204 *Alp. or.*
inductus Gyll. St. Rev. 336 *Cro.*
seductor Stierl. Rev. 206 *Tr. Hu.*
Heinzeli Reitt. W. 1888. 231 *Ca.*

*

Kollari Gyll. St. Rev. 254 *Hu.*
v. Bielzi Küst. l. c. *Tr.*
v. Küsteri Stierl T. 88
Schaumi Stierl. Rev. 255 *Hu. Tr.*
spumans Mars. 344
equestris Richter Suppl. 2 *Sil.*
aerifer Germ. St. Rev. 256 *A.*
elaboratus Gyllh. S. 2. 625 *Sax.*
v. regularis Stierl. Rev. 260 *Hu.*
subsignatus Gyll. St. Rev. 257 *Ca.*
subsigillatus Mars. 346
austriacus F. St. Rev. 259 *G. A. Hu.*
v. carinatus Gyllh. S. 2. 624
costatus Stierl. Rev. 260 *Carn.*
croaticus Stierl. Rev. 258 *Cro.*
graniventris Mill. St. Rev. 125 *Hu. Cp.*

*

longiventris Küst. St. Rev. 245 *Tr.*
asphaltinus Germ. ibid. 247 *Cri.*
Riessi Fuss B. 1872. 362 *Tr. Cp.*

*

respersus Stierl. Rev. 186 *D.*
longicornis Stierl. T. 93 *Gr.*
lavandus Germ. St. Rev. 186 *A. Hu.*
pretiosus Stierl. D. 1888. 377 *Gr.*

*

obesus Stierl. Rev. 218 *Cret.*
obesulus Mars. 305
turca Boh. St. Rev. 215 *T.*
scitus Gyllh. St. Rev. 119 *Gr. T.*
Tarnieri Stierl. B. 62. 372. Rev. 219
fraxini Germ. Ins. 364 *G. H. Car.*
v. funicularis Gyllh. St. Rev. 220 *I.*
infaustus Gyllh. S. 2. 623 *A.*
v. Jekeli Stierl. T. 95
graecus Stierl. Rev. 222 *Gr.*
corruptor Host Jacq. 3. 1789. 296 *Ti. Car.*
giraffa Germ. St. Rev. 213 *D. Ill.*

v. ornatus Stierl. l. c. *Si.*
v. politus Stierl. l. c. *T.*
ostentatus Gyllh. S. II. 583 *G.*
polycoccus Gyllh. St. Rev 221 *T.*
cornutus Stierl. Sch. M. 88. 11 *I.md.*
rugosogranulatus Stierl. l. c. 51 *Bosn.*
armatus Boh. St. Rev. 216 *D.I.*
irroratus Stierl. T. 96
v. romanus Boh. l. c. *I.*
v. granatus Stierl. l. c. *Gr.*
Parreyssi Stierl. Rev. 187 *T.*
infernalis Germ. St. Rev. 236 *Cro.Ill.*
acatium Gyllh. St. Rev. 335 *Cri.*
longipennis Stierl. Rev. 223 *D.*
peregrinus Stierl. Rev. 225 *T.*
Germari Stierl. T. 98 *D.*
curvipes Stierl. Rev. 241 *Tr.Carn.*
curviscelis Mars. 333
rugosus Hummel St. Rev. 233 *Cp.R.*
aurosparsus Germ. St. Rev. 188 *Ca.*
roscidus Gyllh. S. 2. 578
livonicus Seidl. Fn. Balt. 400 *R.*
squameus Boh. St Rev. 189 *Hu.*
kirbekianus Sch. M. 4. 497 *Ca.*

*

alpigradus Miller St. Rev. 243 *Hu.*
granicollis Boh. St. Rev. 244 *Hu.*
spartanus Kirsch T. 101 *Gr.*
Kratteri Boh. St. Rev. 237 *Hu.Tr.T.*
egregius Mill. T. 102 *Tr.*
corvus Boh. St. Rev. 239 *Hu.Tr.*
obsidianus Boh. St. Rev. 240 *Cp.Tr.*
perforatus Rdtb. ed. 1. 423
dapleni Mill. T. 102 *Hu.Tr.*
styriacus Stierl. Sch. M. 7. 283 *St.*
nigrus Germ. Reis. 243 *E.m.*
impressipennis Brull. Mor. 239
sculptus Gyll. S. 2. 591
tricarinatus Chevr.
sculptirostris Hochh. St. Rev. 343 *Ca.*
anthracinus Scop. Ent. 30 *Alp.P.*
helveticus Boh. S. 7. 370
laevigatus Stierl. B. 1858. 203
rugulipennis Cost. Ricerch. 58. 26 *I.*
cerrulata Costa Ricerch. 26 *I.*
calabrus Stierl. T 104 *I.*
picitarsis Rosenh. St. Rev. 282 *St.*

*

gemmatus Scop. Ent. 30 *Alp.*
v. chlorophanus Boh. S. 7. 330 *Hu.*
foveopunctulatus Retowsk. W. 88. 232 *Ca.*
Tatarchani Reitt. T. 105 *Ca.*
Pelastanae Reitt. D. 1887. 525 *Ca.occ.*
Dorsosae Reitt. W. 1889. 102 *Circas.*

Brusinae Stierl. Sch. M. 1888 *G.Croat.*
Fussi Küst. Käf. 16. 88 *Tr.*
dives Germ. St. Rev. 209 *Hu.Tr.Cr.*
cymophanus Germ. St. Rev. 209 *Hu.T.*
opulentus Germ. St. Rev. 208 *Tr.*

*

sulcatus F. Stierl. Rev. 225 *E.md.b.*
linearis Stierl. Rev. 226 *I.*
inunctus Stierl. ibid. 224 *T.*
excellens Kirsch T. 108 *Gr.*
clathratus Germ. St. Rev. 263 *Ill.*
Fabricii Stierl. T. 108 *D.*
petiginosus Stierl. Rev. 251 *D.*
sulcifrons Gyll. St. Rev. 253 *Ill.*
Kraatzi Stierl. Rev. 222 *Hu.*
populeti Boh. Stierl. Rev. 232 *Ti.Hu.*
v. robustus Stierl. T. 110 *St.H.*
?v. Brucki Stierl. T. 110 *Gr.*
bruckensis Mars. 757
auricapillus Germ. Ins. 353 *G.Car.*
punctiscapus Boh. St. Rev. 262 *Cr.*
♂ affinis Rdtb. ed. 1. 423 *H.*
angustior Rosenh. St. Rev. 231 *Hu.*
tristis Scop. Ent. 31 *E.md.b.*
nigrita F. St. Rev. 29 *Ti.*
montivagus Boh. St. Rev. 262 *Ti.*
carniolicus Stierl. T. 112 *Car.*
intrusus Reiche A. 1862. 297 *C.*

*

monedula Stierl. Rev. 229 *Rumel.*
Schlaeflini Stierl. Rev. 227 *Ga.T.*
Kiesenwetteri Stierl. Rev. 253 *Gr.*
mus Stierl. B. 1862. 366 *D.*
nubilus Boh. St. Rev. 264 *Ga.H.Pe.*
v. partitialis Boh. l. c.
v. Bischoffi Strl. B. 1858. 301 *Tessin*
Bonvouloiri Stierl. T. 115 *Ga.alp.*
tener Stierl. Rev. 265 *Pe.*
globus Boh. St. Rev. 202 *I.b.Hu.*
Königi Faust Hor. 22. 150 *Ca.occ.*
opertosus Reitt. W. 1889. 101 *R.m.*
flavoguttatus Stierl. D. 1888. 378 *Gr.*

*

alpicola Boh. St. Rev. 271 *H.G.*
morio Rdtb. Fn. Aust. ed. 1. 426 *A.P.*
v. Gautardi Stierl. Rev. 273 *H.Ju.*
v. binominatus Fauv. R. 1885. 289 *Hu.*
Brancsiki Stierl. T. 116
v. aterrimus Boh. St. Rev. 272 *I.Car.*
v. achaeus Stierl. Rev. 242 *Ca.*
bosnicus Stierl. Sch. M. 1888. 52 *Bosn.*
Javeti Stierl. T. 118 *Ga.alp.*
strigirostris Boh. St. Rev. 274 *I.*
verrucicollis Stierl. Rev. 242 *Ca.*

Retowskii Reitt. D. 1885. 387 *Ca.*
perdurus Reitt. W. 1890. 196 *Ca.*

*

moestus Gyll. St. Rev. 276 *Ga.*
Raymondi Gautier A'. 1860. 113 *Pe.*
planidorsis Stierl. Sch. M. 7. 283
v. elongatus Stierl. B. 1866. 135
moestificus Schönh. St. Rev. 278 *Ca.*
obsulcatus Stierl. Rev. 277 *Ca.*
coriarius Stierl. l. c. 278 *I.Ca.*
carbonarius Hochh. B. 1872. 343 *Ca.*
Edithae Reitt. D. 1887. 526 *Ca.*
fischtensis Reitt. W. 1889. 101 *Ca.oc.*

*

squamosus Miller St. Rev. 211 *G.St.*
squamatilis Mars. 298
v. squamulatus Stierl. l. c. *Tr.*
lepidopterus F. Ent. Syst. 4. 454 *Mt.E.*
squamiger F. Syst. El. 2. 540 *L. [md.*
salicis Stroem
v. pauperculus Stierl. B. 1858. 281
Apfelbecki Stierl. Sch. M. 87. 390 *Cro.*
eremicola Rosenh. St. Rev. 197 *Cr.Ti.*
tenuicornis Mill. T. 121 *St.*
auricomus Germ. St. Rev. 228 *Car.Ill.*
v. nivalis Stierl. D. 1862. 366 *H.*

*

simulans Stierl. T. 122 *Ca.*
Reichei Stierl. Rev. 199 *Tr.*
subquadratus Rosh. St. Rev. 198 *H.St.*
delicatulus Stierl. B. 1872. 337 *Alp.mar.*
rivierae Stierl. T. 82 *Ga.m.*
crataegi Germ. St. Rev. 201 *I Ist.*
difformis Stierl. T. 123 *T.*

*

fusciventris Fuss Siebb. 1868. 173 *Cp.*
rufomarginatus Stierl. T. 124 *Tr.*

*

prolixus Rosenh. St. Rev. 234 *Ti.*
longirostris Stierl. Sch. M. 87. 391 *Gr.*
prolongatus Stierl. Rev. 235 *Gr.*
atticus Stierl. Sch. M. 1887. 391 *Attica*
Jovis Mill. B. 1872. 357 *Gr.*
nefandus Faust Hor. 22. 151 *Cri.*
discretus Stierl. Rev. 236 *Ca.*
subfilum Reitt. D. 1884. 94 *Gr.*

*

protensus Stierl. D. 1880. 301 *Astur.*
Hampei Stierl. Rev. 200 *Tr.*
elegantulus Germ. St. Rev. 201 *Car.*

*

rugicollis Germ. St. Rev. 267 *Hu.D.*
pachysceli, Stierl. Rev. 268 *Car.*
tumidipes Stierl. D. Rev. 269 *Car.*

Hopffgarteni Stierl. T. 127 *D.*
marmota Stierl. Rev 280 *Hu.*
pinastri Herbst St. Rev. 283 *St.Car.*
multicostatus St. Rev. 284 *St.Ist.*
v. planirostris Strl. Sch. M. 87. 399 *Ill.*
horridus Stierl. D. 1881. 225 *D.Croat.*
cribellarius Stierl. T. 128
gracilis Gyll. St. Rev. 266 *Ga.m.*
rhyncoloides Stierl. Sch. M. 87. 392 *Gr.*
provincialis Stierl. Rev. 266 *Ga.m.*

*

pedemontanus St. Rev. 276 *Pe.P.*
rugifrons Gyll Bedel Faun. 36 *E.b.mont.*
v. Dillwyni Steph. Ill. 4. 116 *Br.Ga.*
rugicollis Steph. l. c. *A.*
ambiguus Schönh. Stierl. Rev. 280
senex Stierlin l. c.
v. impoticus Boh. St. Rev. 281 *Ca.*
Piochardi Stierl. T. 130
v. Ghestleri Stierl. Rev. 281 *H.*

*

Ganglbaueri Strl. Sch. M 88. 51 *Rumel.*

vitis Gyll. St Rev. 325 *Cri.*
setiger Waltl Reis. Span. 2. 78 *Hi.*
sculptirostris Hochh. B. M. 47. 2. 511 *Ca.*
glabratus Kryn. B. M. 1834. 168 *Cri.*
turbatus Schönh. Gen. 2. 635 *I.*
nigrita Oliv. l. c. 406
pubescens Fald. Fn. trans. 2. 216 *Ca.*
vestitus Küst. Käf. E. 15. 61 *Istr.*

Tithonus Germar.

Timalphis Gozis.

chrysocomus Germ. St. Rev. 113 *H.Pe.*
v. laevigatocollis Gredl. Pass. 2. 48

Cryphiphorus Stierl.

ligustici L. St. Rev. 270 *E.md.b.*
v. collaris F. Ent. Syst. 2. 486 *R.*
v. Brucki Bach Käf. 2. 236 *G.*
v. agnatus Gyll. S. 2. 592 *Hu.*
edentatus Seidl. Fn. Tr. 631 *Tr.*
subrotundatus Strl. D. 1875. 346 *Ca.*
Ledereri Stierl. T. 131 *Ca.*
cuprifer Stierl. Rev. 270 *Hu.Tr.*
armeniacus Hochh. B. M. 47. 2. 510 *Ca.*
bicostatus Boh. St. Rev. 151 *T.Gr.*
gemellatus Stierl. B. 75. 339 *Gr.*
Emiliae Apfelb. Glasnik, Seraj. 89. 68 *Bos.*
Henschi Apfelb. ibid. 69 *Herzeg.*
liophloeoides Apfelb. ibid. 70 *Herzeg.*
strumosus Heller W. 1884. 146 *Monten.*
luteus Stierl. B. 1862. 361 *Gr.*
atticus Stierl. D. 1889. 228 *Gr.*

coronae Stierl. l. c. *Gr.*
koracensis Stierl. D. 1888. 376 *Gr.*
nuntius Faust D. 1890. 321 *Gr.*
amplicollis Stierl. Rev. 304 *T.*
alutaceus Germ. St. Rev. 95 *Ist.D.*
vittatus Germ. S. 7. 294 *Cro.*
v. punctatissimus Gyll. S. 2 579
subnudus Stierl. D. 1888. 80 *Gr.*
orbicularis Hbst. St. Rev. 105 *E.md.*
petrensis Boh. St. Rev. 105 *Ill.*
gyraticollis Stierl. Rev. 106 *D.*

Aramm ichnus Gozis.

Eurychirus Stierl.

cribricollis Gyll. St. Rev. 288 *Ga.Hu.I.*
v. recticollis Boh. S. 7. 307 *D.Bal.*
v. terrestris Mars. 385
sulcirostris Boh. St. Rev. 291 *D.Ill.*
striatosetosus Boh. St. Rev. 289. T. 134 *Si.*
scabrosoides Stierl. T. 134 *Si.*
comparabilis Boh. St. Rev. 292 *Ga.T.*
umbilicatus Stierl. Rev. 291 *Si.*
gravidus Stierl. T. 134 *Gr.*
villosus Stierl. T. 135 *Gr.*
elatior Stierl. Rev. 295 *Si.*
neapolitanus Stierl. Rev. 298 *I.Si.*
hellenicus Stierl. T. 135 *Gr.*
pulchellus Stierl. Rev. 299 *Si.*
Krüperi Stierl. Sch. M. 1887. 393 *Gr.*
humilis Germ. St. Rev. 296 *G.Hu.Ca.*
Godeti Gyll. S. II. 289 *R.*
juvencus Gyll. S. II. 609 *Ga.m.G.*
tomentosus Gyll. St. Rev. 296 *I.Gr.*
vellicatus Germ. Ins. Sp. nov. 364
Ferrarii Mill. W. Mon. 63. 85 *Venetiae*
transparens Stierl. B. 75. 350 *Orenburg*
minutus Stierl. l. c. *Orenburg*
judaicus Stierl. l. c. *Ca.*
messenius Stierl. B. 1872. 332 *Gr.*
juvenilis Schönh. B. 1862. 377 *Ca.*
semigranulatus St. Rev. 331 *T.*
abagoensis Reitt. W. 1888. 235 *Ca.*
impressiceps Reitt. W. 1888. 236 *Ca.oc.*
Oertzeni Stierl. T. 142 *Gr.*
valdemosae Schauf. T. 143 *Bal.*
miramarae Schauf. T. 144 *Bal.*
setosulus Stierl. Rev. 293 *Si.*
breviusculus Stierl. D. 1875. 349 *?Ca.*
impexus Gyllh. St. Rev. 297 *Ca.*
flavimanus Stierl. Rev. 294 *S.*
pictimanus Stierl. Rev. 168 *Gr.*
Christophi Stierl. T. 146 *Casp.*
poricollis Schönh. St. Rev. 181 *Ca.*
punctirostris Stierl. T. 146 *Ca.*

granulatopunctatus Stierl. T. 147 *T.*
latifrons Stierl. Sch. M. 8. 164 *T.*
scabripes Stierl. D. 1888. 375 *Gr.*
Balassogloi Stierl. T. 148 *Ca.*
ovatulus Boh. St. Rev. 300 *E.m.*
pusio Gyll. St. Rev. 334 *Ca.*
lubricus Boh. St. Rev. 301 *E.m.*

Tournieria Stierl.

foveicollis Hochh. B. M. 1847. 521 *Ca.*
Fausti Stierl. D. 1875. 352 *Ca.*
ponticus Stierl. T. 151 *Ca.*

*

grandicollis Boh. St. Rev. 302 *Bulgar.*
magnicollis Stierl. D. 1888. 374 *Gr.*
balcanicus Stierl. Rev. 305 *T.*
constricticollis Stierl. Rev. 303 *T.*
tomentifer Boh. St. Rev. 310 *Cri.Ca.*
decussatus Hochh. B. M. 1851. 1. 72 *Ca.*
kubanensis Reitt. W. 1888. 235 *Ca.*
brunneus Stev. St. Rev. 305 *Crim.*
crispus Boh. St. Rev. 307 *T.R.*
bosphoranus Stierl. T. 153 *T.*
velutinus Germ. St. Rev. 308 *Hu.Tr.R.*
v. exilis Boh. St. Rev. 309 *R.m.*
conicirostris Stierl. Sch. M. 7. 227 *Ca.*
hystrix Gyll. St. Rev. 335 *Ca.*
caucasicus Stierl. T. 155 *Ca.*
v. Schönherri Stierl. D. 1877. 180
incivilis Fald. B. 1872. 342 *Ca.*
cylindricus Stierl. T. 156 *Ca.*
Kirschi Stierl. T. 156 *Ca.*
aemulus Mars. Ab. 16. 43
caucasicus Stierl. (Per.) D. 77. 182
irregularis Stierl. T. 157 *T.Gr.*
proreus Reitt. D. 1889. 39 *Ca.*

*

fullo Schrank Enum. 116 *G.A.*
zebra F. St. Rev. 313 *Hu.Tr.Su.*
coarctatus Stierl. Rev. 313 *Hu.Serb.*
formicarius Stierl. Rev. 314 *Gr.*
albidus Stierl. Rev. 315 *T.*
scopularis Hochh. B. M. 1847. 506 *Ca.*
chrysopterus Stierl. Rev. 312 *R.m.*
pauxillus Rosh. St. Rev. 287 *Ga.Ti.H.Tr.*
v. rugirostris Stierl. Sch. M. 5. 514 *Cro.*
pygmaeus Stierl. T. 160 *Gr.*
Lederi Stierl. T. 161 *Ca.*
circassicus Reitt. W. 1888. 233 *Ca.oc.*
nasutus Stierl. T. 161 *Ca.*

*

erinaceus Stierl. T. 162 *Ca.*
maxillosus Gyll. St. Rev. 320 *D.I.*
miser Kirsch. T. 162 *T.Gr.*

parvulus Stierl. Sch. M. 6. 699
bidentatus Stierl. T. 162 *Ca.*
bisphaericus Reiche St. Rev. 322 *D.Gr.*
expansus Reitt. D. 1884. 94 *Gr.*
Brenskei Reitt. D. 1884. 95 *Gr.*
ottomanus Stierl. Rev. 325 *T.*
acuminatus Stierl. T. 163 *Gr.*
gibbicollis Boh. St. Rev. 326 *Carn.*
strongylus Retows. W. 1887. 133 *Crim.*
v. theodosianus Retows. ibid.
frater Stierl. Rev. 321 *Gr.Cret.*
laconicus Kirsch Ent. Monat. 1880. 14 *Gr.*
elongatus Hochh. B. M. 47. 526 *Armen.*
Frivaldszkyi Rosh. St. Rev. 327 *T.*
corneolus Weise (emend.) *D.T.I.*
cornicinus Stierl. Rev. 323
Lucae Stierl. T. 165 *Gr.*
hirsutus Stierl. T. 166 *Cret.*
Adelaidae Reitt. W. 1889. 69 *Ca.oc.*
Raddei Stierl. T. 166 *Ca.*
hebes Reitt. W. 1890. 196 *Ca.*
cinereus Stierl. T. 166 *Ca.*
Sieversi Faust Hor. 22. 152 *Ca.*

*

creticus Stierl. Rev. 275 *T.Cret.*
decoratus Stierl. T. 167 *Ca.*
brachialis Boh. B. 1862. 376 *Ca.*
v. dentitibia Reitt. W. 1888. 234 *Ca.oc.*
Starcki Retowsky W. 1885. 10 *Ca.oc.*
longipes Stierl. T. 168 *Ca.*
bifoveolatus Reitt. St. T. 13. 93 *Gr.*
Reitteri Stierlin T. 168 *Ca.*
Schneideri Stierl. Sch. M. 4. 501 *Ca.*

*

anatolicus Boh. St. Rev. 318 *Gr.*
Emgei Stierl. Sch. M. 1887. 392 *Gr.*
lubriculus Faust. D. 1890. 322 *Gr.*
erroneus Faust. l. c. 323 *Gr.*
osmanlis Stierl. T. 168 *Ca.*
griseus Kirsch B. 1871. 43 *Gr.*
subsquamulatus Stierl. T. 13. 93 *Ca.*
europaeus Stierl. T. 169 *T.*
Beckeri Stierl. T. 171 *Ca.*
nitidus Reiche A. 1857. 690 *Gr.*
nitens Mars. 436
laevipennis Stierl. D. 1888. 373 *Creta.*
ovalipennis Boh. St. Rev. 319 *T.Gr.*
crucirostris Hochh *Ca.*
transsylvanicus Stierl. Rev. 320 *Tr.*

*

(Pendragon Gozis.)

globicollis Hochh. B. 1872. 344 *Ca.*
rufimanus Hochh. B. M. 1851. 1. 80 *Ca.*
nudus Stierl. Rev. 330

Merkli Stierl. T. 173 *T.*
Faldermanni Hochh. B. M. 47. 515 *Ca.*
tristriatus Stierl. Sch. M. 1879. 427
asiaticus Stierl. Rev. 324 *Gr.*
pulvinatus Hochh. B. M. 1847. 518 *Ca.*
dispar Stierl. T. 174 *Ca.*
Schamylianus Reitt. W. 1888. 234 *Ca.*
swaneticus Reitt. Rev. Mens. Petr. 83. 116
glabellus Rosenh. St. Rev. 286 *Ti.Ist.[Ca.*
segnis Gyllh. St. Rev. 285 *G.*
ovatus L. St. Rev. 285 *E.*
rufipes Scop. Carn. 32
v. pabulinus Panz. St. Rev. 286 *I.*
v. vorticosus Gyllh. S. II. 630 *Ca.*
desertus Rosenh. St. Rev. 286 *Alp.P.*
v. muscorum Bris. Cat Grn. 63. 109
clemens Gyllh. St. Rev. 287 *R.m.*

Tyloderes Schönh.

chrysops Herbst Kf. 7. 63 *St.Ti.*
Megerlei F. Syst. El. 2. 521 *G.A.*
Dejeani Boh. S. 7. 390 *Si.*

Troglorrhynchus Schmidt.

planophthalmus Heyd. Sp. 151 *Nevada*
phasma Rottb. B. 1871. 225 *Si.*
anophthalmus Schmidt. T. 178 *Carn.*
terricola Linder T. 178 *P.or.*
myops Reitt. T. 178 *Ca.*
Mayeti Fairm. A'. 1878. 132 *P.or.*
Martini Fairm. T. 178 *P.or.*
latirostris Bargagli T. 179 *I.*
Grenieri All. T. 179 *C.*
camaldulensis Rottbg. T. 179 *I.m.*
baldensis Czwalina T. 179 *MB.*

Stomodes
Schönherr.

gyrosicollis Boh. Strl. Rev. 332 *A.I.*
v. gracilior Brancs. B 1874. 230 *Cp.*
convexicollis Mill. T. 181 *Herz.*
rotundicollis Friv. T. 181 *T.*
tolutarius Boh. St. Rev. 332 *Cri.Gr.*
puncticollis Tourn. Sch. M. 1. 268 *Si.*
Letzneri Reitt. D. 1889. 375 *Gr.*
Krüperi Faust D. 1890. 323 *Gr.*
elongatus Hochh. Mosc. 1847. 503 *Ca.*
angustatus Stierl. T. 180 *Gr.*
Schaufussi Mill. T. 180 *D.I.*

Parameira
Seidlitz.

rudis Boh. Seidl. Ot. 26 *T.*
hispida Stierl. Revis. 163
setosa Seidl. Ot. 27 *T.*
caucasica Stierl. Sch. M. 4. 509 *Ca.*

Caenopsis
Bach.
Cataphorticus Duval.
Seidlitz Otiorrh. 33.

fissirostris Walton Seidl. 34 *Br.*
Bachi Bach Käferf. II. 259 *Ga. G.*
Larraldei Perr. Seidl. 34 *Ga.m.*
Waltoni Boh. Seidl. 35 *Br.Ga.S.*
Reichei Tourn. A'. B. 1874. 89 *Hi.*

Peritelus
Germar.
Seidl. Mon. B. 1865. 271.

Gymnomorphus Seidl.
nigrans Fairm. Seidl. 349 *P.or.*

Homorhythmus Bedel.
astragali Stierl. Seidl. 346 *S.*
planidorsis Seidl. 341 *Ga.m.*
hirticornis Herbst Seidl. 343 *Mt.E.*
variegatus Boh. S. 7. 360
♀ depubes Boh. S. 7. 361
juniperi Desbr. A'. 1888. 205 *S.*
grandis Desbr. l. c. *Si.*
Schönherri Boh. Seidl. 338 *Ga.Pe.*
Cremierei Boh. Seidl. 339 *Ga.Pe.I.*
tenuicornis Schauf. T. 185 *Bal.*
platysomus Seidl. 329 *Ga.m.*

Ctenochirus Seidl.
leucogrammus Grm. Seidl. 292 *E.md.m.*
albolineatus Dej. i. l.

Peritelus i. sp.
mononychus Seidl. 347 *Hi.*

*

hybridus Seidl. Ab. 10. 39 *Hi.m.*
globulicollis Seidl. l. c. *Hi.m.*
Susannae Seidl. 298 *Hi.*
senex Boh. Seidl. 295 *Ga.St.I.b.*
Marqueti Gaut. A'. 1857. 36
sphaeroides Germ. Bedel Fn. 233 *H.*
griseus Ol. (nec F.) Seidl. 303 *Ga.G.I.*
familiaris Boh. Seidl. 300 *Hu.Tr.*
famularis Gyllh. S. II. 514 *T.R.*
sphaeroides Creutz. i. l.
ruficornis Bris. Seidl. 310 *Ga.m.P.or.*
noxius Boh. Seidl. 308 *Ga.m.I.*
Grenieri Seidl. 332 *Ga.Si.*
Gougeleti Seidl. 334 *Andalus.*
hispanus Chevrol. Rev. Z. 1866. 105
adusticornis Kiesw. Seidl. 323 *Hi.*
Kiesenwetteri Seidl. 322 *Andal.*
prolixus Kiesw. Seidl. 315 *P.*
promissus Mars.
necessarius Gyllh. Seidl. 313 *Ga.m.*

Leveillei Bris. A'. 1883. 6 *Ga.m.*
flavipennis Duv. *Ga.I.*
subdepressus Muls. Seidl. 318
v. siculus Seidl. l. c. *Si.*
Kraatzi Tourn. Schw. M. 1. 268 *Si.*
rusticus Boh. Seidl. 320 *Ga.*
curticollis Mars. Ab. 11. 86 *C.*
echidna Seidl. 328 *I.*
sardous Costa Ac. Napol. 1884 *S.*
parvulus Seidl. 327 *C.*
rudis Boh. S. 7. 152 *I.*
Brucki Seidl. 325
insularis Desbr. Sch. M. 71. 345 *C.*
brevicollis Seidl.
foveithorax Desbr. Opusc. 12 *C.*
muscorum Desbr. Sch. M. 71. 346 *C.*
muscicola Stierl. T. 193

Meira Duval.
Seidl. Ot. 28.

squamulatus Reiche Seidl. Ot. 28 *C.I.*
squamans Mars.
corsicus Desbr. Sch. M. 71. 347
crassicornis Duv. Seidl. Ot. 29 *Ga.I*
minutus Stierl. Sch. M. 1882. 160
v. Grouvellei Stierl. T. 197 *Ga.m.*
Sedilloti Bris. A'. 1882. 179 *Ga.m.*
suturellus Fairm. Seidl. Ot. 30 *Ga.m.I.*
elongatulus Fairm. A'. 1859. 104 *P.*
minimus Stierl. B. 1861. 134 *Ti.*
florentinus Stierl. T. 13. 93 *I.*
latiscrobs Desbr. T. 197 *C.*
distinguendus Desbr.
hamatus Mars. Ab. 1880. 91
Damryi Tourn. T. 199 *C.*
sassariensis Desbr. A'. 1888. 206 *S.*
exiguus Stierl. Seidl. Ot. 31 *Si.*
Pfisteri Stierl. Seidl. Ot. 31 *Si.*
Seidlitzi Desbr. A'. 1888. 206 *S.*
microphthalmus Seidl. 32 *Si.*

Pseudomeira Stierl.
nicaeensis Stierl. Sch. M. 82. 160 *Nizza*
Clairei Stierl. l. c. *Mentone*
neapolitanus Faust D. 1890. 329 *I.m.*

Holcorrhinus
Schönherr.
siculus Seidlitz Ot. 8 *Si.*

Nastus
Schönherr.
sareptanus Faust D. 1883. 102 *R.m.*
Goryi Boh. S. 7. 406 *Cri.*
Stierlini Faust D. 1883. 104 *Ca.*

Fausti Reitt. W. 1888. 259 *Circass.*
Lederi Reitt. ibid. *Circass.*
circassicus Reitt. ibid. *Ca.oc.*
humatus Germ. Ins. 354 *Ca.*
devians Faust W. 1888. 261 *Arm.*

Elytrodon
Schönherr.

bidentatus Stev. Mus. Mosq. 2. 96 *R.m.*
v. bispinus Boh. S. 2. 639 *Hu.D.*
inermis Boh. S. 7. 404 *E.m.*

Mylacus
Schönherr.
Seidl Ot. 11.

murinus Boh. Seidl. 14 *R.m.*
v. vestitus Boh. S. 7. 1. 128
v. sphaericus Boh. ibid.
globulus Boh. Seidl. 14 *Hu.I.R.*
rotundatus F. Seidl. 15 *E.md.I.*
puberulus Stev. S. 2. 502 *Ca.*
haematopus Rosh. Seidl. 16 *Ti.*
verruca Stev. Seidl. 16 *R.m.Ca.*
pustulatus Seidl. 17 *Balk.*
seminulum F. Seidl. 18 *A.Hu.Tr.*
globosus Gyllh. Seidl. 18 *R m.Ca.*
glomulus Schönh. Seidl. 19 *R m.*
♀ glomeratus Gyll. *Ca.*
armatus Seidl. 20 *T.*
graecus Stierl. T. 13. 91 *Gr.*
indutus Kiesw. Seidl 21 *Cret.*
metallicus Desbr. i. lit.
baeticus Schauf. B. 1871. 206 *Hi.m.*
rhinolophus Seidl 22
Krüperi Stierl. Sch. M. 88. 9 *Gr.*
Senaci Desbr. Stierl. T. 11 *T.*
Oertzeni Stierl. Sch. M. 1887. 390 *Gr.*

Ptochus
Schönherr.
Seidl. Ot. 35.

impressicollis Stierl. T. 201 *Lenkoran*
subacutus Stierl. T. 202 *?Ca.*
porcellus Stev. Seidl. 40 *R.m.*
perdix Boh. S. II. 484 *Cri.*
strigirostris Hochh. B. M. 1851. 64
v. lacteolus Motsch. B. Petr. I. 313 *Wolga*
setosus Boh. Seidl. 41 *Ca.*
rufipes Gyllh. Seidl. 43 *Ca.*
latifrons Hochh. Seidl. 44 *Ca.*
v. fulvipes Hochh. T. IX. 203

---

lateralis Chevr. A'. 1880. 135 *Ca.*

Argoptochus Weise.

bisignatus Germ. Seidl. 44 *G.A.Hu.*
subsignatus Boh. 46 *R.m.Hu.*
graecus Stierl. Sch. M. 1887. 395 *Gr.*
Emgei Stierl. l. c. 396 *Gr.*
4-signatus Bach Seidl. 45 *Thuring.*
perteloides Fuss ibid. 46 *Tr.*

Phyllobius
Schönherr.
Desbrochers, Abeille 11. 1873.

glaucus Scop. Carn. 31 *E.*
calcaratus F. T. 206
atrovirens Gyllh. S 2. 436
v. nudus Westh. Käf. West. 198
ater Stierl. T 208 *Gr.*
Schilskyi Faust St. 1890. 110
v. densatus Schilsky D. 1886. 95
urticae Degeer *E.*
alneti F. Schilsky l. c.
brevitalus Thoms. Sk. 7. 114
piri Gyllh. S. 2. 437
pomaceus Gyll. l. c. 438
verecundus Boh. S. 7. 17 *R.m.*
Gyllenhali Tourn. T. 207 *Hu.*
anomastus Tourn. T. 207 *R.b.*
pallidipes Reitt. D. 1890. 154 *Ca.*
circassicus Reitt. W. 1888. 237 *Ca.*
Deyrollei Tourn. l. c. *Ca.*
maculatus Tourn. T. 208 *R.b.Ca.*
? v. Lindemanni Lindem.
pilicornis Desbr. 686 *Hu.A.Bos.*
Mariae Faust St. 1882. 430 *R.m.*
hungaricus Stierl. Sch. M. 86. 284 *Hu.*
fulvago Stev. Desbr. 679 *Crim.*
♀ fulvipes Gyll. S. 2. 441 *Ca.*
fulvagoides Reitt. D. 1885. 387 *Creta*
v. marginalis Faust D. 1889. 66 *Ca.*
pallidipennis Hochh. T. 209 *R.*
piri L. Desbr. 721 *E.*
vespertinus F. S. 2. 453
padi Bonsd. Curc. 2. 26
rufipes Bonsd. l. c. 25
erythropus Oliv. Enc. 5. 560
♀ mutus Gyll. S. 2. 454
v. irroratus Seidl. B. 1867. 187
artemisiae Desbr. 722 *Ga.alp.H.Bav.*
canus Gyllh. Desbr. 687 *Gr.R.m.*
faeculentus Gyll. Faust St. 90. 109 *R.m.*
pilifer Gyllh. Faust l. c. *Ca.*
cupreoaureus Stierl. Desbr. 688 *Alban.*
parviceps Desbr. 707 *T.*
rufipennis Kirsch Led. 280 *Baku*
Ballioni Starck W. 1889. 54 *Ca.occ.*
contemptus Stev. Desbr. 701 *G.R.m.*

valgus Gyllh. S. 2. 442 *Tr.Ca.*
detritus Gyllh.
Reichei Desbr. 694 *Si.*
incanus Gyllh. Desbr. 712 *A.Gr.*
ruficornis Rdtb. 2. 236 *Hu.Tr.*
Krüperi Stierl. Sch. M. 1888. 12 *Gr.*
scutellaris Rdtb. Desbr. 725 *A.Hu.Tr.*
xanthocnemus Kiesw. A. 1851. 634 *P.*
v. Ragusae Stierl. Sic. 2. 303 *Si.*
alpinus Stierl. Desbr. 727 *G.H.*
montanus Mill. Desbr. 714 *Gr.Ist.*
maculifer Desbr. 710 *A.*
caucasicus Stierl. T. 214 *Ca.*
cylindricollis Gyllh. Desbr. 673 *R.m.*
♂ hebes Boh. S. 7. 29 *Ca.*
crassicollis Stierl. B. M. 63. 4. 496
crassipes Motsch. Desbr. 674 *R.m.*
mutabilis Desbr. 724 *R.*
caspius Stierl. T. 216 *Casp.*
subdentatus Boh. S. 7. 30 *Si.*
tersus Desbr. 720
Achardi Desbr. 675 *T.*
Bonvouloiri Stierl. T. 218
argentatus L. Desbr. 703 *E.*
v. viridans Boh. S. 7. 22
v. tereticollis Gyllh. S. 7. 457
mediatus Reitt. W. 1888. 238 *Ca.*
maculicornis Germ. Desbr. 676. *E.*
Heydeni Stierl. T. 13. 93 *Cro.*
romanus Faust D. 1890. 330 *Roma*
pineti Rdtb. Fn. Aust. 2 235 *A.Gr.*
psittacinus Germ. Desbr. 689 *Su.Ga.*
v. acuminatus Boh. S. 7. 24 *G.H.*
croaticus Stierl. T. 13. 93 *Cro.*
Apfelbecki Stierl. Sch. M. 88. 13 *Tatra*
pellitus Boh. Desbr. 691 *C.S.*
fulvipilis Desbr. 702 *I.*
v. Emeryi Desbr. 703
pilipes Desbr. 692 *S.*
squamosus Bris. A. 1866. 409 *Hi.*
hirtus Seidl. B. 1867. 187
squarrosus Desbr. 693
tuberculifer Chevr. Rev. Z. 1865. 26 *Hi.*
mixtus Hochh. Desbr. 737 *Ca.*
fallax Stierl. Sch. M. 1888. 13 *Gr.*
etruscus Desbr. 697 *I.A.T.*
v. nudus Stierl. T. 222
Stierlini Faust St. 1890. 110
longipilis Boh. Desbr. 704 *Si.*
celadonius Brull. B. 1864. 261 *Gr.*
aurifer Boh. S. 7. 29 *A.T.Gr.*
breviatus Desbr. 705 *Tr.*
lateralis Reiche Desbr. 699 *Gr.*
smaragdifer Kiesw. B. 1864. 262

Desbrochersi Stierl. T. 223 *Gr.*
betulae F. Desbr. 697 *E.*
v. trivialis Boh. S. 7. 32
euchromus Reitt. D. 1885. 392 *Gr.*
brachicornis Desbr. 700 *A.*
oblongus L. Desbr. 713 *E.*
v. floricola Herbst Käf. 6. 220
v. biformis Reitt. W. 1888. 238 *Ca.oc.*
Stierlini Desbr. 714 *A.*
vespertilis Faust St. 1884. 449 *Armen.*
serripes Desbr. 708 *Gr.*
pictus Stev. Desbr. 709 *Ca.R.m.*
varius Brull. B. 1864. 263 *T.Gr.*
pallipes Gyllh. S. 2. 450 *Tr.St.*
sulcirostris Boh. Desbr. 734 *G.R.*
planirostris Gyllh. S. 2. 462
suratus Gyllh. l. c.
serichispidus Gyllh. l. c.
v. cinereus Gyllh. S. 2. 455 *Ca.*
Logesi Ragusa Sic. 2. 303 *Si.*
viridicollis F. Desbr. 732 *E.md.b.*
armeniacus Kirsch Led. 281 *Ca.*
brevis Gyllh. Desbr. 735 *Hu.R.m.*
dispar Redtb. Faun. 433 *G.A.*
Emgei Stierl. Sch. M. 1887. 393 *Gr.*
Hochhuthi Stierl. T. 226 *Ca.*
Reitteri Stierl. T. 13. 93 *Ca.*
ophthalmicus Stierl. Sch. M. 88. 12 *Cro.*
pomonae Oliv Desbr. 730 *E.*
v. cinereipennis Gyll. S. 2. 459
ulmi Becker
v. cinereus Tourn.
russicus Stierl. T. 13. 93 *Lenkoran.*
virideaeris Laich. Desbr. 731 *E.*
uniformis Marsh. 311. Gyll. S. 2. 458
parvulus Gyll. Ins. 3. 272
roboretanus Gredl. T. 228 *Ti.*
monstruosus Tourn. A. B. 79. Ct. r. 7 *Calab.*

Pseudomyllocerus Desbr.

cinerascens F. Ent. S. II 467. Bed. 54 *Ga.*
mus F. Desbr. 742 *G.A.E.m.*
canescens Germ. Ins. Spec. 451
sinuatus F. Desbr. 741 *Ga.G.A.E.m.*
albidus Mill. W. z. b. 1883. 266 *Gr.*

Parascythropus Desbr.

Apollinis Mill. B. 64. 260. Desbr. 684 *Gr.*
v. taygetanus Reitt. D. 1884. 96 *Gr.*
pinicola Kiesw. B. 64. 260 Desbr. 683 *Gr.*
creticus Faust D. 1889. 92 *Cret.*

---

cervinus Hochh. B. M. 1847. 2. 493 *Ca.*

Alsus
Motschulsky.

collaris Mot. Schrenck 2. 162 *Dnjepr. Ca.*
inderiensis Motsch. l. c. *Cri.*

Myllocerus
Schönherr.

subcostatus Kolen. B. M. 1858. 3. 86 *Ca.*
damascenus Mill. Desbr. Ab. 11. 743 *Arm.*

Metacinops
Kraatz.

rhinomacer Kr. B. 1862. 118 *Gr.*
? v. illustris Stierl. Sch. M. 87. 394 *Gr.*

Brachyderini.

Stierlin, Best. Tab. (T.) 13. 1885.

Auchmeresthes
Kraatz.

Kiesenwetteri Kr. B. 1862. 119 *Gr.*

Polydrusus
Germar.

Chaerodrys Duval.

Reitteri Stierl. T. 5 *Morea*
pictus Stierl. T. 6 *Morea*
setifrons Duv. A. 1852. 710 *E.m.*
bellus Kraatz. B. 1859. 78 *Gr.*
cephalotes Desbr. A. 1871. 232 *Hu.*
convexifrons Desbr. A. 1871. 233
capito Weise (emend.) *Gr.*
elegans Faust D. 1890. 336

Metallites Germar.

impar Gozis R. 1. 106 *E.md.*
mollis Germ. Ins. 456
atomarius Oliv. Ent. 5. 83. 424 *E.md.*
pallidus Gyll. S. 2. 155
laricis Chevrol. Cat. Gren. 99
v. geminatus Chevr. T. 7 *P.*
marginatus Steph. Ill. 4. 142 *E.md.*
ambiguus Gyll. S. 2. 157
iris Gemm. Cat. 2210. T. 7
lusitanicus Chevr. T. 7 *Lu.*
parallelus Chevr. A. 1860. 507 *C.*
elegantulus Boh. S. 6. 157 *Gr.D.*
v. signatus Stierl. T. 8
v. modestus Stierl. B. 1864. 150 *Si.*
pistaciae Kiesw. B. 1864. 249 *Gr.*
Pirazzolii Stierl. St. 1857. 62 *I.*
scutellaris Chevr A. 1860. 506 *I.m.*
viridipubens Mars.
murinus Gyll. S. 2. 157 *Ga.m.*
globosus Gyll. S. 2. 158 *Ga.m.Hi.*
pubescens All. Ab. 5. 470
Javeti Desbr. A. 1871. 236

Piezocnemus Chevr.

paradoxus Stierl. B. 1859. 270 *Alp.*
pedemontanus Chev. Col. H. 5. 72 *Hu.*
carpathicus Brancsik T. 9 *Cp.*
amoenus Germ. Ins. 457 *Alp.E.md.*
Abeillei Desbr. A. 1869. 394 *Ga.alp.*
Hopffgarteni Stierl. T. 9 *H.St.*

Leucodrusus Stierlin.

sicanus Chevr. A. 1860. 505 *Si.*
tibialis Gyll. S 2. 156 *Hu.Ill.*
♂ cylindricollis Boh. S. 7. 459
senex Chevr. Rev. Z. 1866. 24 *Hi.*
candidatus Perris *I.*
v. robustus Desbr. Stierl. T. 10
fulvus Stierl. T. 10 *Ca.*
chaerodrysius Gredl. Tir. 314 *Ti.*
asturiensis Chevr. T. 10 *Hi.*
brevipennis Kirsch D. 1880. 302 *Hi.b.*

Homapterus Fairm.

Metallitides Chevrol.

subnudus Fairm. A. 1856. 537 *P.*
Danieli Stierl. Sch. M. 1888. 15
affinis Chevr. Rev. Z. 1865. 395 *Hi.*
v. punctulatus Bris. A. 1866. 392

Eudipnus Thomson.

Chrysoyphis Gozis.

mollis Stroem Bedel Fn. 241 *E.*
micans F. Ent. S. 2. 463
v. chlorophanus Westh. Käf. Westph.
cocciferae Kiesw. B. 1864. 245 *Gr.*
v. creticus Kiesw. l. c. 246 *Creta*
brevipes Kiesw B. 1864. 245 *D.*
v. subpilosus Desbr. T. 11 *Ti.*
v. rufescens Stierl. T. 11
Karamani Stierl. T. 11 *D.*
lateralis Gyll. S. 2. 150 *Ga.m.G I.*
sericeus Schall. Acta 1. 286 *Su.E.md.m.*

Eustolus Thomson.

flavipes Deg. Mém. 5. 245 *E.md.b.*
pilifer Hochh. B. M. 1847. 2. 477 *Ca.*
inustus Germ. Ins. 453 *R.m.*
vilis Gyll. S. 2. 146 *Cri.*
Martini Humm. Ess 6. 12 *Ca.*
xanthopus Gyll. S 2. 142 *P.Hi.*
Martinezi Perez Ins. nuev. 3. 80

Kahri Kirsch B. 1865. 122 *MB.*
gentilis Bertolini W. z. b. 68. 120 *I.*
v. siculus Desbr. A. 1871. 233 *Si.*
hispanicus Desbr. ibid. 231 *Hi.*
villosus Stierl. Sch. M. 1888. 14 *Hi.md.*
baldensis Stierl. T. 13 *MB.*
luctuosus Desbr. T. 13 *Hi.*
astutus Gyll. S. 2. 145 *Cri.*
dilutus Motsch. B.M. 1849. 3. 141 *Hi.m.*
pallidivestis Desbr. A. 1871. 233
curtulus Bris. A. 1880. 232
ibericus Stierl. T. 14 *Hi.*
florentinus Chevr. Col. H. 5. 73 *I.*
interstitialis Perris A. 1864. 296 *Hi.*
aceris Chevr. Rev. Z. 1866. 24
impressifrons Gyllh. S. 2. 140 *Ga.G.*
v. flavovirens Gyll. S. 2. 142 *R.*
v. Reyi Gozis R. 1. 104 *Ga.m.*
v. curtirostris Goz. l. c. *Ga.m.*
subglaber Desbr. Heyd. Sp. 157 *Hi.m.*
v. variegatus Desbr. l. c.
chrysomela Oliv. Gyll. S. 6. 447 *Ga.*
smaragdulus Fairm. A'.1859. 151 *Hi.*
smaragdinus Stierl. T. 58
v. Volxemi Tourn. T. 16 *Lu.*
aurovittatus Stierl. T. 58 *Lu.*
v. pulchellus Steph. Ill. Br. 4. 149 *Br.*
salsicola Fairm. A. 1852. 689 *Ga.*
amaurus (? Marsh. 1. 319) Steph. *Br.*
confluens Steph. Ill. Br. 4. 142 *Br.*
chrysomela Gyll. S 2. 146 *Ga.*
perplexus Gyll. S. 6. 448 *G.*
fuscoroseus Desbr. A. 1871. 232 *Andal.*
roseus Tourn. Stierl. T. 16
Starcki Reitt. W. 1888. 261 *Ca.occ.*
alveolus Desbr. Heyd. Sp. 157 *Hi.m.*
dorsualis Gyll. S. 6. 452 *Gr.*
cervinus L. Gyll. Ins. 3. 332 *E.*
messor Herbst Käf. VI 222
Ballioni Lindem. *R.*
v. maculosus Herbst Kf. 6. 232 *Ill.*
v. melanotus Steph 4. 143
virens Boh. S. 1. 566
pilosus Gredler Tir. 313 *Mont.E.md.*
binotatus Thoms. Sk. 10. 340 *Su.*
melanostictus Chevr. Col. H. 5. 74
arvernicus Desbr. A. 1869. 393 *Ga.*
v. nodulosus Chevr. Col. H. 5. 73
Peragalloi Desbr. A. 1869. 392
? v. griseomaculatus Desbr. T. 17 *Ga.m.*
Bohemani Kiesw. T. 18 *Hi.*
v. dichrous Fairm. A'. 1880. 27 *Hi.*
v. purpureus Stierl. T. 18
armipes Brull. B. 1864. 250 *Gr.Si.*

v. tibiellus Desbr. T. 19
v. Schönherri Faust D. 1889. 69
v. secretus Faust l. c. *Creta*
alpinus Stierl. T. 19 *MR.*
capricola Stierl. T. 19 *Capri*
rubi Stierl. T. 19 *T.*
mixtus Stierl. T. 20 *Lu.*

Polydrusus i. spec.

pilosulus Chevr. Rev. Z. 65. 396 *Lu.Hi.*
mollis Boh. S. 6. 451
♀ villosulus Chevr. l. c. 397
hirsutulus Kiesw.
alampis Gozis R. 1. 105
leucaspis Boh. S. 6. 453 *C.S.*
suturellus Chevr. A. 1860. 507
tereticollis Deg. Mém. 5. 246 *E.*
undatus F. Ent. S. 2. 468
v. niveopictus Rche. A. 1864. 248 *P.*
v. uniformis Stierl. T. 21 *H.*
ruficornis Bonsd. Curc. 2 27 *E.md.b.*
fasciatus Stroem Goz. Sdl. Fn. Tr. 641
fulvicornis F. Ent. S. 2. 468
intermedius Zett. Lapp. 337
penninus Bremi St. 1855. 196
picus F. l. c. 490. T. 13. 21 *E.md.m.*
jonicus Chevr. T. 21 *Corfu*
dalmatinus Stierl. T. 21 *D.*
sparsus Gyllh. S. 2. 147 *E.md.m.*
rufulus Hochh. B. M. 1847. 2. 479 *Ca.*
Reitteri Kirsch Led. 282
prasinus Ol. Encycl. V. 550 *Ga.Br.Hi.Alp.*
planifrons Gyllh. S. 2. 158
Bohemanni Gozis
brevicollis Desbr. A. 1871. 233 *Si.*
juniperi Desbr. A. 1873. 421 *C.*
abbreviatus Desbr. A. 1871. 234 *Ti.*
thalassinus Gyllh. S. 2. 149 *R.m.*
v. jucundus Mill. W. Mon. 62. 349 *Gr.*
Merkli Kaufmann Rovar. Lap. 83. 170 *Hu.*
frater Rottb. B. 1871. 231 *Si.*
Emeryi Desbr. A. 1871. 235 *I.m.*
v. neapolitanus Desbr. A. 1871. 234
ornatus Stev. S. 2. 137 *R.m.*
ferrugineus Boh. S. 6. 443

Tylodrusus Stierl.

pterygomaticus Boh. S. 6. 445 *E.*
caucasicus Desbr. A. 1871. 231 *Ca.*
coruscus Germ. Ins. 454 *E.md.*
xanthopus Gozis
viridicinctus Gyllh. T. 24 *A Hu.T.*
elegans Reitt. D. 1887. 526 *T.Gr.*

Scythropus
Schönherr.

nodicollis Chevrol. T. 25 *Lu.*
mustela Herbst Käf. 7. 35 *Ga.G.*
v. squamulosus Herbst Käf. 6. 216
dentipes Seidl. T. 26 *Hi.m.*
squamosus Kiesw. A. 1851. 631 *P.or.Hi.*
argenteolus Chevr. Rev. Z. 66. 323
glabratus Chevr. l. c. 322 *Hi.*
Javeti Desbr. A. 1871. 237 *Bal.*
balearicus Schauf. Nq. ot. 2. 409
Lethierryi Desbr. T. 26 *Ga.m.*

Sciaphilus
Stephens.

Chiloneus Schönh.

meridionalis Boh. S. 5. 913 *Si.*
siculus Boh. S. 7. 235
latiscrobs Hochh. T. 28 *Ca.*
ionicus Kr. B. 1859. 56 *Gr.*
Chevrolati Tourn T. 29 *Lu.*
costulatus Kiesw. A. 1851. 629 *Ga.P.*
asperatus Bonsd. Curc. 2. 34 *E.*
muricatus F. Boh. S. 5. 913
procerus Rottb. T. 28 *Si.*
giganteus Fairm. T. 28 *?C.*
maculatus Hampe B. 1870. 334 *Cro.*

Stasiodis Gozis.

parvulus F. Bedel 244 *Ga.I.*
viridis Boh. S. 1. 548
bellus Rosenh. Beitr. 39 *MB.*
elegans Stierl. T. 29 *Gr.*
corpulentus Kiesw. B. 1864. 244 *Gr.*
squalidus Gyll. S. 2. 151 *R.Tr.*
Beckeri Stierl. B. M. 1863. 4. 494
Hampei Seidl. B. 1867. 432 *Tr.*
Reitteri Stierl. T. 30 *Bosn.*

Sciaphilus i. sp.

caesius Hamp. B. 1870. 335 *Serb.Tr.*
Haagi Tourn.
v. Merkli Stierl. T. 30
barbatulus Germ. Ins. 460 *Tr.I.Ti.Ill.*
setosulus Germ. Ins. 461 *Tr.A.*
smaragdinus Boh. S. 5. 915 *D.*
scitulus Germ. Ins. 459 *H.G.A.*
dalmatinus Stierl. T. 31 *D.*
rasus Seidl B. 1867. 433 *D.*
afflatus Boh. B. 1868. 298 *Hu.A.Tr.*
rubi Gyll. Ins. 3. 329 *Su.G.A.*
ninguidus Germ. Ins. 412 *Hu.*
vittatus Gyllh. S. 2. 152 *Ist.*
claviceps Reitt. D. 1890. 155 *Armen.*

Pleurodirus Chevrol.

carinula Ol. S. 1. 551 *Lu.Hi.*
cristatus Graëlls Mem. 51. 147
lineola Chevr. Pt. N. 2. 281
? oblongus Boh. S. 1. 549
Fairmairei Kiesw. A. 1851. 633 *Hi.*
ovipennis Bris. A. 1861. 604

Brachysomus
Stephens.
Platytarsus Schönh.
Seidl. Otiorrh. 80.

aurosus Boh. Seidl. 83 *Si.*
aurohirtus Seidl. Ot. 85 *T.Tr.*
setiger Gyllh. Seidl. 85 *G.A.*
♀ pruinosus Boh. S. VII. 1. 133 *Tr.*
villosulus Germ. Seidl. 86 *Tr.G.A.*
echinatus Bonsdorff Seidl 87 *E.*
hirsutulus F. Ent. Syst. I. 2. 468
kubanensis Reitt. W. 1888. 236 *Ca.*
cruciatus Stierl. T. 199 *Ca.*
caucasicus Stierl. D. 1877. 183
hispidus Rdtb. Seidl. 88 *A.*
Frivaldszkyi Reitt. D. 1884. 259 *Hu.*
subnudus Seidl. 88 *G.A.*
hirtus Boh. Bedel 237 *H.I.*
setulosus Boh. Seidl. 89 *Ga.G.*
transsylvanicus Seidl. 90 *Tr.*
Oertzeni Faust D. 1889. 70 *Gr.*
ebeninus Chevr. T. 34 *Hi.*
Hopffgarteni Tourn. *Tr.*

Foucartia
Duval.

squamulata Herbst Käf. 6. 353 *E.md.*
elegans Kraatz B. 1859. 77 *Cret.*
bella Faust D. 1889. 70 *Gr.*
Cremierei Duval Gen. 15 *Ga.*
similaris Tourn. T. 35 *Gr.*
depilis Kraatz l. c. *Hercynia*
chloris Kiesw. B. 1864. 244 *Gr.*
ptochoides Bach St. 56. 244 *A. Thuring.*
liturata Stierl. T. 35 *T.*
Schwarzi Reitt. W. 1888. 71 *Corfu*

Barypithes
Duval.
Seidl. Ot 62.

Exomias Bedel Faun. VI. 43.

globus Seidl. Ot. 65 *Tr.*
v. sphaeroides Seidl. l. c.
virguncula Seidl. Ot. 66 *Alp.or.*

*

Chevrolati Boh. Seidl. 67 *G.*

♀ ruficollis Boh. S. 2. 503 *A.*
subnitidus Boh. S. 7. 136 *Tr.*
pellucidus Boh. Seidl. 68 *Ga G.*
montanus Chevrol. Seidl. 69 *Ga.G.m.oc.*
styriacus Seidl. 69 *St.*
trichopterus Gaut. Sch. M. 1872. 151
violatus Seidl. 70 *G.m.oc.*
validus Stierl. T. 37 *Siles.*
curvimanus Duval Seidl. 71 *Ga.m.*
Companyoi Boh. Seidl. 72 *P.or.*
scydmaenoides Seidl Ot. 72 *Ist.I.*
graecus Stierl. Sch. M. 88. 52 *Thessalia*
Pirazzolii Stierl. T. 38 *I.md.*
araneiformis Schrank Bedel F. 236 *E.md.*
brunnipes Oliv. Seidl. 73
ebeninus Boh. S. 7. 137
piceus Marsh. 305
gracilis Beck Beitr. 25
v. pyrenaeus Seidl. Ot. 73 *P.*
carpathicus Reitt. D. 1885. 387 *Cp.*
mollicomus Ahr. Seidl. 75 *E.md.*
punctirostris Boh. S. 7. 134
[illegible] Desbr. Stierl. T. 39 *S.*
vallestris Hampe B. 1870. 334 *Morav.*
maurulus Rottb. B. 1871. 228 *Si.*
tener Boh. S. 7. 140 *G.*
indigens Boh. S. 2. 508 *Lu.*

Barypithes in spec.

sulcifrons Boh. Seidl. Ot. 77 *Br.Ga.Hi.*
rufipes Duval. Gen. 13
meridionalis Rey Op. 13. 28
rhytidiceps Chevr. T. 40 *Astur.*
v. andalusicus Seidl. Ot. 77 *Hi.*
asturiensis Kirsch D. 1880. 303 *Astur.*
Heydeni Stierl. T. 40 *Genua*
[illegible]erascens Rosh. Seidl. Ot. 79 *Andal.*

Omias
Schönherr.
Seidl. Otiorh. 50.

Hanaki Friv. Seidl. 53 *Hu.Tr.*
rufipes Boh. Seidl. 54 *A.G.R.*
[illegible] Boh. Seidl. 55 *A.R.m.*
micans Seidl. Ot. 55 *Ga.m.*
metallescens Seidl. Ot. 57 *Si.*
seminulum Boh. Seidl. 57 *Ga.*
parvulus Boh. S. 2. 509 *G.A.*
sericeus Boh. S. 7. 139
oblongus Boh. 141
Raymondi Gaut. A. 1861. 98
Marqueti Gaut. A. 1863. 489
mandibularis Chevr. Gren. Cat. 106
Gattereri Stierl. T. 42 *St.*
mollinus Boh. Seidl. 59 *G.Serb.*

Bohemani Zett. Ins. Lapp. 188 *Su.*
strigifrons Gyllh. Seidl. 59 *R.m.*
rugifrons Hochh. Seidl. 60 *Cri.*
? v. inflatus Kolen. Seidl. 59 *Ca.*
georgicus Reitt. W. 1888. 263 *Ca.*
mingrelicus Reitt. ibid. *Ca.*
circassicus Reitt. ibid. *Ca.occ.*
forticornis Boh. Seidl. 60 *Mt.G.A.*
gracilipes Boh. S. 2. 505
rugicollis Boh. S. 7. 131
validicornis Märkel Germ. Z. 50. 5. 2
? illotus Hochh. Seidl. 61 *Ca.*
Viertli Weise D. 1886. 426 *Hu.*
gracilipes Panz. Faun. 57. 18 *G.*

Strophosomus
Stephens.
Seidlitz, B. 1870. 380.

coryli F. Ent. S. 2. 466 *E.md.b.*
illibatus Boh. S. 1. 538 *I.T.*
obesus Thoms. Sk. 7. 138
v. fagi Chevrol. Rev. Z. 1865. 395 *C.*
erinaceus Chevr. Rev. 1865. 395 *Ga.Hi.I.*
globosus Stierl. T. 43 *Hi.*
ocularis Chevr. A'. 1879. 139 *Hu.*
palearius Perez T. 44 *Hi.b.*
affinis Stierl. T. 44 *Bavar.*
tubericollis Fairm. Seidl. 385 *Ga.oc.*
globulus Seidl. Heyd. Sp. 153 *Lu.Hi.*
picticollis Seidl. B. 1867. 183 *Andal.*
capitatus Deg. 5. 255. Bed. 238 *E.md.b.*
obesus Mars. 304
coryli Boh. S. 5. 877
Desbrochersi Tourn. T. 45
griseus Tourn. Pet. n. 1876. 141 *H.*
rufipes Steph. Ill. Br. 4. 126 *Br.Ga.*
capitatus Bedel Fn. 46
fulvicornis Walton Seidl. 385 *Br.*
curvipes Thoms. Sk. 7. 138 *E.md.Su.*
Baudueri Desbr. A'. 1874. 224
albosignatus Boh. S. 5. 879 *Ca.*
constrictus Seidl. B. 1867. 183 *Andalus.*
alticola Seidl. B. 1867. 184 *Nevada*
puncticollis Tourn. Pet. n. 1876. 141 *Hi.*
albolineatus Seidl. B. 1867. 184 *R.m.*
alternans Redtb. ed. 3. 2. 191 *A.*
aureolus Chevr. A. 1872. 410 *Hi.b.*

Neliocarus Thoms.

cristatus Boh. S. 1. 542 *Hi.*
faber Herbst Arch. 5. 81 *E.md.b.*
pilosellus Gyll. S. 3. 309
ebenista Seidl. Heyd. Sp. 153 *Hi.*
pusillus Stierl. T. 47 *Lu.*

lateralis Payk. Curc. 95. Bed. 239 *Su.Br.*
limbatus F. Ent. S. 2. 469 *Ga.G.*
Reitteri Stierl. T. 47 *Hi.m.*
Veladoi Perez T. 48 *Hi.b.*
formosus Seidl. Heyd. Sp. 154 *Lu.*
retusus Marsh. 306 *Br.Ga.*
oxyops Boh. 1. 541 *Lu G.*
? alternans Boh. S. 1. 537
monachus Seidl. B 1867. 184 *Granada*
canus Chevr. A. 1872. 410 *Hi.m.*
puberulus Chevr. A. 1872. 409 *Hi.m.*
huelvanus Kirsch Monbl. 1880. 5
pellitus Kirsch Monbl. 1880. 6 *Hi.m.*
ovulum Seidl Heyd. Sp. 154 *Hi.b.*
flavipes Chevr. Col H. 5. 71
elongatus Martinez T. 47 *Hi.m.*
Stussineri Stierl. Sch. M. 88. 53 *Thessal.*
sagitta Seidl. Heyd. Sp. 155 *Hi.*

Strophomorphus
Seidlitz.
Seidl B. 1867, 181.

porcellus Schönh. Bed. Fn. 239 *Ga.A.*
hispidus Boh. S. 1. 544 *Ca.E.m.*
v. comatus Boh. S. 5. 884
ursus Desbr. Op. 2
albarius Reiche A. 1857. 668 *T.Gr.*
lineolatus Fairm. A'. 1859. 104
creticus Faust D. 1889. 74 *Creta.*
Oertzeni Faust D. 1889. 73 *Sporad.*
Fausti Reitt. D. 1890. 155 *Armen.*
pholicoides Reitt. l. c. 156 *Arax.*

Caulostrophus
Fairmaire.

Delarouzeci Fairm. A. 1859. 55 *Ga.m.I.*
subsulcatus Boh. S. 1. 585 *T.Gr.*
obsoletehispidus Luc. Rev. 54. 36 *Ist.*
ottomanus Fairm. A'. 1859. 104

Achradidius
Kiesenwetter.

creticus Kiesw. B. 1864. 247 *Cret.*

Conocetus
Desbrochers.
Op ent. 5.

bardus Gyllh. S. 2. 143 *R m.T.*
v. gracilicornis Kiesw. B. 64. 253 *Cret.*
graecus Stierl. T. 25 *Gr.*
angustus Luc. Rev. Z. 1854. 37 *Gr.Cret.*
virens Kiesw. B. 1864. 252
femoratus Stierl. Sch. M. 1888. 56 *Gr.*
marcidus Kiesw. B. 1864. 253 *Gr.*
gracilis Stierl. Sch. M. 1888. 14 *Gr.*

Baudi Faust D. 1889. 73 *E.m.or.*
bardus Stierl. (nec Gyllh.)
calabricus Faust D. 1890. 330 *I.m.*
Desbrochersi Stierl. T. 25 *Hi.m.*

Eusomus
Germar.
Ins. Sp. 457.

taeniatus Kryn. B. M. 1834. 169 *R.m.*
virens Boh. S. 1. 566 *R.*
laticeps Stierl. T. 55 *Dobrudscha*
furcillatus Motsch Etud. 1. 80 *R.m.*
elegans Stierl. T. 56 *Daghestan*
Beckeri Tourn. A. B. 74. C. 86 *Hu.R.m.*
ovulum Germ. Ins. 459 *Ga.G.Pe.*
v. minor Tourn.
angusticollis Lucas Rev. Z. 1854. 39 *Cret.*
Martini Stierl T. 57 *R.m.*
elongatus Boh. S. 1. 566 *R.m.*
armeniacus Kirsch. B. 1871. 44 *Armen.*
pilosus Schönh. Mén. Cat. rais. 217 *Ca.*
pulcher Kirsch. Led. 285 *Ca.*

Eusomostrophus
Tournier.

viridis Tourn. A.B. 1878. C. 18 *T.*

Epiphaneus
Schönherr.

jucundus Reitt. D. 1890. 156 *Arax.*
Dohrni Faust St. 1886. 36 *Armen.*

Pholicodes
Schönherr.

inauratus Bohem. S. 1. 562 *Ca.*
♂ lepidopterus Boh. M. M. 39. 25
lateralis Faust St. 1886. 37 *Ca.*
plebejus Boh. S. 2. 527 *Ca.*
trivialis Boh. S. 2. 528 *Ca.*
glaucinus Faust l. c. 38 *Armen.*
semicalvus Reitt. T. 13. 54 *Ca.*
pusillus Stierl. T. 54 *Armen.*
4-vittatus Tourn. Led. 283 *Armen.*
elongatus Tourn. Led. 284 *Armen.*

Brachyderes
Schönherr.

lusitanicus F. Spec. Ins. 1. 187 *Ga.Lu.*
♀ laesicollis Fairm. T. 60 *Lu.*
♂ 4-punctatus Fairm. T. 59 *Lu.*
? v. opacus Boh. S. 1. 558 *Ga.*
cinctellus Chevr. T. 60 *Hi.m.*

suturalis Graëlls Mem. 58. 145 *Hi.*
circumcinctus Chevr. T. 60 *Hi.b.*
marginellus Graëlls l. c. 81 *Hi.*
scutellaris Seidl. B. 1867. 185
lineolatus Fairm. T. 60 *Hi.m.*
aurovittatus Fairm. T. 61 *Hi.*
cinereus Chevr. T. 61 *Hi.*
apicalis Chevr. T. 61 *Hi.md.*
ophthalmicus Fairm. T. 61 *Lu.*
illaesus Boh. S. 1. 559 *Lu.*
grisescens Fairm. A. 1862. 552 *Hi.m.*
analis Desbr. T. 62 *T.*
incanus L. Syst. 10. 385 *E.md.b.*
lepidopterus Gyll. S. 1. 561
sabaudus Fairm. T. 62 *Ga.*
siculus Fairm. A. 1862. 553 *Si.*
Brucki Tourn. T. 62 *Hi.md.*
strictus Tourn. T. 63 *Hi.b.*
gracilis Boh. S. 1. 557 *Lu.Hi.*
alboguttatus Chevr. Rev. 1866. 321
signatus Waltl Reis. Span. 2. 80 *Andal.*
sparsutus Fairm. A. 1862. 553 *Lu.*
aquilus Chevr. T. 64 *C.Bal.*
corsicus Stierl.
Paulinoi Stierl. Sch. M. 1886. 285 *Lu.*
pubescens Boh. S. 1. 563 *Ga.m.*
quercus Bellier A'. 1870. 26
nigrosparsus Chevr.
cribricollis Fairm. T. 64 *Ga.m.*
albidus Boh. S. 5. 935 *Ca.*
Heydeni Tourn. T. 64 *Lu.*
ovipennis Fairm. T. 64 *Hi.m.*
Reitteri Stierl. T. 65 *Hi.*

Mesagroecus
Schönherr.

superciliatus Stierl. Sch. M. 87. 396 *Gr.*
pilifer Boh. S. 1. 522 *Ca.*
obscurus Boh. S. 6. 282 *R.m.Tr.*
occipitalis Germ. Faun. 24. 11 *D.*
graecus Stierl. Sch. M. 1890. 165 *Gr.*

Sitona
Germar.
Sitones Schönherr.
Pandeletius Schönh.
Allard A. 1864, 329.

*

gressorius F. Ent. S. I. 2. 465 *E.m.*
giganteus Fairm. A. 1870. 399
cachecta Gyll. S. 2. 108 *E.m.*
vestitus Waltl Reis. Span. 2. 79
v. pictus Stierl. T. 67
v. variegatus Fahrs. All. 342 *E.m.*
v. setulifer Fahrs. All. 344 *S.*
subcostatus Allard 340 *Hi.Hu.*
griseus F. Syst. Ent. 148 *E.*
palliatus Oliv. Ent. 5. 83. 345
intermedius Küst. Käf. E. 9. 66 *E.m.*
vestitus All. A. 1864. 339
conspectus Fahrs. All. 341 *Ga.Si.*

*

limosus Rossi Mant. 1. 12 *E.m.*
ambulans Gyll. S. 2. 98
v. mauritanicus Fahrs. S. 6. 258
bisphaericus Reiche A. 1857. 669
latipennis Gyllh. All. 360 *?Lu.*
regensteinensis Herbst All. 360 *E.md.*
globulicollis Gyllh. S. 2. 102
cambricus Steph. All. 361 *Br.Ga.*
cribricollis Gyllh. S. 2. 101 *G.Hi.*
v. constrictus Fahrs. S. 4. 257 *A.*
v. cinerascens Fahrs. l. c. 256
ocellatus Küst. Kf. E. 17. 69 *Hi.m.*
bituberculatus Motsch. B. 1869. 322

*

Waterhousei Waltl All. 355 *E.md.m.*
setosus Rdtb. Fn. Aust. ed. 1. 45
crinitus Herbst All. 356 *E.*
fallax All. non Rosenh.
v. albescens Steph. Ill. 4. 140
v. parallelipennis Desbr. A. 69. 398 *R.m.*
fallax Rosenh. And. 248 *Andal.*
Blanchardi All. 375 *Tanger*
hirsutus Desbr. Hipp. 1884. 74 *C.*
laticeps Stierl. T. 13. 70 Tourn. (i. l.)
seriesetosus Fahrs. All. 358 *Ca.*
tibialis Herbst Käf. 6. 217 *E.*
hispanicus Tourn. Pet. N. II. 50
♀ striatellus Gyll. S. 2. 106
v. ambiguus Gyll. B. 1869. 321 *Ga.G.*
v. brevicollis Sahlb. l. c. *A.*
v. arcticollis Gyll. All. 352 *Cri.*
hispidulus F. All. 376 *E.*
haemorrhoidalis Gyll. S. 2. 115
v. tibiellus Gyll. S. 2. 121
trisulcatus Gyll. S. 4. 276
dispersus Rey Opusc. 9. 17
circumductus Desbr. Sch. M. 70. 193 *R.m.*
foedus Gyll. All. 371 *?R.m.*

*

verecundus Rossi Fn. Etr. 129 *Ga.I.*
chloroloma Fahrs. All. 368
puncticollis Steph. All. 364 *E.md.b.*
punctiger Thoms. Sk. 10. 167
insulsus Gyll. S. 2. 103
longulus Gyll. All. 344 *A.Tr.R.m.*

flavescens Marsh. 311. All. 346 *E.*
obsoletus Gmel. ed. Lin. 1. 4. 1807
caninus Gyll. Ins. 3. 277
8-punctatus Gyll. Fahrs. S. 6. 269
longicollis Fahrs. All. 345 *G.R.*
v. cinnamomeus All. 365 *Ga.*
v. lepidus Gyll. S. 2. 104
ovipennis Hochh..B.M. 1851. 23 *R.m.Ca.*
serpentarius All. 381
audax All. 345
lividipes Fahrs. All. 369 *S.*
hipponensis Desbr. (ex typ.)
Reitteri Stierl. Sch. M. 7. 228 *Morea*
rasilis Hochh. B. M. 1851. 25 *R.m.*
languidus Gyll. All. 352 *Ga.G.*
v. obscuripes Gyll. S. 2. 122 *R.*
caucasicus Stierl. Sch. M. 7. 227 *Ca.*
callosus Gyll. All. 353 *Ga.G.R.*
tenuis Rosenh. Beitr. 40 *Ti.*
lineellus Bonsd. All. 354 *Su.G.*
occator Herbst Käf. 6. 219
humeralis Steph. All. 378 *E.md.m.*
promptus Gyll. S. 2. 113 *Ca.*
v. discoideus Gyll. All. 372
biseriatus All. 374
Allardi Chevr. Rev. Z. 1866. 322 *Hi.*
v. maculatus Motsch. B. M. 1849. 143
inops Schönh. All. 379 *E.md.*
Brucki Allard Heyd. Sp. 156 *Hi.m.*
bicolor Fahrs. All. 373 *D.I.*
cylindricollis Fahrs. All. 377 *E.md.m.*
meliloti Walton A. Hist. 1846. 232

*

gemellatus Gyll. All. 365 *Ga.Hi.*
virgatus Fahrs. All. 366 *Si.*
lateralis Gyll. All. 371 *A.R.m.*
Faillae Desbr. Sic. 1887. 160 *Si.*
lineatus L. All. 367 *E.*
v. geniculatus Fahrs. S. 6. 263 *Hi.*
viridifrons Motsch. B. M. 49. 3. 142
suturalis Steph. All. 347 *E.*
albarius Fahrs. S. 6. 274
v. elegans Gyll. S. 2. 117
ononidis Sharp Trans. ent. 66. 438 *Br.Ga.*
guttulatus Chevr. A'. 1871. 42
sulcifrons Thunberg All. 349 *E.*
tibialis Gyll. Ins. 3. 283
argutulus Gyll. S. 2. 119
medicaginis Rdtb. ed. 1. 452
v. campestris Oliv. Ent. 5. 83. 380
ophthalmicus Desbr. T. 78 *C.*
anchora Gyll. All. 348 *R.m.*
niger Allard 381 *Hi.*

Trachyphloeus
Germar.

Lacordairius Bris.
Mitomermus Duv.
Seidl. Ot. 91.

Seidlitzi Bris. Seidl. 100 *Hi.*
pustulatus Seidl. 101 *Hi.*
nodipennis Chevr. Seidl. 103 *Hi.Si.*
aureocruciatus Desbr. T. 81 *C.*

*

parallelus Seidl. 106 *Hu.*
laticollis Boh. Seidl. 106 *E.*
♂ anoplus Först. V. Rheinl. 6. N. 30
rectus Thoms. Sk. 6. 132
spinimanus Thoms. ibid. 133
spinosulus Gaut. A. 1861. 99
v. fusciscapus Desbr. *C.*
alternans Gyll. Seidl. 108 *Ga.I.*
scaber Rdtb. ed. 2. 734 *G.A.Tr.R.m.*
spinimanus Germ. Seidl. 109 *E.md.*
lanuginosus Gyll. S. 2. 494
Stierlini Stierl. Sch. M. 1890. 166 *Valesia*
digitalis Gyll. Seidl. 110 *Su.R.S.*
scabriculus L. Seidl. 111 *E.*
♀ spinimanus Gyll. S. 2. 492
♀ scaber Schh. 7. 117
♂ setarius Gyll. S. 2. 492
♀ erinaceus Rdtb. ed. 1. 430
viverra Herbst Füssl. Arch. 5. 83
ventricosus Germ. Seidl. 113 *A.Hu.*
elephas Reitt. D. 1890. 394 *Gr.Corfu*
rugicollis Seidl. 114 *D.T.*
ypsilon Seidl. 115 *Hu.*
v. turcicus Seidl. 116 *T.*

*

bifoveolatus Beck Beitr. 24. Bedel 235 *E.*
scaber auct. non L. Seidl. 117
rostratus Thoms. 10. 175
squamosus Gyll. S. 2. 491
v. tessellatus Marsh. Boh. S. 7. 114
scabriculus Gyll. S. 2. 490
septentrionis Thoms. Sk. 7. 123
setiger Seidl. 118 *E.m.*
maculatus Perris Ab. 1870. 21

*

variegatus Küst. Seidl. 120 *E.m.*
hystrix Duval Genera 33
brevirostris Bris. Seidl. 121 *Hi.*

*

aristatus Gyll. Seidl. 123 *E.*
asphaltinus Gyll. S. 2. 496
spinosus Goeze *E.md.m.*
Olivieri Bedel Faun. 41
squamulatus Oliv. Seidl. 124

myrmecophilus Seidl. 125 *Hi Br.Ga.*
guadarramus Seidl 125 *Hi.md.*
[illegible] Boh. Seidl. 126 *A.*
sabulosus Rdtb. ed. 1. 431
granulatus Seidl. 127 *Ga.alp.I.*
muricatus Stierl. T. 85 *Hi.m.*

Cathormiocerus
Schönherr.
Schaumius Bris.
Seidl. Ot. 128.

validiscapus Rouget Cat. 57. 210 *P.*
cordicollis Seidl Ot. 132
carpetanus Uhag. Esp. 1885. 365 *Hi.*
canaliculatus Schauf. T. 86 *Bal.*
socius Boh. Seidl 133 *Br.Ga.Hi.*
maritimus Rye M. M. 1873. 176 *Br.*
socius Bedel
attaphilus Bris. T. 87 *Ga occ.*
Reitteri Stierl. T. 87 *Hi.m.*
Chevrolati Seidl Ot. 135 *Hi.*
socius Chevrol. Rev. z. 1866. 26 *Br.*
porculus Uhag. Esp. 1885. 367 *Hi.*
Diecki Marseul T. 87 *Hi m.*
curviscapus Seidl. 134 *Hi.m.*
curvipes Woll Mad. 392 *Ga.Hi.*
discors Desbr. Op. 13 *C.*
Raymondi Gaut. A. 1861. 99 *Ga.m.*
horrens Gyll. Seidl. 136 *Hi.*
sulcirostris Chevr. Rev. Z. 1866. 104
Bolivari Uhag. Esp. 1885. 370 *Hi.*
lapidicola Chevr. Sdl. Ot. 138 *Hi.*
Vuillefroyi Bris. A. 1866. 412
Korbi Stierl. Sch. M. 1888. 15 *Hi.*
lusitanicus Stierl. T. 89 *Lu.*
hirticulus Seidl. Ab. XI. 652 *Hi.m.*
excursor Seidl. 139
excursor Stierl. B. 1862. 363 *Hi.m.*
gracilis Seidl. 140 *Hi.*
proximus Uhag. Esp. 1885. 372 *Hi.*
elongatulus Uhag. ibid 1885. 374 *Hi.*
Lethierryi Chevrol. Seidl. 141 *Hi.*
v. Capiomonti Seidl. 1 c. *Ga.m.*
irrasus Seidl. 142 *Hi.*
pygmaeus Seidl. 143 *Hi.*

Bradycinetus
Schaufuss.

Ignatii Schauf. Nq. ot. 540 *Bal.*

Psalidium
Illiger.
Faust, Horae XXIV. (1889) 281.

[illegible]illosum F. Ent. S. 1. 2. 472 *E.m.or.*
v. interstitiale Boh. S. 5. 829 *Cri.*

parnassicum Faust D. 1889. 94 *Gr.*
sculpturatum Boh S. 5. 828 *T.*
Levati Reiche *Syria*
v. rugicolle Faust Hor. 1889. 302 *Samos*
auxiliare Faust D. 1889. 80 *Karpathos*
cumulatum Faust D. 1889. 79 *Karpathos*
Oertzeni Reitt. D. 1885. 388 *Creta*
creticum Faust D. 1889. 82 *Creta*
Frivaldszkyi Faust Hor. 1889. 303 *Gr.*
vestitum Waltl Isis 1838. 468 *T.*
concinnum Faust Hor. 1889. 306 *T.*
anatolicum Boh. S. 5. 830 *Gr.*
vittatum Boh. l. c. 831 *Creta*

Axyraeus Kiesenw.

Kraatzi Kiesw. B. 1864. 258 *Creta*

Coeliopus Faust.

spinimanum Reiche B. 1864. 254 *Cret.*
v. Kiesenwetteri Faust D. 1889. 77
Reichei Faust D. 1889. 77 *Gr.*

Perieges
Schönherr.

bardus Bohem. S. 6. 2. 419 *Ca.*

Cneorrhinini.

Heydenonymus
Desbrochers.

Cneomorphus Seidl.

amplicollis Boh. S. 5. 867 *Lu.*
Seidlitzi Desbr. Op. 8

Cneorrhinus
Schönherr.
Lacordaireus Desbr.
Bornazon Gozis. Tretinus Bedel.
Tournier A B 1876

barcelonicus Herbst Tourn. 137 *Hi.*
argentatus Perris A. 1864. 295 *Hi.*
argentifer Marseul Cat. 1866. 91
prodiguus F. Gyll. S. 1. 525 *Hi.*
tingitanus Desbr. A'. 1874. 197
hispanus Herbst Käf. 7. 41 *Hi.*
v. ludificator Gyll. S. 1. 526
prodriguus Desbr. non F.
Bellieri Bris. A. 1869. 597 *P.*
Heydeni Tourn. 142 *Lu.*
Martini Fairm. A. 1880. 242
grandis Stierl. Sch M. 1887. 398 *Lu.*

Philopedon Steph.
Dactylorrhinus Tourn.

plagiatus Schall. Act. 1. 284 *E.*
geminatus F. Mant. 1. 46

v. parapleurus Marsh. Ent. 305 *Br.Ga.*
albicans Boh. S. 1. 530 *G.b.*
v. andalusicus Trn. A. B 1876 135 *Hi.m.*
tristis Stierl. Sch. M. 1888. 16 *Hi.*
vicinus Desbr. Opusc. 35 *Hi.m.*

Leptolepyrus Desbr.

meridionalis Duv. Gen. 14. Tour. 132 *Ga.m*
siculus Rottb. B. 1871. 228 *Si.*
Olivieri Desbr. A. 1872. 425
globulatus Fairm. Rev. Z. 1873. 344

Atactogenus Tourn.

piriformis Boh. S. 1. 528 *Lu.*
lateralis Graëlls Rev. Z. 1849. 622 *Hi.*
dispar Graëlls Mem. 1858. 78 *Hi.*
v. meleagris Graëlls 117
♀ Graëllsi Bris. A. 1866. 387
cordubensis Kirsch Heyd. Sp 173 *Hi.m.*
tumidus Desbr. Tourn. 162
hispanicus Desbr. Schw. M. 71. 349 *Hi.*
Paulinoi Stierl. Sch. M. 1886. 285 *Lu.*
angustus Desbr. Op. 36 *Lu.*
hypocyanus Boh. S. 1. 529 *Lu.*
tarsalis Tourn. 147 *Hi.m.*
Diecki Tourn. 148 *Hi.m.*
escorialensis Desbr. Op. 36 *Hi.*
exaratus Marsh. Ent. 303 *Br.Ga.*
plumbeus Marsh. Ent. 302
5-carinatus Desbr. Op. 2 *Hi.b.*
albinus Boh. S. 1. 531 *Ca.*
carinirostris Boh. S. 5. 863 *Lu.*
gypsiventer Graëlls Mem. 1858. 80
Baulnyi Bris. A. 1866. 389 *Hi.*
sulcifrons Desbr. Op. 35 *Hi.*
oxyops Desbr. Op. 35 *Lu.*
spinipes Perez Ab. 17. 10 *Hi.md.*

Liophloeus
Germar.

Stierlin, Schweiz. Mitth. 1889. 83.

Paulinoi Desbr. Stierl. 83 *Lu.*
pulverulentus Gyll. S. 6. 2. 239 *Ga.P.*
? hungaricus Tourn. Pet. n. 2. 10
v. denudatus Gozis
opacus Gozis olim
ophthalmicus Stierl. 83 *Carn.*
nubiculosus Schönh. 2. 304 *Persia*
Kirschi Tourn. A. B. 74. B. 115 *R.m.*
tessellatus Müller Bedel Fn. 240 *E.*
nubilus F. Gyll. S. 2. 303
aureopilis Tourn. l. c. 115
ineditus Tourn. l. c. 114
robusticornis Tourn. Pet. n. 10 *H.*

modestus Tourn. 116
v. maurus Marsh. 316 *Br.*
opacus Chevrol. Cat. Gren. 100 *Ga.*
v. ovipennis Fairm. A. 58. 878 *E.m.*
alpestris Tourn. 117 *Wallis*
sparsutus Tourn. 114 *Germ.*
v. rotundicollis Tourn. 117 *G.*
v. geminatus Boh. S. 6. 2. 238
v. cyanescens Fairm. A. 1859. 57 *P.*
pyrenaeus Tourn.
v. minutus Tourn. 116
v. pictus Stierl. 85 *Württemberg*
v. quadricollis Tourn. Pet. n. 10 *Pe.*
v. aquisgranensis Först. Rheinl. 6. 26
atricornis Desbr. Sch. M. 71. 3..
Heydeni Stierl. 85 *H.*

*

Kiesenwetteri Tourn. St. 85 *Rhilo Dag.*
Herbsti Gyll. S. 2. 305 *G.A.T.*
obsequiosus Gyll. 304
gibbus Boh. S. 6. 2. 241 *He.*
v. amplipennis Tourn. 116
v. chrysopterus Boh. S. 6. 2. 237
laticollis Tourn. 10
? v. lentus Germ. Ins. 343 *H.*
? v. Schmidti Boh. l. c. 242

Geonemus
Schönherr.

flabellipes Oliv. Boh. S. 4. 2. 215
illaetabilis Boh. S. 2. 295
tergoratus Germ. Ins. 359

Thelopius
Desbrochers.

Tanycnemus Faust.

Akinini Faust Hor. 1881. 294
v. caspicus Faust ibid. 296
? lutosus Hochh. Faust l. c.

Barynotus
Germar.

margaritaceus Germ. Ins. 340 *Alp.*
maculatus Boh. S. 6. 2. 248 *Alp.*
v. Fairmairei Tourn. Pt. N. 2. 10 *P.*
obscurus F. Syst. Ent. 150 *E.*
murinus Bonsd. Curc. 2. 37
v. honorus Herbst Käf. 7. 59
moerens F. Syst. El. 2. 523
elevatus Marsh. 306. Bedel Fn. 218 *S.*
alternans Boh. S. 2. 310 *Ga.S.*
♀ squalidus Gyll. S. 2. 311

[illegible]us Ol. Ent. 5. 83. 347. Bed. 60 *P.*
 costipennis Dufour
 costatus Dufour
 pyrenaeus Bris. Cat. Gren. 2. 186
Schönherri Zett. Ins. 187 *Su.L.*
squamosus Germ. Ins 340 *P.*
 illaesirostris Fairm. A. 1859. 58
hungaricus Tourn. *Hu.*
unipunctatus Dufour *P.*
 viridanus Fairm. A. 1856. 538
umbilicatus Duf. Linn. Bord. 51 *P.*
 auronubilus Fairm. l. c. 539

---

laticeps Desbr. A. 1874. 226. G. dub. *?P.*

Tanymecini.

Amomphus
Schönherr.

Westringi Küst. Käf E. 18. 76 *Cartag.*
 dissimilis Desbr. A. 1872. 422
 concinnus Küst. Käf. E. 18. 77

Phaenognathus Schh.

Dohrni Küst. Käf. E. 18. 76 *Gr.*
 thalassinus Schh. i. l.
Reichei Desbr. A. 1871. 246 *Gr.*

Thylacites
Germar.

Cyclomeres Bedel.
Desbr. Hipp. 1884. 123.

mus Herbst Käf. 7. 53 *Lu.*
 ♀ cataractes Sahlb. Spec. Ins. 1. 21
planicollis Perez Ab. 17. 12 *Hi.m.*
lusitanicus Desbr. 1884. 125 *Lu.*
tomentosus Desbr. A. 1871. 241 *Hi.*
lasius Boh. S. 1. 521 *Lu.*
intermedius Desbr. 1884. 123 *Lu.*
longipilis Seidl. B. 1867. 186 *Hi.*
Uhagoni Desbr. A. 1871. 239 *Hi.*
squameus Desbr. 1884. 127 *Hi.m.*
vittatus Boh. S. 5. 857 *Hi.*
ahenus Desbr. A'. 1874. 197 *Hi.*
pretiosus Schauf. Nq. ot. 1. 48 *Hi.m.*
submetallicus Desbr. A. 1871. 243 *Hi.*
substriatus Desbr. 1884. 131 *Hi.*
pilosus F. Boh. S. 1. 522 *G.A.R.I.*
 v. sareptanus Desbr. 1884. 130
fritillum Panz. Fn. 18. 19 *E.m.*
 v. canescens Rossi Mant. 1. 40 *I.*
 v. insularis Desbr. A. 1871. 242 *C.*
?v. dubius Desbr. A. 1871. 242 *C.S.*
Beloni Desbr. A. 1871. 242 *Malt.*
lapidarius Gyll. S. 1. 517 *C*
 depilis Fairm. Cat. Gren. 97 *Ga.m.*
corsicus Perris A. 1866. 188 *C.*
siculus Desbr. A. 1871. 241 *Si.*
argenteus Perris l. c. 190 *Hi.*
 persulcatus Fairm.
elongatus Perez A. Esp. l. 117 *Hi.m.*
umbrinus Gyll. S. 1. 520 *Lu.Hi.*
serripes Desbr. A. 1871. 237 *Hi.*
hirtellus Desbr. A. 1871. 239 *Lu.Hi.*
inflaticollis Fairm. A. 1879. 243 *Hi.m.*
tessellatus Gyll. S. 1. 518 *Lu.*
 v. turbatus Gyll. S. 1. 519 *Hi.*
 v. glabratus Gyll. 517 *Hi.*
 oblongus Graëlls A. 1851. 22
latithorax Desbr. A. 1871. 240 *Hi.*
 v. Schönherri Desbr. ibid. 241
araneiformis Chevr. Desbr. 241 *Hi.md*
 v. heliophilus Chevr. Rev. Z. 1866. 24 *Hi.*
emarginatus Desbr. A. 1872. 82 *Lu.*
Perezi Desbr. 1884. 141 *Hi.m.*
tonsus Chevr. Rev. Z. 1866. 103 *Hi.*
Guinardi Duv. A. 1852. 708 *Ga.m.*
auricollis Desbr. 117 *?Hi.m.*
 v. hirticulus Desbr. l. c.
pusillus Seidl. B. 1867. 186 *Hi.m.*
exiguus Faust W. 1887. 208 *And.*
chalcogrammus Boh. S. 1. 521 *Hi.*
candidulus Desbr. A. 1871. 236 *Hi.*
fullo Er. Wagn. Reis. 3. 186 *Hi.*
insidiosus Fairm. A'. 1859. 151 *Hi.b.*

Xylinophorus
Faust D. 1885. 177.

scobinatus Kolen. B. M. 1858. 177 *Ca.*
 superciliatus Strl. Sch. M. 87. 396 *Gr.*

Phacophorus
Schönherr.

argyrostomus Gyll. S. 6. 231 *Ca.*
 Zuberi Desbr. A. 1872. 422

Chlorophanus
Germar.

viridis L. Gyll. S. 2. 61 *E.*
rugicollis Gyll. 63 *Hi.*
gibbosus Payk. *Hu.Ga.G.E.m.*
 pollinosus F. Gyll. 64
dorsiger Faust *Rheman.*
separandus Desbr. A. 1872. 424 *R.*

salicicola Germ. Ins. 441 *Ga.G.R.*
excisus F. Syst. El. 2. 531 *Hu.T.*
nobilis Germ. Fabr. S. 6. 428
fallax Sahlb. Germ. Gyll. 69 *Hu.*
graminicola Schönh. Gyll. 67 *Ga.G.R.*
flavescens Herbst Käf. 6. 135 *I.*
vittatus Schönh. Gyll. 68 *Ca.*
irregularis Hochh. B. M. 1847. 445 *Ca.*
v. Hochhuthi Faust
caudatus Fahrs. S. 6. 432 *R.m.*
appendiculatus Mén. M. Petr. 49. 250
micans Stev. Fahrs. 433 *R.m.*
sellatus F. Fahrs. 435 *R.m.*
nitidulus Desbr. A. 1872. 423 *R.m.*
pilifer Fahrs. S. 6. 434 *Ca.*
voluptificus Gyll. 66
splendens Hochh. B. M. 1847. 74 *Ca.*

Tanymecus
Schönherr.

palliatus F. Ent. S. 2. 455 *E.*
v. Revelierei Tourn. *I.*
angustulus Fairm. A. 1879. 243 *Hi.m.*
argentatus Gyll. S. 6. 224 *Ca.*
bidentulus Desbr. A'. 1874. 226
sareptanus Desbr. A. 1871. 244 *R.m.*
variegatus Gebl. Gyll. S. 6. 226 *R.m.*
variatus Desbr. Op. 34 *R.m.*
sibiricus Schönh. 6. 1. 225 *R.m.*
Beckeri Desbr. Op. 33
rotundicollis Tourn. A. B. 1876. 88 *R.m.*
vittiger Gyll. S. 2. 90 *Hu.*
dilaticollis Gyll. S. 2. 89 *Gr.Ca.*
dilatatus Schauf. A. 1862. 311
urbanus Gyll. S. 2. 81 *Ca.*
albicans Rosenh. And. 246 *Hi.*
siculus Tourn. A. 1860. 81 *Si.*
submaculatus Chevrol.
griseus Rottb. B. 1871. 231 *Si.*
cinereus Desbr. Hipp. 1884. 94
nevadensis Desbr. A. 1871. 244 *Hi.m.*
setulosus Chevr. Natural. 1879. 126 *Hi.*
vagabundus Chevr. A. 1880. 38 *Lu.*
metallinus Fairm. *Chiclana*

Ascmus Schönh. Seidl.
Esamus Chevr.

niloticus Gyll. S. 2. 77 *Si.*
Mniszechi Hochh. B. M. 1851. 22 *Arax.*

Eremnini.

Chloëbius
Schönherr. 2. 644.

immeritus Boh. S. 2. 645 *Ca.*

sulcirostris Hochh. B. M. 1851. 84
Steveni Boh. S. 7. 417 *Ca.*

Oxyophthalmus
Hochhuth.

Steveni Hochh. B. M. 1847. 501 *Ca.*

Brachycerini.

Brachycerus
Olivier.

Bedel A. 1874. 119.

balearicus Bedel 151 *Bal.*
algirus F. Bedel 153 *E.m.*
muricatus Oliv. Enc. 5. 186 *Hi.*
perodiosus Gyll. S. 5. 661
semiaeneus Desbr. Sch. M. 71. 365
v. planirostris Gyll. S. 1. 417 *I.*
v. sulcifrons Gyll. S. 1. 420 *Ga.*
v. cirrosus Gyll. S. 5. 660 *Si.*
cinereus Oliv. Bed. 156 *Aegypt.*
pulverulentus Oliv. Ent. 5. 82. 56
v. 4-sulcatus Fisch. Mosc. Leq. 95 *Ca.*
v. lutosus Gyll. S. 1. 417 *Hu.Ill.I.Gr.*
superciliosus Gyll. 422
Pradieri Fairm. Bedel 161 *Ga.occ.Hi.*
europaeus Pradal Hist. Loire 140
plicatus Gyll. S. 1. 415 *Hi.*
scutipennis Desbr. 363 *T.Gr.*
v. europaeus Gyll. 421 *Hi.*
v. tetanicus Luc. Alg. 414 *Hi.m.*
v. insignis Mill. W. Mon. 1861. 206
vespertilio Desbr. 363
undatus F. Bedel 173 *E.m.*
algirus Oliv. Enc. 5. 185 *D.*
europaeus Thunb. Act. Ups. 6. 25
ovatus Brull. Mor. 235
pterygomalis Gyll. S. 1. 406
corrosus Gyll. 409
subvariolatus Desbr. Sch. M. 71. 360
sericeus Desbr. ibid. 361
nubilus Desbr. ibid. 361
hispidus Desbr. ibid. 361
cornifrons Desbr. ibid. 363
v. mauritanicus Oliv. Ent. 5. 82. 51
albidentatus Gyll. Bedel 177 *C.S.Si.*
barbarus L. Bedel. 183 *E.m.*
v. latro Gyll. S. 1. 412 *E.m.*
libertinus Fahrs. S. 5. 650 *Bal.*
curtulus Desbr. 366
v. lateralis Gyll. S. 1. 407 *Lu.Hi.*
fluctiger Gyll. S. 5. 651
v. ramosus Schauf. Nq. ot. 542 *Bal.*

Chevrolati Fahrs. S. 5. 657 *Lu.*
peninsularis Chevr. Rev. 66. 105 *Hi.*
Raffrayi Desbr. l. c. 365
parens Desbr. l. c. 366
m. hypocrita Bedel 190. R. 3 *Hi.*
foveicollis Gyll. S. 1. 419. Bed. 191 *A.D.*
muricatus F. Ent. Syst. 2. 383 *Hu.T.*
ventralis Desbr. l. c. 366
junix Lichtenst. Bedel 195 *D.Hu.*
v. sinuatus Oliv. Ent. 5. 82. 58 *Gr.T.*
Besseri Kryn. Gyll. S. 1. 413 *R.m.*
tauricus Desbr. l. c. 368 *Ca.*
pisifer Thunb. Gyll. S. 5. 656
v. lutulentus Gyll. S. 1. 418
v. cribrarius Oliv. Ent. 5. 58 *Ca.*
v. aegyptiacus Oliv. Ent. 5. 51 *Aegypt.*
siculus Gyllh. S. 1. 414 *Gr.*
insularis Desbr. l. c. 367 *Si.*

Herpes
Bedel.

porcellus Lac. Bed. A. 1874. 212 *Cherson*

Cleonini.

Chevrolat, Mém. Liége 1873. 2.

Cleonus
Schönherr.
Mecaspis Bedel.

Eumecops Hochhuth.

Kittaryi Hochh. B. M. 1851. 47 *R.m or.*

Conorrhynchus Motsch.

nigrivittis Pallas Gyll. S. 2. 238 *Ca.*
plumbeicollis Chevr. 46 *R.m.*
pulverulentus Zoubk. Gyll. 233 *R.*
lacerta Chevr. 46. Faust *Ca.*
conirostris Gebl. Faust St. 90. 113 *R.m.*
Bartelsi Fahrs. S. 6. 2. 108
hololeucus Pall. Fahrs. 106 *R.m.*
strabus Gyll. S. 2. 230 *Ca.*
tenebrosus Gyll. 232 *R.m.*
dissimulatus Mén. Petr. 6. 258 *Armen.*

Bothynoderes Schönh.

Chromosomus Motsch.
Stephanophorus Chevr.
Temnorhinus Chevrol.

anxius Gyll. 227. Faust St. 90. 112 *Casp.*
basigranatus Fairm.
Wagae Chevr. A'. 1876. 148 *Ca.*
armeniacus Faust St. 1884. 451 *Armen.*
signaticollis Gyll. 232 *BakuCa.*
obliquivittis Chevr. A. 1884. 68 *?A.*
nubeculosus Boh. S. 2. 231 *Ca.*

pilipes Fahrs. S. 6. 2. 81 *Ca.*
sareptensis Chevr. 8 *R.m.*
nigrocinctus Chevr. 8 *R.m.*
luscus Chevr. 9 *Hi.*
betavorus Chevr. 9 *R.m.*
tenebrosus Schh. ex. p.
lineiventris Chevr. A'. 1876. 145 *Ca.*
caucasicus Chevr. 10 *Ca.*
carinatus Zoubk. B. M. 1829. 166 *R.m.*
carinulatus Schönh. Faust St. 85. 162
punctiventris Germ. Ins. 397 *G.A.Hu.*
v. meridionalis Chevr. 13 *Ga.m.*
conicirostris Gyll. S. 2. 236
v. peregrinus Chevr. 19 *Ga.m.*
duplicarina Chevr. A. 1876. B. 147 *G.*
Crotchi Chevr. 11 *Hi.*
uniformis Chevr. 12 *Hi.*
albicans Gyll. S. 2. 239 *G.A.Hu.E.m.*
vexatus Gyll. S. 2. 240 *Cri.Ca.*
flavicans Fahrs. S. 4. 2. 90 *Il.*
maculicollis Chevr. 15 *Malta*
Genei Chevr. 18 *S.*
carinicollis Gyll. S. 2. 241 *R.m.*
v. angulicollis Chevr. 20 *T.*
mus Chevr. 20 *S.*
roridus Pall. Icon. 28 *R.m.*
verrucosus Gebl. Fahr. S. 6. 2. 77 *R.m.*
v. aquila Fahrs. Faust St. 1889. 229
mendicus Gyll. S. 2. 238 *Ga.Ca.*
brevirostris Gyll. 237 *Ga.m.I.*
conicirostris Oliv. Ent. 5. 83. 264 *Aegypt.*
orbitalis Fahrs. S. 6. 2. 111 *Si.*
cylindricus Reiche Cat. 548 *Gr.*
serieguttulatus Desbr. Op. 16
v. hispanus Chevr. 12 *Hi.*
virgatus Gyll. 242 *Ca.*
elongatus Gebl. B. Petr. 1845. 104 *Arax.*
nasutus Hochh. B. M. 1847. 483 *Armen.*

Plagiographus Chevr.

fasciculosus Reitt. D. 1890. 157 *And.*
crinipes Fahrs. S. 6. 2. 35. Bed. 262 *Ca.*
ericae Fahrs. Chevr. 22 *Ga.E.m.*
callosus Bach Käferf. 230 *G.*
arciferus Chevr. Ab. 17. 68 *Hi.Ga.*
? cicatricosus Hoppe 1795 *Bavaria*
nigrosuturatus Goeze Bedel F. 261 *Ga.G.*
obliquus F. Gyll. S. 2. 192 *E.m.*
Amori Mars. Ab. 1868. 199 *Hi.m.*
gaditanus Chevr. 22
excoriatus Gyll. S. 2. 194 *E.m.*
lacunosus Gyll. l. c.
megalographus Fahrs. l. c. 33
tabidus Gyll. S. 2. 192

sulcicollis Fahrs. S. 6. 2. 34 *Si.*
tabidus Oliv. Enc. V. 534 *Gr.Ga.*
Pelleti Fairm. A'. 1859. 52 *C.*
nebulosus L. Bedel 262 *E.md.b.*
carinatus Degeer Ins. 5. 241
glaucus Panz. Faun. g. 19. 6
guttulatus Gyll. S. 2. 178 *F.*
v. Lethierryi Chevr. 24 *Hi.*
Graëllsi Chevr. 25 *Ga.Hi.*
montalbicus Costa M. Nap. 1885. 26 *S.*
glaucus F. Mant. 1. 114. Seidl. 597 *E.md.*
v. turbatus Fahrs. S. 6. 2. 9 *E.*
glaucus Gyll. Ins. 3. 265

Stephanocleonus Motsch.

foveicollis Gebl. S 2. 234 *R.m.*
fatuus Gyll. S. 2. 213
podolicus Chevr. 23 *R.*
v. atrirostris Gebl. Mém. Mosc. 30. 60
tetragrammus Pall. Ic. 29 *Ca.*
concinnus Gyll. S. 2. 186 *Hu.*
microgrammus Gyll. l. c. 187 *Ca.*
fascicularis Gebl. S. S 2. 427 *R.m.or.*
pruinosus Gyll. S. 2 183 *?Si.*
ignobilis Faust D. 1883. 126 *R.or.*

Chromonotus Motsch.

confluens Fahrs. S. 4. 2. 82 *Arax.*
vittatus Zoubk. B. M. 1829. 163 *R.m.or.*
v. interruptus Zoubk. l c.
v. bipunctatus Zoubk. l. c. 164
v. hemigrammus Chev. A' 1876. 149 *Ca.*
pilosellus Fahrs. S. 6. 2 97 *R.m.or*
v. proximus Faust St. 1883. 97 *R.or.*
humeralis Zoubk. l. c. 165 *R.m.*
pictus Pall. S. 2. 190 *R.m.*
hirsutulus Faust St. 1883. 97 *R.or.*

Pleurocleonus Motsch.

bicarinatus Gebl. Faust St. 90 114 *R.m.or.*
sexmaculatus Kryn. B. M. 32. 5. 153
sollicitus Gyll. S. 2 211 *R.m.*
sexmaculatus Fahr. 6. 2. 62 Fst. l. c.
4-vittatus Zoubk. B. M. 1829. 161 *R.m.*
bicarinatus Gyll. 212
Gotschi Hochh. B. M. 47. 2. 481 *Armen.*

Chromoderus Motsch.

fasciatus Müll. Bedel F. 265 *E.*
affinis Schrank Ins. 121
niveus Bonsdorff Curc. 2. 21
albidus F. Mant. 1. 114
berolinensis Gmel. ed. 1. 4. 1799

declivis Oliv. Fahr. S. 6. 2. 113 *Hu.*
picipes Fahrs. 112. Faust St. 89. 229 *R.*
v. scalaris Fisch. B. M. 1835. t. 6

Leucomigus Motsch.

candidatus Pallas Gyll. S. 2. 173 *R.m.*
v. tessellatus Fairm. A. 49. 424 *Hi.Ga.*
Abeillei Chvrl. M. Liége 1873. 82 *Ga.m.*

Liocleonus Motsch.

clathratus Oliv. Gyll. S. 2. 171 *T.Ca.*
v. amoenus Chevr. A. 1876. 148 *Ca.*

Mecaspis Schönh.

emarginatus F. Mant. 1. 114 *Ga.Cri.*
florentinus Hbst. Käf. 6. 59 *E.m.*
palmatus Oliv. Gyll S. 2. 213
alternans Hbst. Bedel Fn. 263 *E.md.m.*
lurcans Herbst Käf. 7. 14.
v. caesus Gyll. 217 *Ca.*
cunctus Gyll. 218 *E.m.*
moerens Fahrs. S 6. 2. 40 *R.m.*
incisuratus Gyll. 215
coenobita Oliv. Fahr. 6. 2. 45 *Ga.G.E.m.*
v. nanus Gyll. 216 *I.*
v. misellus Gyll. 217 *Lu.Hi.*
Reitteri Retowsk. W. 1887. 130 *R.m.*
8-signatus Gyll. S. 2. 214 *Ca.*

Pseudocleonus Chevr.

cinereus Schrank Bed. Fn. 263 *E.md.m.*
costatus F.
bilineatus Rossi
senilis Rosenh. Th. And. 250 *Hi.m.*
fimbriatus Chevr. Rev. Z. 1860. 187 *C.*
grammicus Panz. Gyll. S. 2. 201 *E.md m.*
marginicollis Fahrs. S. 6. 2. 41 *R m.*
barbarus Oliv. Enc. V. 534 *I.*
ocularis F. Ent. Syst. 1. 2. 400
Fabricii Gemm. Col. Hft. 8. 122 *G.*
roridus F. Gyll. S. 2. 204 *A.I.*

Cleonus i. spec.

piger Scop. Carn 23. Bedel 264 *E.*
sulcirostris L. Gyll. S. 2. 180 *E.m.*
scutellatus Boh. S. 2. 181. *Ga.A.Hu.*
impexus Motsch. Petr. 60. 446 *R.m.or.*

Cyphocleonus Motsch.
Porocleonus Mot. Xanthochelus Chvr.

morbillosus F. Gyll. S. 2. 208 *Ga.A.E.m.*
tigrinus Oliv. Ent. 5. 83. 260
trisulcatus Herbst Fahr. S. 6. 2. 37 *E.*
v. adumbratus Gebl. S. 2 220 *R.m.*
v. altaicus Gebl. Ledeb. 2. 154 *R.m.*

volvulus Schönh. 6. 2. 104 *Ca.*
sparsus Gyll. S. 2. 210
testatus Gyll. S. 2. 209 *I.*
achatesides Chevr 90 *?R.m.*
sparsus Gyll. S. 2. 205 *I.C.*
Schönherri Gemm. Col. Hft. 8. 122
cenchrus Pallas Gyll. 207 *Ca.R.m.*
Miegi Fairm. A. 1855. 317 *Hi.*
Piochardi Bris. A. 1866. 390
?alboguttatus Chevr. Ab. 17. 69 *Hi.*
tigrinus Panz Naturf. 24. 21 *E.md.m.*
marmoratus F. Gyll. 206
Marmottani Bris. A. 1866. 391 *Hi.*
sardous Chevr. Col. Hft. 1869. 75 *S.*
Raymondi Perris. Ab. 1870. 22
insidiosus Chevr. 61 *R m.*
achates Fahrs. S. 6. 2. 5 *Hu.*
nomas Pall. It. App. 463 *R.m.*
omogeron Hbst. Käf. 7. 11 *Ca.*
firmus Schönh. Gyll. S. 2. 203

Gonocleonus Chevr.

Helferi Chevr. Guér. Ic. 144 *Si.*
margaritifer Luc. Alg. 422 *Hi.*

Leucosomus Motsch.

pedestris Poda 1761 *E md.m.*
Momus Scop. Carn. 33 B. 263
4-punctatus Schrank Naturf. 24. 71
ophthalmicus Rossi Fn. Etr. 128
distinctus F. Ent. S. 2. 459
v. pasticus Germ. S 2. 184 *I.*
ocellatus Fahrs. S. 6. 2. 12 *Si.*
v. Martorelli Fairm. A. 1879. 244 *Hi.*
quadratithorax Dsbr. Hipp. 84. 155 *Hi.m.*

Neocleonus Chevr.

vittiger Fahrs. S. 6. 2. 11 *R.m.Creta*
frenatus Reiche Catal. 545
Pallasi Fahr. 30 *Casp.*
dealbatus Germ. Fahr. 3 *Ca.*

Pachycerus Schönh.

Rhabdorrhynchus Motsch.

madidus Oliv. Ent. V. 83. 253 *E.m.*
cordiger Germ. Bedel Fn. 265
segnis Germ. Ins. 398 *A.Cro.*
scabrosus Brull. Gyll. S. 2 246 *Hu.*
v. planirostris Boh. Gyll. 199 *Si.*
v. albarius Gyll. 246 *Ga.Si.*
echii Chevr. M. Liége 1873. 81
mixtus F. Bedel Fn. 265 *Alg.*
atomarius Fahr. S. 6. 2. 122 *Si.*
Menetriesi Gyll. l. c 118 *Ca.*
v. varius Hbst. Gyll S. 2. 245 *Ga.G.E.m.*

crucifer Hochh. B. M. 47. 485 *Arm.*
Karelini Fahrs. S. 6. 2. 119 *Gr.*

Trachydemus Chevr.

rugosus Luc. Alg. 423 *Alg.*
v. basalis Chevr. Rev. Z. 1860. 80 *Ga.m.*

labronicus Lopez Sic. 1889. 240 *I.*

Lixus

Fabricius.

Capiomont A. 1874. 1875

paraplecticus L. Cap. 471 *E.*
iridis Oliv. Cap. 474 *E.*
turbatus Gyll. Ins. 4 553
gemellatus Gyll. S. 3. 6
v. incarnatus Gyll. S 3. 7. *D.*
v. geminatus Boh. S. 7. 419 *C.*
v. ?connivens Gyll. S. 3. 5 *Ca.*
v. conformis Capiom. 475 *Ga.*
Nordmanni Hochh. Cap. 478 *Ca.*
posticus Faust. St. 1884. 466 *Ca.*
Eversmanni Hochh. B. M. 47. 530 *Armen.*
canescens Fisch Cap 482 *R.m.*
anguinus L. Cap. 484 *Ga.E.m.*
v. anguiculus Boh. S. 3 11 *Gr.*
castellanus Chevr. Cap. 485 *Hi.*
siculus Boh. Cap. 486 *Si.*
♀ tenuirostris Boh. S. 7. 421
desertorum Gebl Cap. 488 *R.m.*
bidens Capiom. 488 *Si.*
motacilla Schönh. Cap. 490 *Ca.*
recurvus Oliv. Ent. 5. 83. 237 *Ca.*
furcatus Oliv. Cap. 491 *Ca.*
sitta Sahlb. Cap. 492
inops Schönh. Cap. 493 *E.m.*
parallelus Bohem. Cap 493 *Si.*
cylindrus F. Spec Ins. 172 *Ga.G.E.m.*
cylindricus F. Mant 103 Cap. 494
hypocrita Chevr. Cap. 495 *Ligur.Hi.*
scabricollis Boh. Cap 496 *Ga.Hi.*
perparvulus Desbr. Sch. M. 72. 190
mucronatus Oliv. Cap. 499 *E.m.*
venustulus Boh. S 3. 20
Chevrolati Boh. S. 7. 420
augurius Boh. Cap. 500 *Hi.*
brevirostris Boh. Cap. 501 *Si.Hi.*
nanus Boh. S. 3. 22. *Ga.m.*
cretaceus Chevrol. Rev. Z. 1866. 28
subulatus Faust *Ca.*
sanguineus Ross. Cap. 502 *E.md.m.*
angustus Herbst Käf. 6. 45
seniculus Bohem. S. 3. 91
rufulus Bohem. 92

bicolor Panz. Faun. Germ.. 18. 4
umbellatarum F. Cap. 504 *S.*
submaculatus Boh. S. 7. 440
brevicaudis Küst, Käf. 17. 79
pardalis Bohem. S. 3. 77 *Lu.*
subtilis Boh. Cap. A. 1875. 41 *G.Hu.T.b.*
inquinatus Boh. S. 3. 72 *Ca.*
scapularis Faust W. 1887. 72 *Gr.*
difficilis Cap. 42 *Hu.*
brevipes Bris. Cap. 44 *Hi.I.*
salicorniae Faust Hor. 22 158 *Casp.*
acicularis Germ Ins. 396 *E.m.*
ruficornis Boh. S. 3. 28
v. superciliosus Boh. 3. 27 *Lu.*
acutus Boh. Cap. 45
palpebratus Boh. 3. 25
curvirostris Cap. 47 *S.*
trivittatus Cap. 49 *Ga.m.*
Rosenschöldi Boh. Cap. 51 *Lu.I.*
aeruginosus Cap. 52 *I.Bal.*
sanguineus Boh. 3. 26
Ascanii L. Cap. 52 *Ga.Hi.*
v. sicanus Cap. 53 *Si.*
v. albomarginatus Boh. 7. 435
v. Wagneri Luc. Alg. 436 *Hi.m.*
dubitabilis Fairm.
v. lateralis Bris. A. 1866. 406 *Hi.*
Linnei Faust Hor. 22. 159 *R.m.*
amoenus Faust l. c. 160 *R.m.*
insularis Cap. 55 *Si.*
puncticollis Bris. Cap. 56 *Hi.*
tibialis Boh. Cap. ibid. *I.*
lateralis Panz. Cap. 57 *I.Si.*
binotatus Boh. 3. 71 *A.*
elegantulus Boh. Cap. 58 *D.Hu.*
vibex Pallas Cap. 59 *R.m.*
lycophorus Boh. 3. 63 *Ca.*
spartii Oliv. Cap 61 *Ga.E.m.*
fallax Bohem. 7. 446
linearis Oliv. Ent. 5. 83. 248 *Gr.*
myagri Oliv. Cap. 62 *E.md.m.*
diloris Germ. Ins. 395
marginemaculatus Bach 284
pistrinarius Boh. S. 3. 64
v. punctirostris Boh. 7. 445 *Hu.*
suetus Boh. Cap. 64 *R.m.*
algirus L. Cap. 257 *Ga.G.A.*
angustatus F. Syst. Ent. 135 *E.m.*
Lefebvrei Boh. S. 3. 17
pulvereus Oliv. Enc. 5. 564
?Kolenatii Hochh. B. M. 1847. 533
v. ferrugatus F. Ent. S. 2. 416 *Hi.*
v. varicolor Boh. 3. 65 *I.*
euphorbiae Cap. 260 *Hu.*

punctiventris Bh. 3. 45. Cap. 263 *E.m.* [illegible]
abdominalis Boh 3. 67
angusticollis Boh. 3 83
bimaculatus Luc. Alg. 441
cylindricus Hbst. Bed. F. 268 *E.md.b.*
bardanae F. Cap. 265
tristis Bohem. Cap 266 *R.m.*
speciosus Mill. W. Mon. 1861. 208 *Ca.*
irresectus Bohem. Cap. 267 *Hu.R.*
constrictus Bohem. 3. 78. *Hu.S.*
fasciculatus Bohem. S 3. 80 *R.m.*
elongatus Germ. Cap 269 *D.I.H.*
vilis Rossi S. 3. 69 *E.m.*
bicolor Oliv. Cap. 271 [illegible]
nigritarsis Boh S. 3. 68
concanescens Boh 3. 88
orbitalis Boh. Cap. 272 *R.m.*
circumdatus Schönh. 3. 66 *A.*
junci Boh. Cap. 273 *E.m.*
ascanioides Villa Col. dupl. 25
conicollis Boh. 3. 90
cinnabarinus Waltl Rs. Span. 2. 80 *Hi.*
scolopax Boh. Cap. 274 *E.m.*
barbarus Boh. S. 7. 432
sardiniensis Boh. 470
affinis Luc. Alg. 439
v. cynarae Graëlls Mém. 1858. 86 *Hi.*
sulphuratus Boh. Cap. 276 *Ca.?Si.*
lutescens Cap. 277 *D.Si.Ca.*
cardui Oliv. Cap. 280 *E.m.*
pollinosus Germ Ins. 394
v. cynarophilus Cap. 281 *Hi.*
elongatus Goeze Bedel 270 *E.md.m.*
filiformis F. Cap 281
bardanae Panz. Fn. 18. 3.
v. rufitarsis Boh. S. 3. 78 *E.m.*
flaveolus Motsch. B. M. 1849. 3. 138 *Hi.*
sinuatus Motsch ibid. 139 *R.m.*
curtirostris Tourn. Led. 290 [illegible]
flavescens Boh. Cap 282 *A.Hu.*
aberratus Boh. S. 3 5 *R.E.m.*
Marqueti Desb. Sch. M. 72. 190 *Ga.m.*
astrachanicus Faust D 1883 207 *R.m.*
tigrinus Reitt. D. 1890. 160 *Arax.*
incanescens Boh. Cap. 285 *R.m.*
v. caucasicus Faust [illegible]
salsolae Becker B. M. 1867. 113 *R.m.*
cinerascens Bohem. Cap. 286 *R.m.*
Kraatzi Capiom. 287 *R.m.*
vittiger Chevr. Guér. Ic. 144 [illegible]

Ileomus Schönherr.

pacatus Gyll. S. 3. 146 [illegible]
perplexus Faust Hor. 22. 157 [illegible]

cribricollis Boh. Bedel 268 *Ga.G.*
ferrugatus Oliv. Cap. 262 *E.m.*
guttiventris Boh. S. 7. 469
miniatocinctus Desbr.
subulipennis Boh. S. 3. 33. *R.*

Larinus
Germar.
Capiom. A. [illegible]

onopordi F. Mant. 1. 98 *I.Gr.*
maculatus Gyll. S. 3. 112 *Ca.*
inaequalicollis Cap. 65 *R.m.*
vulpes Oliv. Cap. 66 *E.m.*
maculosus Schönh. 3. 112
reconditus Boh. S. 7. 2. 10 *Ga.*
maculatus Fald. Cap. 67 *Ca.*
onopordi Oliv. Ent. 5. 83. 272
vittatus F. Sp. Ins. 164 *E.m.*
ursus F. Cap. 70
albarius Boh. 7. 7. Cap. 71 *Si.*
Bedeli Reitt. (emend.) *Si.*
vittatus Cap. 72
Genei Boh. Cap. 72 *C.S.*
buccinator Oliv. Cap. 73 *E.m.*
tubicen Boh. S. 7. 2. 6. *Hi.*
similis Boh. 21 *Si.Hi.*
Chevrolati Boh. Cap. 73
granicollis Boh. Cap. 76 *Ca.*
brevis Herbst Käf. 6. 127 *Ga.G.Hu.*
senilis F. Cap. 77 *E.m.*
lineatocollis Gyll. S. 3. 121
St. Balmae Abeille A'. 1872. 43
? morio Gyll. 132 *Ga.*
carinirostris Gyll. Cap. 78 *I.Gr.*
maurus Oliv. Cap. 284 *E.m.*
guttifer Boh. 13
idoneus Gyll. Cap. 285 *R.m.*
bicolor Boh. 20
Reichei Capiom. 286 *Ga.m.Hi.*
suborbicularis Cap. 289 *Hi.*
ferrugatus Gyll. S. 3. 132 *Ga.m.Hi.*
brevis Gyll. Cap. 291 *I.*
depressirostris Reitt. D. 1890 158 *Ca.*
cynarae F. Cap. 291 *E.m.*
v. glabrirostris Gyll. S. 3. 109 *Si.*
v. timidus Gyll. 115 *R.m.*
latus Herbst Arch. 4. 71 *E.m.*
cardui Rossi Cap. 292 *Hu.*
subcostatus Brull. Mor. 3. 244
hispanicus Motsch. B. M. 1849 3. 137
v. cirsii Stev. Gyll. 107 *R.m.*
v. conirostris Gyll. 105 *I.*
v. [illegible] Gyll. 108 *Ca.*
bardus Gyll. Cap. 294 *Ca.*
v. sulphuratus Gyll 116
scolymi Oliv. Cap. 295 *E.m.*
canescens Gyll. S. 3 136 *A.Hu.*
cinerascens Cap. 297
Lederi Faust W. 1889. 203 *Arax.*
remissus Faust W. 1889. 204 *Arax.*
ochroleucus Cap. 75 *Arax.*
Reitteri Faust W. 1889. 205 *Arax.*
meridionalis Rosenh. And. 263 *Hi.*
flavescens Germ. Cap. 299 *E.m.*
planus Herbst Käf. 6 68
carinifer Boh S. 7. 2 16 *Si.*
teres Herbst Käf. 6. 128
lynx Küst. Käf. 11. 92 *S.*
syriacus Gyll. Cap. 301 *R.m.*
sericatus Boh. 14
obtusus Gyll Cap. 302 *Ga.G.*
dissimilis Cap. l. c. *E m.*
australis Cap. 303 *Ga.Hu.I.*
serratulae Cap. 306 *R m.*
volgensis Becker B. M. 1864. 477
minutus Gyll. Cap. 307 *E.m.*
turbinatus Gyll. Cap. 309 *E.m.*
sturnus Schall. Cap 310 *E.*
?pollinis Laich. Tirol 229
conspersus Boh. Cap. 311
rusticanus Gyll. S. 3 123 *E.m.*
virescens Boh. Cap. 312
planus F. Germ. Ins. 389 *E.*
carlinae Oliv. Bedel 271
stellaris Gyll. Cap. 316 *E.m.*
ungulatus Gyll. Cap. 317 *R.m.*
ruber Motsch. B. M. 1845. 101 *R.*
jaceae F. Cap. 318 *E.md.m.*
foveicollis Gyll. S. 3. 130
leuzeae Fabre Ab. XII. 279 *Ga.m.*
Brenskei Faust D. 1890. 324 *Morea*
afer Gyll. Cap. 319 *Lu.Hi.*
♀ acanthiae Gyll. 135
Schönherri Capiom. 320 *Hi.*
centaureae Oliv. Cap. 322 *Gr.*
Tournieri Stierl. W. Mon. 61. 233
albocinctus Chevr. Rev. Z. 1866. 106 *Hi.*
albomarginatus Cap 323
longirostris Gyll. Cap. 324 *E.m.*
confinis Duv. Gen. 54 *Hi.*
filirostris Rosh. And. 268
v. consimilis Cap. l. c.
Stierlini Mars. Faust W. 1887. 32 *Gr.*
longirostris Stierl. B. 1864. 150 *Si.*
hololeucus Motsch. B. M. 1845. 101 *R.m.*
rufipes Desbr. Sch. M. 70. 191 *E.or.*
Lethierryi Bris. A. 1866. 402 *Hi.*

escorialensis Bris. l. c. 401 *Hi.*
immitis Gyll. Cap. 327 *E.m.*
villosus Boh. Cap. 328 *T.Gr.*

---

lineola Dufour Oss. 82 *P.*
pollinis Germ. Ins. Sp. 388 *Ill.D.*

Stolatus
Mulsant.

horridus Reitt. D. 1890. 159 *Arax.*
crinitus Boh. Cap. 308 *H.Tr.R.m.*
 Nicolasi Muls. A. Linn. 20. 46 *Ga.m.*
 hirtellus Helfer Sturm Cat. 43. 209
 hirtus Waltl Isis 38. 468

Bangasternus
Gozis.
Coelosthetus Cap. A. 1873. 273.

planifrons Brull. Cap. 277 *D.Gr.T.*
villosus Capiom. 279 *Alger.*
 v. hispanicus Cap. 280 *Hi.*
siculus Capiom. 282 *Si.*
Diecki Capiom. 282 *Hi.m.*
orientalis Cap. 283 *A.T.Ca.*
 antiodontalgicus Redt.
provincialis Fairm. Cap. 284 *Ga.m I.*
Fausti Reitt. D. 1890. 159 *Arax.*

Rhinocyllus
Germar.

Schönherri Capiom. 288 *Ca.*
oblongus Cap. 290 *Gr.T.Hi.*
conicus Froelich Naturf. 26. 132 *E.md m.*
 latirostris Latr. Hist. 11. 125
 antiodontalgicus Gerbi Cap. 292
 odontalgicus Oliv. Ent. 5. 83. 282
 v. Olivieri Gyll. S. 3. 148
inquilinus Gyll. Cap. 294 *F.*
depressirostris Boh. Cap. 295 *R.m.*

Microlarinus
Hochhuth.

rhinocylloides Hochh. B. M. 47. 2. 541 *Ca.*
Lareynici Duval A. 1852. 714 *Ga.m.*
Diecki Faust St. 1890. 111 *Andalus.*

Tropiphorini.

Tropiphorus
Schönherr.
Synirmus Bedel
Stierlin. Schweiz. Mittheil. 1880. 71.
Fauvel, Revue d'Ent. 1888. 161. (R.)

obesus Fauv. 162. St. *Car.Tr.Cri.*
 micans Stierl. l. c.
micans Boh. S. 6. 2. 258 *Hu T.*
carinatus Müll. Fauvel 165 *E.md.b.*
 elevatus Herbst Käf. 6. 235
 mercurialis F. Syst. El. 2. 530
 abbreviatus Stierl. 71
tomentosus Marsh. Fauv. 165 *Mont.E.md.*
 cinereus Boh. S. 6. 2. 260
 tricristatus Stierl. 71
obtusus Bonsd. Fauv. 166 *E.b.*
 lepidotus Hbst. Kf. 6. 233 *Mont.E.md.*
 mercurialis Stierl. 71
 pedemontanus Stierl. 71 *Pe.*
 longicollis Stierl. 71 *MR.*
 tricristatus Desbr. Sch. M. 1871. 348
globatus Herbst Fauv. 166 *St.*
ochraceosignatus Boh. Fauv. 167 *Alp.or.*
cucullatus Fauv. 163 *Ju.Alp.Hu.P.*

*

styriacus Bedel Fauv. 167 *Alp.or.Hu.*
 carinatus Boh. Redtb. Stierl. *A.Ti.*

*

caesius Friv. Term. 79. 232 *Rhilo Dagh.*

Rhytirrhinini.

Rhytirrhinina.

Minyops
Schönherr.

carinatus L. Boh. S 2. 317 *Ga.G I. IR.Ca.*
 v. variolosus F. Boh. 318. Sdl. Tr. 668
rudis Mén. Petr. 49. 259 *R.m.or.*
scrobiculatus Gyll. S. 2. 320 *Si.Cri.*
sinuatus Boh. S. 6. 2. 287 *Si.*
costalis Gyll. S. 2. 320 *R.m.*
costatus Boh. 288 *T.*
minutus Boh. 289 *T.*
lutosus Friv. Magyar. 1835. 266 *T.*
planicollis Stierl. Sch. M. 1888. 57 *Gr.*

Rhytirrhinus
Schönherr.
Allard Heyd. Sp. 187.

dilatatus F. Syst. El. 2. 520 *Hi.*
stenoderus Gemm. Col. H. 1871. 122 *Hi.*
 angusticollis Rosh. And. 254 *And.*
variegatus Motsch. B. M. 1849. 139 *Hi.*
clitellarius Boh. S. 6. 2. 435 *Hi.m.*
 annulipes Luc. Alg. 430 *Alg.*
subfasciatus Rosh. And. 255 *Hi.*
interruptus Bris. A. 1866. 397 *Hi.*
Bonvouloiri Bris. ibid. 400 *Hi.*
scaber Allard 191 *Hi.*

crispatus Boh. 436 *Hi.I.*
nodifrons Boh. S. 2. 418 *Hi.*
atticus Reiche A. 1857. 686 *Gr.*
Krüperi Stierl. Sch. M. 1888. 17 *Gr.*
deformis Reiche A. 1858. 60 *Gr.*
horridus Reiche A. 1857. 184
parvus Rosh. And. 258 *Hi.m.*

*

caudatus Bris. A. 1866. 394 *Hi.*
escorialensis Bris. A. 1866. 394 *Hi.*
Brucki Allard 199 *Hi.*
impressicollis Boh. S. 2. 419 *Ga.S.*
Luciae Ragus. Sic. 2. 304 *Si.*
v. impressicollis Fairm. St. 69. 232 *Ga.*
v. alpicola Fairm. St. 1869. 232 *Ga.alp.*
longulus Rosh. And. 257 *Hi.*
variabilis Bris. A. 1866. 398
Stableaui Fairm. A. 1862. 554 *P.or.*
laevirostris Fairm. A. 1859. 278 *C.S.*
gibbus Kolenati B. M. 1858. 85 *Ca.*
modestus Schauf. Nq. ot. 543 *Bal.*

Gronops
Schönherr.

lunatus F. Ent. Syst. 2. 466 *E.*
v. [illegible] Rossi Fn. 1. 150
[illegible] Ahr. Hal. 2. 16
v. ♂ seminiger All. Heyd. Sp. 205
[illegible] Tourn. Sch. M. 4. 172 *Lu.*
sulcatus Boh. S. 6. 2. 135 *R.m.*
fasciatus Küst. Kaf. 23. 60 *Hi.*

Dichotrachelus
Stierlin.

Schweiz. Mitth. 5. 545

Kraatzi Stierl. 547 *Pe.*
Ghilianii Stierl. 549 *Pe.*
tenuirostris Stierl. 551 *Pe.*
Linderi Fairm. Stierl. 553 *P.*
Bigorrensis Bonv. A. 1861. 569
sulcipennis Stierl. 556 *Zermatt.*
Manueli Mars. Stierl. 548 *MC.*
v. concavicollis Tourn. A. B. 22. 116 *Wallis*
v. bernhardinus Stierl. 552 *H.*
v. pedemontanus Stierl. 554 *MC.*
gallicus Tourn. A. B. 22. 117 *Ga.m.*

*

seminudus Tourn. l. c. 118 *Balme*
Imhoffi Stierl. 557 *Bernina*
v. [illegible] Tourn. l. c. *H.*
Rudeni Stierl. 559 *H.Pe.*
alpinus Bremi St. 1855. 197
maculosus Fairm. Stierl. 560 *Ga.alp.*
angusticollis Chevr. Stierl. 557 *Ga.*
sulcirostris Tourn. l. c. 121 *Balme*
v. Knechti Stierl. 561 *Pe.*
depressipennis Tourn. l. c. 119 *H.*
Stierlini Gredl. Stierl. 560 *Ti.Pe.H.*
sabaudus Fairm. A. 1861. 586 *Ga.alp.*
v. vulpinus Gredl. Pass. 2. 72 *Ti.*
Kimakowiczi Flach W. 1890. 36 *Tr.*

*

valesiacus Stierl. 561 *Wallis*
verrucosus Kiesw. Stierl. 565 *P.or.*
alpestris Stierl. 566 *Jura*
clavuliger Dufour *P.*
muscorum Fairm. Stierl. 567
Graëllsi Perris Stierl. 567 *Hi.md.*
Paulinoi Stierl. Sch. M. 1887. 397 *Lu.*
Koziorowiczi Desbr. Stierl. 568 *C.*
Tournieri Stierl. 569 *Jura*
minutus Tourn. l. c. 122 *Jura*
pygmaeus Stierl. Sch. M. 1888. 18 *Ti.*

Alophina.

Trachelomorphus
Seidlitz.

Baudii Seidlitz Fn. Balt. 119 *Pe.*

Alophus
Schönherr.

Stierlin, Mittheil. Schweiz. 1888. 64.

agrestis Bohem. S. 6. 2. 206 *Ca.*
v. armeniacus Hochh. B. M. 47. 2. 486
elegans Stierl. 65 *T.*
triguttatus F. Syst. Ent. 148 *E.*
nictitans Boh. S. 6. 2. 207 *Aegypt.*
singularis Duval Gen. 21 *Ga.m.Gr.*
asturiensis Stierl. 65 *Asturia*
foraminosus Stierl. 66 *Gr.Alban.*
Stierlini Reitt. D. 1885. 211 *Bosn.Tr.*
Kaufmanni Stierl. Sch. M. 7. 43 *Hu.*

Rhytidoderes
Schönherr.

(Rhytideres.)

plicatus Oliv. Ent. 5. 83. 322 *Ga.E.m.*
v. siculus Fahrs. S. 6. 2. 61

Hylobiini.

Lepyrus
Germar.

palustris Scop. Carn. 33 *E.*
colon L. Boh. S. 6. 2. 295

v. Herbichi Zawadsky *Hu.*
asperatus Schauf. Nq. ot. 554
v. canus Gyll. S. 2. 331 *G.*
dorsalis Reitt. D. 1890. 395 *Hu.*
capucinus Schall. Hal. 1. 283 *E.*
binotatus F. Boh. 296
v. terrestris Mot. Schrenck 165 *Po'on.*
arcticus Payk. Gyll. S. 2. 333 *L.*
v. 4-notatus Boh. S. 6. 2. 295
v. volgensis Faust D. 1882. 272 *R.m.*
variegatus Schmidt Jahr. Krain 56. 18 *Cr.*
Ganglbaueri Faust Hor. 22. 155 *Alp.*

Hylobius
Schönherr.
Curculio Bedel.

piceus Degeer Mém. 5. 221 *E.md.b.*
pineti F. Gyll. S. 2. 333
abietis L. Gyll. 334 *E.*
?rugulosus Boh. S. 2. 336 *Ga.m.*
pinastri Gyll. S. 2. 335 *E.*
v. sublaevis Motsch. Schrenck 165 *R.*
verrucipennis Boh. S. 2. 337 *Ca.*
albopunctatus Boh. S. 2. 343 *Ca.*
fatuus Rossi Boh. S. 2. 344 *I.Ga.G.R.*
transversovittatus Goeze Bed Fn. 273
alpheus Reiche Kiesw. B. 1864. 271 *Gr.*
v. fulvopictus Reitt. D. 1884. 96

Anisorrhynchus
Schönherr.
Desbroch. A. 1875.

punctatosulcatus Desbr. 170 *Lu.*
aratus Boh. S. 6. 2. 314. A. 75. 172 *Lu.*
fallax Desbr. 173 *Iti.m.Lu.*
hespericus Desbr. 174 *Lu.Hi.*
v. occidentalis Desbr. 176
v. sulcatulus Desbr. 176 *Lu.*
v. arduus Desbr. 176
v. elongatus Desbr. 177 *Hi.*
v. laevicostatus Desbr. 177
v. scabratus Desbr. 176
bajulus Oliv. Ent. 5. 83. 287 *Ga.G.*
curtus Perris A. Lyon 1857. 137
v. gallicus Desbr. 177
v. Sturmi Bohem. 310. Dsbr. 180 *Ga.m.I.*
v. barbarus Boh. S. 6. 2. 312 *Si.*
v. catenulatus Desbr. 184 *Si.*
cornutus Perez An. Esp. 3. 143 *Hi.*
costatus Boh. 311. Desbr. 185 *C.S.*
monachus Grm. Boh. 313. Dsbr. 187 *D.Ill.*
v. siculus Boh. 312 *S.Si.R.*
v. alternans Boh. 312

Liparus
Olivier.
Molytes Schönherr.

dirus Herbst Gyll. S. 2. 354 *Ga.G.Hu.*
glabratus F. Syst. E. 2. 475 *I.b.*
laevigatus Gyll. 355 *R.m.*
v. glabrirostris Küst. 18. 82 *Mnt.E.md.*
carinirostris Küst. Kf. 15. 57
germanus L. Gyll. S. 2. 351 *Mnt.E.*
carinirostris Gyll. 352
laevirostris Gyll. 352
illyricus Gyll. 353 *Car.Ill.*
coronatus Goeze Gyll. 350 *Su.E.md.*
v. sulcirostris Desbr. Sch. M. 71. 372 *Ga.*
v. fallax Baudi Cat. Col. Piem. 163 *Pe.*

Trysibius Schönherr.

tenebrioides Pall. Ic. 36 *R.m.*
Besseri Boh. S. 2. 359
graecus Brull. Exp. Mor. 240 *Gr.*
v. punctipennis Brull. Boh. S. 6. 2. 307 *T.*
intermedius Waltl Isis 38. 268. Boh.
Olivieri Bohem. 306 *Gr.* [305 *T.*
tenebrioides Oliv. Ent. 5. 83. 287

Plinthus
Germar.

Meleus Lacord.
Reitter D. Zeit. 1884. 9. Faust Stett. 1884. 217.

*

caucasicus Desbr. (Bar.) Op. 1 *Ca.*
v. grusinus Reitt. 11
Schneideri Tourn. Leder 292 *Ca.*
difficilis Faust St. 1884. 220 *Ca.*
Schneideri Reitt. l. c.
irroratus Reitt. ibid. 11 *Ca.*
Faldermanni Faust St. 1884. 218 *Ca.*
silphoides Herbst Boh. S. 6. 2. 329 *R.m.*
♀ illotus Gyll. S. 2. 364 *Ca.*
Steveni Germ. Ins. 332
causticus Faust Hor. 22. 163 *Ca.*
vittatus Reitt. 11 *Ca.*
Fausti Reitt. 12 *Ca.*
dolosus Faust St. 1884. 222 *Ca.*
incertus Faust ibid. 222
v. immunis Faust Hor. 22. 162
fallax Falderm. S. 6. 2. 330 Reitt. 12 *Ca.*
geometra Oliv. Ent. V. 289 *Ca.*

*

Gerli Bohem. S. 6. 2. 319 *Cro.D.*
Parreyssi Bohem. 328 *Alp.C.*
brevipennis Reitt. D. 1890. 94 *?Hu.m.*
Illigeri Germ. Ins. sp. 329 *Carn.*

Megerlei Panz. Gyll. S. 2. 361 *P. Alp. Cp.*
v. Findeli Bohem. 320 *Ill. T Gr.*
v. Tischeri Germ. l. c. 328 *Saxon. Siles.*
v. transsylvanicus Reitt. D. 90. 95 *Cp.*
v. germanicus Reitt. l. c. *Sax. Sudet.*
styrianus Bohem. 324 *St Carn.*
v. griseus Reitt. l. c.
negoianus Reitt. D. 1890. 96 *Transs.*
granulifer Bohem. 327 *A Sil.*
granulipennis Fairm. A. 1852. 89 *Si.*
parthenius Costa Part. 1858. 26
Sturmi Germ. Ins. sp. 530 *A Sil.*
Elekesi Ormay W. 1888. 167 *Tr.*
anceps Boh. S. 6. 2. 323 *Sil.*
setosus Reitt. D. 1890. 96 *Rom.*

*

Starcki Faust Hor. 22. 161 *Ca.*
Chaudoiri Faust. St. 1884. 220 *Ca.*
granulosus Reitt. 13 *Ca.*
swaneticus Reitt. 13 *Ca.*
depressicollis Reitt. 13 *Ca.*
mingrelicus Reitt. 13 *Ca.*

Neoplinthus Bedel.

tigratus Rossi Mant. 1. 39 *Ga. I. Alp.*
v. granulatus Bohem. S. 6. 2. 331 *Alp.*
v. mucronatus Rosenh. Beitr. 41 *Ti.*
v. porcatus Panz. Faun. g. 57. 16 *G. A.*
porculus F. Gyll. S. 2. 365 *Hu.*
Schalleri Germ. Ins. 331 *Alp.*

Plinthus s. str.

imbricatus Dufour A. Bord. 51 *P.*
nivalis Duval Genera 27
caliginosus F. Germ. 330 *Br. Ga. G.*
Perezi Bris. A. 1866. 408 *Astur.*

Hyperomorphus
Perris.
Acrisius Desbrochers.

Koziorowiczi Desbr. A. 1869. 396 *C.*
asperatus Perris Ab. 1870. 27

Liosoma
Stephens.
Leiosomus Schonh.
Bedel R. 3. 132.

robustum Seidl. B. 67. 187 Bedel 136 *Hi. m.*
reynosae Bris. A. 66. 393 Bed. 137 *Hi. b.*
deflexum Panz. Bedel 137 *E. md.*
ovatulum Clairv. Boh. S. 6. 2. 316 *Hi. I.*
♀ impressum Boh. S. 6. 2. 317 *Sax.*
neglectum Bremi St. 1855. 200 *H.*

v. Discontignyi Bris. Gren. Mat. 189 *P.*
v. collaris Rye M. M. 9. 242 *Br.*
Hopffgarteni Stierl. Sch. M. 1858 19 *Tr.*
Lethierryi Bris. Grn. Cat. 100 Bed. 137 *P.*
oblongulum Bohem. 316 Bd. 137 *Alp Cp.*
muscorum Bris. Gren. 189 Bedel 138 *P.*
v. geniculatum Bris. ibid. 189
rufipes Bris. Cat. 101. Bed. 138 *P. or.*
Kirschi Gredl. Kf. 2. 321. Bed. 138 *Ti.*
Reitteri Bedel R. 3. 138 *Ca.*
Pandellei Bris. l. c. 191. Bed. 139 *P.*
pyrenaeum Bris. l. c. 190 Bedel 139 *P.*
troglodytes Rye M. M. 10. 136 *Ga. Br.*
Baudii Bedel R. 3. 139 *I. Ti.*
scrobiferum Rottb. Bedel 140 *Si.*
cribrum Gyll. S. 2. 357 *Ga. b. Mt. E. md.*
concinnum Bohem. 318. Bedel 140 *Alp*
Isabellae Tschapek St. 1874. 207
cyanopterum Redtb. ed. 1. 440 Bed. 141 *A.*

Stierlini Tourn. B. 1860. 318 *Si.*

Ita
Tournier.

Kirschi Tourn. Led. 289 *Ca.*
crassirostris Tourn. A. B. 21. B. 19 *Si.*

Aparopion
Hampe.
Acrodrya Tourn.

costatum Fahrs. (Hmp.) S. 7. 2. 2409 *A. G.*
Brucki Tourn. A. B. 1874. 72 *Hu.*
Chevrolati Duv. Gen. 74 *Ga. m. I.*
corsicum Perris. Ab. 13. 9 *C.*
aequale Reitt. Nat. Brünn 22. 7 *Ca.*

Adexius
Schönherr

scrobipennis Gyll. S. 2. 367 *Ga. Cr. Ca.*
corcyreus Reitt. D. 1884. 120 *Corfu*
rudis Küst. Käf. 23. 68 *Silesia*

Trachodes
Germar.
Stereus Motsch.
Reitter, W. 1888. 267.

hystrix Gyll. S. 3. 513. Reitt. l. c. *R. m.*
ovatus Weise W. z. b. 1879. 482. *Ca.*
oblongus Reitt. l. c. *Circas.*
elongatus Reitt. l. c. *Talysch*
hispidus L. Gyll. S. 3. 514 *E.*

squamifer Payk. Gyll. S. 3. 200
Heydeni Stierl. Schw. M. 6. 253 *Tr. Cro.*

Anchonidium
Bedel.

unguiculare Aubé A. 1850. 340 *Ga. oc.*
rotundicolle Fairm.
ulcerosum Aubé A. 1850. 340 *Ca.*
corticeum Faust St. 1886. 32
perpensum Faust St. 1886. 32 *Ca.*
Krüperi Stierl. Schw. M. 1888. 18 *Balk.*

Echinomorphus
Fauvel.

Echinodes Jaquet (nec Leconte.)
Ravouxi Jacq. A'. 1888. 144 *Ga. m.*

Caulomorphus
Faust.

Lederi Chevrl. A'. 1880. 134 *Ca.*

Cotaster
Motschulsky.

uncipes Bohem. S. 4. 1055 *Ga. G. I.*
♀ cuneipennis Aubé A. 1850. 340 *Alp.*

Microcopes
Faust.

Stett. 1886. 31.
pilosus Motsch. B. M. 1851. 599 *Carn. Ca.*
uncatus Friv. A'. 1881. 103 *Hu.*

Styphloderes
Wollaston.

exsculptus Boh. S. 7. 2. 410 *Ga. m.*
littoralis Motsch. Rev. Zool. 1851. 426
Paulinoi Stierl. Schw. M. VII. 229 *Lu.*

Hyperini.

Capiomont Annal. 1867. 417 et. 1868. 73

Bubalocephalus
Capiomont.

Kiesenwetteri Cap. 488 *Hi. m.*
rotundicollis Cap. 486 *Andalus.*

Macrotarsus
Schönherr.

Bartelsi Bohem. Cap. 481. *R. m.*
ottomanus Desbr. Op. 15 *T.*
varius Bohem. *R. m. or.*
v. notatus Capiom. 483

Hypera
Germar.

Pachypera Capiom.

spissa Bohem. Cap. 493 *Ca.*
Kraatzi Capiom. 495 *Hu.*
arvernica Capiom. 499 *Ga.*
♀ pyrenaea Capiom. 502 *P.*
cyrta Germ. Cap. 500 *Hu. D. Ill.*
turbata Boh. S. 6. 2. 356 *Si. Gr.*

Hypera in spec.
Donus Jekel.

orientalis Capiom. 509 *Gr.*
intermedia Boh. Cap. 518 *Ga. Pe. H.*
♂ fascescens Boh. l. c. 370 *St.*
v. marmorata Cap. 520 *Tr. Hu.*
v. Aubei Capiom. 521 *P.*
oxalidis Herbst Cap. 512 *Ga. G. A.*
♀ viennensis Herbst Boh. S. 2. 396 *H.*
♂ monticola Bach St. 56. 244
v. ovalis Bohem. Cap. 515 *Ga. G.*
tessellata Herbst Cap. 524 *G. A.*
maculata Redtb. Quaed. 19 *Tr.*
variegata Brull. Cap. 525 *Gr.*
circassicola Reitt. D. 1888. 264 *Ca. oc.*
philanthus Oliv. Cap. 531 *E. m.*
v. carinirostris Chevr. Rev. Z. 1860. 133
v. austera Bohem. Cap. 528 *Hi.*
fuscata Boh. S. 6. 2. 368
tigrina Waltl R. Span. 2. 78
meridionalis Villa Cat. Suppl. 49
?corpulenta Schauf. Nq. ot. 49
palumbaria Germ. 535 *Mt. A. Hu.*
?idriensis Hoppe Cap. A. 1868. 273
segnis Capiom. 537 *Ti. Tr.*
comata Boh. Cap. 538 *G. Hu. Tr.*
velutina Boh. Cap. 539 *G. Hu. R. m.*
tristis Capiom. 542 *P.*
oblonga Bohem. Cap. 544 *Si.*
salviae Schrank Cap. 545 *E. m.*
♀ latipennis Boh. S. 2. 397
elegans Boh. Cap. 547 *Hu. Tr.*
Brucki Cap. 551 *I.*
noscidia Faust D. 1889. 84 *Gr.*
Bonvouloiri Cap. 549 *P.*
globosa Fairm. Cap. 552 *H. P.*
v. rotundata Cap. 552
biglobosa Kirsch D. 1880. 303 *Astur.*
obscura Capiom. 556 *Ga.*

Brachypera Cap. A. 1868. 73.

iberica Capiom. 76 *Hi. m.*
porcellus Cap. 78 *Gr.*

Barnevillei Cap. 79 *P.*
v. Fairmairei Cap. 81 *Ga.m.*
v. dubia Capiom. 82 *Ga.m.*
rudicollis Capiom. 82 *Lu.*
sierrana Cap. 83 *Hi.m.*
Piochardi Cap. 85 *Ga.m.*
hispanica Cap. 86 *Hi.*
Delarouzeei Cap. 87 *P.*
lusitanica Cap. 89 *Lu.*
obtusa Rosenh. Cap. 90 *Ga.m.Hi.*
montivaga Cap. 91 *Hi.m.Gr.*
caucasica Faust W. 1887. 69 *Ca.*
swanetica Faust W. 1887. 70 *Ca.*
proxima Cap. A. 1875. 467 *Lu.*
Perrisi Cap. 93 *Hi.*
circumvaga Boh. Cap. 94 *Ga.m.Si.*
audax Faust W. 1887. 68 *Corfu*
corcyrea Faust ibid. 69 *Corfu*
Deyrollei Cap. 99 *Lu.*
tumida Cap. 101 *Hi.*
crinita Boh. Cap. 102 *E.m.*
visnagae Oliv. i. litt.
v. socialis Boh. S. 6. 2. 364
perplexa Cap. 105 *Ga.m.Lu.Hi.*

Pseudhypera Cap.

Reichei Cap. 111 *Gr.*

Phytonomus Schönh.

Donus Cap.

Antidonus Bedel.

punctata F. Cap. 121 *E.*
picta Fourc.
v. rufa Boh. S. 2. 402
Karamani Stierl. Sch. M. 7. 229 *D.*
subsulcata Hochh. Cap. 275 *Ca.*
fallax Capiom. 124 *Hi.m.*
brevirostris Cap. 127 *Hi.*
vidua Gené Cap. 129 *Ga.md.Pe.P.*
nigrovelutina Fairm. A. 1859. 56
fasciculata Herbst Cap. 129 *E.*
dauci Oliv. Ent. 5. 83. 127
variegata Bach Käferf. 254
v. Gimmerthali Mots. Rev. Petr. 138 *R.*

Metadonus Cap.

Vuillefroyana Cap. 135 *Hi.m.*
anceps Boh. 137 *R.m.*
decipiens Capiom. 144 *Ca.*
brevicollis Cap. 147 *R.m.*
curta Bohem. Cap. 146 *R.m.*

Erirrhinomorphus Cap.

Kunzei Germ. Cap. 151 *G.b.*
alternans Steph. Ill. 4. 95 *E.md.b.*
Julini Sahlb. Cap. 153
parallelogramma Boh. S. 2. 386
♂ Kunzei Gyll. l. c.
interruptovittata Desbr. Op. 15 *R.m.*
arundinis Payk. Cap. 156 *E.md.b.*
adspersa F. Bedel Fn. 257 *C.*
pollux F. Cap. 159
commaculata Herbst Käf. 6. 230
rumicis Oliv. Ent. 5 83. 126 *Ga.*
ignota Bohem. S. 6. 2. 373 *H.*
v. histrio Boh. l. c. 374 *G.*
rumicis L. Cap. 161 *E.*
pyrrhodactyla Marsh. Ent. 259

Dapalinus Cap.

dapalis Boh. Cap. 165 *Hi.m.*
subvittata Cap. 166 *Gr.*
tychioides Cap. 168 *R.m.*
contaminata Herbst Cap. 170 *G.A.*
pustulata Friv. Term. 1884. 284 *Hu.A.*
striata Boh. Cap. 171 *Ga.mont.Hu.Cro.*
meles F. Cap. 173 *E.[T.b.*
trifolii Herbst Käf. 6. 266
borealis Germ. Mag. 4. 339
straminea Marsh. 267
v. pallida Cap. 173

Tigrinellus Cap.

maculipennis Fairm. Cap. 177 *C.Hi.Si.*
pastinacae Rossi Cap. 179 *E.m.*
setosa Boh. S. 2. 379 *Ga.G.*
v. Olivieri Cap. 181 *C.S.*
pastinacae Ol. Ent. 5. 83. 124
v. tigrina Boh. S. 2. 377 *Br.Ga.G.*
v. albicans Cap. 183 *G.E.m.*
v. sejugata Boh. S. 6. 2. 376 *Ga.G.*

Phytonomus Cap.

carinicollis Stierl. Sch. M. 1887. 17 *Tr.*
Pandellei Cap. 189 *P.*
arator L. Bedel Fn. 257 *E.*
polygoni L. Cap. 191
Rogenhoferi Ferr. Cap. 281 *A.T.*
pustulata Friv. *Hu.*
elongata Payk. Cap. 193 *E.md.b.*
mutabilis Germ. Mag. 4. 341
pedestris Payk. 3. 236 *E.*
miles Payk. Curc. Suec. 46
suspiciosa Herbst Cap. 194
meles Gyll. Ins. 3. 97
dorsata Gyll. Cap. 197 *R.*

murina F. Cap. 199 *E.*
brevipes Desbr. Op. 16 *Hi.m.*
variabilis Herbst Cap. 205 *E.*
suturalis Redtb. ed. 3. 2. 252 *A.*
v. parca Gyll. S. 2. 390 *Ga.I.Hi.*
v. postica Gyll. S. 2. 391 *G.*
v. sericea Cap. 207 *Ga.Hi.*
v. sicula Cap. 207 *Si.*
v. tibialis Hochh. Cap. 278 *Ca.*
plantaginis Degeer Cap. 212 *E.*
v. aurolineata Brull. Mor. 3. 242 *Gr.*
denominanda Cap. 211 *D.T.R.*

Phytonomidius Cap. 214.

farinosa Bohem. Cap. 219 *Ca.*
melarrhyncha Oliv. Cap. 219 *Lu.*
auriflua Waltl Rse. Span. 2. 78 *Hi.*
ononidis Chevr. Cap. 221 *Ga.G.Hi.*
trilineata Marsh. Cap. 225 *E.*
repanda Oliv. Enc. 5. 83. 139
plagiata Redtb. ed. 1. 437
nigrirostris F. Cap. 227 *E.*
v. Stierlini Cap. 228 *H.Alp.*
jucunda Cap. 231 *Si.Hi.*
gracilenta Cap. 233 *Hi.*
arcuata Desbr. Op. 16 *Lu.And.*
seronymi Cap. 234 *Si.Hi.*
constans Boh. S. 2. 394 *P.or.Ti.Lu.Si.*
balteata Chevr. Rev. Z. 1840. 16
incompta Boh. Cap. 238 *Lu.*
viciae Gyll. Cap. 240 *E.*
laticollis Hochh. Cap. 276 *Ca.*
Lethierryi Cap. 242 *Hi.*

Limobius
Schönherr.
Capiom. A. 1868.

mixtus Boh. Cap. 246 *Br.Ga.*
borealis Payk. Mon. 57. Bed. 261 *E.*
dissimilis Herbst Cap. 248
globicollis Reiche A. 1857. 680
v. irregularis Boh. S. 6. 2. 383
Hampei Capiom. 250. Seidl. Fn. 677 *Tr.*

Coniatus
Germar.
Cap. A. 1868. 253.

tamarisci F. Mant. 1. 113 *E.m.*
v. Mimonti Boield. Cap. 254 *Gr.*
repandus F. Cap. 258 *E.m.*
v. Wenckeri Capiom. 260 *Alsat.*
Deyrollei Capiom. 256 *Ga.m.Hi.*
Schrenki Gebl. Petr. 1841. 374 *Ca.*
caspicus Bohem. Cap. 263

Bagoides Capiomont 265.

suavis Gyll. Cap. 265 *Ga.m.I.S.*
v. chrysochlorus Luc. A'. 1848. 18 *Hi.*
trianguliser Chevr. Rev.Z. 1860. 45
splendidulus F. Cap. 268
Steveni Cap. 270
laetus Mill. W. z. b. 1866. 819
jonicus Capiom. 271

Erirrhinini.

Derolomina.

Derolomus
Schönherr.
Ochrinulus Reitt.

chamaeropis F. Gyll. S. 3. 629 *Ga.m.Hi.*
Antigae Reitt. W. 1887. 18
subcostatus Boh. S. 8. 92

Acentrina.

Acentrus
Schönherr.

histrio Bohem. S. 8. 2. 58

Pissodina.

Pissodes
Germar.

piceae Ill. Mag. 6. 309 *Mt.E.md.Ca.*
pini Panz. Faun. g. 42. 1
pini L. Gyll. S. 3. 257
notatus F. Gyll. 258
strobili Redtb. pars Fn. Aust. 417
validirostris Gyll. S. 3. 259 *G.E.b.*
strobili Redtb. pars l. c.
Gyllenhali Gyll. S. 3. 260
harcyniae Herbst Kf. 6. 294 *E.*
interstitiosus Sahlb.
piniphilus Herbst S. 3. 262 *Ga.G.E.b.*
scabricollis Mill. Wien M. 59. 364 *A.Ti.Tr.*
rotundicollis Desbr. Sch. M. 1872. 191 *R.*

Erirrhinina.

Procas
Stephens.

armillatus F. Syst. El. 2. 444 *Br.Ga.*
picipes Marsh. Ent. 272
moestus Bach Faun. 2. 296
granulicollis Walton Ann. Hist. 41. 16

Steveni Gyll. S. 3. 287 *R.m.*
atomarius Gené M. Torin 18? 9.77 *S.*

Arthrostenus
Schönherr.

fullo Steven S. 3. 534 *Ca.*
ignoratus Faust St. 1884. 453 *Arax.*
spadiceus Bohem. S. 3. 534 *Ca.*
cinereus Bohem. S 3. 535 *Ca.*
? excelsa Tourn. (Graphicotera) Sch. [M. 1874. 184

Grypidius
Stephens.

equiseti F. Syst. Ent. 130 *E.*
nigrogibbosus Deg. Mém. 5. 224
v. atrirostris F. Spec. App. 499
brunneirostris F. Gyll. S. 3. 316 *E.md.b.*

Hypoglyptus
Gerstäcker.

pictus Gerst. St. 1855. 172 *Corfu*
gracilis Kiesw. B. 1864. 274 *Gr.*
elegans Brull. (Tych.) Mor. 3. 245 *Gr.*

Pachytychius
Jekel.

Styphlotychius Jekel.

strumarius Gyllh. S. 3. 413 *Hi.*
elephas Kraatz B. 1862. 271
Picteti Tourn. A'. 1860. 81 *Si.*
sellatus Luc. Alg. 450 *Si.*
latus Jekel B. 1864. 281 *Gr.*
baeticus Kirsch Heyd. Span. 175 *Hi.*
Lucasi Jekel Journ. 61. 272 *Si.*
haematocephalus Gyll. S. 3. 415 *E.oc.*
rubriceps Rosenh. And. 277 *Hi.m.*

*

sparsutus Oliv. Ent. 5. 83. 127 *E.md.m.*
pernix Gyll. S. 3. 417 *Hu.*
v. obesus Boh. S. 8. 2. 308 *H.*
scrobiculatus Rosh. And. 281 *Hi.m.*
ancora Gyll. S 3. 418 *Ca.*
auricollis Gyll. S. 3. 420 *R.m.*
asperatus Duf. (1843). Ossau 84 *P.*
scabricollis Rosh. And. 280 *Ga.m.Hi.*
granulicollis Tourn. A. B. 1874. 89 *Lu.*
granicollis Reitt. D. 1883. 394 *Hi.*
trimacula Rosh. And. 278 *Hi.*
Lacordairei Tourn. A. 1873. 456 *Hi.*
lineipennis Chevr. Natural. 1879 100 *Hi.*
insularis Chevr. A'. 1875. 58 *C.S.*

Barytychius Jekel.

hordei Brull. Exp. Mor. 246 *T.Gr.*

squamosus Gyll S. 3. 418 *Ga.m.I.Hi.*
intramarginalis Hchh. B. M. 1847. 549
v. caucasicus Hochh. B. M. 1851. 94 *Ca.*
globipennis Tourn. A. 1873. 460 *Ca.*

Aubeonymus
Duval.

carinicollis Luc. Alg. 449 *I.m.Si.*
pulchellus Duv. Gen. 75

Erirrhinus
Schönherr.
Faust B. M. 1883.

Thryogenes Bedel.

festucae Herbst Faust 129 *E.md.b.*
Nereis Payk. Faust 131 *Su.E.md.*
scirrhosus Gyll. Faust 134 *E.*

Notaris
Stephens.
Faust B. M. 1883.

Erycus Tourn.

petax Sahlb. Faust 149 *G.T.R.*
bimaculatus F. Faust 151 *E.md.*
v. Frivaldszkyi Tourn. A. B. 1874. 94 *Hu.*
v. granulipennis Tourn. l. c. *T.*
v. subcostatus Motsch. B. M. 1875. 4. 378
scirpi F. Faust 157 *E.*
acridulus L. Faust 160 *E.*
punctum F. Ent. Syst. 2. 401
v. montanus Tourn. l. c. *Sil.P.*
v. insularis Faust 161 *Island*
aethiops F. Faust 164 *G.E.b.*
v. lapponicus Faust 165 *L.*
Maerkeli Boh. Faust 171 *G.*
aterrimus Hampe Faust 173 *Cro.A.*
Gerhardti Letzn. Z. Bresl. 1872. 8 *Sil.*
Brancsiki Tourn. l. c. 95 *Cp.*
v. Lederi Faust 174 *Ca.*
Merkli Stierl. Schw. M. VI. 252 *Hu.m.*

Icaris
Tournier.
Prionochelus Desbr.

sparganii Gyll. Faust 183 *G.R.*
pertinax Gyll. Faust 187 *Ca.*
globicollis Fairm. Faust 188 *Ga.Hu.T.*

Dorytomus
Stephens.
Faust B. M. 1883.

Iteophilus Bedel.

longimanus Forst. Faust 389 *E.*
vorax F. Gyll. S. 3. 290
Frivaldszkyi Tourn. A. B. 1874. 97 *Hu.*

v. macropus Redtb. ed. 3. 2. 275
v. ventralis Steph. Ill 4. 83 *Br.*
v. meridionalis Desbr. Sch. M. 1872. 352
?v. planirostris Tourn. l. c.
Schönherri Faust 394 *Ga.A.I.Hi.*
v. longulus Faust ibid. *Ca.*
tremulae Payk. Faust 396 *E.*
♂ vecors Gyll. S. 3. 293
tenuirostris Boh. S. 7. 2. 175
♀ amplithorax Desbr. Sch. M. 72. 351
variegatus Gyll. S. 3. 292
tortrix L. Faust 399 *E.*
pectoralis Panz. Faun. Ger. 36. 16
nebulosus Gyll. Faust 404 *E.m.md.*
v. arcuatus Faust ibid *Thur.*
minutus Gyll. Faust 406 *E.md.m.*
validirostris Gyll. Faust 408 *E.md.m.*
Waltoni Boh. S. 7. 2. 171 *S.*
hirtipennis Bedel Fn. 285 *E.*
flavipes Boh. Faust 409
majalis Gyll. S. 3. 301
taeniatus Thoms. Sk. 7. 210
v. taeniatus Faust 410
flavipes F. Redtb. l. c. 276
suratus Seidl. Fn. B. ed. 1. 425
flavipes Panz. Faun. 41. 11 *Ga.G.E.m.*
suratus Gyll. Faust 415
bituberculatus Redtb. 276
Nordenskiöldi Faust 417 *Ga.G.R.*
filirostris Gyll. Faust 420 *E.md.m.*
auripennis Desbr. Sch. M. 72. 351
v. Riehli Bach Käferf. 298
v. tomentosus Fairm. A. 1859. 61
incanus Rey Opusc. 9. 33
Dejeani Faust 424 *E.md.m.*
costirostris Gyll. S. 3. 294
taeniatus F. Bed. Fn. 286 *E.*
maculatus Marsh. Ent. 292
bituberculatus Zett. Faust 427
Silbermanni Wenck. Cat. 129
v. rectirostris Faust 428
affinis Payk. Faust 437 *E.*
oecalescens Gyll. Faust 440 *E.md.m.*
melanophthalmus Payk. Bed. Fn. 287 *E.*
punctator Herbst Faust 445
pectoralis Thoms. 7. 211
agnatus Boh. S. 7. 2. 174
v. clitellarius Boh. 177
v. lateralis Faust 445
majalis Payk. Faust 449 *E.md.b.*
v. immaculatus Faust l. c.
v. Paykulli Faust l. c.
salicis Walton Faust 451 *E.md.b.*
?majalis Redtb. Seidl. F. B. ed. 1. 426
v. Gyllenhali Faust 451
puberulus Boh. Faust 453 *Ga.D.Hu.*
salicinus Gyll. Faust 455 *E.md.b.*
parvulus Zett. Ins. Lapp. 175
villosulus Gyll. Faust 457 *Ga.A.I.*
♂ necessarius Faust l. c.
v. fallax Faust l. c.
rufulus Bedel Fn. 287 *E.*
pectoralis Gyll. Faust 459
? arcuatus Panz. Faun. 17. 6
? fructuum Marsh. Ent. 292
v. simplex Faust 460
dorsalis L. Faust 463 *E.md.b.*
sanguinolentus Bedel Fn. 287
v. Linnei Faust l. c.
v. nigrifrons Faust l. c.

amplipennis Tourn. Faust 465 *Ca.*
cinereus Hochh. Faust 468 *Ca.*

Smicronychina.

Smicronyx
Schönherr.
Tourn. A. B. 1874.

cyaneus Gyll. S. 3. 424 *Ga.m.I.R.*
v. Lallemanti Faust *Gr.And.*
kubanensis Reitt. W. 1888. 267 *Ca.oc.*
Erichsoni Hochh. B. M. 47. 551 *Ca.*
fulvipes Reiche B. 1864. 276 *Gr.*
Reichi Gyll. S. 3. 426 *Ga.H.*
pygmaeus Curtis 5. 280
v. Championis Fowl. M. M. 90. 146 *Br.*
Revelierei Tourn. 80 *C.*
seriepilosus Tourn. 81 *T.*
Brenskei Faust W. 1887. 83 *Gr.*
scops Tourn. 82 *R.m.*
jungermanniae Reich Mant. 16 *E.*
cicur Gyll. S. 3. 426
variegatus Gyll. 428. Seidl. Tr. 683
puncticollis Tourn. 80
? nebulosus Tourn. 82 *Ga.H.*
? modestus Tourn. 83 *H.*
cretaceus Tourn. 82 *Ga.Hi.*
corsicus Fairm. A. 1861. 584 *C.*
striatipennis Tourn. 83 *Hu.*
rufipes Kiesw. B. 1864. 276 *Gr.*
coecus Reich Mant. 12 *E.md.m.*
politus Boh. S. 7. 2. 314. Seidl. 683
cuscutae Bris. A. 1878. 93

Tanysphyrina.

Brachypus
Schönherr.

cylindricus Hochh. B. M. 1847. 536 *Ca.*

Brachonyx
Schönherr.

pineti Payk. Curc. 61 *E.md.b.*
indigena Herbst Käf. 4. 170

Anoplus
Schönherr.

plantaris Naezen S. 3. 465 *E.*
depilis Thoms Op.
roboris Suffr. St. 1840. 59 *E.*
setulosus Kirsch. B. 1870. 217
plantaris Thoms. Sk. 7. 319

Tanysphyrus
Germar.

lemnae Payk. Mon. Curc. 78 *E.*

Glaridorrhinus
Kolenati.

Kuenburgi Kolen. W. z. b. 1858. 343 *Ti.*

Bagoina.

Dicranthus
Motschulsky.
Anactodes Bris.

elegans F. Syst. El. 2. 499 *Ga.G.*
vittatus Motsch. B. M. 1845. 202 *R.*

Bagous
Schönherr.
Hydronomus Bedel.
Bris. A. 1863.

Helmidomorphus Cussac.

petro Herbst Bedel Fn. 276 *E.b.*
Aubei Cussac Bris 508 *Ga.G.*
biimpressus Fahrs. Bris. 498 *I.*
frater Duv. Genera 64 *Ga.m.*
Mulsanti Fauv. Rev. 1885. 302 *Ga.m.*
minutus Muls. Bris. 500

Lyprus Schönh.

cylindrus Payk. Bris. 497 *E.*
Frivaldszkyi Tourn. A. B. 1874. 104 *Hu.*

Bagous i. spec.

rotundicollis Boh. Bris. 498 *G.*
exilis Duv. Bris. 498 *Ga.m.*
subruber Reitt. D. 1890. 160 *Thessal.*
haematopus Gyll. S. 3. 543 *Ca.*
brevis Gyll. S. 3. 550. *G.Su.*
curtus Gyll. S. 8. 2. 81 *Su.*
mingrelicus Tourn. l. c. 105 *Ca.*
binodulus Herbst Bris. 501 *E.*
atrirostris Oliv. Ent. 5. 83. 141
graecus Desbr. *Gr.*
nodulosus Gyll. Bris. 502 *Ga.G.I.*
binodulus Thoms.
frit Herbst Bedel Fn. 277 *Ga.G.I.*
subcarinatus Gyllh. Bris. 502
claudicans Boh.. Bedel Fn. 277 *E.md.*
mundanus Boh. S. 8. 2. 79
frit Bris. 503
longitarsis Thoms. Sk. 10. 185
nutiens Thoms. Sk. 10. 184
diglyptus Boh. Bris. 505 *E.md.b.*
brevipennis Kirsch Led. 294 *Ca.*
perparvulus Rosh. And. 291 *Hi.m.*
Revelierei Tourn. A. B. 1874. 106 *C.*
lutulosus Gyll. Bris. 506 *Ga.G.H.*
formicetorum Duv. Cat. Curc. 51. n. 1
dorsalis Perr Lyon 1857. 144
minutus Hochh. B. Mosc. 1847. 573 *Ca.*
Hochhuthi Tourn. l. c. 110
caucasicus Faust W. 1887. 85
minutissimus Faust W. 1887. 84 *R.m.Gr.*
tempestivus Herbst Käf. 6. 246 *E.*
convexicollis Boh. S. 8. 2. 84
tessellatus Först. Faun. 32
adspersus Först. Bris. 504
dilatatus Thoms. Sk. 10. 342
limosus Gyll. Ins. Su. IV. 556 *E.*
laticollis Gyll. S. 3. 548
petrosus Schönh. S. 2. 77
chorinaeus Fahrs. l. c. 78
sardiniensis Bris. 509 *S.*
lutosus Gyll. Bris. 511 *E.md.b.*
validitarsus Boh. l. c. 87 *Ga.*
v. caudatus Thoms. Sk. 7. 188
glabrirostris Herbst Käf. 6. 254 *E.md.*
Collignensis Herbst Käf. 7. 50 *E.b.I.*
lutulentus Gyll. Bris. 512
binotatus Steph. Man. 227
puncticollis Boh. S. 8. 2. 86
v. nigritarsis Thoms. Sk. 7. 190
subcarinatus Gyll. S 3. 543. Seidl. 687 *Ga.*
Czwalinae Seidl. F. Tr. 687 *G.b.*
costulatus Perris Ab. 7. 23 *C.*
robustus Bris. 513 *Gr.*
validus Rosenh. Beitr. 54 *Hu.*
cylindricus Rosh. Bris. 514 *Hi.?Si.*
curtirostris Fairm.
angustulus Thoms. *Su.*
Kirschi Reitt. D. 1884. 121 *Zante*
Chevrolati Tourn. l. c. 109 *Lu.And.*
argillaceus Gyll. S. 3. 542 *Gr.G.*
encaustus Boh. S. 8. 2. 76 *Ga.I.*
inceratus Gyll. S. 3. 541 *T.R.*

halophilus Redtb. Fn. 393
v. Leprieuri Guillb. A'. 1890. 74 *Ga.*
Kraatzi Bris. 516 *Moravia*

Hydronomus
Schönherr.

alismatis Marsh. 273 *E.md.b.*
tibialis Boh. S. 8 2. 87 *I.*
fenestratus Reitt. Radde Fn. 35 *Arax.*

Pseudostyphlus
Tournier.

bilunulatus Desbr. Sch. M. 72. 192 *R.m.*
artemisiae Becker B. M. 1872
Pilumnus Gyll. S. 3. 288 *Su.Ga.*
setiger Perris Lyon 1857. 741 *G.H.*
pilifer Gredl. Tir. 345 *Ti.*

Oryx Tourn.

nitidus Chevrol. Rev. Z. 1861. 155 *Si.*

Orthochaetes
Germar.

Strenes Schönherr.

setiger Beck Beitr. 21 *G.Ga.*
setulosus Gyll. S. 3. 511
erinaceus Duv. Genera 53
discoidalis Fairm. St. 1869. 232
extensus Chevr. A'. 1880. 134 *Hi.b.*
rubricatus Fairm. A. 1861. 586 *P.*
insignis Aubé Gren. Cat. 129 *Ga.mar.*

Styphlus Schönherr.

penicillus Gyll. S. 3. 510 *Ga.G.*

Ephimeropus
Hochhuth.

geniculatus Hochh. B. M. 1847. 544 *Ca.*

Echinocnemus
Schönherr.

Bagoopsis Faust. Colchis Tourn.

volgensis Faust Hor. 1881. 319 *R.m.*
pugnax Faust. l. c. 321 *R.m.*
confusus Faust St. 1887. 187 *Gr.*
efferus Faust l. c. 188 *Hu.*
Sieversi Faust St. 1884. 452 *Ca.*
carinirostris Trn. A. B. 1874. 75 *Mingrelia*

Geranorrhinus
Schönherr.

pusillus Motsch. B. M. 1851. 657 *Hi.*
elegans Seidl. B. 1867. 434
rufirostris Seidl. ibid. 188

Brannani Schauf. Col. H. 2. 19
Seidlitzi Kirsch B. 1874. 22 *Ca.*

Philernus
Schönherr.

Halophagus Becker.

farinosus Gyll. S. 3. 430 *R.m.*
halimocnemis Becker B. M. 1864. 484

Sharpia
Tournier.

rubida Rosenh. And. 270 *F.m.*

Alaocyba
Perris.

Raymondia Aubé.
Raymondionymus Wollast.

sicula Rottb. B. 1871. 240 *Si.*
sardoa Perris Ab. 7. 30 *S.*
longicollis Perris Ab. 7. 29 *C.*
apennina Dieck B. 1869. 354 *I.md.*
fossor Aubé A. 1861. 195 *Ga.m.I.md.*
salpingoides Kraatz D. 1881. 226 *D.*
Perrisi Grenier A. 1864. 134 *Ga.m.*
Aubei Marq. Ab. 1864. 372
Marqueti Aubé Gren. Cat. 130 *Ga.m.*
curvinasus Abeille A'. 1872. 44 *Ga.*
laevithorax Perris Ab. 13. 11 *C.*
Damryi Perris Ab. 13. 12 *C.*

Alaocyba s. str.

Delarouzeei Bris. A. 1861. 603 *F.*
Benjamin Marq. Pt. n. 1875. 511 *P.or.*
carinulata Perris Ab. 7. 31 *S.Si.*

Cossonini.

Dryophthorus
Schönherr.

corticalis Payk. Bedel Faun. 354 *E.md.b.*
lymexylon F. Boh. S. 4. 1089

Amaurorrhinus
Fairmaire.

Mesoxenus Wollast.

Bewickianus Woll. A. N. Hist. 60. 451 *Med.*
Bonnairei Fairm. A. 1860. 629
narbonensis Bris. Gren. Cat. 115
crassiusculus Fairm. St. 1869. 232
genuensis Fairm. Mus. Gen. 1883. 757
Lostiae Fairm. ibid.
constrictus Reitt. D. 1884. 98
andalusicus Dieck Diag. (1869) 6 *Hi.m.*

Choerorrhinus
Fairmaire.

squalidus Fairm. A. 1857. 743 *Ga.I.*
brevirostris Chevr. Rev. Z. 1860. 137

Aphyllura
Reitter.

Brenskei Reitt. D. 1884. 97 *Gr.*

Pentarthrum
Wollaston.

Huttoni Woll. Ann. Hist. 1854. 130 *Br.*
Hervei All. Ab. 5. 475 *Ga.mar.*

Cossonus
Clairville.

linearis F. Syst. Ent. 136 *E.*
parallelepipedus Herbst Käf. 6. 275
ferrugineus Clairv. Ent. helv. 60
planatus Bedel Faun. 194 *Ga.G.*
linearis Boh. S. 4. 995 *I.b.*
cylindricus Sahlb. Diss. 2. 34. 110 *E.*
linearis Gyll. S. 4. 995

Mesites
Schönherr.

pallidipennis Boh. S. 4. 1045 *E.m.*
aquitanus Fairm. A. 1859. 52 *Ga.occ.*
pallidipennis Perris A. 1856. 252
curvipes Boh. S. 4. 1046 *Ga.I.b.*
cribratus Fairm. A. 1856. 542 *Hi.Gr.*

Rhopalomesites Wollaston.

Tardyi Curt. S. 8. 2. 276 *Br.G.*

Codiosoma
Bedel.

spadix Herbst Boh. S. 4. 1054 *E.*
sculptus Gyll. S. 4. 1055
scalptus Boh. S. 8. 2. 279
pilosus Bach St. 1854. 361

Caulotrupis
Wollaston.

aeneopiceus Boh. l. c. 278 *Br.Ga.*

Eremotes
Wollaston.
Reitter D. 1887. 123.

planirostris Panz. Faun. Grm. 18. 18 *E.*
elongatus Gyll. S. 4. 1065
caucasicus Hochh. B. M. 47. 2. 581
gravidicornis Woll. Trans. 73. 644
crassirostris Perr. A. Lyon 57. 147

submuricatus Schönh. 4. 1067 *E.*
simum Chevr.
nitidipennis Thoms. Sk. 10. 348 *Su.*
strangulatus Perr. An. Lyon 52. 181 *Ga.m.*
ater L. S. N. ed. 10. 385 *E.*
chloropus F. Gyll. S. 4. 1064
pyrenaeus Dufour Ossau 89
sculpturatus Waltl Käf. Pass. 223 *Bavar.*
punctatulus Boh. S. 4. 1073 *Ga.G.I.*
punctulatus Reitt. 125
reflexus Boh. S. 4. 1072 *E.md.m.*
nefarius Faust D. 1885. 190 *E.m.*

Brachytemnus
Wollaston.

porcatus Germ. Ins. 308 *E.*
crassirostris Duf. Ossau 89
cribratus Baudi Cat. Col. Ped. 176
filum Rey Opusc. 9. 42 *Ga.m.I.*

Rhyncolus
Stephens.
Reitter D. 1887.

Hexarthrum Wollaston.

culinaris Germ. Ins. 306 *E.md.m.*
exiguus Boh. S. 4. 1066
cribripennis Graëlls Mém. 58. 88

Stereocorynes Wollaston.

truncorum Germ. Boh. 1068 *E.md.b.*
Hopffgarteni Stierl. Sch. M. 84. 56

Rhyncolus i. spec.
Phloeophagus Schönh.

lignarius Marsh. Ent. 275 *E.*
cylindrirostris Oliv. Ent. 5. 83. 427
cylindricus Boh. S. 4. 1060 *E.md.m.*
cylindrus Reitt. 126
longicollis Boh. l. c.
grandicollis Bris. Gren. Mat. 67. 193.
?latitarsis Thoms. A'. 1886. 11 *Su.*
gracilis Redtb. Faun. 2. 366
Schönherri Hochh. B. M. 47. 2. 580 *Ca.*
turbatus Schönh. S. 2. 279 *E*
lignarius Gyll. S. 4. 1052 *Su.F.*
gracilis Rosenh. And. 300 *Hi.*
angustus Fairm. A'. 1859. 164 *Ga.m.*

Cryptorrhynchini.

Camptorrhinus
Schönherr.

statua Rossi Boh. S. 4. 177 *E.m.*

simplex Seidl. B.1867.189 *Ga.m.Hi.I.m.*
fasciatus Schauf. Nq. ot. 275 *Hi.*

Gasterocercus
Laporte.

depressirostris F. Ent. S. 2. 477 *E.md.m.*

Cryptorrhynchus
Illiger.

lapathi L. Gyll. Ins. III. 169 *E.*

Ocladius
Schönherr.

salicorniae Oliv. Boh. S. 4. 697 *R.m.*
trinotatus Fisch. (Cion.) Boh. 743

Acalles
Schönherr.
Echinodera Woll.
Bris. A. 1864.

denticollis Germ. Bris. 447 *Ga.Alp.*
rufirostris Boh. S. 8. 421 *Cp.S.*
camelus F. Bris. 448 *E.md.*
quercus Boh. S. 8. 420
variolosus Stierl. Sch. M. 1887. 399 *Tr.*
Aubei Bohem. Bris. 449 *Ga.G.Hu.Ca.*
Sophiae Tschapek St. 1873. 245 *St.*
Milleri Reitt. Rev. mens. Petr. 1883 *Ca.*
validus Hampe W. Monat. 1864.192 *Tr.*
pyrenaeus Bohem. Bris. 453 *P.*
croaticus Bris. A. 1867. 62 *Tr.Cro.*
reynosae Bris. l. c. *Hi.*
Graëllsi Martinez A. Esp. 2. 416 *Hi.*
roboris Curtis Ent. 12. 550 *E.md.*
abstersus Boh. Bris. 454 *Su.*
germanicus Letzn. Bericht 82. 8
Navieresi Boh. S. 4. 351 *I.*
Chaudoiri Hochh. Bris. 482 *Ca.*
pulchellus Bris. 455 *P.*
humerosus Fairm. Bris. 456 *Ga.m.*
lemur Germ. Bris. 457 *E.md.*
sulcatus Bohem. S. 8. 419
fallax Bohem. S. 8. 426
sierrae Bris. A. 1865. 625 *Hi.*
echinatus Germ. Ins. 278 *E.md.b.*
turbatus Bohem. Bris. 465
parvulus Boh. S. 4. 349
misellus Boh. S 8. 424
nudiusculus Först. Fn. 35
ptinoides Gyll. S. 3. 128
setulipennis Desbr. Sch. M. 1871. 350 *C.*
Capiomonti Bris. 459 *I.Ist.*
ptinoides Marsh. 258 *E.md.*
nocturnus Boh. S. 4. 352 *Ca.*
teter Bohem. Bris. 461 *Si.*
barbarus Luc. Bris. 471
subglaber Rosh. Bris. 473 *Hi.m.*
hypocrita Boh. Bris 461 *E.md.Ca.*
caucasicus Reitt. W. 1891 *Ca.*
Bellieri Reiche Bris. 462 *Si.*
Krüperi Faust D. 1890. 324 *Attica*
variegatus Boh. Bris. 463 *Ga.m.I.*
v. fuscus Chevr. Rev. Z. 1861. 205
v. costatus Chevr. l. c. 123
v. Peragalloi Chevr. Gren. Cat. 111 *Nizza*
Brisouti Reitt. D. 1885. 388 *Corfu*
horridulus Reitt. W. 1888. 268 *Ca.oc.*
punctaticollis Lucas Bris. 464 *Ga.m.*
tuberculatus Rosh. Bris. 465 *Hi.m.*
Giraudi Muls. Op. 16. 65 *Ga.*
brevis Tourn.
Querilhaci Bris. A. 1865. 625 *Hi.Ga.m.*
Rolleti Germ. Bris. 466 *I.*
Diocletianus Germ. Rs 227. Bris. 469 *Med.*
albopictus Jacq. A'. 1887. 178 *Ga.*
dromedarius Boh. S. 8. 412 *E.m.*
fasciculatus Boh. Bris. 469
plagiatofasciatus Cst. A. aspir. 47. 157
impressicollis Luc. Alg. 454
rufipes Chevr. A'. 1879. 140 *Hi.*

Trachodius Weise.

tibialis Weise D. 1891 *MR.*

Torneuma
Wollaston.
Typhloporus Hampe.
Crypharis Fairm.

deplanatum Hampe W. Monat 64. 191 *Si.*
planidorse Fairm. A'. 1869. 10
setiferum Bris. A. 70. 296
Rosaliae Rottb. B. 1871. 240
Grouvellei Desbr. A'. 1889. 158 *Nizza*
sardoum Desbr. l. c. 159 *S.*
Raymondi Perris Ab. 7. 17 *S.*
Damryi Perris Ab. 13. 10 *C.*
siculum Ragusa Sic. 1. 43 *Si.*

Myorrhinini.

Myorrhinus
Schönherr.

albolineatus F. Ent. S. 2. 490 *G.Hu.*

complicatus Germ. Encyclop. 13
v. Steveni Gyll. S. 3. 530 *Ca.*
siculus Kr. B. 1859. 56 *Si.*

Haptomerus
Faust.

Faust D. 1889. 141.

lepidus Brull. B. 1864. 265 *Creta*
Brullei Guer. Ic. 154 *Gr.*
Schneideri Kirsch Led. 288 *Ca.*

Ceuthorrhynchini.

Ceuthorrhynchina.

Mononychus
Germar.

iris Pallas It. 2. 463 *Ca.*
v. Kolenatii Kol. B. M. 1859. 386 *Arm.*
punctum-album Herbst Arch. 5. 74 *E.md.*
pseudacori F. Boh. S. 4. 309 *fm.*
salviae Germ. Ins. 241 *G.E.m.*
v. caucasicus Kolen. l. c. 391 *Ca.*
v. Schönherri Kolen. l. c. 389 *Ca.*
superciliaris Boh. S. 3. 401 *Lu.Hi.*
spermaticus Becker B. M. 1862. 349 *R.m.*

Coeliodes
Schönherr.

Megacetes Thoms.

zonatus Germ. Faun. 23. 9 *E.m.Alp.*
mirabilis Villa Col. Supp. 49 *I.*
dryados Gmel. Linn. 4. 1748 *E.*
quercus F. Gyll. S. 4. 283
ilicis Bedel Fn. 164 *Ga.*
trifasciatus Bach Käferf. 332 *Ga.G.*
ruber Marsh. Ent. 251 *E.*
Mannerheimi Gyll. S. 4. 298
rufirostris Steph. Ill. 4. 23
simulans Faust D. 1889. 99 *Euboea*
strigatirostris Hochh. B. M. 47. 569 *Arm.*
pudicus Rottb. B. 1871. 237 *Si.Ist.*
erythroleucus Gmel. l. c. 1805 *E.*
subrufus Herbst Käf. 6. 418
cinctus Rossi Mant. 1. 38
Hoffmanni Weise D. 1883. 219 *Cro.*
tener Reitt. D. 1888. 432 *Gr.*
rubicundus Herbst Käf. 6. 418 *E.*
melanocephalus Steph. 23
congener Först. V. Rheinl. 49. 28 *G.*

Stenocarus Thomson.

impressus Rosh. Andal. 285 *Ti.*
cardui Herbst Bedel Fn. 165 *E.md.m.*
guttula F. Mant. 1. 107
fuliginosus Marsh. Ent. 280 *E.*
pruni Boh. S. 8. 2. 159
umbrinus Gyll. S. 4. 292
canaliculatus Gyll. 293
? moestus F. Syst. El. 2. 479
Schüppeli Boh. S. 8. 1. 396 *D.*

Craponius Lec. Seidl.
Cnemogonus Lec.

epilobii Payk. Gyll. S. 4. 288 *E.md.b.*

Oxyonyx Faust.

massagetus Kirsch Leder 299 *Ca.*
lunatus Reitt. D. 1890. 162 *Arax.*

Cidnorrhinus Thoms.

quadrimaculatus L. ed. 10. 380. Bed. 165 *E.*
urticae Scop. Carn. 28
didymus F. Gyll. S. 4. 300
v. gibbipennis Germ. Ins. 228
v. immaculatus Gyll. 301
urticae Marh. Ent. 281
v. nigrirostris Boh. S. 8. 2. 157
v. melancholicus Gyll. 518

Coeliastes Weise.

lamii F. Gyll. 302 *E.md.*
abruptestriatus Gyll. 521
mendosus Gyll. 529
v. punctulum Herbst Germ. Ins. 229

Allodactylus Weise.

affinis Payk. Mon. 68. Bedel Fn. 164 *E.*
geranii Payk. Boh. S. 8. 2. 399
exiguus Oliv. Gyll. 304. Seidl. Tr. 694 *E.m.*
asperatus Gyll. 305 *R.m.*
Weisei Reitt. W. 1888. 272 *Circassia*

Scleropterus
Schönherr.

serratus Germ. Ins. 279 *E.b.*
carpathicus Branes. *Sil.Cp.Tr.*
offensus Boh. S. 4. 359 *Alp.Tr.*

Rhytidosoma Stephens.

globulus Herbst Gyll. S. 4. 596 *E.md.b.*
dentipes Reitt. D. 1885. 369 *Cr.*
Reitteri Weise D. 1878. 62 *Hu.*

Marmaropus
Schönherr.

Besseri Gyll. S. 4. 312 *G.R.*

Rhinoncus
Stephens.

Castor F. Gyll. S. 4. 578 *E.*
v. flavipes Steph. Ill. 4. 41
v. leucostigma Marsh. Ent. 255
granulipennis Gyll. 580
bruchoides Herbst Gyll. 581 *E.*
asperatus Gyll. 583
leucogaster Gyll. Ins. 3. 161
v. rufescens Steph. Ill. 4. 50
inconspectus Herbst Gyll. 581 *E.*
gramineus F. Bedel Fn. 180
pericarpius L. Gyll. 582 *E.*
v. conjectus Gyll. l. c.
perpendicularis Reich Bedel Fn. 180 *E.*
guttalis Grav. Gyll. 583
subfasciatus Gyll. Ins. 3. 253
albicinctus Gyll. 586 *E.*

Phytobius
Schönherr.

Pelenomus Thoms.
Amalus Bedel.

velaris Gyll. S. 4. 581 *Su.Ga.G.*
canaliculatus Fahrs. S. 7. 2. 347 *E.md.b.*
notula Thoms. Sk. 7. 235
Waltoni Boh. 345 *E.md.b.*
notula Gyll. Suffr. Redt. ed. 3. 2. 354
comari Herbst Gyll. S. 3. 462 *Su.E.md.*
4-tuberculatus F. Fahr. 347 *E.md.b.*
notula Germ. Ins. 240. Krsch. B. 75. 398
muricatus Bris. Gren. Mater. 187 *Ga.G.*
granatus Thoms. Sk. 7. 239 *Su.*

Pachyrrhinus Stephens.

granatus Gyll. S. 3. 460 *Su.Ga.G.I.*
Brisouti Seidl. F. Tr. 707
4-nodosus Gyll. Fahr. 346 *E.md.b.*
mucronulatus Germ. Ins. 239
denticollis Gyll. 584 *Br.Ga.I.*
4-cornis Gyll. Boh. S. 7. 2. 348 *E.md.b.*

Litodactylus Redtenb.

leucogaster Marsh. Boh. l. c. 344 *E.md.b.*
myriophylli Gyll. Ins. 3. 152 *Pe.*

Eubrychius Thoms.

velatus Beck Gyll. 3. 459 *E.*
aquaticus Thoms. Op. 1. 138

Amalus
Schönherr.

haemorrhous Herbst Bedel Fn. 181 *E.*
scortillum Herbst Gyll. 3. 396
alpinus Hampe B. 1866. 375 *Alp.A.*

Ceuthorrhynchidius
Duval.

Calosirus Thoms.

horridus Panz. Gyll. S. 4. 505 *E.md.m.*
spinosus Gemm. Cat. 2612
urens Gyll. S. 4. 564 *E.m.*
albohispidus Fairm. A. 1857. 639
troglodytes F. Gyll. 563 *E.*
spiniger Herbst Käf. 6. 410
pusio Panz. Faun. Germ. 36. 15
bellus Reitt. D. 1890. 161 *Arax.*
hystrix Perris A. Lyon 1852. 181 *Ga.m.G.*
rutulus Duf. Bedel Fn. 341 *Br.Ga.G.*
frontalis Bris. Ab. 1869. 438
Dawsoni Bris. l. c. *Ga.Br.*
Barnevillei Gren. A'. 1866. 65 *F.*
Chevrolati Bris. i. litt.

*

terminatus Herbst Käf. 6. 401 *E.*
apicalis Redtb. Thoms.
sii Gyll. S. 4. 490
analis Panz. Index 193
uniguttatus Marsh. Ent. 283
haemorrhoidalis Panz. Faun. 99. 11
Waltoni Boh. S. 8. 2. 164
apicalis Gyll. Ins. 4. 579. Bedel 340 *Su.Ga.*
nigrinus Marsh. Ent. 250 *E.*
depressicollis Gyll. S. 4. 484
melanarius Steph. Ill. 4. 31 *E.md.m.*
♂ convexicollis Gyll. S. 4. 495
♀ glaucus Boh. S. 8. 2. 144
camelinae Boh. l. c. 170
Perrisi Bris. Ab. 1869. 436 *Hi.*
quercicola Payk. Faun. 3. 215 *E.md.*
grypus Herbst Käf. 6. 399 *Su.Ca.*
versicolor Bris. Cat. Wnck. 1866. 131
Crotchi Bris. 437 *Br.*
hepaticus Gyll. S. 4. 482 *E.md.*
floralis Payk. Gyll. S. 4. 493 *E.*
piceolatus Bris. A. 1883. 113 *R.m.*
micans Bris. 436 *Ga.m.*
pyrrhorhynchus Marsh. Ent. 257 *E.*
achilleae Gyll. 497

cochleariae Thoms. 7. 255
erythrorhynchus Gyll. 496
pulvinatus Gyll. 494 *E.*
Hampei Bris. 437 *Tr.A.*
posthumus Germ. Ins. 237 *E.*
pumilio Gyll. Ins. 4. 578
Poweri Rye M. M. 1864. 137
asperulus Boh. S. S. 2. 140
minimus Walton M. M. 1865. 11 *Br.*

Ceuthorrhynchus
Germar.

Phrydiuchus Gozis.

topiarius Germ. Ins. 239 *Ga G.Hu.*
coarctatus Duv. Gen. 62 *E.m.*

Thamiocolus Thoms.

viduatus Gyll. Ins. 3. 220 *E.md.b.*
stachydis Faust Trudy 88. 171 *D.T.Ca.*
abchasicus Faust Horae 22. 173 *Ca.*
Steveni Boh. S. S. 2. 133 *Cri.*
signatus Gyll. S. 4. 522. Bed. 329 *E.md.*
decoratus Gyll. 524
interstinctus Gyll 570
pubicollis Gyll. 574. Bedel Fn. 328 *Ga.*
♂ signatellus Gyll. 575 *G.A.Hu.I.*
signatus Bris.
Sahlbergi Boh. S. S. 2. 152 *G.F.R.*
lamii Sahlb. Ins. F. 2. 96

Ceuthorrhynchus i. spec.

symphyti Bedel Fn. 168 *E.md.*
? raphani F. Gyll. 4. 507
abbreviatulus F. Gyll. 510 *E.md.m.*
abbreviatus Redtb. ed. 3. 2 346
borraginis F. Gyll. 508 *Ga.G.I.*
alternans Bris. Ab. 1869. 439 *Hi.*
lineatus Gyll. 509 *Cri.*
albosignatus Gyll. 317 *Ga.G.*
austriacus Bris. 462 *A.*
geographicus Goeze Beytr. 395 *E md.*
echii F. Gyll. 504 *E.m.*
glaucinus Boh. S. S. 2. 146 *G.*
radula Germ. 238. Gyll. 505 *G.I.*
vocifer Rottberg. B. 1871. 238 *Hi Si.*
asperifoliarum Gyll. 519 *E.*
urticae Boh. 151 *Br.Ga.*
v. stachydis Jacq. A'. 1888 105
Jacqueti Faust St. 1889. 231
pallidicornis Bris. A. 1860. 337. *Ga.G.Hu.*
Fairmairei Bris. A'. 1860. 33 *Ga.Alp.*
fatidicus Gyll. 510 *Ca.*
crucifer Oliv. Gyll. 511 *E.*

cruciger Herbst Bedel Fn. 172 *E.*
4-maculatus Germ. Ins. 220
Aubei Boh. S. S. 2. 148 *Gr.Ga.*
Javeti Bris. Ab. 5. 459 *G.A.R.*
peregrinus Gyll. 514 *Hi.*
uroleucus Boh. 149 *I.*
T-album Gyll. 512 *Cri.*
ornatus Gyll. 513. Bed. Fn. 325 *E.md.m.*
Andreae Germ. i. litt. Ins. 220
litura F. Gyll. 515 *E.*
trimaculatus F. Gyll. 516 *E.md.m.*
trisignatus Gyll. l. c. *A.Hu.*
cynoglossi Frauenf. W. z. b. 1866. 970
Diecki Bris. Heyd. Span. 159 *Hi.*
Arcasi Bris. Ab. 5. 458 *Hi.*
venedicus Weise D. 1879. 153 *G.*
carinicollis Bris. 457 *Hi.Ga.*
humeralis Gyll. 544 *Ca.*
axillaris Bohem. S. S. 2. 163 *Gr.*
caucasicus Kirsch Leder 302 *Ca.*
gratiosus Bris. 460 *Ga.m.*
hungaricus Bris. 461 *Hu.*
Kraatzi Bris. l. c. *Hu.Cro.*
variegatus Oliv. Bedel Fn. 328 *E.*
campestris Gyll. 523
lepidus Gyll. 520
italicus Bris. Ab. 5. 463 *I.*
molitor Gyllh. 525 *E.m.*
triangulum Boh. S. S. 2. 154 *Ga.G.*
vicinus Kr. B. 1868. 300 *G.*
chrysanthemi Germ. Ins. 221 *E.*
v. figuratus Gyll. S. 526
rugulosus Herbst Gyll. 527 *E.md.m.*
gallicus Gyll. 524
arquatus Herbst Gyll. S. 4. 532 *E.md.*
occultus Gyll. 530 *I.b.*
uliginosus Boh. S. S. 2. 150
subfasciatus Chevr. Rev. Z. 1860. 453 *C.*
auritus Kirsch Leder 301 *Ca.*
melanostictus Marsh. Ent. 282 Gyll. 532 *E*
concinnus Gyll. S. 4. 531
lycopi Gyll. 533
Stenbergi Thoms. Sk. 10. 344
v. obtusicollis Gyll. 554 *E.m.*
v. perturbatus Gyll. 534 [illegible]
v. murinus Gyll. 554 *R.m.*
euphorbiae Bris. Wnck. Cat. 132 *G.*
quadridens Panz. Gyll. 534 *E.*
boraginus Gyll. Ins. 3. 247
resedae Marsh. 256. Gyll. 535 *E.md.m.*
rufimanus Bris. A. 1883. 118 *Ca.*
macula-alba Herbst Gyll. 4. 477 *E.md.m.*
seriatus Boh. S. S. 2. 132
marginatus Payk. Thoms. Sk. 10. 345 *E.*

punctiger Gyll. Thoms. Sk. 346 *E.*
v. rufitarsis Gyll. 539 *R.m.*
Mölleri Thoms. Skand. 10. 347 *Su.Ca.*
Ragusae Bris. Sic. 1884. 61 *Si.*
distinctus Bris. Ab. 7. 42 *P.*
rotundatus Bris. Ab. 5. 452 *Ga.G.H.*
Lethierryi Bris. A. 1866. 416 *Hi.Ca.*
nebulosus Bris. l. c. 417 *Hi.*
pilosellus Gyll. S. 546 *Ga.Hi.*
mixtus Rey Op. 9. 37 *G.Ga.m.Ca.*
denticulatus Schrnk. Gyll. 541 *E.md.m.*
dentatus Panz. Bedel Fn. 169
contusus Perris A. Lyon 57. 145
verrucatus Gyll. S. 4. 541 *Br.Ga.*
biguttatus Boh. S. 8. 2. 158 *R.m.*
raphaëlensis Chevr. A'. 1859. 18
rusticus Gyll. 542 *E.m.*
pollinarius Forst. Gyll. 543 *E.*
angulosus Boh. S. 8. 2. 160 *G.*
balsaminae Guillb. Échang. 1885 *G H.*
obsoletus Gyll. 544 *G.Tr.*
faeculentus Gyll. 545 *Ga.*
antennalis Bris. Ab. 5. 452 *Hi.*
obscurus Bris. 454 *Hi.*
picitarsis Gyll. 546 *Ga.G.*
tarsalis Boh. S. 8. 2. 167 *E m.*
tibialis Boh. l. c. 162 *Ga G.Hi.*
pleurostigma Marsh. Ent. 282 *E.*
sulcicollis Gyll Thoms. Sk. 7. 272
pyrenaeus Bris. Ab. 5. 439 *P.*
griseus Bris. l. c. 450 *Ga.G.*
alliariae Bris. Revue Z. 1860. 537 *Ga.*
inornatus Waterh. Proc. 61. 13. *Br.*
intermedius Bris. 449 *P.*
rapae Gyll. S. 4. 547 *E.md.b.*
Roberti Gyll. 548 *Ga.*
puncticollis Boh. S. 8. 2. 165 *Ca.*
sulcatus Bris. Ab. 5. 448 *Cri.*
filirostris Reitt. W. 1888. 272 *Ca.occ.*
Duvali Bris. 448 *Ga.m.*
longirostris Bris. A. 1881. 128 *P.*
napi Gyll. 549 *Ga.G.*
plastus Faust W. 1889. 207 *Arax.*
flavitarsis Reitt. D. 1890. 163 *Arax.*
sophiae Stev. Gyll. 551 *G.Hu.*
neutralis Gyll. 552 *R.m.*
misellus Gyll. 553
validirostris Gyll. 565 *Cri.*
rimulosus Germ. Ins. 230 *G.A.*

virgatus Gyll. 568 *R.m.*
dubitabilis Boh. 171
nubilosus Gyll. 569 *R.m.*
Maschelli Hochh. Solsk. B M. 73. 162 *R.m.*

vilis Gyll. 572 *Cri.*
coarctatus Gyll. 573. Bedel 172 *E.*
granulicollis Thoms. Sk. 7. 268
uniformis Gyll. 571 *Ca.*
subulatus Bris. Ab. 5. 453 *Hi.*

*

sulcicollis Payk. Weise D. 1883. 323 *E.*
cyanipennis Germ. Ins. 235
dubius Bris. A. 1883. 116 *R.m.*
timidus Weise D. 1883. 325 *D.Cro.*
obesulus Weise ibid. 326 *Hi.m.*
hirtulus Germ. Weise ibid. 324 *E.*
drabae Laboulb. A. 1856. 157 *Ga.*
chalybeus Germ. Weise ibid. 326 *E.md.*
coerulescens Gyll. S. 4. 487
granipennis Weise l. c. 326 *Gr.*
viridipennis Bris. Ab. 5. 447 *Ga.m.*
carinatus Gyll. 559. Bedel 170 *R.m.*
melanocyaneus Boh. S. 8. 2. 166 *Ga.*
canaliculatus Bris. Ab. 5. 445 *T.*
Kuthyi Friv. Term. 1883. 18 *Hu.*
aeneicollis Germ. Ins. 234 *Ga.G.A.*
metallinus Fairm. A. 1852. 90 *E.m.*
nasturtii Germ. Ins. 233 *Ga.G.*
olivaceus Gyll. 592 *E.m.*
scapularis Gyll. S. 4. 555 *E.md*
obscurecyaneus Gyll. Weise l. c. 328
intersetosus Bris. i. l. Wse. l. c. 328 *Hi.Ga.*
rugicollis Bris. Ab. 5. 444 *And.*
erysimi F. Mant. 1. 101 *E.*
v. chloropterus Steph. Weise l. c. 329
v. cyaneus Weise l. c.
contractus Marsh. Weise D. 1883. 330 *E.*
aeneipennis Bris. A. 1883. 115 *R.m.*
Grenieri Bris. A. 1860. 336 *Ga.m.Hi.*
suturellus Gyll. S. 4. 558 *E.md.*
pervicax Weise l. c. 331
Pandellei Bris. Ab. 5. 446 *P.*
barbareae Suffr. St. 1847. 89 *G.*
cyanopterus Redtb. ed. 1. 380 *A.*
ignitus Germ. Weise D. 1883. 330 *G.*
chlorophanus Rouget A. 1857. 752 *Ga.*
Gougeleti Bris. A. 1860. 335 *Hi.b.*
lactus Rosh. Weise l. c. 232 *Hi.Ga.m.*
smaragdinus Bris. Ab. 5. 446 *I.*

*

albolineatus Friv. Term. 2. 112 *Hu.*
albovittatus Germ. Ins. 231 *E.md.m.*
volgensis Faust St. 1884. 471 *Samara*
sublineellus Bris. Ab. 5. 457 *Gr.*
tenuirostris Rosh. And. 272 *Hi.m.*
insidiosus Bris. 445 *Hi.*
suturalis F. Gyll. 478 *E.md.m.*
querceti Gyll. 489 *Su.G.H.E.*

consputus Germ. Ins. 232 *E.md.m.*
alboscutellatus Gyll. 478
rubescens Boh. S. 8. 2. 136
haemorrhoidalis Mot. Schrenk 156 *R.Ca.*
Steveni Boh. 133 *R.m.*
arator Gyll. 479 *Ga.G.R.*
inaffectatus Gyll. 550
glabrirostris Gyll. 550
syrites Germ. Ins. 232 *E.*
?alauda F. Ent. S. 2. 411
assimilis Payk. Gyll. 480 *E.*
brassicae Focill. Rev. 52. 124
v. fallax Bohem. S. 8 2. 142 *Ga.Cri.*
fulvitarsis Bris. A. 1860. 336 *Ga.*
thlaspis Bris. Ab. 5. 440 *Ga.P.*
atomus Boh. l.c. 138. Bed. Fn. 166 *E.md.*
setosus Bohem. S. 8. 2. 139
cochleariae Gyll. S. 4. 469 *E.*
atratulus Gyll. 488
austerus Gyll. 481
Schönherri Bris. Ab. 5. 451 *G.Ga.*
?unguicularis Thoms.
parvulus Bris. 441 *Ga.A.Ca.*
trivialis Faust St. 1884. 456 *Ca.*
biscutellatus Chevr. A'. 1859. 20 *Ga.m.*
similis Bris. 441 *G.*
constrictus Marsh. 258 *E.md.*
plumbeus Bris. Ab. 5. 450 *G.*
subpilosus Bris. 451 *Hi.*
dimidiatus Friv. Királyi 1865. 172 *Hu.*
leucorhamma Rosh. And. 293 *Hi.*
squamulosus Bris. Ab. 5. 456 *Hi.*
algiricus Bris. l. c. *Si.*
nanus Gyll. S. 4. 497 *E.md.m.*
rufipes Bris. 440 *Hi.m.*
angustulus Gyll. S. 498 *Ca.*
v. elegantulus Faust St. 1887. 302

Micrelus Thomson.

ericae Gyll. S. 4. 499 *E.*
albosetosus Gyll. 500
ferrugatus Perris Lyon 1847. 477 *Ga.G.m.*

Hypurus Rey.

Bertrandi Perris Rey R. 1. 189 *Ga.*
carneus Perris A. Lyon 1857. 146.
acalloides Fairm. A. 1857. 639 *Ga.m.C.S.*
subglobosus Bris. Ab. 5. 442 *P.*
sphaerion Boh. S 8. 2. 145 *Saxon.Hu.Tr.*
veronicae Friv. Term. 1884. 284

scutellaris Brull. Exp. 249 *Gr.*
tuber Reich Mant. 7 *G.*
fossarum Reich Mant. 9 *G.*
minutus Reich Mant. 11 *G.*
albofasciatus Goeze *Ga.*
pultiarius Fourcr. Ent. Par. 1. 123
cineritus Hochh. B. M. 1851. 99 *R.m.*
submuricatus Hochh. l. c. 97 *R.m.*

Poophagus
Schönherr.

robustus Faust Hor. 16. 322 *R.m.*
sisymbrii F. Gyll. S. 4. 591 *E.md.b.*
subnudus Reitt. W. 1889. 70 *Ca.*
Hopffgarteni Tourn. Sch. M. 1874. 189 *Hu.*
arancipes Faust Hor. 16. 323 *R.m.*

Tapinotus
Schönherr.

sellatus F. Gyll. 594 *E.md.b.*

Orobitis
Mannerheim.

cyaneus L. Gyll. S. 4. 595 *E.md.*
nigrinus Reitt. D. 1885. 213 *Bosn.*

Barina.

Coryssomerus
Schönherr.

capucinus Beck Beitr. 1817. 21 *E.*
ardea Germ. Mag. 4. 299

Aocnus
Kolenati.

Kolenatii Kol. B. M. 1859. 2. 343 *Ca.*

Euryommatus
Roger.

Mariae Roger St. 1857. 61 *G.A.R.*

Baris
Germar.

Baridius Schönherr.
H. Brisout (Br.) A. 1870. 31. Kirsch, Kr. Monatsbl. 1880.

morio Boh. Br. 44 *Ga.G.Hi.*
resedae Bach St. 1856. 243 *G.*
loricata Boh. S. 3. 716 *R.m.*
crinipes Bris. 45. Kirsch 8 *Ca.*
convexicollis Boh. Br. 46 *R.m.*
Schwarzenbergi Hochh. Kirsch 10 *Casp.*
artemisiae Herbst Br. 47 *E.*
Spitzyi Hochh. l. c. 564 *R.m.*
v. nesapia Faust St. 1889. 232
sulcata Bohem. Br. 48 *R.m.? Tr.*
duplicata Schönh. Br. 50 *Ca.*
despicata Faust W. 1889. 208 *Arax.*

atricolor Bohem. S. 8. 152 *D.R.m.*
Landgrebei Hochh. l. c. 558
v. jonica Mill. Br. 51 *Gr.*
v. turcica Bris. 51 *T.R.*
laticollis Marsh. Bed. Fn. 348. *E.*
glabra auct.
picina Germ. Br. 51
absinthii Panz. Fn. 18. 9
dalmatina Bris. 53 *D.*
melaena Bohem. Br. 54 *R.m.*
Renardi Hochh. l. c. 562
rufa Bohem. Br. 55 *Si.Hi.*
limbata Bris. 56. Kirsch 9 *R.m.*
v. nigra Faust 1890
timida Rossi Faust Hor. 22. 177 *E.md.m.*
nitens F. Bris. 58
quadraticollis Boh. Br. 59 *E.m.*
sulcicollis Chevr. Revue Z. 66. 106
v. picitarsis Boh. S. 3. 694 *Ca.*
memnonia Boh. Br. 61 *R.m.*
carbonaria Boh. Br. 62 *Tr.R.m.*
atramentaria Boh. Br. 63 *G.Hu.*
Brisouti Faust St. 1882. 433 *R.m.*
nigritarsis Boh. Br. 64 *Ca.*
semistriata Boh. Br. 65 *Ca.*
Gimmerthali Hochh. l. c. 560
v. Hochhuthi Faust l. c.
sellata Bohem. Br. 287 *Hi.*
spoliata Boh. Br. 290 *Ga.m.Hi.C.*
angusta Brull. Br. 299 *A.Hu.Gr.*
violacea Gyll. S. 3. 708 *R.m.*
janthina Boh. Br. 300 *R.m.*
Stierlini Tourn. Ab. 16. 16 *Si.*
prasina Boh. Br. 301 *E.m.*
cuprirostris F. Br. 302 *Ga.G.E.m.*
? viridisericea Goeze Beytr. 1. 410
v. sicula Boh. S. 8. 161 *Si.*
v. nitidula Bris. 302
lepidii Germ. Br. 304 *E.md.m.*
nivalis Bris. 305. Kirsch 12 *P.Hi.*
pertusa Kiesw. B. 64. 291. Br. 306 *Gr.*
concinna Boh. Br. 307 *R.m.*
picicornis Marsh. Ent. 276 *E.md.*
abrotani Germ. Bris. 308 *E.m.*
punctata Gyll. S. 3. 711
v. virescens Brull. B. 1864. 290 *Gr.*
cribricollis Reiche Saulcy Cat. 585
coerulescens Scop. Carn. 29 *E.md.*
chlorodia Boh. S. 8. 162 *E.m.*
v. chloris F. Bris. 310
fallax Bris. 311 *Ga.G.Hi.*
cribellata Kiesw. Br. 312 *Gr.*
chlorizans Germ. Br. 313 *E.md.m.*
Luczoti Boh. S. 8. 146
celtis Gredl. Tirol 355 *Ti.*
chloris Oliv. Ent. 5. 83. 149
Kiesenwetteri Faust D. 1890. 326 *Gr.*
viridipennis Rosenh. Br. 317 *Hi.*
Villae Comolli Br. 314 *Ga.m.A.I.R.*
andalusiaca Bris. 315 *Hi.*
Suffriani Hochh. B. M. 1847. 566 *Ca.*
albomaculata Bris. 298. Kirsch. 11 *Hi.m.*
analis Oliv. Br. 57 *Br.Ga.G.E.m.*
scolopacea Germ. Br. 292 *E.m.*
vestita Perris A. Lyon 1857. 143
v. pallidicornis Boh. S. 3. 702 *R.m.*
v. parvula Boh. 701 *Ca.*
picturata Mén. M. Petr. 1849. 263 *E.m.*
opiparis Duv. Bris. 288

Eumycterus
Schönherr.

albosquamulatus Boh. S. 4. 1084 *As.min.*
tenuirostris Bris. 291 *Gr.*

Limnobaris
Bedel.

T-album L. Br. 296 *E.*
uniseriata Dufour Ossau 88 *P.*
v. pusio Boh. S. 8. 173 *E.m.*
v. crocopelma Gyll. S. 3. 720 *R.*
v. sculpturata Fst. St. 1885. 201 *R.m.*
scutellaris Reitt. W. 1888. 273 *Ca.occ.*
Bedeli Reitt. ibid. 274 *Talysch*

Lissotarsus
Faust.

capucinus Faust Horae 1881. 332 *R.m.*

Calandrini.

Sphenophorus
Schönherr.

Allard, Heyd. Reise Span. 207; Stierlin Schw. Mittheil. 1882. 398; Reitt. D. 1883. 231. Chevrol. A. 1885. 106.

piceus Pall. It. 464 *Ga.G.E.m.*
opacus Stierl. 398
v. nitens All. 207 *Ga.*
parumpunctatus Gyll. S. 4. 931 *E.m.*
opacus Gyll. S. 4. 932 *E.m.*
siculus Stierl. 393 *Si.*
abbreviatus F. Mant. 1. 99 *E.md.m.*
paludicola Waltl Reis. 2. 81
v. Ragusae Stierl. 399 *Si.*
v. scotinus Germ. Ins. 298 *Ga.m.*
v. inaequalis All. 208 *Ga.*
denominatus Chevr. 106

striatopunctatus Goeze Bedel 353 *E.md.I.*
mutilatus Laich. Tyrol 216
ardesius All. 209 (nec Oliv.)
helveticus Stierl. 400
meridionalis Gyll. S. 4. 934 *E.m.*
v. uniseriatus Stierl. 401
v. sanguinipennis Chevr. 107 *Ga.m.*
v. Grandini Mars. Ab. 1870. nouv. 57
pumilus All. 210 *[Ga m.*

Calandra
Clairville.
Sitophilus Schönh.

granaria L. Gyll. S. 4. 977 *E.*
oryzae L. Gyll. 981 ×*E.*

Tychiini.

Balaninus
Germar.
Desbroch. A. 1868.

elephas Gyll. Desbr. 344 *Ga.G.*
mastodon Jekel *A.T.C.*
propinquus Desbr. 345
pellitus Boh. Desbr. 345 *E.md.m.*
sericeus Desbr. 349
Reichei Desbr. 350 *Si.T.Cri.*
venosus Grav. Bedel Fn. 351 *E.*
glandium Desbr. 352
Deyrollei Tourn. Ab. 16. 2 *T.Ca.*
nucum L. Desbr. 356 *E.*
turbatus Gyll. S. 3. 383. Bed. Fn. 351 *E.*
tessellatus Desbr. 354
? glandium Marsh. Ent. 284
nucum Germ. Mag. 4. 294
villosus F. Desbr. 357 *E.*
cordifer Fourcr. Ent. 1. 132
? cerasorum F. Syst. Ent. 142
hispanus Stierl. Sch. M. 1888. 19 *Hi.*
betulae Steph. Bedel Fn. 352 *E.*
Herbsti Gemm. Col. H. 8
cerasorum Herbst Desbr. 358
rubidus Gyll. Desbr. 360 *E.md.*
v. rubricollis Westh. Käf. 215

Balanobius
Jekel.

rhaeticus Fuchs B. 1862. 423 *H.*
crux F. Desbr. 361 *E.*
crucifer Fuchs l. c. 424 *Ti.*
v. pedemontanus Fuchs l. c. 425 *Pe.*
ochreatus Fahrs. Desbr. 363 *Ga.m.Hi.*
rufosignatus Fairm. A. 1855. 318

salicivorus Payk. Bedel Fn. 352 *E.*
brassicae F. Desbr. 364
pyrrhoceras Marsh. Desbr. 366 *E.*
troglodytes Jekel Desbr. 368 *Gr.*
nobilis Reitt. D. 1884. 96 *Gr.*

Anthonomus
Germar.
Desbr. A. 1868.

Anthomorphus Weise.

varians Payk. Desbr. 425 *E.*
varius Zett.
melanocephalus F. Gyll. S. 3. 344
v. perforator Herbst Käf. 6. 143
ater Marsh. Ent. 285
v. obesior Desbr. 427
v. pyrenaeus Desbr. 428 *P.*

Anthonomus i. spec.
Toplithus Gozis.

rubi Herbst Desbr. 418 *E.*
v. leptopus Gozis A. 1881. 135
gracilipes Desbr. A. 1872. 417
Grouvellei Desbr. A. 1887. 161 ×*Ga.m.*
rubripes Gyll. Desbr. 419 *T.Cri.*
femoratus Desbr. 420
sorbi Germ. Desbr. 420 *Su.G.b.*
oxyacanthae Boh. Vet. Ac. 49. 227
pedicularius Thoms. Sk. 7. 322
gentilis Faust *Ca.*
Bonvouloiri Desbr. 421 *I.*
pubescens Payk. Desbr. 424 *E.md.b.*
britannus Desbr. 429 *Br.*
Chevrolati Desbr. 430 *Ga.Br.*
cinctus Kollar Redtb. Fn. 2. 309 *E.md.*
piri Boh. S. 7. 2. 215. Desbr. 432
bituberculatus Thms. Sk. 10. 212 *Su.*
Rosinae Gozis R. 1. 208 *Ga.*
inversus Bedel Fn. 130 *E.*
ulmi Desbr. 434
cinctus Thoms. Sk. 7. 324
pedicularius L. Desbr. 442 *E.*
ulmi Deg. Thoms. Sk. 7. 321
Schönherri Desbr.
fasciatus Marsh. Ent. 286
melanocephalus Ol. Enc. 5. 521
v. distinguendus Desbr. 444
v. conspersus Desbr. 445 *Mont.E.md.*
v. Javeti Desbr. 446
rufus Gyll. Desbr. 436 *E.md.*
nitidirostris Desbr. 437
v. opacirostris Desbr. 437 *F.*
v. languidus Gyll. Desbr. 437 *Cri.*

v. pruni Desbr. 439 *Ga.G.*
ornatus Reiche Desbr. 440 *Car.I.T.*
Kirschi Desbr. 446 *A.*
Stierlini Desbr. Sch. M. 1870. 189 *Gr.*
spilotus Redtb. Desbr. 448 *E.md.m.*
Roberti Wenk. A'. 1858. 236
pomorum L. Desbr. 449 *E.*
v. piri Kollar Redtb. Fn. 2. 310 *A.*
humeralis Panz. Bed. Fn. 297 *E.md.b.*
incurvus Panz. Desbr. 451
curtus Faust St. 1882. 432 *R.occ.*
undulatus Gyll Desbr. 452 *Ga.G.*
♀ ruber Perris A. Lyon 4. 141 *A.D.*

Furcipes Desbr.

rectirostris L. Desbr. 416 *E.*
druparum L. Boh. S. 7. 2. 235

Bradybatus
Germar.

Nothops Mars.

Pseudomorphus Desbr.

elongatulus Boh. Desbr. 458 *Ga.G.*
fallax Gerst. St. 1860. 397 *H.*
aceris Chevr. Rev. Z. 1866. 29
elongatus Seidl. Fn. B. ed. 1. 435

*

Creutzeri Germ. Gerst. St. 55. 168 *A.I.R*
Kellneri Bach Käferf. 1854. 306 *G.*
v. subfasciatus Gerst. l. c 169 *Ga.G.A.*
v. robustirostris Desbr. 464 *I.*
carbonarius Reitt. Brünn 22. 7 *Ca.*

Acalyptus
Schönherr.

carpini Herbst Kf. 6. 204 *E.*
v. sericeus Gyll. S. 3. 447
alpinus Villa Cat. 35 *Ga.G.*
rufipennis Gyll. S. 3. 448 *I.*
fuscipes Thoms. Op. 337 *Su.*

Elleschus
Stephens.

scanicus Payk. Faun. 3 251 *E.*
v. pallidesignatus Gyll. S. 3. 303
bipunctatus L. Syst. ed. X. 380 *E.*
ruficornis Zett. Lap. 1. 185
brevirostris Desbr. Op. 34 *E.m.*
infirmus Herbst Käf. 6. 257 *Ga.G.E.m.*

Lignyodes
Schönherr.

enucleator Panz. Faun. 57. 14 *H.G.A.Ca.*
rudesquamosus Frm. A. 1857. 740 *Ga.*
Muerlei Ferrari W. z. b. 1866. 368 *A.*
suturatus Fairm. A'. 1859. 237 *A.*
obliquefasciatus Frm. A'. 1875. 194 *T.*

Tychius
Germar.

Brisout A. 1862. — Tourn. A. 1873.

quinquepunctatus L. Bris. 765 *E.*
v. taum Frick. D. 1888. 324
modestus Tourn. 462 [illegible]
astragali Becker Tourn. 463 *R.m.*
trivirgatus Desbr. A. B. 1873. 99
affinis Becker Tourn 463 *R.m.*
tessellatus Tourn. 464 *Hi.m.*
polylineatus Germ. Ins. 294 *E.md.*
globithorax Desbr. A. B. 73. 99 *Hi.I.*
lineatulus Steph. Bris. 773 *E.md.I.*
Schneideri Gyll. S. 3. 406
discicollis Faust D. 1889. 89 *Gr.*
Oertzeni Faust D. 1889. 96 *Gr.*
arietatus Tourn. 465 *H.*
cuprinus Rosh. And. 271 *Hi.m.*
aureomicans Tourn 465 *H.*
elegantulus Bris. 774 *Ga.H.Hi.*
rufipennis Bris. 775 *Ga.E.m.*
Schneideri Herbst Bris. 776 *E.md.m.*
lineatulus Boh. S. 7. 2. 311 *Su.*
lineolatus Desbr.
conspersus Rosh. And. 273 *Hi.m.*
Grenieri Bris. A. 1861. 605 *Ga.Hi.Si.*
rufovittatus Faust St. 1884. 455 *Ca.*
graecus Kiesw. B. 1864. 279 *Gr.*
nigricollis Chevrol. Rev. Z. 1859. 300 *Si.*
mitratus Costa Ann. 2. 128
Schaumi Stierl. Sch. M. 2. 32
bicolor Stierl. B. 1864. 151
lautus Gyll. S. 3. 403 *T.R.m.*
dispar Tourn. 467 *I.m.*
bicolor Bris. 772 *Ga.I.Ca.*
fuscipes Chevr. l. c. 303 *Hi.m.*
dimidiatipennis Desbr. A. B. 73. 106
aurichalceus Gyll. S. 7. 2. 410 *Hi.Si.*
funicularis Bris. 775 *Ga.Hi I.*
thoracicus Boh S. 7. 2. 303 *I.Hi.*
Reichei Faust D. 1890. 325 *Cor.*
strigosus Reiche A. 58. S. B. 64. 280 *Gr.*
laticollis Perris A. 1864. 298 *Hi.Si.*
suavis Bris. A. 1866. 414
argentatus Chevr. l. c. 302. B. 64. 280 *E.m.*

siculus Boh. l. c. 292 *Si.*
gentilis Rottbg. B 1871. 234 *Si.*
subsulcatus Tourn. 470 *Hu.*
obductus Hochh. B. M. 1851. 94 *Armen.*
flavicollis Steph. Ill. 4. 56 *E.*
squamulatus Gyll. S 3. 404
Kirbyi Waterh. Proc. 1862. 79
cinnamomeus Kiesw. A. 1851. 639 *Hi.*
suturalis Bris. 769 *Ga.I.*
cretaceus Kiesw. l. c. 638 *Hi.*
Brisouti Tourn. 471 *Jura*
albilaterus Stierl. B. M. 63. 4. 497 *R.m.*
venustus F. Bris. 767 *Ga.G.H.*
v. genistaecola Chevr Rev.Z.1866.29 *I.*
v. genistae Boh. S. 7. 2. 301 *Hi.*
bivittatus Perris A. 1866. 191 *C.*
Hueti Tourn. 472 *I.*
longulus Desbr. A. B. 1873. 103 *R.m.*
longiusculus Tourn. 474
confusus Desbr. l. c. 103 *Ca.*
farinosus Rosh. And. 274 *Hi.m.*
terrosus Tourn. 475 *I.m.*
Morawitzi Becker Tourn. 477 *R.m.*
carinicollis Tourn. 479 *R.m.*
v. pullus Faust St. 1884. 470 *R.m.*
Reitteri Faust W. 1889. 206 *Arax.*
italicus Tournier 479 *I.*
ciliatus Gyll. S. 3. 405 *R.m.*
striatulus Gyll. l. c. *Ga.G.Pe.*
striatellus Bris. 766 *E.m.*
deliciosus Perris Ab. 7. 26 *S.*
fuscolineatus Luc. Alg. 448 *Hi.Si.*
decoratus Rosh. And. 275 *Lu.*
v. bellus Kirsch Heyd. Sp. 174
Olcesei Tourn. 483 *Lu.*
Chevrolati Tourn. 484 *Lu.*
insularis Chevr. *S.*
rufirostris Gyll. S. 3 407 *R m.*
glycyrrhizae Becker Desbr. l. c 121
Kiesenwetteri Tourn. 485 *T.b.*
aeosmus Tourn. 486 *R.m.Ca.*
Beckeri Tourn. 487 *R.m.*
crassirostris Kirsch B. 1871. 48 *G.H.*
sericatus Tourn. 488 *H.*
sericans Gozis
denominandus Faust D. 1889. 90
aureolus Kiesw. A. 1851. 640 *Ga.G.*
albovittatus Bris. 768 *E.m.*
albovittis Gemm. Col. H. 10. 123
v. medicaginis Bris. 767
sorex Gyll. S. 3. 411 *R.*
haematopus Gyll. S. 3. 409 *E.m.*
junceus Boh. S. 7. 2. 303
v. gracilipes Tourn. *A.*
flavus Becker Tourn. 489 *R.m.*
femoralis Bris. 771 *Ga.G.Hu.I.*
sulphureus Faust St. 1884. 471 *Ca.*
difficilis Tourn. 490 *Car.Ist.*
junceus Reich Mant. 1. 15 *E.md.m.*
canescens Marsh. 1. 259 *Su.*
curtus Bris. 770
flavicollis Boh. S. 7. 2. 304
meliloti Steph. Ill. 4. 55 *E.md.m.*
v. ?litigiosus Tourn. *Si.S.*
sericellus Faust D. 1889. 88 *T.Gr.*
naxiae Faust (emend.) St. 89. 229 *Arax.*
sericans Faust D. 1889. 97 *Gr.*
armatus Tourn. 495 *I.Si.*
comptus Tourn. 497 *C.I.*
tibialis Boh. S. 7 2. 310 *E.md.I.*
nigrirostris Walton Ab. 1. 105
curvirostris Bris. 777. *Ga.m.*
hirtellus Tourn. 500 *Creta*
neapolitanus Tourn. 502 *I.m.*
pusillus Germ. St. 42. 107 *E.md.m.*
pygmaeus Bris. 777
brevicornis Waterh. Proc. 1862. 80
exiguus Faust D. 1889. 95 *Gr.*
curtirostris Desbr. l. c 107 *C.*
longicollis Bris. 778 *Ga.I.R.m.*
metallescens Kolen. B. Mosc. 59. 350 *Ca.*
pumilus Bris. 779 *H.G.Ga.I.*
Sharpi Tourn. 506 *H.*
tomentosus Herbst Bris. 777 *E.*
picirostris Gyll. Ins. 3. 121

Hypactus Tourn.

depressus Desbr. 108 *S.Si.*
hypactrus Tourn. 469
deplanatus Desbr. 109 *?Hi.*

Apeltarius Desbr.

Ectatotychius Tourn.

amplicollis Aubé A 1850. 342 *Si.*
multilineatus Desbr.
similis Tourn. 461 *Si.*

Miccotrogus Schönherr.

picirostris F. Ent. Syst. 2. 407 *E.*
posticus Gyll. Bris. 780 *Ga.*
pyrenaeus Bris. 780 *P.*
consputus Kiesw. B. 1864. 281 *Gr.*
capucinus Boh. S. 7. 2. 412 *Si.*
v. monachus Chevr. Rev. Z. 59. 300 *Hi.*
v. signaticollis Chevr. l. c. 301
molitor Chevr. 301
discoideus Desbr. 117

suturatus Perris A. 1866. 192 *C.*
cuprifer Panz. Faun. 61. 10 *Ga.G.E.m.*
proccrulus Kiesw. A. 1851. 641 *Hi.*
v. ? parallelus Kiesw. 642 *Si.*
acuminirostris Bris A. 1866. 415 *Hi.*
festivus Faust St. 1884. 468 *R.m.*

Sibinia
Germar.
Sibynes Schönherr.
Desbrochers A. B. 1873. — Tournier A. 1873.

planiuscula Desbr. 124 *E.m.*
Heydeni Tourn. 511
sodalis Germ. Ins. 294 *E.md.*
cretacea Bris. Rev. Z. 1860. 168 *Hi.I.*
meridionalis Bris. Gren. Mat. 67. 192 *Ga.H*
Tournieri Tourn. 512 *R.m.*
Beckeri Desbr. 123
Zuberi Desbr. Faust St. 1884. 469 *R.m.*
minutissima Tourn. 513 *R.m.*
Reichei Tourn. 514 *I.m.*
Hopffgarteni Tourn. 514 *Hu.*
unicolor Fahr. S. 7. 2. 326 *Hu.R.m.*
fugax Germ. Ins. 293 *E.md.m.*
subelliptica Desbr. 124
Perrisi Tourn. 522
grisescens Tourn. 515 *H.*
primita Herbst Käf. 6. 104 *E.*
signata Gyll. Ins. 3. 133
arenariae Steph. Ill. 4. 58. Bed. 153
v. variata Gyllh. S. 3. 442. Bed. 153
♀ seriata Desbr. 115 *C.*
♂ Bohemani Desbr. 115 *P.*
v. phalerata Stev. Mosc. 2. 101. Bed. 153
velutifera Desbr. 114
v. subtriangulifera Dsbr. A'. 1888. 194 *C.*
femoralis Germ. Ins. 292 *E.md.*
gallicola Giraud W. z. b. 1861. 491
formosa Aubé
attalica Gyll. S. 3. 436 *E.m.*
v. lateralis Perris *C.*
tibiella Gyll. S. 3. 440 *I.Si.*
silenes Perris A'. 1857. 78 *Ga.*
vittata Germ. Ins. 291 *G.A.*
zebra Gyll. S. 3 435 *Hu.*
pellucens Scop. Ann. 5. 90 *E.*
cana Herbst Füssl. Arch. 5. 73
v. Roelofsi Desbr. 116 *I.Arax.*
abdominalis Tourn. 520 *Hu.*
rudepilosa Tourn. 520 *Hu.*
tibialis Gyll. S. 3. 439 *Hu.R.m.*
viscariae L. S. 3. 432 *E.*
bipunctata Kirsch B. 1870. 393 *Ca.*

nitidirostris Desbr. Op. 25 *R.m.*
pulchella Desbr. l. c. *R.m.*
nigritarsis Desbr. l. c. *R.m.*
tenuirostris Desbr. l. c. *R.m.*
potentillae Germ. Ins. 292 *E.*
Beckeri Tourn. 521 *R.m.Ca.*
curtirostris Tourn. 521 *Ga.H.*
recreatus Gozis (emend.)

versicolor Motsch. B Mosc. 1845. 101 *Ca.*
grandicollis Waltl Reis. Sp. II. 77 *Hi.m.*
statices Moncreaff Entomologist IV. 218 *[Br.*

Rhynchaenina.

Rhynchaenus
Clairville 1798.
Orchestes Illiger. 1804.
Salius Schrank, Euthoron, Trocticus, Alyctus, Isochnus Thoms. Brisout A. 1865.

quercus L. Bris. 262 *E.*
viminalis F. Syst. Ent. 145
v. depressus Marsh. Ent. 262
v. Phoebus Gozis *Ga.m.*
v. roboris Westh. Käf. 220
v. conformis Westh. l. c.
hirtellus Mill. Bris. 264 *Gr.*
rufus Schrank Enum. 116. Br. 265 *E.md.b.*
haematitius Germ. Mag. 4. 329
alni L. Bris. 267 *E.*
v. saltator Fourcr. Bed. Fn. 290 *E.*
ferrugineus Marsh. Bris. 269
atricapillus Marsh. 260
? nigricollis Marsh. 261
melanocephalus Oliv. Gyll. 3. 492
? pallipes Desbr. Hipp. 84. 166 *Ga.m.*
longulus Schauf. A. 1862. 311 *Gr.*
Quedenfeldti Gerhardt St. 1865. 214 *G.*
pilosus F. Bedel Fn. 290 *E.*
ilicis F. Bris. 271
v. irroratus Kiesw. Bris. 272 *Ga.Hi.*
distinguendus Duv. Gen. 51
sparsus Fahrs. Bris. 273 *Ga.H.Hi.*
crinitus Boh. S. 7. 2. 380 *A.*
melanarius Kiesw. A. 1851. 645 *Br.*
subfasciatus Gyll. Bris. 274 *R.m.*
erythropus Germ. Bris. 281 *E.md.m.*
foedatus Gyll. S. 3. 501
v. tricolor Kiesw. Bris. 282 *E.m.*
jota F. Bris. 275 *E.md.Si.*
rosae Herbst Käf. 6. 428 *E.*
fagi L. Bris. 276 *E.*

luteicornis Chevr. A'. 1871. 42
v. geniculatus Reitt. W. 88. 270 *Ca.occ.*
v. sanguinipennis Reitt. ibid. 271 *Ca.occ.*
testaceus Müller Dan. 90 *E.*
scutellaris F. Bris. 266. Bed. 293
v. albopilosus Reiche A. 1864. 248 *Ga.*
montanus Chevr. A'. 1874. 30 *MR.*
v. suturalis Zett. Ins. Lapp. 184 *L.*
oenipontanus Gredl. Kf. 2. 353 *Ti.*
v. carnifex Germ. Mag. 4. 329 *G.*
viminalis Schrank Fn. boic. 510
v. semirufus Gyll. Bris. 270 *E.md.*
5-maculatus Chevr. Ab. 4. N. 64
v. pubescens Stev. Bris. 277 *E.md.*
calceatus Germ. Mag. 4. 334 *E.b.*
pilosus Gyll. Ins. 3. 242
?v. atratus Preller B. 1867. 429 *G.*
lonicerae Herbst Bris. 283 *E.md.*
xylostei Clairv. Ent. helv. 70
rusci Herbst Bris. 286 *E.*
bifasciatus Gyll. Ins. 3. 247
avellanae Donov. Bris. 287 *E.*
signifer Creutz. Ent. Verz. 125
v. confusus Desbr. Heyd. Span. 158 *Lu.*
astrachanicus Tourn. Ab. 16. N. 10 *R.m.*
populi F. Bris. 284 *E.*

Hemirrhamphus Bedel.

pratensis Germ. Bris. 278 *E.md.*
Waltoni Curt. Brit. Ent. 15. 678 *Ca.*
tomentosus Gyllh. S. 3. 497
incanus Rosenh. And. 283 *Hi.m.*
cinereus Fahrs. Bris. 285 *Ga.G.E.m.*
tomentosus Oliv. Bedel Fn. 126 *Ga.*
rhamphoides Duv. Bris. 279 *G.H.I.*

Tachyerges Schönherr.

decoratus Germ. Bris. 291 *E.*
v. affinis Steph. Ill. 4. 65
rufitarsis Germ. Bris. 293 *Ga.G.A.*
confundatus Steph. *Br.*
fulvitarsis Brull. Exp. 247 *Gr.*
salicis L. Bris. 292 *E.*
bifasciatus F. Gyll. S. 3. 502
stigma Germ. Bris. 289 *E.*
jota Payk. Fn. 3. 271
foliorum Müller Dan. 90 *E.*
saliceti F. Bris. 290
Habelmanni Desbr. Hipp. 1884. 165 *Gr.*
monedula Herbst Käf. VI. 424 *G.*
plinthotrichus Kolen. B. M. 59. 362 *Ca.*

Rhamphus
Clairville.

pulicarius Herbst Käf. 6. 429 *E.*
flavicornis Clairv. Helv. 1. 104
subaeneus Illig. Mag. 6. 324 *Ga.G.*
aeneus Boh. S. 1. 310 *E.m.*
Kiesenwetteri Tourn. Sch. M. 4. 188 *Si.*

Mecinina.

Mecinus
Germar.
Tourn. A. B. 1873.

pyraster Herbst Käf. 6. 252 *E.*
haemorrhoidalis Herbst l. c. 266
semicylindricus Marsh. 294
?v. andalusicus Faust D. 1890. 331 *Andal.*
longiusculus Boh. S. 8. 2. 188 *Ga.Hi.*
filiformis Aub. A. 1850. 344 *Lu.I.*
♀ teretiusculus Boh. l. c. 189
collaris Germ. Mag. 4. 318 *E.*
janthinus Germ. l. c. 319 *E.*
laeviceps Tourn. 42 *R.m.*
Heydeni Wencker Catal. 120 *G.Ga.*
janthinus Thoms. Sk. 7. 308 *Su.*
comosus Bohem. l. c. 190 *Lu.*
setosus Kiesw. B. 1864. 274 *Gr.*
dorsalis Aubé A. 1850. 343 *Ga.*
nasutus Tourn. 44 *I.m.*
circulatus Marsh. 274 *E.md.m.*
fimbriatus Germ. l. c. 318
alternans Kirsch Heyd. Span. 173 *Hi.m.*
barbarus Gyll. S. 4. 778 *Hi.*
humeralis Tourn. 45 *Hi.*

Gymnetron
Schönherr.
Brisout, A. 1862. 625.

pascuorum Gyll. Bris. 629 *E.*
v. bicolor Gyll. S. 4. 745 *E.m.*
m. carinatum Jacobsen
plantaginis Eppelsh. St. 1875. 77 *G.*
seriatum Jacq. A'. 1888. 97 *Ga.*
mixtum Muls. Op. 15. 195 *Ga.m.*
inermicrus Desbr. Op. 33 *R.m.*
ictericum Gyll. Bris. 630 *Ga.m.G.Hu.*
latiusculum Duv. Bris. 631 *Ga.*
tychioides Bris. 632 *Andal.*
villosulum Gyll. Bris. 632 *E.md.m.*
beccabungae L. Bris. 633 *E.*
concinnum Gyll. Bris. 642
v. veronicae Germ. Mag. 4. 306 *E.*
erinaceum Bedel Fn. 147 *Ga.*
variabile Rosh. Th. And. 296 *Ga.Hi.*
sanguinipes Chevr. Rev. Z. 59. 389

v. algiricum Bris 634 *And.*
Hoferi Desbr. Deyr. Nouv I. 29 *R.m.*
Zuberi Desbr. A. 1869. 399
labile Herbst Bris. 636 *E.*
simum Rey Bris. 637 *Si.Ga.m.*
biarcuatum Desbr. Sch. M. 71.350 *C.*
Pirazzolii Stierl. Sch. M. 1867. 225 *I.*
Schwarzi Letzn. Z. Bresl. 1872. 11 *G.*
conirostre Desbr. Op. 32 *R.m.*
elongatum Bris. 638 *Ga.m.G.*
stimulosum Germ. Bris. 639 *E.md.m.*
haemorrhoidale Bris. 639 *I.*
rostellum Herbst Bris. 640 *E.*
melanarium Germ. Bris. 640 *E.md.*
intaminatum Steph. Man. 217
perparvulum Boh. Bris. 642
pyrenaeum Bris. 641 *P.*
rotundicolle Gyll. Bris. 643 *Cri.*
apicale Faust St. 1885. 87 *Ca.*

Rhinusa Steph.

asellus Grav. Bris. 645 *E.m.md.I.*
cylindrirostre Gyll. S. 4. 766
uncinatum Dufour
v. plagiatum Gyll. 758
thapsicola Germ. Bris. 646 *Ga.G.m.*
vestitum Germ. Bris. 646 *Ga.Hi.*
incanum Kirsch Kr. Mon. 2. 7 *And.*
netum Germ. Bris. 647 *Ga.G.Ca.*
v. fulvum Desbr. Deyr. Nouv I. 29
conductum Mén. Petr. 1849. 264 *Ca.*
fuliginosum Rosh. Bris. 648 *Hu Ca.*
bipustulatum Rossi Mant. 1. 39 *Ga.G.*
v. Germari Faust St. 1889. 228
spilotum Germ. Mag. 4. 307. Faust l. c. *A.I.*
melas Boh. Bris. 650 *Ga. [Ca.*
collinum Gyll. Bris. 651 *E.*
linariae Panz. Bris. 651 *E.*
depressum Rottb. B. 1871. 236 *Si.*
tetrum F. Bris. 653 *Ga.G.E.m.*
verbasci Dufour Ex. Ossau 86
v. amictum Germ. Mag. 4. 310 *Hi.*
verbasci Rosensch. S. 4. 765
v. ♀ trigonale Gyll. Bris. 661
v. plagiellum Gyll. S. 4. 759
v. crassirostre Luc. Alg. 458
v. antirrhini Germ. Bris. 655 *E.md.m.*
comosum Rosensch. Bris. 655 *T.Gr.*
lanigerum Bris. 657 *Hi.Lu.C.*
griseohirtum Dsbr. Deyr. Nouv. I. 29 *C.*
griseohirtellum Dsbr. Heyd. Span 159
Heydeni Desbr. l. c. 158 *Hi.m.*
littoreum Bris. 656 *Ga.R.m.*
noctis Herbst Bris. 657 *E.*
herbarum Bris. 658 *Ga.Hu.*
pilosum Gyll. Bris. 659 *E.md.m.*
hispidum Brull. Exp. 3. 247 *Gr.*
fuscescens Rosensch. Bris. 660 *Cri.*
haemorrhoum Rosensch. Bris. 662 *Hu.*

Miarus
Stephens.

Cleopus Suffr.

longirostris Gyll. Bris. 663 *E.md.m.*
scutellaris Bris A. 1865. 622 *Ga.Ca.*
distinctus Boh. Bris. 664 *Alp.*
graminis Gyll. Bris. 665 *E.*
campanulae L. Bris. 666 *E.*
micros Germ. Bris. 667 *E.*
plantarum Germ. Ins. 288 *E.md.m.*
meridionalis Bris. 668 *Ga.m.*

Alcides
Schönherr.

Karelini Boh. S 8. 65 *Araxes*
Chaudoiri Chevrl. Solsk. Hor. VIII. 147

Cionina.

Cionus
Clairville.

Gozis, Feuille des Jeun. Nat. 1884.

scrophulariae L. Gyll. Ins. 3. 212. Goz. 3 *E.*
v. intermedius (Oeskay) Rosensch.
tuberculosus Scop. Carn. 27. Goz. 4 *E.*
verbasci F. Rosensch. S. 4. 724
Olivieri Rossch S. 4. 725. Goz. 5 *E.md.*
v. Clairvillei Bohem. S. 4. 730 *Ga.R.*
longicollis Bris. Gren. Cat. 114 *Ga.G.Hi.*
thapsi F. Gyll. Ins. 3. 214 *E.*
similis Gemm. Cat. 2520
hortulanus Fourcr. Gyll. 215 *E.*
caucasicus Reitt. W. 1888. 270 *Ca.*
Schönherri Bris. Gren. Mat. 115 *P.Ga.*
distinctus Desbr. Sch. M. 1870. 194 *C.*
ungulatus Germ. Mag. 4. 302 *D.Hi.*
simplex Rosenschld S. 4. 731 *R.*
Merkli Stierl. Sch. M. 6. 253 *T.*
olens F. Gozis 7 *Ga.G.R.Hi.*
alauda Herbst Arch. 5. 74 *E.md.m.*
blattariae F. Gozis 8
v. Villae Comolli Novocom. 30 *I.*
pulverosus Gyll. S. 4. 733 *E.m.*
pulvereus Schönh. S. 8. 2. 179

Cleopus Stephens.
Platylaemus Weise.

pulchellus Herbst Rosensch. 741 E.
similis Müll. Prodr. 89
solani Gyll. Ins. 3. 216
solani F. Ent. Syst. I. 2. 435 Ga.G.

Stereonychus Suffrian.

fraxini Degeer Gyll Ins. 3. 217 E.
v. rectangulus Herbst Col. 6. 193
v. phillyreae Chevr. Rev. Z. 1859. 388
provincialis Gozis 9 [E.m.
gibbifrons Kiesw. A. 1851. 647 Ga m.Hi.
telonensis Gren. A. 1864. 133 Ga.m.
globulariae Kiesw. B. 1864. 283 Gr.

Nanophyina.

Microphyes
Weise.

cyanipennis Weise W.z.b 1879. 483 Ca.
alutaceus Reitt. W. z b. 1880. 516 Ca.

Nanophyes
Schönherr.
H. Brisout, Abeille VI. 1869. 305.

Nanodiscus Kiesw.

transversus Aubé Bris. 317 E.m.
juniperi Chevr. Rev. Z. 1860. 210
v. aureolus Perris A. 1864. 299 C.
v. cuneatus Kiesw. B. 1864. 284 Hi.

Nanophyes i. spec.
Sphaerula Steph.

niger Waltl Reis. Span. 77 E m.
ericetorum Dufour Ossau 87
siculus Boh. Bris. 319
annulatus Arag. Bris. 320 I.
v. circumscriptus Aubé Bris. 323 Ga.
hemisphaericus Oliv. Bris. 321 Ga.G.
v. ulmi Germ. Mag. 4. 314 E.m.H.
globulus Germ. Bris. 323 Su.Ga.G.
stramineus Bach Käferf. 386
gracilis Redtb. Bris. 350 Ga.G.
geniculatus Aubé Bris. 324 E.m.
geniculatus Kiesw. B. 1864. 285 Cret.
? salicariae F. Syst. El. 2. 449
brevis Boh. Bris. 325 Ga.A.H Ca.
rubricus Rosenh. Bris. 327 E.md.m.
globiformis Kiesw. B. 1864. 284 Gr.
nigritius Gredler Käf. Tir 365 Ti.

Sahlbergi Sahlb. Bris 328 E.
lateralis Rosenh. Beitr. 57
brevicollis Bris Gren. Cat. 112
Durieui Luc. Bris. 329 Hi.m.
Fausti Reitt. D. 1890. 161 Arax.
flavidus Aubé Bris. 330 Ga.R.m.
nigritarsis Aubé Bris. 331 Si.
nitidulus Gyll. Bedel Faun. 359 E.md.m.
Chevrieri Boh. Bris. 332
♀ difficilis Tourn. A. 1867. 567
spretus Duv. Gen. 66
helveticus Tourn. l. c.
gallicus Bedel A'. 1887. 170 Ga.
marmoratus Goeze Bedel Faun. 358 E.
lythri F. Bris. 336
pygmaeus Herbst Bedel 358
angustipennis Bach Käferf. 386
rufipes Tourn. A. 1867. 566

Corimalia Gozis.

languidus Boh. Bris. 337 R.m.
Komaroffi Faust B. M. 1852. 3. 41 R.m.
tristigma Rottb. B. 1871. 235 Si.
tamaricis Gyll Bris. 339 E.m.
pallidus Oliv. Bris. 340 E.m.
stigmaticus Kiesw. A. 1851. 649
centromaculatus Costa Bris. 341 Si.
Olivieri Desbr. B. Hipp. 1866. 49
v. caesifrons Bris. l. c.
posticus Gyll. Bris. 342 Ga.m.Hi.
tetrastigma Aubé Bris. 343 Ga.m.Hi.
v. rubens Aubé Bris. 344 Ga.m.
4-virgatus Costa Bris. 345 Ga.m.D.I.Gr.
v. 6-punctatus Kiesw. B. 1864. 286
v. trilineatus Bris. 347
minutissimus Tourn. Bris. 347 Hi.R.m.
pallidulus Grav. Bris 348 Ga m.I.
v. liliputanus Bris. 349
v. Doriae Bris. A. 1873. B. 85

Magdalidini.

Magdalis
Germar.
Edo, Magdalinus, Germ., Panus, Thamnophilus, Schönh.
Desbrochers, Ab. VI. 1870.

memnonia Gyll. Desbr. 12 E.md.
carbonaria F. Boh. S. 7. 2. 137
heros Küst. Käf. 23. 82
ebenina Bach
linearis Gyll. Desbr. 14 E.md.b.
alpina Letzn. Bresl 1882. 11 Mt.Rosa
phlegmatica Herbst Desbr. 19 E.

virescens Germ. Ins. 195
rufa Germ. Desbr. 36 *E.md.m.*
nitida Gyll. Desbr. 17 *E.*
violacea L. Weise B. 1872. 151 *E.*
coeruleipennis Desbr. 24
?cyanea Seidlitz Fn. B. 430 *L.*
v. punctulata Rey Op. 9. 30
?v. coeruleipennis Seidl. F. Tr. 729 *T.Rm*
frontalis Gyll. Weise l. c. 151 *E.*
violacea Desbr. 26
duplicata Thoms. Sk. 7. 331
punctirostris Gyll. S. 3. 265
duplicata Germ. Ins. 194 *E.md.*
?punctipennis Küst. Käf. 23. 84 *Tr.*
♂ striatula Desbr. 32
Heydeni Desbr. 21 *Ga.Br.G.H.Su.*
Weisei Schreiner D. 1882. 159 *G.*
exarata Bris. Desbr. 43 *E.md.m.*
♂ mixta Desbr. 51 *Bav.*
Kraatzi Weise B. 1872. 149
barbicornis Latr. Desbr 47 *E.*
♂ clavigera Küst. Käf. 23. 80
rhina Gyll. var. Ins. 3. 83
♀ trifoveolata Gyll. Ins. 4. 564
turcica Desbr. 52 *T.*
ruficornis L. Bedel 302 *E.*
pruni L. Desbr. 55
nitidipennis Boh. Desbr. 57 *Ga.G.H.Gr.*
carbonaria L. Desbr. 37 *E.md.b.*
atramentaria Germ. Ins. 193
tridentata Gradl
v. atrocyanea Boh. S. 7. 2. 140
aterrima L. Desbr. 39 *E.*
armigera Bedel Fn. 300
stygia Gyll. Ins. 3. 184
asphaltina Boh. l. c. 139 *Ga.Alp.Gr.*
♂ longicornis Kiesw. B. 1864. 276
fallax Kirsch Led. 295 *Ca.*
cerasi L. Desbr. 41 *E.*
♂ rhina Gyll. Ins. 3. 83
flavicornis Gyll. Desbr. 53 *E.*
v. fuscicornis Desbr. l. c.
quercicola Weise B. 1872 150 *Ga.G.*
caucasica Tourn. Rev Zool 1872. 255 *Ca.*

Apionini.

Apionina.

Apion

Herbst.

Wencker, (Wnck.) Abeille 1. 1864. 109.

Oxystoma Duméril.

Pomonae F. Wnck. 117 *E.*
coerulescens Marsh. Ent. 245
cyaneum Panz. Faun. Grm. 20. 12
glabrum Marsh. Ent. 245
m. conspicuum Desbr Sch. M. 67. 218 *Ga.*
opeticum Bach Wnck 118 *Su.E.md.m.*
Dietrichi Dietr. St. 1857. 133
♂ Marshami Boh. S. 5. 372
craccae L. Wnck. 118 *E.*
viciae Deg. Mem. 5. 253
♂ ruficorne Herbst Käf. 7. 110
consanguineum Desbr. Sch. M. 1870. 187
cerdo Gerst. Wnck 119 *Su.E.md.* (*Da.*
breviatum Desbr. Op. 32 *Ga.G.*
subulatum Kirb. Wnck. 120 *Su.E.md.m.*
♀ Marshami Steph. Man. 254
♂ platalea Steph. l. c.
ochropus Germ. Wnck. 122 *E.md.m.*

*

Perrisi Wenck. 123 *P.*
rugicolle Germ. St. 1845. 143
Weneckeri Bris. Wnck. 124 *Ga.m.P.*
Grenieri Desbr. Op. 31 *Ga.m.*
tubiferum Gyll. Wnck. 125 *E.m.*
v. sicanum Wenck. 125
aerugineum Kirsch Leder 304 *Ca.*
rugicolle Germ. Wnck. 126 *Ga.*
setiferum Gyll. S. 1. 266 *E.m.*
hirsutum Villa Col. 49
Revelierei Perris Ab. 7. 24 *C.*
diversum Desbr. Sch. M. 8. 186

*

tamaricis Gyllh. Wnck. 127 *Ga.G.A.Tr.*
Gautardi Tourn. Ab. 5. 146 *Si.*
♂ pumilio Eppelsh. i. l.
♀ Poupillieri Wenck. 127 *Ga.m.*

*

dentirostre Gerst. Wnck. 128 *E.m.*
carduorum Kirb. Wnck. 129 *E.*
cyaneum Deg. Mém. 5. 252
gibbirostre Gyll. Ins. S. 3. 52
v. galactitis Wenck. 130
v. tumidum Steph. Man. 257
v. meridianum Wenck. 130
basicorne Illig Mag. 6. 307 *Ga.G.*
alliariae Herbst Kf. 7. 104 *E.m.*
parens Desbr. Heyd. Span. 161 *Lu.*
curtipenne Desbr. Sch. M 1870. 179? *Lu.*
russicum Desbr. Sch. M. 8. 179 *R.m.*
sareptanum Desbr. l. c. 2. 216 *R.m.*
frater Desbr. l. c. 8. 200 *R.m.*
indistinctum Motsch. Wnck. 131 *Hi.*
Beckeri Desbr. Op. 27 *R.m.*
scalptum Rey Wnck. 131 *Ga.G.E.m.*
armatum Gerst. Wnck. 132 *A.Tr.G.*

Barnevillei Wenck. 133 *Ga.*
caviceps Desbr. Sch. M. 8. 201 *R.*
subconicicolle Desbr. l. c. 199 *R.m.*
macrorrhynchum Eppelsh. D. 1888. 381
penetransGrm.Wck.134 *E.md.m* [*Spor.*
Caullei Wenck. 135 *Ga.G.Su.*
basicorne Thoms. Sk. 7. 58
rugipenne Hochh. Wnck. 137 *R.m.*
ovipenne Hochh. Wnck 136 *R.m.*
onopordi Kirb. Wnck. 138 *E.*
penetrans Steph. Ill. 4. 175
v. rugicolle Steph. l. c.
detritum Rey Wnck. 139 *Ga.Hi.*
stolidum Germ. Wnck. 139 *E.*
confluens Gyll. Ins. 4. 531
confluens Kirb. Wnck. 140 *E.*
stolidum Gyll. l. c. 532
Roelofsi Everts Tijdschr. 1879. 58
Ragusae Everts l. c. 58 *Si.*
viridicoeruleum Everts l. c. 59 *Si.*
insolitum Desbr.Sch.M.1870.196*Andal.*
brunnipes Boh. S. 5. 386 *Ga.G.*
laevigatum Kirb. Wnck. 141 *Br.*
candidum Wenck. 142 *Ga.m.Gr.*
squamosum Faust St. 1884. 455 *Ca.*
holosericeum Gyll. Wnck. 142 *D.*
hiemale Hamp.W. Mon. 5. 67 *I.Hu.*
variegatum Wnck. 188 *A.Ga.*
bicolor Gredl. Käf. Pass. 69 *Ti.*
vicinum Kirb. Wnck. 143 *Su.E.md.*
loti Gyll. Ins. 3. 60 *I.b.*
incrassatum Germ. Mon. 2. 140
oculare Gyll. Wnck. 144 *R.m.*
caucasicum Hochh. Wnck. 144 *Ca.*
atomarium Kirby Wnck. 145 *E.*
pusillum Germ Mon. 209 *Su.*
acium Gyll S. 1. 257 *I.b.*
cineraceum Wenck. 146 *Ga.*
millum Bach Käferf. 2. 198 *G.*
Uhagoni Desbr. Sch. M. 1870. 195 *Hi.b.*
flavimanum Gyll. Wnck. 147 *E.md.*
picicorne Steph. Man. 257
v. torquatum Wenck. 148
v. annulipes Wenck. 145 *Br.G.A.*
phaeopus Eppelsh. D. 1888. 380*Sporad.*
venustulum Wenck. 148 *Gr.*
serpyllicola (Wenck.) Gemm. 2472 *Ga.*
parvulum Rey Op. 9.5. Wnck. 149 *G.*
minutissimum Rosh. Wnck. 150 *Hi.*
Hookeri Kirb. Wnck. 150 *E.m.md.b.*
dispar Germ. Wnck. 170 *Su.*
Brisouti Bedel Faun. 363 *Ga.*
dispar Wenck.
Buddebergi Bedel l. c. *Nassau*

Beuthini Hoffm. St. 1874. 208 *Hi.*
Kolenatii Kolen. Wnck. 151 *Ca.*

*

(Exapion Bedel).

ulicis Forst. Wnck. 151 *E.md.m.*
ilicis Kirb Mon. 9. 18
carpini Gyll. S. 1. 269
nigrirostre F. Ent. S. Suppl. 163
uliciperda Pand. Gren. Mat. 184 *Ga.*
difficile Herbst Wnck. 152 *Ga.G.I.*
? corniculatum Germ. Mon. 129
oblongulum Desbr. Op. 31 *Hi.*
Kiesenwetteri Desbr. Sch. M. 70.204*Hu.*
breviusculum Rosenh. Wnck. 153 *Hi.*
Putoni Bris. A. 1866. 386 *Hi.*
? v. compactum Desbr.A'. 1883.193?*Ga.*
subparallelum Desbr. l. c. *C.*
bivittatum Gerst. Wnck. 154 *E.m.*
funiculare Rey Op. 9. 11
genistae Bedel Faun. 360
fuscirostre F. Wnck. 155 *E.*
melanopus Marsh. 248
albovittatum Herbst Arch. 5. 74
venustum Herbst Käf. 6. 163
longulum Desbr. Op. 30 *R.m.*
elongatissimumDesbr.Sch.M.70.198 *Hi.*
genistae Kirb. Wnck. 156 *E.*
? astragali Herbst Gozis

*

squamigerum Duv. Wnck. 156 *E.m.*
argentatum Gerst. Wnck. 157
semivittatum Gyll. Wnck. 158 *E.md.m.*
Germari Walton A. Hist. 1844.456
albopilosum Luc. Alg. 408
centromaculatum Betta Cat. 52
v. separandum Aubé A. 1866. 163 *Ga.*
pallipes Kirb. Wnck. 159 *E.*
geniculatum Germ. Mon. 174
pallidipes Bedel Faun. 362
flavofemoratum HerbstWnck.160 *E.md.*
croceifemoratum Gyll. S. 5. 293 *Gr.C.*
v. scabiosum Weise D. 1889. 184 *Hi.C.*
Steveni Gyll. S. 5. 393 *R.m.*
cretaceum Rosenh. Wnck. 161 *Hi.*
rufulum Wenck. 162 *Ga.m.*
urticarium Herbst Arch. 5.74. Bed. 206 *E.*
vernale F. Wnck. 162
rufescens Gyll. Wnck. 163 *E.md.m.*
pallidulum Gyll. S. 5. 400

*

aeneum F. Wnck. 163 *E.*
validum Germ. Wnck. 164 *G.Hu.T.*
radiolus Marsh. 247. Wnck 165 *E.*

Rougeti Wenck. ♂ 166
v. ferruginipes Wenck. l. c.
saeculare Gozis (emend.) A' 81. 135 *E.*
astragali Payk. Wnck. 167
ergenense Becker Ab. 4. N. 199 *R.m.*
?v. tricarinatum Waltl Wnck. 167 *Hi.*
elegantulum Germ. Wnck. 168 *E.md.*
pineae Rosenh. And. 244 *E.m.*
incisum Boh. S. 5. 428
♂ coracinum Gyll. S. 1. 299
laticolle Perr. A. Lyon 1857. 135
? neglectum Gyll. Wnck. 122 *Cri.*
facetum Gyll. Wnck. 169 *E.*
Sundevalli Boh. Wnck. 173
perspicax Wnck. 221 *G.*
curvirostre Gyll. Wnck. 170 *A.T.R.*
striatum Marsh. Wnck. 171. *E.*
atratulum Germ. Mon. 192
pisi Kirb.
immune Kirb. Wnck. 173 *E.md.m.*
betulae Gyll. S. 1. 260
cribricolle Perr. A. Lyon 1857. 135
trifolii Gyll. 285
denominandum Duv. Cat. N. 2.
Kraatzi Wnck. 174 *Ga.m.*
rapulum Wnck. 175 *Ga.*
pubescens Kirb. Wnck. 176 *E.*
civicum Germ Mon. 234
palpebratum Gyllh. Wnck. 177 *R.m.*
cylindricolle Gyllh. Wnck. 178 *R.m.*
Schneideri Tourn. Leder 306 *Ca.*
curtulum Desbr. Sch. M. 3. 203. Bed. 278
Curtisi Curtis Wck. 178 *Br.G.[Ga.m.*
corsicum Desbr. A' 1888. 193 *C.*
seriatosetosulum Wnck. 179 *Ga.m.Hi.*
simile Kirb. Wnck. 181 *E.*
superciliosum Gyll. Ins. 3. 58
triste Germ. Mon. 233
murinum Everts Sic. 1. 252 *Si.*
seniculus Kirb. Wnck. 181 *E.md.*
pusillum Steph. Ill. 4. 179
setosum Wenck. 180 *Gr.*
Zuberi Desbr. Sch. M. 1870. 199 *R m.*
longitubus Desbr. A'. 1889. 34 *Hi.*
elongatum Germ. Wnck. 182 *E.md.m.*
incanum Boh. S. 5. 414
millum Gyll. S. 1. 277
v. torquatum Wenck. 183
leucophaeatum Wenck. 183 *Ga.*
fulvirostre Gyllh. Wnck. 184 *E.m.*
♀ atritarse Gyll. S. 1. 277
rufirostre F. Wnck. 185 *E.*
malvarum Kirb. Mon. 9. 33
trifolii Marsh. Ent. 246

?v. obscurum Marsh. Wnck. 186 *Br.*
longirostre Oliv. Wnck. 186 *A.I.T.Ca.*
viciae Payk. Wnck. 187 *E.md.b.Ca*
v. Griesbachi Steph. Man. 261
cuneatum Hochh. Wnck 188 *Lenkor.*
kasbekianum Gerst. Wnck. 189 *Ca.*
litigiosum Wenck. 189 *T.*
boops Gyll. Wnck. 190 [illegible]
sarothamni Gradl *A.*

*

dentipes Gerst. St. 1854. 260 [illegible]
♂ armiferum Wenck. 190
difforme Germ. Wnck. 192 *E md.*[illegible]
♀ tibiale Desbr. Sch. M. 1867. 218
Truquii Reiche Wnck. 193 *T.*
dissimile Germ. Wnck. 194 *E.*
laevicolle Kirb. Wnck. 195 *Br.Ga.S.*
Schönherri Boh. Wnk. 196 *Br.Ga.Ca*
pedale Rey Wnck. 197 *Ga.m.*
ononicola Bach Käferf. 2. 195 Seidl. 736 [illegible]
ononidis Gyll. Wnck. 198
Bohemani Thoms. Bedel 367
varipes Germ. Wnck. 199 *E.md.m.*
flavipes v. Gyllh. Ins. 3. 37
Bohemani Boh. S. 5. 405. Seidl. 736
heterocerum Thoms. Sk 7. 62 *Su.*
apricans Herbst Wnck. 200 *E.*
fagi Kirby Wenck. 200
flavofemoratum Kirb. Mon. 9. 40
flavipes Müll. Z. Dan. 90
v. encaustum Wnck. 201 *Ga.*
v. ♀ tubicen Wnck 200 *Si.*
Ryei Blackburn M. M. 1874. 128 [illegible]
angusticolle Gyll. Wnck. 202 *Ga.*[illegible]
longimanum Rey Op. 9. 15 [illegible]
assimile Kirby Wnck. 203 [illegible]
trifolii L. Wnck. 204 [illegible]
aestivum Germ. Mon. 2. 169
flavipes F. Syst. Ent. 133
v. ruficrus Germ. Wnck. 262 *Ga.G.Ca.*
Motschulskyi Hochh. Wnck. 205 *R.m.*
Grimmi Hochh. Wnck. 205 *R.*
Linderi Wenck. 205 *Ga.G.*
gracilipes Dietr. Wnck. 206 *H.*
dichroum Bedel Fn. 209 *E.*
flavipes Payk. Wnck. 206
Lederi Kirsch Leder 307 *Ca.*
nigritarse Kirby Wnck. 207 *E.*
Waterhousei Boh. S. 5. 408
ebeninum Kirby Wnck. 208 *E.md.b.*
Kunzei Boh. S. 5. 419
tenue Kirby Wnck. 209 *Sa.E.md.b.*
intermedium Epp. St 1875. 76 *G.*
angustissimum Desbr. A'. 1889. 35 *Ca.*

*

sulcifrons Herbst Wnck. 209 *Su.E.md.*
punctigerum Payk. Wnck. 210 *Su.*
sulcifrons Kirb. Mon. 9. 50 *E.md.*
Paykulli Gozis (emend.)
Stierlini Desbr. Sch. M. 1870. 181? *R.m.*
punctirostre Gyll. Wnck. 211 *A.R.*
Schmidti Bach Wnck. 212 *G.*
amethystinum Mill. Wnck. 212 *A.*
♂ obtusum Desbr. B. Hipp. 66. 47
rhomboidale Desbr. l.c. 182 *A.* [*M.Cenis*
subglabrum Desbr.Sch.M.70.183 *Carn.*
glabratum Kiesw. B. 1864. 289 *Gr.*
glabrum Gemm. emend.
arrogans Wnck. 213 *Syria?Ga.*
virens Herbst Wnck. 215 *E.*
aeneocephalum Gyll. Ins. 3. 49
♂ marchicum Kirb. Mon. 9. 54
damascenum Desbr. Op. 29 *Syria*
aragonicum Everts W. 1884. 219 *Hi.b.*
unicolor Kirb. Thoms. Bed. 371 *E.*
platalea Germ. Wnck. 216
♀ validirostre Gyll. S. 1. 301
♂ afrum Gyll. S. 1. 291
Gyllenhali Kirb. Wnck. 216 *E.md.b.*
unicolor Germ. Mon. 2. 206
aethiops Gyll. Ins. 3. 54
punctigerum Thunb. A. Ups. 7. 118
hydropicum Wnck. 174 *Ga.*
hadrops Thoms. Sk. 7. 72 *Su.*
melancholicum Wnck. 217 *Ga.*
ervi Kirb. Wnck. 217 *E.*
♂ lathyri Kirb. Mon. 9. 24
ononis Kirby Wnck. 218 *E.md.*
glaucinum Gyll. S. 1. 255 *I.*
mecops Boh. S. 5. 413 *Su.*
♂ perplexum Gyll. 293
cinerascens Germ. Mon. 138
furvum Sahlb. Wnck. 228. Seidl. 738
filirostre Kirb. Wnck. 219 *E.*
morio Germ. Mon. 178
minimum Herbst Wnck. 220 *E.*
velox Kirby Mon. 9. 49
foraminosum Gyll. S. 1. 289
pisi F. Wnck. 221 *E.*
gravidum Oliv. Ent. 5 81. 31
punctifrons Kirby Mon. 9. 50
aeratum Steph. Man. 261
pasticum Germ. Mon. 2. 187
pullum Gyll. Wnck. 169 *R.m.*
v. cyanipenne Gyll. Wnck. 223 *T.*
v. amplipenne Gyll. Wnck. 173 *Gr.*
interruptostriatum Dsbr. Sch. M. 70. 180
aethiops Hrbst. Wck. 222 *E.md.b.* [*R.m.*
?coeruleum Herbst Käf. 7. 113 *I.b.*
marchicum Gyll. Ins. 3. 47
subsulcatum Marsh. 249. Bed. 369
subcoeruleum Steph. Man. 261
stenocephalum Perr. A. Lyon 57. 135
Bonvouloiri Bris. A. 1880. 232 *Ga alp.H.*
gracilicolle Gyll. Wnck. 223 *E.md.m.*
leptocephalum Aubé A. 1850. 339
laevigatum Payk. Curc. 141. Seidl. 732 *E.*
sorbi F. Wnck. 224
viridescens Marsh. 249
♂ Sahlbergi Gyll. Humm. Es. 4. 61
♂ carbonarium Germ 2. 176
v. extinctum Kr. D. 1888. 174 *G.*
scutellare Kirby Wnck. 225 *Br.Ga.*
Kirbyi Germ. 3. 50 *G.Hi.*
ulicicola Perr. A. 1840. 90 *I.b.*
meliloti Kirby Wnck. 226 *E.md.b.*
angustatum Gyll. Ins. 3. 56
loti Kirby 9. 58. Bed. Fn. 376 *E.*
angustatum Kirby Wnck. 227
♂ languidum Gyll. S. 1. 292
modestum Germ. Mon. 2. 234
glabratum Germ. Mon. 3. 47
v. plumbeomicans Rosh. And. 243 *And.*
distinctirostre Desbr. A'. 1838. 193 *C.*
differens Desbr. Op. 28 *R.m.*
cantabricum Desbr. Heyd. Span. 160 *Hi.*
Heydeni Desbr. Deyr. Nouv. 1 30
oblongum Gyll. Wnck. 228 *R.m.*
pedemontanum Dsbr. Sch. M. 1870. 197 *Pe*
columbinum Germ. Wnck. 229 *E.*
rudicolle Hochh. Wnck. 230 *R.m.*
alcyoneum Germ. Wnck. 231 *Ga.Gr.*
v. hispanicum Wenck. 232 *Hi.*
Spencei Kirby Wnck. 232 *E.md,b.*
foveolatum Kirby Mon. 9. 48
cyaneum Gyll. Ins. 3. 45
intrusum Gyll. S. 4. 550
cyanescens Gyll. Wnck. 233 *Ga.m.*
Capiomonti Wnck. 229 *Hi.*
vorax Herbst Wnck. 233 *E.*
♂ fuscicorne Marsh. Ent. 244
pallicorne Gyll. S. 1. 302
♀ villosulum Marsh. 250 [*And.*
v. Desbrochersi Kirsch Kraatz M. 2. 13
andalusiacum Desbr. A'. 1889. 34 *And.*
provinciale Desbr. l. c. *Ga.m.*
montanum Mill. Wnck. 234 *Gr.*
filicorne Wenck. 235 *Ga.m.*
decorum Wenck. 238
pavidum Germ. Wnck. 236 *Ga.G.*
plumbeum Gyll. S. 1. 301 *I.Ca.*

orbitale Boh. S. 5. 434
compactum Desbr. Sch. M. 1867. 218 *Ga.*
lanigerum Gemm. Col. H. 8. 123
lanuginosum Wnck. 236
juniperi Boh. Wnck. 237 *Ga.H.I.*
Marqueti Wnck. 240 *Ca.*
reflexum Gyll. S. 1. 290 *I.Ca.*
livescerum Gyll. Wnck. 239 *Ga.G.*
translatitium Gyll. S. 5. 427
Waltoni Steph. Wnck. 240 *Br.Ga.G.*
Curtisi Boh. S. 5. 430
aeneomicans Wnck. 242 *Ga.m.*
fallax Wenck. 242 *G.Ga.m.I.*

*

miniatum Germ. Wnck. 243 *E.*
distincticolle Desbr. Sch. M. 70. 197 *Hi.*
frumentarium L. Wnck. 245 *E.*
haematodes Kirby Bedel Fn. 383
cruentatum Walton Wnck. 244 *E.occ.*
rubens Steph. Wnck. 246 *Su.E.md.*
sanguineum Deg. Wnck. 246 *E.md.*

*

malvae F. Wnck. 247 *E.md.m.*
flavescens Villa Suppl. 49

*

limonii Kirby Wnck. 248 *E.occ.*
artemisiae Moraw. Wnck. 167 *R.m.*
Chevrolati Gyll. Wnck. 249 *E.occ.*
v. carbonarium Everts Tijdschr. 79. 60 *H*
brevirostre Herbst Wnck. 250 *E md.*
interstitiale Boh. S. 5. 443
pedicellare Thoms Sk. 7. 78 *Su.*
sedi Germ. Wnck. 251 *E.md.*
tumidicolle Bach Käferf. 2. 201
tenellum Sahlb. Ins Fenn 2. 18. Sdl. 738 *F.*
sedi Gyll. Ins. 4. 545
medianum Thoms. Sk 7. 48 *Su.*
aciculare Germ. Wnck. 253 *G.Ga.*
v. pulchellum Mill. W. Monat. 57. 15 *A.*
consors Desbr. Op. 31 *C.*
helianthemi Bed. A'. 1887. 154 *Ga.*
violaceum Kirby Wnck. 254 *E.*
cyaneum Oliv. Ent. 5. 81. 32
v. alpinum Wenck. l. c. *Alpes*
hydrolapathi Kirby Wnck. 255 *E.marit.*
coeruleipenne Steph. Man. 255
externepunctatum Desbr. Op. 30 *R.m.*
laticeps Desbr. Sch. M. 1870. 205 *U.*
neapolitanum Dsbr. Sch. M. 1870. 200 *I.m.*
semicyaneum Rey Wnck. 257 *E.occ.*
burdigalense Wnck. 256 *E.m.*
aterrimum L. Kirb. Mon. 9. 60 *E.*
marchicum Herbst Wnck. 258
violaceum Gyll. Ins. 3. 50
rumicis Kirby Mon. 9. 67
spartii Kirby Mon. 65
laevithorax Gyll. S. 1. 288
cognatum Hochh. Wnck. 258 *R.m.*
affine Kirby Wnck. 259 *Br.Ga.G.E.b.*
talpa Desbr. Sch. M. 1870. 185 *R.m.*
curtirostre Germ. Mon. 2. 230 *E.md.b.*
humile Germ. Wnck. 260
brevirostre Gyll. Ins. 3. 52
plebejum Steph. Man. 254
aquilinum Boh. Wnck. 252
v. sibiricum Bohem. Wnck. 261 *R.m.*
Lemoroi Bris. Bedel Fn. 380 *Ga.*
Marseuli Wenck. 261 *Hi.*
simum Germ. Wnck. 262 *E.md.H.*

Fausti Desbr. ♀ A'. 1889. 33 *Ca.*
bipartirostre Desbr. ♀ l. c. *R.m.*
distans Desbr. l. c. *R.m.*
? parpanense Rühl Ins. Welt 85. 100 *Hu.*

Rhynchitina.

Desbrochers, Abeille 5. 1868.

Auletes
Schönherr.

tubicen Boh. Desbr. 395 *E.m.*
meridionalis Duv. Gen. 8

Auletobius Desbr.

basilaris Gyll. Desbr. 400 *E.md.*
nigrocyaneus Waltl Isis 1839. 222
Tessoni Muls. A. Lyon 1867. 407
politus Serv. Desbr. 402 *E.m.*
ilicis Gené M. Torin 1839. 76
Emgei Stierl. M. Sch. 1888. 60 *Gr.*
pubescens Kiesw. Desbr. 404 *Hi.*
cisticola Fairm. A'. 1859. 163 *Ga.m.*
subplumbeus Chevr. Rev. 1860. 129
maculipennis Duv. Desbr. 405 *S.Si.*
v. concolor Desbr. l. c.
Beckeri Desbr. A'. 1875. 187 *R.m.or.*
constrictus Reitt. D. 1891. 31 *Arax.*

Rhynchites
Schneider.

Deporaus Samouelle.
Coenorrhinus Thoms. (pars)

betulae L. Desbr. 378 *E.*
alni Müll. Z. Dan. 91

geminiger Reitt. W.z.b. 1880. 516 *Ca.*
tristis F. Desbr. 379 *E.md.m.*
Mannerheimi Humm. Bed. Fn. 227 *E.b.*
megacephalus Germ. Desbr. 376
constrictus Gyll. S. 5. 335 *E.md.*
laevicollis Steph. Man. 262

Lasiorhynchites Jekel.

coeruleocephalus Schall. Desbr. 389 *E.*
cyanocephalus Herbst Arch. 5. 72
olivaceus Gyll. Bed. Fn. 227 *E.md.*
♂ comatus Gyll. Desbr. 383
ophthalmicus Redtb. ed. 3. 2. 301
v. pauciseta Wasmann Trichterw. 183
pubescens F. Desbr. 381 *E.md.[Holl.*
♂ cavifrons Gyll. S. 1. 226
♀ cyanicolor Gyll. 229
praeustus Bohem. Desbr. 386 *A.E.m.*
v. luridus Boh. S. 8. 2. 363
caligatus Haliday *Lucca*
v. semiruber Boh. l. c.
syriacus Desbr. 388 *Gr.*
sericeus Herbst Desbr. 384 *E.md.m.*
ophthalmicus Steph. Man. 262
v. splendidulus Kiesw. A. 1851. 626

(Coenorrhinus Seidl.)

tomentosus Gyll. Bedel Fn. 226 *E.*
uncinatus Thoms. Sk. 7. 36
planirostris Desbr. 373
nanus Payk. Bedel Fn. 226 *E.*
planirostris F. Syst. El. 2. 425
germanicus Herbst Desbr. 363 *E.*
minutus Gyllh. Ins. 3. 27. Bed. 225
interpunctatus Steph. Desbr. 361 *E.*
multipunctatus Bach B. 1858. 372
alliariae Seidl. F. Tr. 744
v. confusus Desbr. 363
pauxillus Germ. Desbr. 368 *E.*
aeneovirens Mrsh. Desbr. 365 *E.md.*
obscurus Gyll. S. 1. 215
longirostris Bach Käferf. 2. 175
v. fragariae Gyll. S. 1. 233
purpureus L. Bedel Fn. 224 *E.*
aequatus L. Desbr. 352
v. semiruber Stierl. B. M. 63. 4. 492 *E.m.*
ruber Fairm. A'. 1859. 104 *E.m.*
interstitialis Desbr. 354
cribripennis Desbr. 355 *T.*

(Involvulus Schrank).

cupreus L. Desbr. 372 *E.*
aethiops Bach Desbr. 358 *Ga.A.H.*
planirostris Gyll. S. 5. 216 *R.m.*

parellinus Gyll. Desbr. 360 *G.Ga.Hi.R.*
v. fallax Starck W. 1889. 55 *Ca.oc.*
Abeillei Desbr. 420 *Ga.m.*
coeruleus Deg. Bedel Fn. 225 *E.*
conicus Illig. Desbr. 370
alliariae Payk. Faust St. 1884. 189

Rhynchites i. spec.

giganteus Kryn. Desbr. 343 *E.m.*
trojanus Gyll. S. 5. 325. Fst. St. 90. 115 *?Gr.*
Emgei Stierl. Sch. M. 1890. 165 *Gr.*
rectirostris Gyll. S. 1. 220 *R.m.*
Jekeli Desbr. 348 *R.m.*
? splendidus Kryn. B. M. 1832. 144
auratus Scop. Desbr. 340 *E.*
versicolor Costa
Bacchus L. Desbr. 350 *E.md.m.*

Marchynchites Sharp.

hungaricus Herbst Desbr. 357 *A.Hu.T.*

Rhinomacer
Geoffroy.

Byctiscus Thoms.

betulae L. Bedel Fn. 222 *E.*
betuleti F. Desbr. 335
viridulus Westh. Käf. West. 232
v. nitens Marsh. Ent. 242
violaceus Scop. Ent. Carn. 26
populi L. Desbr. 337 *E.*
? fulgidus Fourcr. Ent. Par. 116 *Ga.*
v. tataricus Faust D. 1882. 289 *R.or.*
v. nigritulus Schilsky D. 1889. 340

Cyphus
Thunberg.
Marseul, Ab. 1868.

variolosus F. Mars. 309 *Hi.*
foveipennis Jek. Ins. Saund. 2. 201
nitens Scop. 25. Bedel Fn. 222 *E.*
curculionoides L. Mars. 311
v. maculipes Küst. Käf. 3. 64 *I.b.*
v. pulvinicollis Jek. Saund. 199 *Si.*
v. hispanicus Jek. l. c. *Hi.*
v. obsidianus Costa M. Nap. 1885. 25 *S.*
ater Fleischer W. 1887. 237 *Morav.*
v. atricornis Muls. Mars. 314 *Ga.I.C.*
suturalis Jekel Mars. 315 *?T.*

Attelabus
Linné.

Apoderus Olivier.

coryli L. Mars. 301 *E.*
v. collaris Scop. Ent. 25

avellanae L. ed. 12. 619
v. morio Bonelli M. Torin 9. 175 *Ga.I.*
gibbicollis Faust St. *R.or.*
?v. Ludyi Reitt. D. 1890. 174 *Görz*
erythropterus Gmel. Bedel 222 *Ga.G.*
intermedius Hellw. Mars. 302 *A.R.*

Nemonychidae.

Desbroch. Ab. V. 1868.

Nemonyx
Redtenbacher.

lepturoides F. Desbr. 413 *E md.*
canescens Ersch.Reitt.W.1891 *Arax.*

Cimberis
Gozis.

Rhinomacer Fabr.
attelaboides F. Desbr. 416 *E.*

Diodyrrhynchus
Schönherr.

Daedycorrhynchus Imhoff.
austriacus Ol. Desbr. 419 *Su.Ga.G.Alp.*
Karamani Stierl. Sch. M. 1886. 229 *D.*

Anthribidae.

Tropiderini.

Platyrrhinus
Clairville.

resinosus Scop. Ent. Carn. 24 *E.*
latirostris F. Gyll. Ins. 3. 1

Tropideres
Schönherr.

bilineatus Germ. Wetterau 119 *Alp.Tr.*
bisignatus Fabr. S. 5. 213 *Hu.*
albirostris Herbst Gyll. Ins. 3. 4 *E.*
dorsalis Thunb. Gyll. 5 *E.md.b.*
marchicus Herbst Bedel Fn. 15 *G.*
cinctus Payk. Gyll. 7 *Su.Alp.*
maculosus Muls. Op. 9. 1 *Ga.*
*
curtirostris Muls. Op. 12. 85 *Ga.C.*
*
niveirostris F. Gyll. 6 *E.md.b.Ca.*
sepicola F. Gyll. Ins. 4. 526 *Su.E.md.*
v. ephippium Boh. S. 1. 152 *Ga.*
v. combraliensis Gozis Jeun. Natur. 82
pudens Gyll. S. 1. 153 *G.Ga.Hu.*
inornatus Bach Käferf. 2. 168 *G.*
? Reyi Gozis Jeun. Natur. 82. 67 *Ga.*
undulatus Panz. Fahr. S. 5. 210 *E.*
Edgreni Fahr. 211
Munieri Bedel Fn. 8 *Sierra Nevada*
?v. interruptus Reitt. D. 1889. 286 *Arax.*

Enedreutes Schönh.
hilaris Fahrs. S. 5. 216 *Ga.*
oxyacanthae Bris. Bedel 15 *Ga.Tr.*

Phaenotherion
Frivaldsky.

Pulskyi Friv. Mathem. Term. 1876. 332 [*I.Hu.Ca.*

Anthribini.

Platystomus
Schneider.

Macrocephalus Olivier.
albinus L. Gyll. Ins. 3. 3 *E.*

Cratoparis
Schönherr.

centromaculatus Gyll. S. 1. 143 *I.*
v. Targionii Piccioli B.Ent. It. 9. 214 *I.*

Anthribus
Geoffroy.

Brachytarsus Schönh.
fasciatus Forst. Bed. Fn. 13 *E.*
scabrosus F. Gyll. Ins. 3. 8
scapularis Gebler B. M. 1833. 291 *R.m.*
constrictus Stierl. Sch. M. 2. 224 *Si.*
areolatus Boh. S. 8. 2. 344 *Si.I.*
variegatus Fourcr. Bed. Fn. 13 *E.*
varius F. Gyll. Ins. 3. 10
? atomarius Motsch. B.M. 1873. 4. 320
tessellatus Boh. S. 1. 172 *E.md.m.*[*R.b.*
? undulatus Motsch. l. c. *R.b.*
nebulosus Küst. Käf. 20. 91 *G.*
fallax Perris Ab. 13. 13 *Styr.Ga.*

Choragini.

Araecerus
Schönherr.

fasciculatus Deg. Ins. 5. 276 *E.*
coffeae F. Gyll. S. 1. 175

Choragus
Kirby.
Alticopus Villa.

Sheppardi Kirb. Fahr. S. 5. 275 *E.md.m.*
bostrychoides Müll. Germ. Mag. 4. 188
caucasicus Mot. B. M. 1873. 4. 229 *Ca.*
pygmaeus Rob. Heyd W. 86. 199 *Belg.*
Galeazzii Villa Suppl. 35. W. 1887. 106 *I.*
Grenieri Bris. Reitt. W. 1885. 225 *Ga.*
piceus Schaum St. 1845. 88 *Su.E.md.*
bostrychoides Fahr. S. 5. 169
vittatus Reitt. W. 1885. 276 *Ca.*

Urodonini.

Urodon
Schönherr.
Baudi, D. 1887. 480.

suturalis F. Gyll. S. 1. 114 *Su.E.md.m.*
conformis Suffr. St. 1845. 99 *Ga.G.R.*
sericatus Motsch. Baudi 493 *R.m.*
canus Küst. Käf. 13. 83 *E.m.*
argentatus Küst. 12. 91. Baudi 485 *Si.Hi.*
parallelus Küst. 13. 84. Baudi 486 *Ga.Hi.*
albidus Küst. 13. 82 *Hi.*
concolor Fahr. S. 5. 142 *R.m.*
villosus Allard B. 1869. 326 *Ca.*
Allardi Jekel
flavescens Küst. Käf. 20. 88 *E.m.*
exiguus Motsch. *R.m.*
v. pusillus Baudi 490
v. armatus Baudi 491 *S.*
pygmaeus Gyll. S. 1. 114 *Ga.G.E.m.*
parvulus Motsch. B M. 1874 228 *R.m.*
v. alensis Gredl. Käf. Tir. 299 *Ti.*
rufipes Oliv. Enc 5. 202 *Ga.G.E.m.*

Cercomorphus
Perris.

Duvali Perris A. 1864. 293 Baudi 493 *Hi.*

Mylabridae.

Baudi D. 1886. 385; 1887. 33 et 419.

Rhaebini.

Rhaebus
Fischer.

Mannerheimi Mot. B. M 1845. 1. 108 *R.m.*
Beckeri Suffr. St. 1867. 141
sagroides Solsky Hor. 4. 181
Solskyi Kr. D. 1879. 278 *?R.m.*
Beckeri Solsky l. c.

Mylabrini.

Mylabris
Geoffroy.

Bruchus Linn.

pisorum L. Baudi 391 *E.md.m.*
pisi L. Gyll. S. 1. 57
salicis Scop. Ent. Carn. 22
?bipunctata Sulz. F. Ent. Syst. 2. 371
v. intermedia Motsch. B. M. 1873. 244 *Ca.*
v. sparsa F. Fahr. S. 5. 74 *Hi.*
emarginata All. A. B. 1868. 104 *D.T.Gr.*
brachialis Fahrs. S 5. 79 *Ga.G.*
pallidicornis Rey Opusc. 58. 33 *E.m.*
♂ ruficornis All. l. c. 103
pallidicornis Boh. S. 1. 65 *Ga.G.*
sertata Rey l. c. 59 *E.m.*
v. inornata Küst. ♂ Käf. 19. 72 *G.E.m.*
v. signaticornis Gyll. ♀ S. 1. 64 *E.m.*
ulicis Rey l. c. 60 *E.m.*
lentis Boh. S. 1. 70 *E.md.m.*
Perezi Kraatz B. 1868. 321 *Ga.m Hi.C.*
meridionalis All. A. B. 1868. 105 *Ca.*
tristicula Fahrs. S 5. 81 *Ga.I.*
oblonga Rosh. And. 235 *Hi.*
Brisouti Kraatz B. 1868. 322 *P.or.*
tristis Boh. S. 1. 63 *E.md.m.*
uniformis All.
sertata Illig. Boh. S. 1. 61 *Ga.G.E.m.*
rufipes Herbst Arch. 4. 29 *E.md.m.*
nubila Boh. S. 1. 60
luteicornis Illig. Mag. 5. 619 *E.md.m.*
griseomaculata Gyll. S. 1. 66 *E.m.*
exigua Rosh. And. 236
? v. adeps Vogel Nq. ot. 339 *Hi.occ.*
venusta Fahr. S 5. 75 *Ca.Ga.Hu.*
hamata Mill. D. 1881. 228 *D.Gr.*
affinis Froelich Naturf. 28. 55 *E.md.m.*
flavimana Boh S. 1. 59
v. obscuritarsis Mot. B. M. 1873. 244
Bohemani Hochh. B. M. 1849. 2. 456 *Ca.*
Gyllenhali Hochh. l. c. 1847. 2. 457 *Ca.*
viciae Oliv. Rey Op. 58. 64 *E.*
nigripes Gyll. S. 1. 66
punctella Boh. B. M. 6. 9
v. Fahraei Gyll. S. 5. 85
rufimana Boh. S. 1. 58 *E.md.m.*
v. velutina Rey Op. 58. 54
atomaria L. Baudi 405 *E.*
granaria L. Gyll. Ins. 3. 11
? varicornis Brull. Exp. 234 *Gr.*
v. troglodytes Fahrs. S. 5. 78 *Ga.G.*
incurvata Motsch. B. M. 1873. 4. 243 *Ca.*

tessellata Rey l. c. 65 *Ga.m.*
loti Payk. Gyll. Ins. 3. 13 *E.*
lathyri Steph. Man. 266
Wasastjernae Fahrs. S. 5. 77
? oxytropis Gebl. B. M. 30. 143 *R.m.*
laticollis Boh. S. 1. 71 *E.m.*

*

chinensis L. Baudi D. 1887. 33 ×*E.*
♂ pectinicornis L. Syst. Nat. II. 605
♀ scutellaris F. Gyll. S. 1. 33
♀ rufa Deg. Mém. 5. 281
phaseoli Gyllh. S. 1. 37 ×*MRosa*
4-maculata F. Ent. S. 2. 371 Baudi D. 90
ornata Boh. S. 5. 15 *Ga.I.* [338 *Ga.m.*
varicolor Boh. Baudi D. 1890. 338 *Si.*
spinigera Baudi D. 1887. 36 *Syria*
discipennis All. A. B. 1868. 94 *S.*
rubiginosa Desbr. A. 1869. 399 *Lu.*
lamellicornis Baudi l. c. 38 *And.*
longicornis Germ. Ins. 178 *E.m.*
v. jocosa Gyll. S. 1. 73 *Lu.*
v. ♀ discipennis Fahrs. S. 5. 95 *S.*
v. ♀histrio Boh. S. 1. 73 *Lu.*
5-guttata Oliv. Ent. 4. 79 *E.m.*
longicornis Rey Op. 58. 71 *D.Ti.*
eximia Chevr. A'. 1882. 212
v. meleagrina Géné Baudi 43 *I.*
parenthesis Motsch. B. M. 73. 4. 229 *S.*
5-punctata Motsch. l. c. 230 *Cret.*
7-guttata Motsch. l. c.
signata Redtb. Russeg. R. 1. 987
leucophaea All. A. B. 1883. 12 *Gr.*
9-guttata Motsch. l. c. 231
5-guttata Küst. Käf. 25. 78
incarnata Boh. S. 1. 72 *Ga.m.Hi.*
plagiata Reiche A. 1857. 694 *Gr.*
semicarnea Reitt. D. 1884. 99
irresecta Fahr. S. 5. 18 ×*E.*
pallidipes Fahr. S. 5. 91
caliginosa Baudi D. 1890. 341 ×*Hambrg*
mimosae F. Gyll. 6. 1. 40 ×*E.*
virgata Fahr. S. 5. 20 *Ca.*
tuberculata Hochh. B. M. 1847. 2. 453
obscuripes Gyll. S. 5. 21 *E.m.* [*R.m.Ca.*
annulipes All. A. B. 1868. 111 *T.Ca.*
v. ♀ radula Desbr. A. 1869. 400 *R.m.*
incipiens Kolenati B. M. 1858. 116 *Ca.*
Fischeri Humm. Fahr. S. 5. 49 *R.m.*
consobrina All. l. c. 110
? ♂subalbovittis Mot. B. M. 1873. 4. 221
lucifuga Boh. S. 1. 47 *R.m.Ca.*
tesserula Motsch. l. c. 214 *R.m.*
astragali Boh. S. 5. 48 *R.m.*

seminaria Motsch. l. c.
lineata All. l. c. 117 *D.I.T.*
gilva Gyllh. S. 5. 30 *Ga.I.D.R.m.*
rufisura All. A. B. 1883. 6 *Si.Gr.*
v. fulvescens Baudi D. 1887. 58 *Gr.*
seminaria L. Gyll. Ins. 3. 14 *E.md.m.*
granaria Fahrs.
taorminensis Blanch. A'. 1844. 83
v. picipes Germ. Ins. 182
v. basalis Gyll. S. 1. 40
v. sicula Fahrs. S. 5. 58 *Si.*
? v. femoralis Gyllh. S. 1. 51 *D.*
albopunctata Blanch. l. c. 83 *Si.*
pusilla Germ. Ins. 181 *Ti.E.m.*
lividimana Redtb. ed. 3. 2. 392 *G.*
♀ Stierlini Allard l. c. 116 *Ga.*
albolineata Blanch. l. c. 82 *E.m.*
flavescens Luc. Alg. 403
gracilis Blanch. l. c. *Si.*
velaris Fahrs. S. 5. 90 *E.md.m.*
laticornis Blanch. A. 1844. 83
v. plumbea Luc. Alg. 402 *E.m.*
? implicita Mot. B. M. 73. 2. 216 *St.Cret*
v. retamae Vogel Isis 1861. 49
? obsoleta Blanch. l. c. 83
v. lividimana Gyll. S. 1. 68
v. lata Blanch. All. A. B. 1868. 107 *Si.*
canina Germ. i. l. *E.m.*
uniformis Bris. A. 1866. 385
? angustula Motsch. l. c. 218 [illegible]
v. sordidata All. A. B. 1883. 6
olivacea Germ. Ins. 183 *E.md.m.*
lutescens Blanch. A'. 1844. 84
v. virescens Boh. S. 5. 62 *Hi.I.*
v. calabra Baudi D. 1887. 66
varipes Bohem. S. 5. 63 *I.D.*
misella Bohem. S. 1. 56 *Ga.D.I.Ti.*
glycyrrhizae Fahrs. S. 5. 55 *R.m.*
halodendri Gebl. Hum. Es. 6. 8
Poupillieri All. A. B. 1868. 116 *Hi.S.*
? incarnata Kraatz B. 1869. 333
cinerascens Gyllh. S. 1. 55 *E.m.*
eryngii Bris. Gren. Cat. 93
musculus Solsky
bythinocera Reitt. W. 1890. 197 *Arax.*
holosericea Gyll. S. 1. 53 *I.T.Gr.R.m.*
Steveni Gyll. S. 5. 99 *Ga.A.R.*
canaliculata Rey Op. 8. 10 *I.T.*
denticornis All. A. B. 1868. 113 *Hi.*
biguttata Oliv. Fahr. S. 5. 43 *D.E.m.*
v. fulvipennis Germ. Ins. 180
v. mendicans Weise emend.
misella Kraatz B. 1868. 326
cisti F. Syst. El. 2. 400 *E.md.m.*

cana Germ. Ins. 183 *Su.*
unicolor Oliv. Ent. 4. 79
debilis Gyll. S. 1. 53 *G.E.m.*
nuda All. l. c. 114 *E.m.*
marginalis F. Baudi D. 1887. 74 *E.md.*
marginella F. Ent. Syst. 2. 371 *I Ca.*
nana Germ. Ins. 182 *E.md.m.*
murina Boh. S. 5. 110 *E.md.m.*
alni Fahrs. l. c. 113
nigritarsis Fahrs. 113
calabrensis Blanch. A'. 1844. 82
v. sordida Baudi D. 1887. 76 *S.*
annulicornis All. A. B. 1868. 107 *T.Gr.*
magnicornis Kraatz B. 1869. 332 *I.*
poecilus Germ. Ins. 180 *D.I.T.*
decora Boh. S. 5. 47 *R.m.*
dispar Germ. S. 1. 45 *E.md m.*
v. palliata Baudi D. 1887. 78
v. albescens Allard l. c. 112
v. braccata Gyllh. S. 1. 45
bimaculata Oliv. Ent. 4. 79. 18 *E.md.m.*
variegata Germ. Ins. 181
v. dispergata Gyll. S. 1. 46
varia Oliv. l. c. 79. 18 *Ga.G.E.m.*
inspergata Gyll. S. 1. 48
galegae Gyllh. S. 1. 50
v. magnicornis Küst. 2. 36 *D.T.Gr.*
?v. femoralis Gyll. Baudi D. 1887. 61
v. fulvicornis Motsch. B. M. 1873. 4. 215
galegae Rey l. c. 9
v. tarsalis Gyllh. S. 1. 49
republicana Jck. Ins. Saund. 10 *Corfu*
Martinezi Allard A. B. 1868. 112 *Hi.*
imbricornis Panz Faun. 25. 24 *E.md.m.*
fulviventris Blanch. A'. 1844. 82
galegae Rossi Mant. App. 82
tibialis Boh. S. 5. 68 *E.m.*
lubrica Gyll. S. 5. 46 *Hi.*
tibiella Gyllh. S. 1. 54 *Ga.I.Gr.*
pauper Bohem. S. 5. 69 *E.md.m.*
v. corsica Baudi D. 1890 344
anxia Fahrs. S. 5. 72 *Ga.E.m.*
pygmaea Boh. S. 1. 80 *E.md.m.*
v. perparvula Boh. S. 5. 68
sericata Germ. Ins. 184 *E.m.*
minima Blanch. A' 1844. 84
v. antennalis Gyllh. S. 1. 82
carinata Gyll. S. 1. 81 *R.m.*
foveolata Gyllh. l. c. *E.m.*
costata Blanch. A'. 1844. 84 *E.m.*
concolor Blanch. l. c.
♀ misera Fahrs. S. 5. 70
sardoa Motsch. B. M. 1873. 4. 218
v. igniarium All. A. B. 1868. 106 *Gr. Cret.*
grandicornis Blanch. A'. 1844. 83
♀ oblonga Blanch. l. c. 84
ovalis Blanch. All. 106 *I.*
trifolii Motsch. l. c. 235 *×G.Carn.*
villosa F. Ent. S. 2. 373 *E.*
cisti Payk. Faun. S. 3. 159
atra Marsh. Ent. 236
v. pubescens Germ. Ins. 184
obscuricornis Blanch. l. c. 82
?fasciata Oliv. Baudi D. 1887. 462
Mulsanti Bris. Gren. Cat. 50 *E.m.*
seminaria Oliv. Rey

---

insitiva Motsch. B. M. 1873. 4. 241 *Ca.*
pachycerus Motsch. 242 *Ca.*
campanulata Motsch. 242 *Ca.*
venustula Motsch. 243 *Ca.*
incurvata Motsch. 243 *Ca.*
septentrionalis Motsch. 240 *R.b.*
pinetorum Motsch. 240 *R.b.*
forticornis Motsch. 217 *U.*
rubrimana Motsch. 217 *Ca.*
silacialis Motsch. 226 *Ca.*
autumnalis Motsch. 226 *Ca.*
vitticollis Motsch. 214 *Ca.*
aestuosa Motsch. 214 *R.m.or.*
nugaria Motsch. 215 *Cri.*
planetica Motsch. 215 *R.m.*
femoralis Motsch. 215 *Ca.*
incanescens Motsch. 216 *Creta*
surata Motsch. 233 *T.*
infecta Motsch. 234 *Creta*
halimodendri Motsch. 209 *Ca.*
rostrata Motsch. 232 *T.*
antennaria Motsch. 232 *A.*
myobromae Motsch. 212 *Cri.*
maculosa Motsch. 212 *Tiflis*
diversicornis Motsch. 213 *Daghestan*
ruficornis Motsch. 213 *Karabag*
delicatula Motsch. 211 *Tiflis*
tarda Motsch. 219 *Ca.*
grisea Motsch. 219 *Ca.*
cribricollis Motsch. 236 *Hi.*
gilvipes Motsch. 238 *Hi.m.*
pulverulenta Motsch. 218 *A.R.*
conica Motsch. 219 *R.m.*
albomaculata Graëlls Mem. m. 58. 78 *Hi.*

Kytorrhinus Fischer.

4-plagiata Motsch. B. M. 1839. 57 *R.m.*
v. luteipennis Baudi D. 1890. 344
immixta Motsch. B M. 1873. 4. 208 *Ca.*

Caryoborus
Schönherr.

Andromisus Gozis.

pallidus Oliv. Gyll. S. 1. 77 *R.m.Gr.*
acaciae Gyll. S. 1. 97 *Lu.*
Germari Küst. Kaf. 2. 37
logonychi Motsch. B.M 1873. 4. 247 *Casp.*
Mariae Gozis ×*Ga.m.*

Spermophagus
Steven.

rufiventris Boh. S. 1. 107 *R.m.*
cardui Bohem. S. 1. 108 *E.*
v. sulcifrons Küst. 15. 52 *D.I.*
variolosopunctatus Gyll. S. 1. 110 *E.m.*
v. pubiventris Baudi D. 1887, 471
caucasicus Baudi l. c. 472 *Ca.*
convolvuli Gyllh. S. 1. 78 *R.m.*
glabratus Gyll. S. 5. 141
euphorbiae Küst. 15. 54 *E.m.*

Brentidae.

Amorphocephalus
Schönherr.

coronatus Grm. Rs. Dalm. 247 *Ga.D.I.Gr.*

Eupsalis
Lacordaire.

Reichei Fairm. A. 1850. 164 *Creta*

Scolytidae.

Eichhoff, Eur. Borkenkäfer 1881.

Hylesinini.

Hylastes
Erichson.

Tomicus Bedel.

ater Payk. Eichh. 77 *E.*
pinicola Bedel Fn. 390
chloropus Duft. Fn. 3. 102
brunneus Er. Eichh. 82 *S.G.*
ater Duft. Faun. 3. 101
cunicularius Er. Eichh. 83 *E.*
linearis Er. Eichh. 85 *Ga.G.Hi.*
variolosus Perris A. 1856. 229 *Gr.*
v. corticiperda Er. Eichh. 86 *Lu.Hi.*
attenuatus Er. Eichh. 87 *E.md.*
opacus Ratzb. Forstins. 180
angustatus Herbst Eichh. 89 *E.*
opacus Thoms. Sk. 7. 349
opacus Er. Eichh. 90 *E.md.*
? graphus Duft. Faun. 3. 106

Hylurgops Leconte.

glabratus Zett. Lapp. 343. Eichh. 91 *E.*
decumanus Er. Archiv 1836. 51
tenebrosus Sahlb.
? Paykulli Duft. Faun. 99
palliatus Gyll. Eichh. 93 *E.*
Helferi Villa Col. Diagn. 1868. 22 *Hi.*

Hylastinus Bedel.

trifolii Müll. Eichh. 97 *Ga.G.E.m.*
crenatulus Duft. Faun. 104 *A.*
obscurus Bedel Fn. 408

Hylurgus
Latreille.

ligniperda F. Eichh. 98 *E.md.m.*
Micklitzi Wachtl D. 1881. 227 *E.m.D.*

---

longulus Kolenati Mel. 3. 38 *Ca.*

Myelophilus Eichh.

Blastophagus Eichh. ol.

piniperda L. Eichh. 101 *E.*
minor Hartig Eichh. 115 *E.*

Dendroctonus
Erichson.

micans Kugelann Eichh. 125 *E.md.b.*

Carphoborus
Eichhoff.

minimus F. Eichh. 129 *Ga.G.A.Ca.*
♂ squamulatus Redtb. ed. 3. 2. 370
Perrisi Chap. (Hyles.) Eichh. 143 *C.*
pini Eichh. 131 *Gu.*

Kissophagus
Chapuis.

hederae Schmitt Eichh. 119 *Ga.G.*
?vicinus Comolli Novocom. 1837. 46

Xylechinus Chapuis.

pilosus Ratzeb. Eichh. 121 *G.S.A.*

Polygraphus
Erichson.

polygraphus L. Eichh. 122 *Su.R.*
pubescens F. Ent. Syst. I. 2. 368 *Ga.G.*
grandiclava Thoms. A'. 1886. 62
subopacus Thoms. A'. 1886. 11 *Su.*
punctifrons Thoms. l. c. *Su.*

Phloeosinus
Chapuis.

bicolor Brull. Bedel F. 411 *Gr.*
Aubei Perris Eichh. 132 *Ga.*
praenotatus Gredl. Käf. Tir. 370 *Ti.*
thujae Perris Eichh. 132 *Ga.*
juniperi Döbner B. 1860. 261 *G.*
? impressus Oliv. Bedel l. c.

Hylesinus
Fabricius.

crenatus F. Eichh. 134 *E.*
oleiperda F. Eichh. 135 *E.md.m.*
scaber Marsh. Ent. 56
Esau Gredler Käf. Tir. 370 *Ti.*
brevicollis Kolenati Melet. 3. 38 *Ca.*
fraxini Panz. Faun. 66. 15. Eichh. 135 *E.*
varius F. Syst. El. 2. 391
Wachtli Reitt. W. 1887. 193 *Ga.m.*

Pteleobius Bedel.

vittatus F. Eichh. 142 *E.md.m.*
Kraatzi Eichh. 140 *E.md.m.*
Putoni Eichh.
vestitus Rey Eichh. 144 *Ga.*

Phoeophthorus
Wollaston.

rhododactylus Marsh. Eichh. 146 *E.md.m*
cristatus Fauv. R. 1889. 71
spartii Nördl. Eichh. 145 *Ga.G.Hi.*
tarsalis Först. V. Rheinl. 1849. 383
retamae Perris

Phthorophloeus Rey.

spinosulus Rey R. 2. 117 *H.*
rhododactylus Ratzeb.

Phloeotribus
Latreille.

scarabaeoides Bernard Bedel 412 *E.m.*
oleae F. Eichh. 147
caucasicus Reitt. D. 1891. 32 *Ca.Arax.*

Scolytini.

Scolytus
Geoffroy.
Eccoptogaster Herbst.

scolytus F. Syst. Ent. 59 *E.*
Geoffroyi Goeze Eichh. 148
destructor Oliv. Chap. 54
Ratzeburgi Thoms. Sk. 7. 374
Ratzeburgi Janson Eichh. 150 *E.*
destructor Ratzeb. Forstins. 185
destructor Thoms. Sk. 7. 373
laevis Chap. Eichh. 152 *P.St.G.*
pygmaeus F. Eichh. 152 *E.md.m.*
♀ noxius Ratzeb. Forstins. 187
♂ armatus Comolli Novocom. 37
carpini Ratzeb. 187. Eichh. 153 *Ga.G.A.*
pruni Ratzb. 186. Eichh. 154 *E.md.b.*
v. piri Ratzb. 187 *G.*
v. castaneus Ratzeb. 187 *Ga.*
v. nitidulus Chap. 114 *Ga.m.*
intricatus Ratzeb. 186. Eichh. 155 *E.*
pygmaeus Gyllh. Ins. 3. 348
carpini Redtb. ed. 3. 2. 373
rugulosus Ratzeb. 187. Eichh. 157 *E.*
amygdali Guér. Eichh. 158 *Ist.Ga.m.*
v. rufipennis Brancs. B. 1874. 135 *Ill.*
fasciatus Reitt. D. 1890. 395 *Arax.*
Kirschi Skalitzky Kr. Monat. 1. 110 *A.*
multistriatus Marsh. Eichh. 159 *E.*
v. triornatus Eichh. 160 *G.*
v. ulmi Redtb. ed. 1. 361 *G.*
ensifer Eichh. 163 *Ga.*

Ipini.

Crypturgus
Erichson.

pusillus Gyll. Ins. 3. 371 *E.*
v. parallelocollis Eichh. 165 *Gr.*
Gaunersdorferi Reitt. D. 1885. 389 *Gr.*
hispidulus Thoms. R. 4. 327 *Su.*
cinereus Herbst Gyll. 370 *E.*
tenerrimus Sahlb. Bedel Fn. 413
v. terminatus Sahlb.
dubius Eichh. 168 *Hi.b.*
numidicus Ferrari Borkenk. 6 *E.m.*
♂ mediterraneus Eichh. 168

Liparthrum
Wollaston.

mori Aubé Eichh. 169 *Ga.m.*
genistae Aubé Eichh. 170 *Ga.m.*
corsicum Eichh. 170 *C.*

Hypoborus
Erichson.

ficus Er. Eichh. 171 *E.m.*
v. siculus Ferrari Borkenk. 18 *Si.*

Cryphalus
Erichson.

*

Cryphalops Reitter.

Lederi Reitt. W. 1889. 93 *Ca.occ.*

Cryphalus s. str.
Taenioglyptus Bedel.

piceae Ratzb. Eichh. 172 *E.md.m.*
numidicus Eichh. 176 *E.m.*
abietis Ratzeb. Eichh. 176 *E.md.b.*
tiliae Seidl. F. Balt. 393
saltuarius Weise (emend.) *St.Gr.*
asperatus Ratzeb. Eichh. 179 *G.Gr.*
intermedius Ferrari Eichh. 180 *G.*
tiliae Panz. Gyll. 369 Eichh. 181 *E.md.b.*
Ratzeburgi Ferrari Borkenk. 11

Ernoporus Thomson.

fagi F. Nördl. Eichh. 184 *E.md.*
Thomsoni Ferrari 12 *Su.*
? fagi Duft. Faun. 3. 98 *A.*
Schreineri Eichh. 185 *G.*
caucasicus Bedel Fn. 413
caucasicus Lindem. B. M. 76. 373 *Ca.*
jalappae Letzn. Eichh. 187 ×*G.*

Trypophloeus Fairm.
Glyptoderes Eichh.

granulatus Ratzb. Eichh. 188 *Su.P.G.*
asperatus Gyllh. Ins. 3. 368 *E.md.b.*
binodulus Ratzeb. Eichh. 188
alni Lindemann Eichh. 190 *R.*

Homococryphalus Lindem.
Stephanoderes Eichh.

Ehlersi Eichh. 192 *P.Hi.*
setosus Eichh. 191 ×*Holsatia*
arundinis Eichh. 191 *Pe.*
Hampei Ferrari Borkenk. 11 ×*Tr.Ga.*

Hypothenemus
Westwood.

eruditus Westw. Tr. E. Soc 1. 34 ×*Br.*
arecae Hornung St. 1842. 115
Boieldieui Perroud Lyon 1864. 183

Pityophthorus
Eichhoff.

Lichtensteini Ratzeb. Eichh. 193 *E.*
ramulorum Perr. Eichh. 195 *Ga.Br.A.*
glabratus Eichh. 196 *G.*
Henscheli Seitner W. 1887. 44 *A.H.Ti.*
micrographus L. Eichh. 197 *E.*
pityographus Ratzeb. Forstins. 162
macrographus Eichh. 200 *Siles.G.*
exculptus Ratzeb. 162 *G.*

Pityogenes
Bedel.

chalcographus L. Ratzb. 158 Eichh. 249
♂ xylographus Sahlb. Ins. Fen. [*E.*
v. 6-dentatus Oliv. Ent. 4. 78
austriacus Wachtl M. österr. Forstv. 87
elongatus Löwendal [320 *A.Dan.*
bidentatus Herbst Eichh. 253 *E.*
bidens F. Ent. Syst. I. 2 368
♀ trepanatus Noerdl. St. 1848. 239
quadridens Hartig Eichh. 259 *E.*
v. calcaratus Ferrari l. c. 85
bistridentatus Eichh. 231 *G.*
v. conjunctus Reitt. W. 1887. 197 *Ti.*
Lipperti Henschel Forstz. Wien 85. 2 *D.*
pennidens Reitt. D. 1889. 374 *Tinos*

Xylocleptes
Ferrari.

bispinus Duft. Eichh. 210 *E.*
♂ retusus Oliv.

Ips
Degeer.
Tomicus Latreille.
Bostrychus Fabricius.

sexdentatus Boerner Eichh. 212 *D.*
stenographus Duft. Fn. III. 88
typographus Deg. Gyll. Ins. 3. 351
cembrae Heer Eichh. 214 *Alp.H.A.*
amitinus Eichh. B. 71. 138 *Mont.E.md.m.*
typographus L. Eichh. 219 *E.*
8-dentatus Payk. Gyll. 3. 353
Judeichi Kirsch Eichh. 230 *U.*
infucatus Eichh. 230 *A.St.*
Mannsfeldi Wachtl W. z. b. 1879. 51 *A.*
acuminatus Gyllh. Eichh. 231 *E.*
geminatus Zett. Thoms. Sk. 7.
erosus Wollast. Bedel 418 *Ga.G.*
rectangulus Eichh. 233 *E.m.*
laricis Perris A. 1856. 184
duplicatus Ferrari Borkenk. 83

duplicatus Sahlb. Ins. F. 2. 144 *E.b.*
rectangulus Ferrari 83 *A.*
proximus Eichh. 236 *L.Alp.*
v. omissus Eichh. B. 1871. 138 *Su.G.*
laricis F. Eichh. 239 *E.*
denticulatus Sturm
micrographus Deg. Ins. 5. 195
suturalis Gyllh. 4. 622 Eichh. 242 *E.*
♂ nigrinus Gyll. Ins. 4. 623
bidens Germ. Eichh. 245 *Ga.G.*
♀ psilonotus Germ. Ins. 463
longicollis Gyllh. Eichh. 248 *Su.Cr.Ca.*
oblitus Perris A. 1862. 218 *Ga.*

Taphrorychus
Eichhoff.

bicolor Herbst Eichh. 203 *E.*
fuscus Marsh. Gyll. Ins. 3. 360
tristiculus Ferrari
villifrons Duf. Ossau 91 Bed. 415 *E.m.*
Bulmerincqui Kolen. Eichh. 205 *Ca.*
capronatus Perris A. 1866. 193

Thamnurgus
Eichhoff.

euphorbiae Küst. Eichh. 207 *E.m.*
varipes Eichh. 207 *Ga.A.*
euphorbiae Perris
caucasicus Reitt. W. 1887. 195 *Ca.*
characiae Rosenh. Eichh. 208 *Hi.b.*
scrutator Pand. R. 2. 136 *Ga.m.P.*
delphinii Rosenh. Eichh. 208 *Hi.*
Kaltenbachi Bach Eichh. 209 *G.Ga.*
Brylinskyi Reitt. D. 1889. 40 *Arax.*

Dryocoetes
Eichhoff.

autographus Ratzeb. Eichh. 261 *E.*
villosus Gyllh. Ins. 3. 361
Victoris Rey Op. 2. 91 *Ga.m.*
v. micrographus Oliv. Ent. 5. 78. 9
alni Georg Eichh. 262 *G.Ga.*
Marshami Rye M. M. 4. 188 *Br.*
villosus F. Eichh. 264 *E.*
hinnuinus Dufour

L y m a n t o r Löwendal.

coryli Perris Eichh. 265 *E.md.*
sepicola Löwendal Saertr. Ent. 1889.
aceris Lindemann Eichh. 266 *R.* [69
? Eichhoffi Ferrari Borkenk. 28 *Gr.*

Coccotrypes
Eichhoff.

dactyliperda F. Eichh. 267 ×*E.*

Xyleborus
Eichhoff.

cryptographus Ratzeb. Eichh. 276 *E.md.*
♂ villosus Ratzeb. 160
eurygraphus Ratzb. Eichh. 278 *G.Ga.*
Pfeili Ratzeb. Eichh. 278 *G.*
♀ alni Rey Op. 7. 111 *Ga.*
? dryographus Thms. Sk. 7. 369 *Su.*
Saxeseni Ratzeb. Eichh. 279 *E.*
♂ decolor Boield. A. 1859. 475
♂ aesculi Ferr. Borkenk. 22
♂ subdepressus Rey R. 2. 142
angustatus Eichh. 282 *R.*
dryographus Ratzeb. Eichh. 282 *E.*
monographus Jansen Proceed. 1860
monographus F. Eichh. 286 *E.*

A n i s a n d r u s Ferrari.

T r y p o d e n d r o n Steph. pars.

dispar F. Eichh. 271 *E.Ca.*
♀ tachygraphus Sahlb.
♀ Ratzeburgi Kolenati Mel. 3. 39

Xyloterus
Erichson.

T r y p o d e n d r o n Steph. pars.

domesticus L. Eichh. 291 *E.md.b.*
signatus F. Eichh. 296 *E.md.*
quercus Eichh. B. 1864. 381
? 5-lineatus Adams M. Mosc. 5. 312 *Ca.*
lineatus Oliv. Eichh. 298 *E.md.b.*
v. melanocephalus Eichh. l. c.

Platypini.

Platypus
Herbst.

cylindrus F. Eichh. 305 *E.*
♂ bimaculatus Duft. Faun. 3. 88.
oxyurus Dufour Eichh. 306 *P.Gr.*

Cerambycidae.

Ganglbauer, T. VII et VIII.
Mulsant, Longicornes, ed 1. et 2.

Parandrini.

Parandra
Latreille.

caspica Mén. Ganglb. T. 78 *Lenkor.*

Spondylini.

Spondylis
Fabricius.

buprestoides L. T. 76 *E.*

Prionini.

Prionus
Geoffroy.

Jakowleff, Hor. XXI., 1887, 321—340.

coriarius L. T. 76 *E.*
♂ Schaufussi Jakow. Hor. 326
♂ besicanus Schauf. Nq. ot. 473
vicinus Jakow. Hor. 325 *?Ca.*

Mesoprionus Jakowl.

Henkei Schauf. Jak. 328 *R.m.*
besicanus Fairm. A. 1855. 318 *T.*
Lefebvrei Mars. Rev. Zool. 1856. 47
persicus Redtb. Ab. IV. 46. T. 76 *Arax.*
besicanus Jakowl. 324
asiaticus Fald. Fn. trnsc. II. 263 *R.m. Gr. T*

Brachyprionus Jakowl.

brachypterus Gebl r Jak. 334 *R.m.*

Ergates
Serville.

faber L. T. 77 *E.*
opifex Muls. Op. II. 105

Rhesus
Motschulsky.

Aulacopus Serville pars.

serricollis Motsch. T. 77 *T.*
robustus Heyd. St. 1844. 15
persicus Motsch. B. M. 1875. 154

Macrotoma
Serville.

Prinobius Mulsant.

scutellaris Germ. T. 78 *E.m.*
♂ Atropos Chevr. A. 1859. 230 *A.*
♀ cedri Mars. Rev. Zool. 1856. 48
lethifera Fairm. A. 1859. 149
♂ Gaubili Chevr. l. c. 228
Germari Muls. Col. Fr. 1856 Suppl.
♀ Goudoti Chevr. l. c. 230
♂ Myardi Muls. An. Lyon V. 207 *C.*

Aegosoma
Serville.

scabricorne Scop. T. 78 *E.md.m. A. Hu.*
ferrugineum Fourc.

Tragosoma
Serville.

depsarium L. T. 78 *E.md.b.mont.*

Lepturini.

Vesperus
Latreille.

strepens F. T. 41 *I. Ga. m*
v. litigiosus Muls. 443 *Alp. mar.*
Xatarti Duf. Muls. T. 41 *P. Hi.*
brevicollis Graëlls Mem. M. geol. 58. 89
Bolivari Paulino i. litt. *Lu. [Hi.*
luridus Rossi T. 41 *I. Ga m.*
serraticornis Rossi Fn. etr. I. 148
Solieri Germ. Ins. Eur. 18. 20
creticus Ganglb. St. 1886. 310 *Morea*

Apatophysis
Chevrolat.

tomentosa Gebl. T. 41 *R.m.o.*
♀ serricornis Gebl. B. M. 1859. 507
♀ obtusicollis Motsch. Ac. Petr. 60. 358
♂ toxotoides Chevrl. Rev. Z. 1860. 304

Rhagium
Fabricius. Ganglbauer.

Hargium Samouelle.

sycophanta Schrnk. T. 40 *E.md.b.*
mordax F. Mant. I. 145
scrutator Oliv. Ent. IV. 10
grandiceps Thoms. Sk. VIII. 50
(v.) latefasciatum Müll. Ent. Bresl. 1890.
mordax Deg. T. 40 *E. [21 Si.*
inquisitor Panz.
Linnei Laicharting Tyr. Ins. II. 122
v. caucasicum Reitt. D. 1889. 287 *Ca.*
fasciculatum Fald. T. 40 *Ca.*
rufipes Motsch. B. M. 1838. 184
pygmaeum Ganglb. T. 40 *Talysch*

Rhagium s. str.

Stenocorus Kolbe.

bifasciatum F. T. 40 *E.md.m.*
bicolor Oliv. Ent. IV. 16
ornatum F. Syst. Ent. 183
(v.) Ecoffeti Muls. Long. ed. 1. 222
(v.) unifasciatum Muls. ibid.

Allorrhagium Kolbe

inquisitor L. T. 49 *E.md.b.*
indagator F. Mant. I. 145
lineatum Oliv.
investigator Muls. l. c. 227

Rhamnusium
Latreille.

bicolor Schrnk. T. 39 *E.*
ruficolle Herbst Füssl. Mag. V. 92
Schranki Laich. Tyr. II. 118
salicis F. Mant. I. 151
etruscum Rossi Fn. Etr. I. 149
(v.) glaucopterum Schall. Muls. 450
(v.) ambustum Heyd. Nass. 1876. 394
graecum Schauf. A. 62. 311. T. 7. 39 *Gr.*
(v.) juglandis Fairm. A. 1866. 276 *Ca.or.*

Enoploderes
Faldermann.

Xylostylon Reitt.

sanguineus Fald. T. 39 *Ca.*
Lederi Reitt. W. z. b. 1879. 485

Xylosteus
Frivaldszky.

Spinolae Friv. T. 39 *Hu Cro.Bos.*
♀ rufiventris Germ Fn. Ins. 23. 16 *T.*

Leptorrhabdium
Kraatz.

gracile Kr. D. 1873. 202 T. 38 *Ill D.Gr.*
illyricum Kr. D. 1870. 415

Psilorrhabdium Kraatz.

caucasicum Kr. T. 38 *Ca.*

Oxymirus
Mulsant.

cursor L. T. 37 *E.md.b.*
♂ noctis L. Syst. nat. ed. XII. 630
vittatus Gmel. ed. Lin. I. 4. 1865
v. Verneuili Muls. T. 37
testaceus Gredl. Käf. Tyr. 396
mirabilis Motsch. T. 37 *Ca.*

Texotus
Serville.

Stenochorus Bedel.

*

Minaderus Muls.

Reitter, W. 1890 249.

meridianus L. T. 36 *E.md.b.*
rufiventris Marsh. Ent. Br. I. 340
(v.) chrysogaster Schrank Enum. Ins. 132
splendens Laich. Tyr. Ins. II. 136
cantharinus Herbst Füssl. Arch. V. 93
(v.) laevis Oliv. Ent. IV. 21
rufier..s Scopol. Ins. Carn. 48
(v.) geniculatus Fourc. Ent. Par. I. 86
insitivus Germ. Reitt. l. c. *Ca.*

*

persicus Fald. Reitt. W. 1890. 250 *Arax.*
v. vittidorsum Reitt. l. c. *Arax.*
biformis Tourn. T. 37 *Ca.*

*

Anisorus Muls.

quercus Goeze T. 37 *E.md.m.*
humeralis F. Mant. I. 158
(v.) ♀ niger Oliv. Reitt. W. 1890. 163
discolor Fleisch. ibid.
unicolor Fleisch.
(v.) ♀ dispar Panz. ibid.
(v.) ♀ discoideus Reitt. ibid. *Arax*
(v.) marginatus Kr. ibid. *A*
(v.) scutellaris Kr. ibid. *T.*
(v.) subvittatus Reitt. ibid. *Arax.*
(v.) ♀ subapicalis Reitt. ibid. *Arax.*
Lacordairei Pascoe Ab. VI. 121. T. 7 37 *Gr.*

Acimerus
Serville.

Schäfferi Laich. T. 36 *E.md.mont.*
cinctus F. Mant. I. 146
dentipes Muls. An. Lyon V. 109

Pachyta
Stephens.

Anthophylax Motsch.

lamed L. T. 36 *E.md.b mont.*
pedella Deg. Mém. V. 129
♂ spadicea Payk. Fn. Su. III. 103
quadrimaculata L. T. 36 *E.mont.*

timida Scopol. Ent. Carn. 53
(v.) bimaculata Schh. Syn. III. 489

Brachyta
Fairmaire.

Pachyta Mulsant.

balcanica Hampe T. 35 *Balk.*
variabilis Gebl. T. 35 *Ural*
interrogationis L. T. 35 *Alp.E.b.*
(v.) 12-maculata F. Spec. Ins. I. 248
russica Herbst Füssl. Arch. V. 102
(v.) curvilineata Muls. T. 35
(v.) flavonotata Muls. Long. ed. 1. 239
(v.) marginella F. Ent. Syst. I. 2. 346
(v.) bimaculata Muls. l. c. 240
(v.) ebenina Muls. l. c. 239
borealis Gyll. T. 34 *Alp.E.b.*
v. picta Mäkl. B. M. 1845. 549 *F.*
clathrata F. T. 34 *Alp.Cp.*
semicincta Drap. An. phys. Brux. I. 52
v. reticulata F. Ent. Syst. Suppl. 153
signata Panz. Fn. Germ. 1. 8. 13
v. brunnipes Muls. Longic. 1. 238
nigrescens Gredl. C. H. XI. 74

Acmaeops
Leconte, Ganglbauer.

pratensis Laich. T. 33 *E.md.b.*
strigilata F. Ent. Syst. I. 2. 341
(v.) suturalis Muls. Long. 1. 246
ustulata Motsch. Schrenck 1860. 148
septentrionis Thoms. T. 33 *E.b.*
marginata Naez. Vet. Handl. XV. 271
v. simplonica Stierl. M. Schw. V. 550
marginata F. T. 33 *E.b.G.A.*
(v.) spadicea Schilsky D. 1888. 189
smaragdula F. T. 33 *E.b.*
smaragdina Naez. l. c. XIII. 173
(v.) morio F. Ent. Syst. I. 2. 349

Dinoptera Mulsant.

collaris L. T. 33 *E.*
carneola Schrank Fn. boic. 696
ruficollis Degeer Ins. V. 143
v. nigricollis Muls. Longic. 1. 247

Gaurotes
Leconte.

Carilia Mulsant.

virginea L. T. 34 *E.md.b.*
violacea Deg. Ins. V. 144
(v.) vidua Muls. Long. ed. 1. 242
(v.) thalassina Schrank Enum. Ins. 160
nupta Muls. l. c.
aemula Mannh. B. M. 1852. 306
ruficollis Solsky Hor. VII. 402
excellens Brancsik T. 34 *Tatra*

Cortodera
Mulsant.

Reitter W. 1890. 243.

humeralis Schall. T. 30. Reitt. 243 *E.md.*
quadriguttata F. Mant. I. 159
spinosula Muls. Long. ed. 1. 290
v. suturalis F. Reitt. 243
femorata F. T. 31. Reitt. 243 *E.md.*
monticola Abeille A. 1870. 88
(v.) suturifera Reitt. 243
(v.) flavipennis Reitt. ibid.

*

pumila Ganglb. T. 32. Reitt. 244 *Ca.*
holosericea F. T. 31. Reitt. l. c. *Hu.A.*
Starcki Reitt. 244 *Circas.*
Frivaldszkyi Kr. T. 31. Reitt. 244 *Hu.A.*
circassica Reitt. 245 *Ca.occ.*
(v.) obscuripes Reitt. l. c.
umbripennis Reitt. ibid. *Arax.*
flavimana Waltl T. 32. Reitt. 245 *T.*
(v.) rufipes Kr. ibid.
fulvipes Reitt. 245
colchica Reitt. 246 *Ca. Arax.*
(v.) ordubadensis Reitt. ibid. *Arax.*
(v.) rutilipes Reitt. ibid. [illegible]
(v.) pygidialis Reitt. ibid. *Arax.*
confusa Reitt. W. 1891 *Schalbus-Dagh*
alpina Mén. T. 31. Reitt. 246 *Ca.*
tibialis Mars. Ab. XIV. nouv. 103
Beckeri Desbr. Op. I. 51
? Kiesenwetteri Kr. i. l.
discolor Fairm. T. 31. Reitt. 246 *Gr.*
pseudomophlus Reitt. ibid. [illegible]

Pidonia
Mulsant.

lurida F. T. 32 *E.md.mont.*
suturalis Oliv. IV. 73
v. Ganglbaueri Ormay W. 1888. 168

Fallacia Mulsant.

elegans Fald. T. 32 *Ca.*
longicollis Muls. A. Lyon 1863. 180
Lederi Kr. D. 1879. 280
(v.) mingrelica Kr. ibid. 279

Nivellia
Mulsant.

sanguinosa Gyll. T. 30 *E.b.*
  Kratteri Hampe W. z. b. II. 67 *Carp.*
  Sacheri Wolfn. Lotos 1852. 95 *Boh.*

Leptura
Linné.

Anoplodera Mulsant.

rufipes Schall. T. 29 *E.*
(v.) fuscipes Muls. Long. ed. 1. 287
v. ventralis Heyd. D. 1886. 85 *Ca.*
  rufiventris Tourn. Rev. Zool. 72. 348
v. Krüperi Ganglb. 29 *Ca.oc.*
  atripes Reitt. i. litt.
sexguttata F. T. 29 *E.*
(v.) exclamationis F. Ent. Syst. I. 2. 343
(v.) biguttata Muls. Long. ed. 1. 285
rufiventris Gyll. Ledeb. Rs. II. 193 *Sibir.*
v. nigroflava Fuss T. 29 *Tr.*

Vadonia Muls.

unipunctata F. Mant. I. 157 *E.md.m.*
v. occidentalis Daniel D. 1891. *Hi.*
hirtula Daniel ibid. *Dobrudscha*
bipunctata F. Daniel ibid. *R.m.*
  Fischeri Zoubk. B. M. 1829. 268
  saucia Muls. An. Lyon 1855. 282 *Crim.*
  laterimaculata Motsch. B. M. 1875. 142
Steveni Sperk B. M. 1835. 158 *E.md.or.*
  adusta Kr. B. 1859. 97
  litigiosa Muls. C. Fr. 1862. 564 *A.*
  globicollis Desbr. Ab. VII. 127 *Dobr.*
imitatrix Daniel D. 1891 *Cro.D.*
bisignata Brull. Ex. Mor. III. 264 *Gr.T.*
  grandicollis Muls. An. Lyon. 1863. 182
moesiaca Daniel l. c. *Serb.*
  bipunctata Kr. B. 1859. 97
rufa Brull. Ex. Mor. 1822. 263. T. 25 *T.Gr.*
  Silbermanni Lef. Silb. Rev. III. 303
  excelsa Costa Ab. IV. 32. T. 25
  nigropicta Fairm. A. 1866. 278
oblongomaculata Buq. T. 24 *C.Si.*
trisignata Fairm. A. 1852. 92., T. 25 *Hi.*
  rufa Muls. Long. ed. 1. 544 *Ga.m.*
  semirufula Kr. D. 1880. 376 *Hi.*
Heydeni Ganglb. Mars. Cat. 1889 *Talysch*
  ustulata Mén. Cat. rais. 231. Heyd. T. 27

*

livida F. T. 28 *E.*
v. bicarinata Arnold Hor. VI. 137 *R.m.*

Leptura Muls.

pallidipennis Tourn. Rev. Z. 1872. 346 *Ca.*
circassica Daniel l. c. *Ca.occ.*
tonsa Daniel D. 1891 *Ca.*
fulva Deg. T. 27. Daniel l. c. *E.*
  tomentosa F. Ent. Syst. I. 2. 340
  ustulata Laich. Tyr. Ins. II. 157
hybrida Rey R. IV. 277 *Alp.oc.Pe.P.*
picticornis Reitt. D. 1885. 390 *Gr.Creta*
pallens Brull. Ex. Mor. III. 264. T. 27 *Gr.T.*
maculicornis Deg. T. 27 *E.b.md.mont.*
simplonica Fairm. R. IV. 317 *Alp.m.*
tesserula Charp. T. 27 *He.Sil.*
v. Dejeani Ganglb. (emend.)
  bisignata Mén. Cat. rais. 232 *Ca.*
v. impunctata Heyd. D. 1877. 420
sicula Ganglb. W. z. b. 1886. 515 *Si.*
rubra L. T. 24 *E.*
  ? testacea L. Syst. nat. ed. 12. 638
  rubrotestacea Illig. Mag. IV. 122
erythroptera Hagenb. T. 25 *E.md.*
  rufipennis Muls. Long. ed. 1. 272
Fontenayi Muls. T. 24 *Ga.m.occ.Hi.*
cordigera Füssl. T. 23 *E.m.*
  hastata Sulzer Abg. Gesch. 1776. 46
v. immaculata Ragusa Si. *Si.*
scutellata F. T. 24 *E.md.b.*
v. ochracea Faust Hor. XIV. 135 *Ca.*

*

virens L. T. 27 *E.mont.*
v. fuscopubens Reitt. D. 1890. 164 *Bosn.*
stragulata Germ. T. 25 *P.Hi.*
(v.) nigrina Schauf. Rev. Zool. 1863. 121
(v.) variventris Schauf. Isis 1862. 204
distincta Tourn. Rev. Zool. 1872. 347 *Ca.*
dubia Scopol. T. 26 *E.md.b.*
  cincta F. Syst. El. II. 356
  limbata Laich. Tyr. Ins. II. 166
(v.) variabilis Payk. Fn. Su. III. 199
  notata Oliv. Ent. IV. 11
(v.) chamomillae F. Syst. Ent. II. 359 *Alp.*
  luctuosa Muls. Long. ed. 1. 278
(v.) fuliginosa Weise Bresl. 1887. 56 *G.*
v. melanota Fald. Fn. trnsc. II. 315 *Ca.*
v. Reyi Heyd. W. 1889. 203 *Ga.*
  ochracea Rey R. 1885. 277
sanguinolenta L. T. 26 *E.*
  variabilis Deg. Ins. V. 529
montana Muls. T. 26 *Creta*

Judolia Mulsant.

cerambyciformis Schrank T. 23 *E.*
(v.) 10-punctata Oliv. Ent. 4. 73

(v.) 4-maculata Scop. Ent. Carn. 47
8-maculata Schall. Schr. Halle I.297
(v.) 6-punctata Muls. Long. ed. 1. 244
erratica Dalm. T. 33 *E.md.m.*
7-signata Küst. Käf. E. 15. 89
v. erythrura Küst. ibid. 15. 90
sexmaculata L. T. 22 *E.b.Alp.*
trifasciata F. Ent. Syst. I. 2. 349

Strangalia Serville.

Stenura Ganglb.

nigripes Deg. T. 22 *E.b.Alp.*
intermedia Chevrol. A. 1882. 59
thoracica Creutz. T. 20 *E.b.Cr.Ca.*
aurulenta F. T. 19 *E.md.*
quadrifasciata L. T. 19 *E.md.b.*
v. Ledeři Ganglb. ibid. *Ca.*
maculata Poda T. 19 *E.*
calcarata F. Ent. Syst. I. 2. 347
subspinosa F. ibid.
armata Herbst Füssl. Arch. V. 101
elongata Deg. Ins. V. 134
(v.) impunctata Muls. Long. ed. 1. 258
(v.) externepunctata Muls. ibid.
(v.) binotata Muls. ibid.
(v.) undulata Muls. ibid. 259
(v.) sinuata F. Muls. ibid.
(v.) manca Schauf. Rev. Z. 1863. 121 *Hi.*
(v.) nigricornis Stierl. B 1864. 153 *Si.*
arcuata Panz. T. 19 *E.md.b.*
annularis F. Syst El. II. 363
aethiops Poda T. 20 *E.md.b.*
atra Laich. F. Syst Ent. 197
unicolor Oliv. Encycl. VII. 518
imberbis Mén. Cat. rais. 231 *Ca.*
angulicollis Heyd. Led. 323
revestita L. T. 21 *E.md.b.*
villica F. Syst. Ent. 196
(v.) rufomarginata Muls. Long. ed. 1. 254
(v.) ferruginea Muls. ibid.
(v.) vitticollis Muls. ibid.
(v.) labiata Muls. ibid.
(v.) fulvilabris Muls. ibid.
pubescens F. T. 20 *E md.b.*
auriflua Redtb. Fn. Aust. II. 433
(v.) holoserica Muls. l. c.
obscura Panz. Fn. Germ. 69
verticalis Germ. T. 21 *Ill.D.Gr.*
emmipoda Muls. T. 21 *T.Gr.*
distigma Charp. T. 20 *Hi.Ga.m.*
approximans Rosenh. T. 20 *Hi.*
purpuripennis Muls. Col. Fr. ed. 2. 515
melanura L. T. 20 *E.md.b.*
sutaranigra Deg. Ins. V. 138
similis Herbst Füssl. Arch. V. 101
diversiventris Duf. Oss. 103
bifasciata Müll. T. 21 *E.*
cruciata Oliv. Ent. IV. 73
(v.) immaculata Pic Echg. 1889. N. 55 *Ga.*
v. lanceolata Muls. A. Lyon 1863. 177 *Hi.*
Jaegeri Humm. T. 22 *Ca.*
♂ oxyptera Fald. Fn. trnsc. II. 318
♀ mingrelica Tourn. Rev. Z. 1872. 344
septempunctata F. T. 22 *E.md.m.*
(v.) quinquesignata Küst. Käf. E. VI. 94
v. suturata Reiche A. 1858. 22 *T.Gr.*
nigra L. T. 21 *E.*

Typocerus Leconte.

Strangalia Ganglb.

attenuata L. T. 18 *E.Ca*
v. brunnescens Reitt. i. l. *Ca*

Allosterna *Mulsant.*

tabacicolor Deg. T. 22 *E.*
chrysomeloides Schrank Enum. Ins. [158
laevis F. Ent. Syst. I. 2. 340
v. bivittis Motsch Schrenck 1860. 146
subvittata Reitt. D. 1885. 391 [*Ca.*
scapularis Heyd. Leder 325 *Pers.*
v. talyschensis Reitt. l. c. *Lenkoran*

Grammoptera *Serville. Fairmaire.*

ustulata Schall. T. 30 *E.*
praeusta F. Mant. I. 159
splendida Herbst Füssl. Arch. V. 103
v. tibialis Kr. Radde Fn. Fl. 234 *Casp.*
v. geniculata Kr. ibid. *Hi.m.*
ruficornis F. T. 30 *E.*
v. obscuricornis Kr. l. c. 234 *Casp.*
variegata Germ. T. 30 *E.md.*
analis Panz. Fn. Germ. 118
femorata Muls. 580
v. nigrescens Weise D. 1884. 423 *G.*
griseipes Pic Echng. 1889 N. 55 *Ga.*

Letzneria *Kraatz.*

lineata Letzn. T. 18 *Salisb.Sil.Crp.R.U.*

Necydalis *Linné. Mulsant.*

Molorchus Fabr.
Gymnopterion Schrank.

major L. T. 17 *E.md.b.*
abbreviata F. Syst. Ent. 199

populi Büttner Germ. Mag. III 245
ichneumonea Deg. Mém. V. 148
salicis Muls. Long. ed. 1. 112
ulmi Chevr. Cent. Bupr. 1838. 76 *E.md.*
abbreviata Panz. Fn. Germ. 41. 20
major Guér. Ic. Régn. t. 44. f. 8
Panzeri Harold C. H. 15. 174. T. 17

Cerambycini.

Caenoptera
Thomson.
Heliomanes Newm.

minor L. T. 42 *E.*
dimidiata F. Syst. Ent. 199
ceramboides Deg. Ins. V. 151
? v. rufescens Kiesw. Leder 316 *Ca.*

Linomius Mulsant.
Sinolus Mulsant. Conchopterus Fairm.

umbellatarum Schreber Muls. 226 *E.*
minima Scopol. T. 42
depressa Motsch. B. M. 1845. 85
Kiesenwetteri Muls. T. 42 *E.md.*
plagiata Reiche A'. 1877. 122
v. Schmidti Ganglb. W. z. b. 1883. 301
Marmottani Bris. T. 43 *E.md.*[*Halizia*
discicollis Heyd. D. 1876. 388

Brachypteroma
Heyden.
Dolocerus Muls.

ottomanum Heyd. T. 43 *E.m.*
Reichei Muls. Long. ed. 2. 231
Mulsanti Stierl. M. Schw. II. 30

Stenopterus
Stephens.

flavicornis Küst. Ganglb. T. 43 *E.md.m.*
procerus Costa Fn. Napol. II. 64 *I.D.*
rufus L. T. 43 *E.md.m.*
v. geniculatus Kr. B. 1863. 103
mauritanicus Lucas Muls. Col. Fr. 222
ater L. ♀ Syst. nat. ed. 12. 646 *E.m.*[*Andal.*
♂ praeustus F. T. 44
♂ auriventris Küst. Käf. E. 18. 96
v. ustulatus Dej. Muls. Long. ed. 1. 115
v. nigripes Kr. B. 1863. 101

Callimoxys
Kraatz.

gracilis Brullé T. 44 *D.Gr.Ca.*
Brullei Muls. Longic. ed. 2. 215

Dilus
Serville.

fugax Oliv. T. 45 *Ga.md.m.I.m.*

Callimus
Mulsant.

angulatus Schrank T. 44 *E.md.m.*
cyaneus F. Ent. Syst. I. 2. 330
♂ variabilis Bon. Mem. Tor. 1812. 181
♂ Bourdini Muls. Col. Fn. Suppl. 1846
laetus Motsch. B. M. 1845. 85
abdominalis Oliv. T. 44 *Ga.m.*
decorus Gené Mem. Torin II. 78 *I.*
v. ♂ nigricollis Pic Échange 1889. 157
egregius Muls. T. 45 *Ca.*[*Ga.m.*
femoratus Germ. T. 45 *T.R.m.*
♀ thoracicus Chevr. A. 1882. 87

Cartallum
Serville.

ebulinum L. T. 45 *Med.*
ruficolle F. Spec. Ins. I. 236
♀ tricolor Chevr. (Obrium) A. 1882. 57

Obrium
Curtis.

cantharinum L. T. 64 *E.*
ferrugineum F. Spec. Ins. I. 235
brunneum F. T. 64 *E.md.b.*
caucasicum Tourn. Rev. Z. 1872. 260
bicolor Kr. T. 64 *A.Gr.*[*Ca.*

Leptidea
Mulsant.

brevipennis Muls. T. 64 *Ga.C.*
rufipennis Dufour
♂ minuta Motsch. B. M. 1845. 84 *R.m*

Gracilia
Serville.

minuta F. Spec. Ins. I. 235 *E.*
pygmaea F. T. 64
vini Panz. Fn. Germ. 66. 10
pusilla F. Mant. I. 155

Exilia
Mulsant.

timida Mén. T. 65 *Med.*
fasciolata Kryn. B. M. 1838. 170 *R.m.*
bipunctata Zoubk. B. M. 1833. 306
v. brunnea Tourn. Rev. Z. 1872. 280 *Ca.*
v. lugubris Ragusa Sic. III. 333 *Si.*

Axinopalpus
Redtenbacher.

gracilis Kryn. T. 65 *G.A.R.m.T.*

Cerambyx
Linné.

velutinus Brullé T. 65 *Med.*
Welensi Küst. Käf. E. II. 44
carinatus Küst. T. 65 *D.*
cerdo L. T. 66 *E.*
heres Scopol. Ent. Carn. 51
v. acuminatus Motsch. T. 66 *Med.*
Manderstjernae Muls. A. Lyon II. 280
v. Pfisteri Stierl. B. 1864. 152 *Si. [Ca.*
v. Mirbecki Luc. T. 66 *Hi.*
miles Bon T. 66 *Med.*
militaris Latr. Régn. anim. 2. V. 116
nodulosus Germ. T. 66 *Carn.Med.*
nodicornis Küst. Kf.E.II.43 *D.Gr.*
intricatus Fairm. A. 1848. 167 *Apen.*
nodosus Muls. Op. 13. 144
dux Fald. T. 66 *T.Gr.Ca.*
orientalis Küst. Käf. E. II. 45
Thirki Küst. ibid. 47
Scopolii Füssl. T. 67 *E.*
cerdo Scopol Ent. Carn. 50
(v.) helveticus Stierl. Schw. M. V. 342
v. paludivagus Luc. Alg. 485 *Hi.*
multiplicatus Motsch. T. 67 *Ca.or.*
elegans Dohrn St. 1873. 74

Pachydissus
Newman.

mauritanicus Buq. T. 67 *Alg.Ga.m.Hi.*
nerii Erichs. Wagn. Rs. III. 188

Hesperophanes
Mulsant.

sericeus F. T. 67 *Med.*
rotundicollis Luc. An. Sc. nat. 1847. 185
Latreillei Brull. Ex. Mor. 256
cinereus Villers T. 67 *Ga.md.m.Med.*
holosericeus Rossi Fn. Etr. I. 153
nebulosus Oliv. Encycl. V. 257
griseus F. T. 67 *Med.*
fasciculatus Fald. Fn. trns. II 266 *Ca.*
affinis Luc. l. c. 186
pulverulentus Er. Wagn. Rs. III. 188
tomentosus Luc. l. c. 186
pallidus Oliv. T. 67 *Ga.G.I.*
mixtus F. Ent. Syst. Suppl. 150

Stromatium
Serville.

fulvum Villers Ent. I. 256 *Med.Ca.*
unicolor Oliv. T. 68
strepens F. Suppl. Ent. Syst. 150
pallidum Zoubk. B. M. 1833. 336

Icosium
Lucas.
Cluvia Stål.

tomentosum Luc. T. 65 *E.m.*
Chevrolati Stål Oefvers. Vet. Ak.
v. atticum Gngl. T. 65 *D.Gr.* [Förh. 1857

Xystrocera
Serville.
Neomarius Fairmaire.

Gandolphei Fairm. W. 1882. 137 × *Ga.m.*

Oxypleurus
Mulsant.

Nodieri Muls. T. 74 *Ga.m.Gr.*
scutellaris Costa Fn. Napol. II. 38

Saphanus
Serville.

piceus Laich. T. 74 *Alp.G.mont.*
spinosus F. Syst. Ent. I. 320
sudeticus Richter Fn. Suppl. I. 10
v. cylindraceus Fairm. Muls. 111 *P. [D.*
Ganglbaueri Brancsik Trencsin 1886. 17

Drymochares
Mulsant.

Truquii Muls. T. 75 *Alp.m.*
Starcki Gnglb. D. 1888. 450 *Ca.oc.*

Hybometopia
Ganglbauer.

Starcki Ganglb. Hor. 1889. 285 *Circas*

Criocephalus
Mulsant.

rusticus L. T. 75 *E.*
♂ pachymerus Muls. Long. ed. 1. 64
coriaceus Motsch. B. M. 1845. 89 *R.*
ferus Kr. B. 1863. 107 *E.*
epibata Schiödte Tidsskr. 3. II. 41
?polonicus Motsch. B. M. 1845. 88 *Pol.*

Asemum
Eschscholtz.

striatum L. T. 76 *E.*
bupr estoides Saven. Humm. IV. 64
v. agreste F. Mant. I. 152
dichroum Gmel. ed. Lin. I. 4. 1846
tenuicorne Kr. D.1879.97; T.76 *R.m.Ti.*

Nothorrhina
Redtenbacher.

muricata Dalm. T. 75 *G.E.b md.Ga.Hi.*
scabricollis Redtb.W. Col.Aust.24*A.*

Tetropium
Kirby.
Criomorphus Muls.
Isarthron Redtb.

castaneum L. Fn Su. 192 *E.md.b.*
luridum L. T. 74
curiale Panz. Naturf. 24. 29
impressum Payk. Fn. Su. III. 84
v. aulicum F. Syst. Ent. 190
v. fulcratum F. Syst. Ent. I. 2. 320
fuscum F. T. 74 *E.md.b.*
arvense Panz. Naturf. 24. 30
triste Panz. Fn. Germ. 70. 11
castaneum Payk. Fn. Su. III. 86

Cyamophthalmus
Kraatz.
Allocerus Muls. Smodicum Chevrl.

moesiacus Friv. T. 75 *T.Gr.Hi.*
fulvus Muls. Col. Fr. ed 2. 128
ferrugineus Kr. B. 1863. 100
nitidus Fairm. Rev. Z. 1864. 340
syriacus Chevrol. A. 1882. 59

Anisarthron
Redtenbacher.

barbipes Schrank T. 77 *Gr.I.A.G.*

Phymatodes
Mulsant.
Callidium auct.
*

Liouderes Redtenb.

Kollari Redtb. T. 72 *A.Hu.*
testaceusRedtb.Gtt.deutsch.Käf.110
Türki Ganglb. W. z. b. 1885. 517 *Taur.*

Lioderina Ganglb.

linearis Hampe B. 1870. 335 *Gr.D.A.*
Henschi Puton R. VII. 23 *Herzeg.*

Phymatodes Mulsant.

angustus Kriechb. St. 46. 111. T. 72*Bav.*
glabratus Charp. T. 70 *E.md.[Tr.*
castaneus Redtb. Fn. Aust. 1. 483
Deltili Chevr. Rev. Zool. 1856. 435
puncticollis Muls. T. 72 *Hu.R.m.*
pusillus F. Bedel Fn. 25 *E.md.*
abdominalis Bon. T. 72
barbipes Villa Cat. 28
humeralis Comolli Col. Novoc. 1837.
luridus Oliv. Ent. IV. 70. 23 [44
v. rufipennis Starck W.1888 313*Ca.oc.*
lividus Rossi T. 71 *E.md.*
brevicollis Schönh. Syn. App. 192
melancholicus F.Suppl.Ent.Syst.151
thoracicus Comolli Col. Novoc. 41
asperipennis Fairm. Rev. Z.1879.217
testaceus L. Syst. ed.X.396.Bed.Fn.24*E.*
v. variabilis L. T. 71
carniolicus Gmel. ed. Lin. I. 4. 1858
v. rufipes Costa
v. fennicus F. Syst. Ent. 188
nigrinus Muls. Long. ed. 1. 47
v. melanocephalus Ponza Mem. Turin
Sellae Kr. B. 1868. 338 [1805. 71
v. similaris Küst. Käf. E. 1. 54
v. analis Redtb. Fn. Austr. II. 400
nigricollis Muls. l. c. 49
v. praeustus F. Spec. Ins. II. App. 500
dimidiatipennis Chevr. A. 1882. 58

*

femoralis Mén. Cat. rais. 228; T. 71 *Ca.*
v. utschderensis Starck W. 1889. 313

* *[Ca.oc.*

fasciatus Villers Ent. I. 257 *E.md.m.*
unifasciatus Oliv. T. 70

Poecilium Fairm.

alni L. T. 70 *E.*
biarcuatus Piller Iter. Poseg.
turcicus Fourc. Ent. Par. I. 83
v. infuscatus Chevr.Rev.Z.1866.107*Hi.*
nitidus Chevrol. A. 1882. 58
rufipes F. T. 70 *E.md.*
amethystinus F. Ent. Syst I. 2. 321
coeruleus Goeze Ent. Beitr. I. 507
cyanochrysos Gmel. ed. Lin. I. 4. 1846
erythropus Gmel. ibid. 1847
gallicus Gmel. ibid. 1877
spinosae Schrank Enum. Ins. 165

Pyrrhidium
Fairmaire.

sanguineum L. T. 70 *E.*

Callidium
Fabricius.
Meridion Gozis.

aeneum Deg. T. 70 *E.md.*
dilatatum Payk. Fn. Su. III. 91
aurichalceum Gmel. ed. Lin. I. 4 1857
variabile F. Syst. Ent. 188
venosum Eschsch. M. Petr. VI. 483
violaceum L. T. 70 *E.*
coriaceum Payk. T. 72 *E.b.Alp.*
v. cupripenne Kriechb. St. 1862. 208

Semanotus
Mulsant.

undatus L. T. 73 *E.md.b.*
sulphuratus Voet Cat. II. 20

Sympiezocera Lucas.
(Xenodorum Mars.)

Laurasi Luc. A' 1851. 107 *Ga.cent.m.Hi.*
Bonvouloiri Mars. Rev. Z. 1856. 48
verneti Pellet 1871
v. corsicus Croiss. Le Col. 1890. 88 *C.*
russicus F. T. 73 *R.m.*
v. persicus Solsky Hor. XI. 296 *Talysch*

Hylotrupes
Serville.

bajulus L. T. 73 *E.*
caudatus Deg. Mém. V. 86
Linneanus Laich. Tyr. Ins. II. 69
similis Marsh. Ent. Br. I. 335
♂ affinis Saven. Hum. Ess. IV. 63
(v.) lividus Muls. Long. ed. 1. 56
(v.) puellus Villa Cat. 36
Koziorowiczi Desbr. A. 1872. 429 *C.*

Rhopalopus
Mulsant.

hungaricus Herbst T. 68 *E.*
cognatus Laich. Tyr. Ins. II. 58 *A.Sil.*
pannonicus Gmel. ed. Lin. 1. 4. 1856 *Hu.*
Fischeri Kryn. B. M. 1829. 197 *R.m.*
insubricus Germ. T. 68. *Ill.Cro.Ga.alp.*
? v. siculus Stierl. T. 69 *Si.*
Lederi Ganglb. T. 69 *Ca.*
clavipes F. T. 69 *E.*
nigricans Gmel. l. c. 1857
nigroplanus Deg. Ins. V. 88
? v. caucasicus Desbr. A'. 1873. 156 *Ca.*
macropus Germ. T. 69 *E.md.b.*
pilicollis Thoms. Sk. 8. 29
femoratus L. T. 69 *E.*

punctatus F. Syst. El. II. 336
punctuosus Fourc. Ent. Par. I. 83
spinicornis Abeille T. 69 *Ga.Ti.A.G.*
Varini Bedel Ab. VII. 94

Rosalia
Serville.

alpina L. T. 68 *E.mont.*
pilosa Poda Ins. Mus. Graec. 32

Aromia
Serville.

moschata L. T. 46 *E.*
citrina Voet Cat. II. 8
odorata Deg. Mém. V. 64
(m.) alata Costa Napol. II. 25 *[R.*
v. chlorophana Fisch. Ent. Ross. II. 237
v. ambrosiaca Stev. Mém. Mosc. II. 40
v. thoracica Fisch. l. c. 236 *Ca.[Crim Ca.*
rosarum Luc. Alg. 488 *Ga.m.Hi.*

Purpuricenus
Fischer.

dalmatinus Strm. T. 61 *D.Gr.*
v. Fellowsi White A. Nat. Hist. XV. 111
Deyrollei Thoms. T. 61 *Ca.m.*
Ledereri Fairm. W. z. b. 1869. 199
v. talyschensis Reitt. W. 1891 *Lenkor.*
Desfontainesi F. T. 62 *Gr.Med.*
budensis Goeze T. 62 *Hu.Gr.T.*
v. Koehleri Oliv. Ent. IV. 67 *M.*
v. affinis Brull. Mor. III. 251
v. hungaricus Herbst Fuessl. Arch. V. 80
v. Wredei Fisch. Ent. Ross. II. 238
ferrugineus Fairm. T. 63 *Hi.*
v. Fettingi Schauf. Nq. ot. 209 *Ar.*
Koehleri L. T. 62 *E.md.m.*
v. ruber Fourcr. Ent. Par. I. 75
Servillei Serv. A. 1833. 569
v. bipunctatus Villa Col. Eur. Suppl. 34
bilineatus Muls. Col. Fr. ed. 1. 34
v. cinctus Villa l. c.
Boryi Brull. Mor. III. 251
v. aetnensis Bassi A. 1834. 471
v. globulicollis Dej. Muls. T. 63 *Ga.m.D.*
Wachanrui Levrat T. 63 *T.Arm.*
Hausknechti Witte B. 1871, 207

Anoplistes Serv.

halodendri Pall. T. 63 *R.m.or.*
humeralis Oliv. Ent. IV. 67
ephippium Stev. Schönh. Syn. app. 157
altaiensis Laxm. T. 63 *R.m.or.[R.m.or.*

sellatus Germ. Ins. Spec. 1824. 498
ephippium Fisch. Ent. Ross. II. 238
affinis Motsch. Ét 1852. 79

Calchaenesthes
Kraatz.

oblongomaculata Guér. T. 64 *Hi.Gr.T.*
Nogeli Friv. Magyiar 1845. 183
(v.) sexmaculata Guér. Ic. règn. III. 234

Plagionotus
Mulsant.

Echinocerus Muls.
Reitter, W. 1890. 212

detritus L. T. 46 *E.*
Couvertinii Petagn. Att. Nap. 1819. 38
arcuatus L. T. 47 *E.*
detritus Voet Cat. II. 21
lunatus F. Sp. Ins. II. App. 500
salicis Schrank Fn. boic. 677
(v.) Colbeaui Mors. A. B. VII. 131
(v.) connatus Mors. ibid.
(v.) Reichei Thoms. Cl. Long. 1860. 220
interruptus Mors ibid.
(v.) apicalis Hampe W. Mon. 1863. 289
v. lugubris Mén. Cat rais. 229
Bobelayei Brull. T. 48 *Gr.Arax.*
speciosus Adams Mém. M.V. 309 *Ca.*
scalaris Brull. T. 48 *Gr.*
siculus Cast. Mon. 46 *Si.*
floralis Pall. T. 49 *E.md.m.R.*
arcuatus Schrank Eum. 164
aulicus Laich. Tyr. Ins. II. 103
controversus Schrank Fn. boic. 679
fasciatus Herbst Füssl. Arch. V. 98
(v.) basicornis Reitt. W. 1890. 213 *E.md.*
v. variabilis Motsch. Ét. 1859. 143 *R.m.*
zebra Lap. Mon 94
abruptus Kr. B. 1879. 408
pruinosus Kr. ibid.
v. armeniacus Reitt. W. 1890. 213 *Ca.*

Xylotrechus
Chevrolat.

rusticus L. T. 49 *E.md.b.*
liciatus L. Syst. XII. 636
hafniensis F. Syst. Ent. 190
confusus Herbst Füssl. Arch. V. 98
longipes Villers Ent. I. 256
(v.) atomarius F. Ent. Syst. I. 2. 332
Oo Schrank Eum. Ins. 162
maculatus Gmel. ed. Lin. I. 4. 1877
omega Rossi Fn. Etr. I. 154
pantherinus Saven W. 1882. 173 *F.*
Moei Thoms. Op. 552 *Su.*
capricornis Gebl. T. 50 *Alp.*
ibex Gebl. T. 50 *G.b.R.*
angulosus Motsch. B. M. 1875. 150
arvicola Oliv. T. 49 *E.*
arietis F. nec L.
(m.) Heydeni Stierl. T. 49 *Si.*
antilope Zett. T. 50 *E.md.b.*
hieroglyphicus Drap. Brux. I. 294

Clytus
Laicharting.

Sphegesthes Chevrol.

cinereus Lap. T. 51 *Ga G.Ca.*
Duponti Muls. Col. Fr. ed. 1. 84
Sterni Kr. B 1870. 219
Auboueri Desbr. A. 1872. 429
tropicus Panz. T. 51 *E.md.*
mucronatus Lap. Mon. 52
(m.) Kelchi Bach Käf. Fn. III. 19
Schneideri Kiesw. Led. 313. T. 52 *Ca.*
vesparum Reitt. D. 1889 376 *Ca.*
arietis L. T. 52 *E.*
quadrifasciatus Deg. Mém. V. 81
gazella F. 1792. Bed. Fn. 81
(v.) Bourdilloni Muls. Long. ed. 1. 81 *Ga.*
triangulimacula Costa Ital. 8 *I.*
v. Lederi Ganglb. T. 52 *Ca.*
clavicornis Reiche A. 1860. 734 *Si.*
crassicornis Muls. Longic ed. 2 159
lama Muls T. 52 *Ga Alp.E.md.*
rhamni Germ. T. 53 *Med.*
gazella Lap. Mon. 62
temesiensis Germ. Ins. Sp. nov. 519
Bellieri Gaut. A. 1862 77

Cyrtoclytus
Ganglbauer.

capra Germ. T. 58 *Alp.*

Neoclytus
Thomson.

Rhopalomerus Chevrol.

erythrocephalus F. T. 57 ×*P.Carn.*
acuminatus F. Sp. Ins. I. 234 *Istr.*
aspericollis Germ. Ins. Sp. nov. 517

Clytanthus
Thomson.

Anthoboscus Chevrol.

varius F. Müll. 1766. Bed. Fn. 83 *E.*
verbasci L. Syst. Nat. ed. XII. I. 640

nigrofasciatus Goeze Ent. Beitr. I 507
ornatus Herbst T. 53
gammoides Fourc. Fn. Par. 785
C-duplex Scop. Fl. et Faun II. 46
strigosus Gmel. ed. Lin. I. 4. 1877
venustus Gmel. ibid. 1856
v. viridicollis Kr. B. 1870. 410 *G.*
Herbsti Brahm Ins. Kal. I. 148. Bed. 32 *E.*
verbasci F. T. 53
sulphureus Schaum Cat. C. E. 1862.
v. Faldermanni Fald. Fn. tr. II. 269 *Ca.*
pilosus Forst. Har. B. 1884. 130 *And.*
glaucus Luc Alg. 493
griseus Brull. Ins. Canar. 63
lugens Küst. Käf. E. 15. 76
v. glabromaculatus Goeze T. 54 *E.m.*
villosus Fourcr. Ent. Par. I. 80
4-punctatus F. Ent. Syst. I. 2. 337
6-punctatus Oliv. Encycl. V. 264
trifasciatus F. Ganglb. D. 1886. 88 *Med.*
portugallus Gmel. ed. Lin. I. 4. 1854
aegyptiacus Ganglb. T. 55
v. ferrugineus Muls. Long. ed. 1. 87
aegyptiacus F. Ganglb. D. 1886. 88 *A.Hu.*
nigripes Ganglb. T. 54 *D.*
nigripes Brull. Ganglb. D. 1886. 88 *Gr.*
ruficornis Oliv. T. 55 *Ga.m.*
sartor F. Müll. 1766. Bed. Fn. 82 *E.md.m.*
massiliensis L. T. 55
lineola Scop. Fn. et Flor. 44
achilleae Brahm Ins. Kalend. I. 141 *Gr.*
corsicus Chevr. A. 1882. 58 *C.*
v. fulvicollis Muls. Long. ed. 2. 181 *Ga.*
ruficollis Bedel Fn. 32
v. spinosulus Muls. ibid. 182 *C.*
Lepelletieri Lap. T. 55 *Med.*
angusticollis Muls. T. 56 *Hi.b.*
nivipictus Kr. D. 1889. 91 *Balk.*
figuratus Scop. T. 56 *E.*
plebejus F. Spec. Ins. I. 243
leucozonias Gmel. ed. Lin. I. 4. 1846
funebris Laich. Tyr. Ins. II. 111
lama Schrank Beytr. 1776. 67
cordiger Aragona De quib. 1830. 26
v. latefasciatus Fisch. B. M. 1832. 493 *R.*

Calociytus Fairm.

Isotomus Muls.

speciosus Schneid. T. 57 *E.md.*
semipunctatus F. Ent. Syst. Sppl. 151
figuratus Harr. Beschr. I. 213
Stierlini Tourn. Rev. Z. 1872. 276 *H.*
comptus Mnnh. T. 57 *Crim.Ca.*
perspicillum Fisch. B. M. 1832. 438
pubicollis Lap. Mon. 73
Bartholomaei Motsch. Étud. 1859. 142 *Ca.*
admirabilis Heyd. Led. 314. T. 57

Anaglyptus

Mulsant.

gibbosus F. T. 60 *Ill.D.Ga.m.*
v. scriptus Muls. Longic. ed. 1. 92 *Ga.*

Cyrtophorus Leconte.

arabicus Küst. Käf. X. 95. T. 60 *T.*
Deyrollei Tourn. Rev. Zool. 1872. 277
Ganglbaueri Reitt. D. 86. 67 *Talysch [Ca.*
mysticus L. T. 60 *E.md.m.*
quadricolor Scopol. Ins. Carn. 56
v. hieroglyphicus Herbst Füssl. V. 99
albofasciatus Deg. Mém. V. 82
litteratus Gmel. Lin. 1. 4. 1857

Paraclytus Bates.

Raddei Ganglb. T. 59 *Talysch*
sexguttatus Adams Mé. Mosc. V. 388 *Ca.*
caucasicus Motsch B. M. 1838. 54 T. 59
Brucki Kr. B. 1864. 389
Reitteri Ganglb. T. 59 *Talysch*

Lamiini.

Parmena

Serville.

balteus L. T. 88 *Ill.I.Ga.D.Ca.*
fasciata Villers Lin. Ent. I. 239
balteata F. Ent. Syst. I. 2. 262
unifasciata Rossi Fn. Etr. I. 147
bicincta Küst. Käf. 18. 98. T. 88 *D.*
pubescens Dalm. T. 88 *Hi.*
v. pilosa Brull. Ex. Mor. III. 260 *Gr.*
v. Dahli Muls. Long. ed. 2. 245 *Ti.*
v. hirsuta Küst. Käf. V. 95 *D.*
v. inclusa Muls. 242 *Si.*
Solieri Muls. T. 88 *Ga.m.*
pilosa Sol. A. 1835. 100

Dorcadion

Dalman, Ganglbauer.

Compsodorcadion Ganglb.

Gebleri Kr. T. 4 *R.m.or.*
Pallasi Gebl. B. M. 1833. 303
glycyrrhizae Gebl. Ledeb. Reis. 185
glycyrrhizae Pall. T. 44 *R.m.*

rufifrons Motsch. T. 5 *R.m.*
Olivieri Thoms. 39
♀ politum Fisch. Ent. Ros. II. 239

Dorcadion Dalman.

carinatum Pall. T. 6 *R.m.*
pigrum Schönh. Syn. Ins. I. 3. 398
morio Fisch. Ent. Ross. II. 240
aethiops Scopol. T. 6 *E.md.or.*
morio F. Küst. Käf. V. 80
Scopolii Gmel. ed. Lin. I. 4. 1835
hybridum Ganglb. T. 7 *Balkan*
fulvum Scop. T. 7 *E.md.or.*
Scopolii Panz. Fn. Germ. 253
♂ erythropterum Fisch. Ent. Ross. II.
♀ canaliculatum Fisch. ibid. [240 *R.*
cylindraceum Reitt. D. 1886. 69 *Ca.or.*
Sturmi Friv. T. 26 *T.*

*

quadrimaculatum Küst. T. 27 *Gr.T.*
v. ♀ nodicorne Trn. Rev. Z. 1872. 287 *T.*

*

Komarowi Jakowl. Hor. 1887. 155 *Casp.*
sareptanum Kr. T. 20 *R.m.*
Lederi Kr. D. 1878. 217. T. 51 *Ca.centr.*
formosum Kr. T. 53 *Ca.*
niveisparsum Thoms. T. 53 *Ca.*
cretosum Ferrari Wien. Mon. 8. 479
albolineatum Küst. T. 26 *T.*
byzantinum Thoms. Phys. I. 69
divisum Germ. T. 24 *Natol.*
catenatum Waltl Isis 1838. 469 *T.*
v. mytilenense Kr. Küst. 29. 67 *Gr.*
v. loratum Thoms. Phys. I. 2. 123 *T.*
v. dissimile Gnglb. T. 24 *T.*
v. granigerum Gnglb. T. 24 *Gr.*
v. insulare Kr. T. 25 *Naxos*
crux Billb. T. 18 *R.m.*
graecum Waltl Isis 1838. 470
♀ bifidum Chevrol. A. 1882. 60
Piochardi Kr. T. 23 *Balkan*
quadripustulatum Kr. T. 23 *T.or.*
Krüperi Gnglb. T. 19 *Macedonia*
Emgei Gnglb. W. z. b. 1885. 5 *Gr.*
Eugeniae Gnglb. ibid. 7 *Gr.*
Heldreichi Kr. T. 17 *Parnas.*
bilaterale Chevrol. A. 1882. 59
atticum Kr. T. 19 *Parnas.*
v. corcyricum Gnglb. T. 19 *Corfu*
minutum Kr. T. 15 *Gr.*
v. ♀ irroratum Kr. Küst. 29. 76
v. parnassi Kr. ibid. 72
v. Brenskei Ganglb. T. 16
apicale Kr. Küst. 29. 76
Oertzeni Ganglb. T. 20 *Gr.*
septemlineatum Waltl T. 21 *Natol.*
v. 9-lineatum Kr. Küst. 29. 61 *Creta*
v. 8-lineatum Kr. ibid.
olympicum Ganglb. T. 13 *T.Gr.*
graecum Kr. Küst. 29. 78
v. obsoletum Kr. ibid.
v. subalpinum Kr. ibid.
nigritarse Steven T. 14 *R.m.Balk.*
tauricum Waltl Isis 1838. 468
Scopolii Herbst T. 22 *Hu.*
lineatum F. Mant. I. 141 *Serb.*
germanicum Gmel. Lin. I. 4. 1835
v. convexicolle Küst. Käf. 25. 91 *T.*
litigiosum Gnglb. T. 20 *Moldav.*
elegans Kr. Küst. 29. 73. T. 21 *R.m.*
pusillum Kr. ibid. 75. T. 16 *R.m.Mold.*
decipiens Germ. T. 16 *R.m.Hu.*
♀ lineatum Illig. Mag. V. 238
Murrayi Küst. T. 17 *Hu.m.or.*
triste Petri *Tr.*
arenarium Scopoli T. 14 *Ill.D.T.*
pedestre F. Syst. Ent. 176 *Styr.*
v. lemniscatum Küst. Käf. 8. 87 *Ist.*
v. abruptum Germ. T. 15
v. ♀ cinerarium Küst. Käf. 15. 78
v. ♀ vittigerum Panz. B. 1860. 202
v. neapolitanum Kr. B. 1871. 202 *I.*
v. axillare Küst. Käf. 8. 88. T. 15 *Balk.*
Kraatzi Tourn. Rev. Z. 1872. 281 *T.*
v. velutinum Stev. T. 15 *R.m.*
sericatum Sahlb. Küst. Käf. X. 100
femoratum Brull. T. 12 *T.Gr.I.*
italicum Küst. Käf. X. 99
pedestre Rossi Fn. 146
♀ molitor Rossi ibid. 147
sulcifrons Chevr. A. 1882. 60 *Gr.*
lineatocolle Kr. T. 10 *Macedon.*
lugubre Kr. T. 6 *Macedon.*
nudum Küst. Käf. 25. 93. T. 40 *?Hu.*
pedestre Poda B. 1871. 196. T. 10 *A.Hu.*
rufipes F. Ent. Syst. I. 2. 288
arenarium Laich. Tyr. Ins. II. 20 *Ti.*
suturale Voet Cat. II. 11
v. ♀ austriacum Ganglb. (emend.)
molitor Redtb. Fn. ed. 1. 496
?v. gogium Thoms. T. 10 *R.*
gallipolitanum Thoms. T. 8 *T.*
sutura-alba Desbr. Ab. VII. 129
?v. Gandolphei Tourn. T. 8 *T.*
Beckeri Kr. T. 8 *Daghestan*
sericatum Kryn. T. 9 *Crim.Ca.*
caucasicum Küst. Käf. X. 89

v. micans Thoms. T. 9 *Crim.Ca.*
v. sericatulum Kr. Küst. 29. 98 *Ca.*
impressicorne Tourn. Rev Z. 1872. 282
Deyrollei Ganglb. T. 48 *Armen.*
sulcipenne Küst. Kr. l. c. 97. T. 49 *Ca.*
basale Kr. Küst. 29. 86
striatum Dalm. T. 11 *R.m.Haliz.*
♀ holosericeum Kryn. Küst. 8. 83
striolatum Kr. T. 50 *Ca.*
♀ obesum Tourn. Rev. Z. 1872. 340
equestre Laxm. T. 27 *R.m.Mold.*
cruciferum Lepech
cruciatum F. Küst. Käf. V. 84
Pallasi Fisch. Mém. Mosc. I. 14
v. Razumowskyi Fisch. ibid.
v. transsylvanicum Ganglb. T. 28 *Tr.Serb*
auratum Tourn. Rev. Zool. 1872. 291 *Ca.*
Kindermanni Waltl T. 28 *T.*
♀ griseum Waltl Isis 1838. 409
v. cachinno Thoms. Phys. I. 1. 120
immersum Tourn. Rev. Z. 1872. 280
bithynense Chevrl. T. 29 *Rumel.*
serotinum Thoms. 48. Kr. 55
scabricolle Dalm. T. 56 *Ca.*
v. ♀ corpulentum Mén Cat. rais. 226
v. ♀ lutescens Kr.
v. sevangense Reitt. D. 1889. 41 *Arm.*
v. modestum Tourn. Rev. Z. 1872. 338 *Ca.*
nobile Hampe T. 54 *Arm.*
seminudum Kr. T. 55 *Ca.*
dimidiatum Motsch. T. 57 *Ca.Arm.*
indutum Fald. T. 58 *Ca.*
semilucens Kr. ibid. *Ca.*
glaucum Fald. ibid. 59 *Ca.*
Reitteri Ganglb. T. 58 *Ca.centr.*
talyschense Ganglb. T. 57 *Surant*
v. ♀ laeve Fald. Fn. trnsc. II. 778. T. 59
sodale Hampe T. 47 *Ca.m.*
nitidum Motsch. T. 47 *Ca.*
v. suturatum Ferrari T. 48 *Grusia*
Wagneri Küst. T. 46 *Armen.*
Mniszechi Kr. ibid. *Armen.Ca.*

*

fuliginator L. T. 30 *Ga.G.oc.P.*
fasciatum Fourcr. Ent. Par. I. 75
melanoleucum Voet Cat. II. 11
v. ovatum Sulzer Abg. Gesch. 1776. 45
hypocrita Muls. Long. ed. 2. 255
v. vittigerum F. Kr. B. 1871. 193 *Ga.*
quadrilineatum Küst. Käf. 8. 82
mendax Muls. Rey R. 1885. 237
v. navaricum Muls. ibid. *Ga.*
v. monticola Muls. ibid.
v. meridionale Muls. ibid.

alpinum Chevrol. Rev. Zool. 1856. 435
v. striola Muls. l. c. *Ga.*
v. pyrenaeum Germ. Rey l. c. *P.*
v. atrum Bach Käferf. III. 32 *Thuring.*
suturale Chevrol. T. 31 *Aragon.*
soricinum Chevrol. B. 1862. 347
Amori Mars. T. 31 *Morena,Nevada.*
♀ Staudingeri Chevrol. B. 1862. 345
lusitanicum Chevrol. ibid. 346. T. 31 *Lu.*
mus Rosenh. Chevrol. ibid. 347. T. 31 *And.*
mucidum Dalm. T. 30 *Andal.*
Handschuchi Küst. Käf. 15. 77
v. annulicorne Chvrl. B. 1862. 346
Spinolae Dalm. ibid. 348. T. 32 *Astur.*
Mulsanti Bris. A'. 1866. 420
castilianum Chevrl. B. 1862. 347. T. 32 *Lu.*
Seoanei Graëlls ibid. 344. T. 32 *Astur.*
Brannan. Schauf. Nq. ot. 64; T. 32 *Lu.*

*

molitor F. T. 33 *Ga.m.*
lineola Illig. Mag. V. 238
v. Donzeli Muls. Long. ed. 1. 129
v. Brisouti Kr. Küst. 29. 68
Heydeni Kr. T. 33 *Astur.*
Stableaei Chevrl. A'. 1870. 84 *Hi.b.*
circumcinctum Chevrol. T. 34 *Burgos*
?v. Ariasi Chevrol. ibid. *Escorial*
?v. escorialense Chevrol ibid. *Escorial*
Korbi Ganglb. T. 35 *Aragon.*
Uhagoni Perez ibid. *Castilia.*
Martinezi Perez ibid. 36 *Hi.centr.*
Perezi Graëlls A. 1851. 24. T. 36 *Guadarr.*
v. ♀ anthracinum Chevrl. A'. 1870. 86
longipenne Chevrl. B. 62. 342; T. 37 *Hi.*
Graëllsi Graëlls ibid. *Guadarr.*
v. ♀ ovale Chevrl. A'. 1870. 85
v. Oberthüri Ganglb. T. 37 *Escorial*
alternatum Chev. B. 62. 338. T. 38 *Guadarr.*
v. costicolle Chevrl. ibid.
? segovianum Chevrl. ibid. 339
?v. Dejeani Chevrl. ibid. 340
Ghilianii Chevrl. ibid. 338. T. 39 *Castil.*
Reichei Chevrl. ibid. 342
hispanicum Muls. T. 39 *Guadarr.*
v. nigrolineatum Chevrl. B. 1862. 339
v. ♀ encaustum Chevr. A'. 1870. 86
albicans Chevrl. B. 62. 341; T. 41 *Reynosa*
Reynosae Bris. A. 1866. 418

*

Lorquini Fairm. A. 55. 322; T. 32 *And.*
Isernii Perez T. 32 *Madrid*

---

frontale Muls. Op. 13. 154. T. 40 *T.or.*
Chevrolati Ganglb. (emend.) T. 41 *Gr.*

annulicorne Chevrl. A. 1882. 60
Linderi Tourn. Rev. Z. 1872. 285 *Hi.*

Neodorcadion
Ganglbauer.

Virleti Brull. T. 74 *Gr.*
calabricum Reitt. D. 1889. 41 *I.m.*
bilineatum Germ. T. 74 *T.Gr.Hu.Tr.*
fallax Kr. T. 75 *Gr.*
laqueatum Waltl ibid. *T.*
v. Abeillei Tourn. Rev. Zool. 1872. 282
v. ♀ interruptum Muls. Op. 13. 150
v. ♀ sparsum Muls. ibid. 152
segne Muls. T. 76 *T.or.*
exornatum Friv. T. 76 *T.*
labyrinthicum Thoms. Syst. Cer. 549
balcanicum Tourn. Rev. Z. 72. 284. T. 76
v. orientale Ganglb. T. 76 *[T.*
Flaschneri Pic A'. 1889. 175 *T.*

Dorcatypus
Thomson.
Herophila Mulsant.

Fairmairei Thoms. T. 81 *Gr.I.*
tristis F. ibid. *I.Ist.D.Ga.m.*
funestus F. Mant. I. 139
pulverulentus Scop. Annus hist. V. 95
confirmatus Chevrl. A. 1882. 61
Gennadii Buquet A'. 1882. 157. T. 81
v. obsoletus Fairm. A. 1859. 62 *T.[Gr.*

Morimus
Serville.

funereus Muls. T. 81 *Styr.Cro.*
tristis F. Syst. Ent. 175 *Med.*
asper Sulz. T. 81 *Ga.md.m.Med.*
lugubris F. Ent. Syst. I. 2. 283
v. verecundus Fald. Fn. trns. II. 274 *Ca.*

Lamia
Fabricius.

textor L. T. 82 *E.*
cephalotes Voet Cat. II. 11
nigrorugosa Degeer Ins. V. 64
v. tricarinata Cornel.

Monohammus
Stephens.

sartor F. T. 82 *E.md.*
sutor Panz. Fn. Germ. 18
v. Rosenmülleri Cederhj. T. 81
quadrimaculatus Motsch. T. 82 *E.b.*
sartor Gyll. Thoms. Sk. 8. 89
sutor L. T. 83 *E.md.b.*
anglicus Voet Cat. II. 7
atomarius Degeer Mém. V. 65
pellio Germ. Mag. III. 144
♀ Heinrothi Cederhj. T. 82
galloprovincialis Oliv. T. 83 *E.md.m.*
v. pistor Germ. Mag. 4. 242 *Alp.*
v. lignator Kryn. Fld Fn. trns. II. 273 *Ca.*
?v. nitidior Abeille T. 83 *E.b.*
saltuarius Gebl. T. 84 *A.alp.Tr.*

Acanthoderes
Serville.
Psapharochrus Thoms.

clavipes Schrank T. 101 *E.*
nebulosus Degeer Mém. V. 71
varius F. Mant. I. 130
Krüperi Kr. B. 1859. 56. T. 101 *Gr.*
modestus Gyll. T. 101 *×F.*

Acanthocinus
Stephens.
Astynomus Steph.
Graphisurus Kirby. }

aedilis L. T. 99 *E.*
montanus Serv. A. 1835. 33
acernus Voet Cat. II. 6
reticulatus Razumowsky 1789. Bed. Fn. 89
atomarius F. Ent. Syst. I. 2. 271 *[E.md.*
♀ costatus F. T. 99
griseus F. T. 100 *E.*
nebulosus Scop. Ent. Carn. 54
carinulatus Gebl. T. 100 *A.alp.*
sibiricus Motsch. Schrenck. 149
alpinus Redtb. Fn. Aust. ed. 1. 858
elegans Ganglb. T. 100 *Talysch*
xanthoneurus Muls. ibid. *Si.*
Edmondi Fairm. A'. 1852. 63 *MR.*

hirsutulus Fald. Fn. trns. II. 272. T. 101 *Ca.*

Liopus
Serville.

nebulosus L. T. 97 *E.md.b.*
tigriformis Voet Cat. II. 7
v. dissimilis Pic Échange 1889. 5 *Ga.md.*
caucasicus Ganglb. Hor. 21. 25 *Ca.*
femoratus Fairm. T. 97 *T.Ca.*
constellatus Muls. Op. 13. 159
v. caspius Gnglb. T. 97 *Casp.*
pachymerus Gnglb. T. 98 *Ca.*
punctulatus Payk. T. 97 *Su.G.Ga.*
histrio Voet Cat. II. 23

Hoplosia
Mulsant.
Lepargus Schiödte.

fennica Payk. T. 102 *E.md.b.*
cinerea Muls. Long. ed. 1. 152
punctulata Muls. Palpic. Suppl. 1844

Exocentrus
Mulsant.

adspersus Muls. T. 95 *E.md.m.*
Revelierei Muls. Op. 16. 77 *C.*
Clarae Muls. A. Lyon 1861. 206 *Ga.*
lusitanus L. T. 96 *E.*
lusitanicus Oliv. Enc. V. 269
balteatus Gyll. Muls. Col. Fr. ed. 1. 153
crinitus Panz. Fn. Germ. 48
Stierlini Ganglb. T. 96 *A.Morav.*
punctipennis Muls. A. Lyon 1856. 105 *Ga.*
v. signatus Muls. Op. 13. 163. T. 96 *T.[Ist.*

Pogonochaerus
Gemminger.
Pogonocerus Zett.

hispidulus Pill. 1783. Bed. Fn. 92 *E.*
bidentatus Thoms. Sk. 8. 95. T. 93
hispidus F. Gyll. Fn. Su. IV. 66 *Su.*
Sieversi Gnglb. Ros. XX. 139 *Ca.*
Eugeniae Gnglb. Ann. Mus. Wien 1891 *A.*
caucasicus Gnglb. An. Mus. Wien 1891 *Ca.*
hispidus L. Schrank T. 92 *E.*
pilosus F. Mant. I. 134
dentatus Fourcr. Ent. Par. I. 76
Plasoni Ganglb. T. 92 *Gr.*
Perroudi Muls. T. 91 *Ga.m.*
v. griseus Pic Échange 1889. 67 *Ga.*
Caroli Muls. ibid. *Ga.m.*

Pityophilus Muls.

fasciculatus Degeer T. 91 *E.md.b.*
setifer Müll. Zool. Prod. 92
fascicularis Panz. Fn. Grm. 14. 15
decoratus Fairm. T. 90 *E.md.m.*
ovalis Muls. Longic. ed. 1. 55
v. subovatus Muls. l. c.
ovatus Goeze Gnglb. T. 90 *E.md.*
ovalis Gmel. ed. Lin. I. 4. 1863
Schlumbergeri Dufour
multipunctatus Georg St. 1857. 64
subovatus Muls. Long. ed. 1. 155
scutellaris Muls. Long. ed. 2. 304

Parmenopsis
Ganglbauer.

caucasica Leder W. z. b. 1880. 518 *Ca.*

Deroplia
Rosenhauer.
Belodera Thomson.
Blabinotus Wollast.
Stenidea ..., Stenidea Muls.

Genei Arag. T. 25 *Ga.G.Hu.S.*
Foudrasi Muls. Long. ed. 2. 326
obliquetruncata Rosenh. Beitr. Ins.
Troberti Muls. T. 95 *Med.[...*

Haplocnemia
Stephens.
Aphelocnemia Steph.
Mesosa Serville.

curculionoides L. T. 86 *E.*
Argus Voet Cat. II. 23
oculata Fourcr. Ent. Par. I. 78
myops Dalm. T. 86 *E.b.*
nebulosa F. ibid. *E.md.Ca.*
nubila Oliv. Ent. IV. 67. 100

Niphona
Mulsant.

picticornis Muls. T. 104 *M...*

Albana
Mulsant.

M-griseum Muls. T. 104 *G...*

Anaesthetis
Mulsant.

testacea L. T. 104 *E.Ca.*
livida Herbst Füssl. Arch. V. 95
teutonica Gmel. ed. Lin. 1. 4. 1842

Calamobius
Guérin.

filum Rossi Mant. I. 152 *E.md.m.*
gracilis Creutz. T. 104
marginellus F. Syst. El. II. 332

Agapanthia
Serville.

irrorata F. T. 105 *Med.*
rorida Gmel. ed. Lin. I. 4. 1838
v. integra Chevrol. A'. 1881. 95 *Si.*
v. granulosa Chevrol. ibid. *Hi.*
v. pubiventris Muls. T. 106 *Hi.*
Kirbyi Gyll. T. 106 *Med.Bohem.*
Zawadskyi Fairm. A. 1865. 275
latipennis Muls. Col. Fr. ed. 2. 352
asphodeli Latr. T. 107 *Med.*
Spencei Gyll. Schönh. Syn. 1. 3. App.

insularis Gaut. Sch. M. 70. 263 *C.*[187
lateralis Ganglb. T. 107 *T.*
Dahli Richter T. 107 *E.md.Med.*
cardui F. Syst. Ent. 186
lineatocollis Muls. Col. Fr. ed. 2. 358
Gyllenhali Ganglb. Cat Col. ed. 3. 190
sicula Ganglb. T. 107 *Si.*
cynarae Germ. T. 108 *E.md.Med.*
decora Kryn. B. M. 1834. 170 *R.m.*
verecunda Chevrl. A. 1882. 63
villosoviridescens Degeer Mém. V. 76. Bdl.
lineatocollis Don. T. 108 [102 *E.md.*
angusticollis Gyll. Schnh. Syn. I. 3. Ap.
pyrenaea Bris. Cat. Gren. 117 [189
nicaeensis Chevrol. A'. 1881. 96 *Nizza*
acutipennis Muls. Col. Fr. ed. 2. 357
v. Lederi Gnglb. T. 108 *Ca.*
maculicornis Gyll. Gnglb. T. 109 *Hu.G.*
trivittata Gebl. B. M. 1848. 410 *R.*
subnigra Pic Échange 1890. 119 *Ca.*
annularis Oliv. T. 106 *Hi.*
Reyi Muls. Op. 14. 27
cardui L. T. 109 *E.md.Med.*
suturalis F. Muls. Long. ed. 1. 178
trilineata Schönh. Syn. I. 153
coerulescens Petagna Ins. Calab. 18
subacutalis Chevr. A. 1882. 63
v. nigroaenea Muls. ibid.
marginalis Muls. Long. ed. 1. 179
v. Peragalloi Muls. Longic. ed. 2. 364
v. consobrina Chevr. Rev. Z. 1840. 17 *Hi.*
violacea F. 1775. Bed. Fn. 101 *E.md.*
cyanea Herbst T. 109 *Med.*
janthina Gmel. ed. Lin. I. 4. 1842
micans Panz. Fn. Grm. 35. 14
coerulea Schönh. Syn. I. 3. 437
smaragdina Kryn. B. M. 1832. 161 *R.*
v. intermedia Gnglb. T. 109
chalybea Fald. T. 109 *Ca.*
osmanlis Reiche A. 1858. 19 *T.*
Laïs Reiche A. 1858. 21. T. 110 *Gr.*
leucaspis Stev. T. 110 *Hu.R.* [184
cyanella Dalm. Schönh. Syn I 3 App.

Saperda
Fabricius.

Anaerea Muls.

carcharias L. T. 114 *E.*
punctata Deg. Mém. V. 73
v. grisescens Muls. Long. ed. 1. 184

Amilia Muls.

similis Laich. T. 114 *E.md.b.*
phoca Fröl. Naturf. 27. 1793. 139

Compsidea Muls.

populnea L. T. 115 *E.*
10-punctata Deg. Mém. V. 78
v. salicis Zett. Vet. Ac. 1818. 258 *L.*
quercus Charp. T. 115 *Hu.*

Saperda in spec.

scalaris L. T. 115 *E.*
v. Estrellae Muls. Long. ed. 1. 188
v. hieroglyphica Pall. It. II. 723
?v. maculosa Mén. Cat. rais. 226 *Ca.*
perforata Pall. T. 116 *E.md.b.*
Seydli Fröl. Naturf. 27. 1793. 135
Rudolfi Cederhj. Fn. Ingr. 92
punctata Payk. Fn. Su. III. 76
12-punctata Brahm Ins. Kal. I. 176

Argalia Muls.

8-punctata Scop. T. 116 *E.md.b.*
tremulae F. Syst. Ent. 186
punctata Laich. Tyr. Ins. II. 32
punctata L. T. 116 *E.md.m.*

Menesia
Mulsant.

bipunctata Zoubk. T. 152 *E.md.*
biguttata Redtb. Gen. 25
v. quadripustulata Muls. Col. Fr. ed. 2.
?v. Perrisi Mls. A. Lyon III. 158 [348 *Ga.m.*

Tetrops
Stephens.

Polyopsia Muls.

praeusta L. T. 152 *E.*
ustulata Hagenb. Symb. Fn. Helv. 11
pilosa Fourcr. Ent. Par. I. 78
v. nigra Kr. B. 1859. 57 *Alp.*
Mühlfeldi Muls. Col. Fr. ed. 2. 348
gilvipes Bedel Fn. 45 (nec Fald.)
v. Starcki Chevrl. T. 152 *Hu.Alp.*
gilvipes Fald. ibid. *Ca.*

Stenostola
Mulsant.

ferrea Schrank Gnglb. T. 151 *E.*
plumbea Bon. Act. agr. Turin 1812
tiliae Küst. Kät. 7. 59
nigripes Fbr. T. 151 *E md.* [Nr. 27
alboscutellata Kr. B. 1862. 124

Oxylia
Mulsant.

Duponcheli Brullé *Gr.T.Ca.*
languida Mén. Mém. Petr. 1838. 42

vestita Küst. Käf. E. 15. 52
argentata Mén. Fald. Fn. tr. II. 286

Mallosia
Mulsant.
Reitter, W. 1890. 241.

× graeca Sturm Cat. 43. 356. W. 241 *Gr.*
♀ tomentosa Sturm ibid. 355
× Herminae Reitt. W. 1890. 241 *Arax.*
Scovitzi Fald. ibid. 242 *Arax.*
· Angelicae Reitt. ibid. *Ca.Suvant*
Ganglbaueri Kraatz D. 84. 233 *(Malatia)*
v. tristis Reitt. W. 1890. 343 *Ca.m.or.*
mirabilis Fald. ibid. *Ca.m.or.*
Kotschyi Hampe Wagn. Reis 314

Coniozonia
Fairmaire.

albolineata Hampe T. 135 *(Persia)*
v. fulvolineata Reitt. D. 1891. 33 *Arax.*
vittigera F. Syst. El. II. 318 *Ga.m.*
detrita F. Ganglb. T. 120
v. maculosa Muls. Long. ed. 1. 200

Coptosia Fairm.

albovittigera Heyd. T. 121 *T.Gr.*
languida Fairm. Gen. Col. IV. 177
compacta Fald. Fn. tr. II. 293 : T. 135 *Ca.*

Pilemia
Fairmaire.

hirsutula Fröl. T. 120 *Med.*
atomaria Towns Trav. Hung. 470 *Hu.*
holosericea Mén. Fald. Fn. trsc. 11.
tigrina Muls. T. 119 *Ga.m.* [287 *Ca.*
anchusae Fuss Mit. Herm. 1852. 138 [*Hu.*

Phytoecia
Mulsant.

Cardoria Muls.

scutellata F. T. 122 *Med.*

Helladia Fairmaire.

flavescens Brull. T. 122 *Gr.*
orbicollis Reiche A. 1858. 15
fumigata Küst. Käf. E. 15. 81
humeralis Waltl T. 122 *T.*
frontalis Chevrol. A. 1882. 63
v. insignita Chevrl. Rev. Zool. 1854. 485
scapularis Chevrol. A. 1882. 63
pretiosa Fald. T. 136 *Ca.*

*

millefolii Adams T. 121 *E.m.Ca.*
azurea Stev. Schönh. Syn. I. 3. App. 190
♀ excelsa Stierl. Ab. 16. 21

*

praetextata Stev. T. 121 *R.m.*

*

armeniaca Friv. Led. 318 *Ca.Arm.*
Antoniae Reitt. D. 1889. 42 *Arax.*

*

diademata Fald. T. 136 *Ca.*

Musaria Thoms.

cephalotes Küst. T. 113 *Ill.occ.*
Argus Fröl. T. 123 *A.Hu.*
punctulata Gmel. ed. Lin. I. 4. 1877
rubropunctata Goeze T. 124 *Ga.Rhenan.*
Jourdani Muls. Col. Fr. ed. 1. 202 [*A.*
punctata Fourcr. Ent. Par. I. 90
Faldermanni Fald. T. 124 *Ca.*
v. Blessigi Morav. Ab. 4. 72 *R.m.*
affinis Harrer T. 124 *E.md.*
Janus Fröl. Naturf. 27. 1793. 154
compacta Pic Échange 1890. 120 *Hu.*
(v.) nigropubescens Reitt. W. 1888. 282 *Ca.*
(v.) Starcki Reitt. ibid. *Circass.*
(v.) circassica Reitt. ibid. *Ca.occ.*
(v.) subaurata Pic Échange N. 57 *Ga.m.*
Türki Ganglb. T. 141 *Ca.*
puncticollis Fald. T. 137 *Ca.*
v. stygia Ganglb. T. 138 *Casp.*
kurdistana Ganglb. T. 138 *Arax.*
Wachanrui Muls. T. 125 *T.Gr.*
syriaca Chevrol. Rev. Z. 1854. 484
Astarte Ganglb. W. z. b. 1885. 9 *Arax.*
adusta Reitt. D. 1889. 43 *Arax.*
balcanica Friv. T. 126 *T.*
Merkli Ganglb. ibid. *T.*
modesta Waltl ibid. *T.*
speciosa Friv. Term. VIII. 5 *Arm.*
Boeberi Ganglb. T. 125 *T.Ca.*
flavipes Küst. Käf. VI. 83
volgensis Kr. T. 124 *R.m.Ca.*

Phytoecia i. spec.

virgula Charp. T. 126 *E.md.Med*
punctum Mén. Cat. rais. 227
v. cyclops Küst. Käf. E. 13. 88
v. vulnerata Muls. T. 127 *Ga.Ill.*
pustulata Schrank T. 127 *E.md.*
lineola F. Spec. Ins. I. 253
v. adulta Ganglb. T. 138 *C.*
v. pulla Ganglb. Hor. XX. 130 *R.m.*
rufimana Schrank T. 129 *E.md.m.*

coerulea Scop. Ann. V. Hist. 102
cylindrica Laich. Tyr. Ins. II. 49
flavimana Panz. Fn. Germ. 35. 15
coelestisTowns.Trav. Hung.1797.469
gilvimana Mén. Cat. rais. 227
v. Baccueti Brull. T. 127 *Gr.*
rufipes Oliv. T. 127 *Med.*
flavipes F. Syst. El. II. 329
umbellatarum Waltl Reis. Sp. II. 81
cocca Küst. Käf. E. 13. 86
Ledereri Muls. Op. 11. 132
femoralis Muls. Col. Fr. ed. 2. 416
murina Mars. Ab. VI. 284
sareptana Ganglb. Hor. 1888 *R.m.*
ephippium F. T. 128 *E.*
icterica Schall. Schrif. Hall. I. 292
cylindrica Scop. Ent. Carn. 48
ragusana Küst. Käf. E. 1. 55 *D.*
annulipes Muls. T. 128 *T.*
erythrocnema Luc. Alg. 506 *Ga.m.Hi.*
Grenieri Fairm. A.' 1861. 11
brevis Chevrol. A. 1882. 62
geniculata Muls. T. 128 *T.Gr.*
fuscicornis Muls. Op. 13. 168
orientalis Kr. B. 1870. 272
croceipes Reiche A. 1858. 17; T. 128 *T.*
macilenta Muls. Col. Fr. ed. 2. 421
puncticollis Muls. Op. 1. 179
v. manicata Muls. Op. 13. 167
cylindrica L. T. 129 *E.md.b.*
fuliginosa Scop. Fn. Ins. II. 49
cinerea Degeer Mém. V. 75
silphoides Schrank Enum. Ins. 145
simplonica Stierl. Sch. M. V. 428
nigricornis F. T. 130 *E.*
suturalis F. Ent. Syst. I. 314
melanoceras Gmel. ed. Lin. I. 4. 1838
canaliculata Fröl. Naturf. 27. 144
coerulescens Brahm Ins. Kal. I. 126
Julii Muls. Col. Fr. ed. 2. 429
Caroni Muls. A. Lyon 22. 419
v. solidaginis Bach Käferf. 1856. 39

Opsilia Muls.

coerulescens Scop. Ent. Carn. 1763. 49 *E.*
virescens F. T. 130
v. aeruginosa Muls. Long. ed. 1. 216 *Hi.*
v. flavicans Muls. 431 *Ga.*
flavescens Muls. Long. suppl. 44
incerta Muls. 433
v. obscura Bris. Cat. Gren. 116 *Ga.*
malachitica Lucas T. 130 *Hi.Si.*
♂ Bolivari Perez Ab. 17. 65
uncinata Redtb. T. 130 *A.G.*

molybdaena Dalm. T. 131 *G.E.md.m.*
?chlorizans Chevrol. Rev. Z. 1860. 303

Obercina Ganglb.

rubricollis Luc. T. 131 *Si.*
mauritanica Chevr. A. 1882. 62
vittipennisRchc. A'1877.141; T.131 *Balk.*

Oberea
Mulsant.

pupillata Gyll. T. 147 *E.md.*
pedemontanaChvrl.Rev.Z.1856.436 *Pe.I.*
melanuraGrdl.Käf.Pass.II.57 *Ti.Hu.*
oculata L. T. 148 *E.md.b.*
melanocephala Voet Cat. II. 19
maculicollis Luc. T. 148 *Hi.m.*
linearis L. T. 148 *E.md.b.*
fulvipes Fourc. Ent. Par. I. 79
parallela Scop. Ent. Carn. 1763. 47
limbata Muls. Long. ed. 1. 197
euphorbiae Germ. T. 148 *Hu.*
erythrocephala Schrank T. 149 *E.md.m.*
v. bicolor Reiche A' 1877. 149
v. nigriceps Muls. Col. Fr. ed. 2. 394
v. insidiosa Muls. Long. ed. 2. 369 *D.*
v. melitana Reiche A' 1877. 149 *Melita*
?v. cinctaGebl.B.M.1848.406 T.150 *R.m.*
bipunctata Panz. Kr. B. 1868. 301 *H.*

Chrysomelidae.

Weise (Ws.) Ins. Deutschl. 6.

Eupoda.

Lacordaire Monogr. 1845.

Sagrini.

Orsodacne
Latreille.

cerasi L. Lac. 76. Ws. 4 *E.*
chlorotica Oliv. Enc. 6. 203
v. lineola Lac. 76
v. melanura F. Lac. 77
v. limbata Oliv. Lac. 77
v. glabrata Panz. Ws. 5
v. cantharoides F. Syst. Ent. 120
v. Duftschmidi Ws. (emend.)
glabrata F. Duft. 3. 249
lineola Panz. Ws. 6 *E.md.m.*
nigriceps Latr. Lac. 80
mespili Lac. 73

v. nigricollis Oliv. Lac. 74
marginella Duft. Faun. A. 3. 248
picipennis Duft. 250
v. humeralis Latr. Lac. 82
v. coerulescens Duft. Ws. 6
nematoides Lac. 84
v. croatica Weise D. 1883. 251 *Cro.*

Donaciini.

Haemonia
Latreille.

appendiculata Panz. Ws. 11 *E.md.*
equiseti F. Lac. 212
mosellae Bellev. Ws. 12
v. flavicollis Bellev. Ws. 12
v. Chevrolati Lac. 215
v. lineata Chevrol. Ws. 12
mutica F. Ent. S. 2. 306 *E.b.md.mar.*
zosterae F. Ws. 13
Gyllenhali Lac. 218
Sahlbergi Lac. 220
v. Curtisi Lac. 214
baltica Seidl. F. 504
v. ruppiae Germ. Ws. 13 *Dania*
rugipennis J. Sahlb. Ws. 13 *F.*
incisa J. Sahlb. Ws. 13 *F.*
pubipennis Reuter Not. Fenn. 11. 326 *F.*

Donacia
Fabricius.

crassipes F. Lac. 102 *E.*
dentata Hoppe Lac. 121 *E.*
chrysochlora Westh. Westph. 253
v. autumnalis Westh. l. c.
diabolus Westh. l. c.
v. ♀ phellandrii Sahlb. Lac.
v. angustata Kunze Ws. 18 *A.I.*
versicolorea Brahm Ws. 20 *E.*
bidens Oliv. Lac. 118
cincta Germ. Neu. Schr. Hall. 1. 3. 15
polita Kunze Lac. 128 *E.m.*
aquatica L. Ws. 22 *E.md.b.*
dentipes F. Lac. 130
vittata Oliv.

*

sparganii Ahr. Lac. 126 *E.md.b.*
v. coelestis Ws. D. 1891
limbata Panz. Ws. 24 *E.*
lemnae F. Lac. 132
v. vittata Panz. Ws. 25
v. unicolor Westh. l. c. 255

bicolora Zschach Ws. 26 *E.*
sagittariae F. Lac. 137
v. collaris Panz. Ent. Germ. 1. 216
v. meridionalis Ws. D. 1886. 250 *I.*
obscura Gyll. Lac. 138 *E.md.b.*
thalassina Germ. Lac. 143 *E.md.b.*
v. porphyrogenita Westh. 255
brevicornis Ahr. Lac. 140 *G.Su.Ga.*
platysterna Thoms. Sk. 8. 118
impressa Payk. Lac. 145 *E.*
♀ brevicornis Kunze Mon. 16
andalusiaca Kr. Ws. 31 *Hi.m.*
apricans Lac. 158. Ws. 32 *Si.*
antiqua Kunze Ws. 32 *E.md.b.*
simplicifrons Lac. 135
brevicornis Gyll. Thoms. A' 1884. 148
♂ gracilis Suffr. St. 1845. 366
? brevitarsis Thoms. A' 1884. 149 *Su.*
appendiculata Ahr. Lac. 129 *E.m.A.*
reticulata Gyll. S. Ins. App. 3. 37
v. coerulans Ws. D. 1891

*

clavipes F. Ws. 34 *E.md.b.*
menyanthidis Gyll. Ins. 3. 662
fennica Payk. Ws. 36 *Su.F.G.Ga.*
v. Malinovskyi Ahr. Mon. 29. 31
semicuprea Panz. Ws. 38 *E.*
simplex F. Syst. El. 2. 129
Iris Westh. 259
v. tenebrans Westh. 259
vulgaris Zschach Ws. 39 *E.*
typhae Ahr. Mon. 37. 19
concolor Westh. 260
simplex F. Syst. Ent. 195 *E.*
linearis Hoppe Lac. 160
aeruginosa Westh. 259
aurichalcea Westh. l. c.
v. sanguinea Westh. l. c.
v. pulcherrima Hummel Ess. 7. 32
atrocoerulea Westh. 259
viridula J. Sahlb. Lappl. 70. 438 *L.*

*

cinerea Herbst Ws. 41 *E.*
hydrocharis Fabr. Ent. S. 1. 2. 118
tarsata Panz. F. Germ. 29. 16
tomentosa Ahr. Lac. 169 *E.*

Plateumaris
Thomson.
Weise 44.

sericea L. Ws. 45 *E.*
v. festucae F. Ent. Syst. 2. 116
violacea Hoppe Enum. Erl. 44
atropurpurea Westh. 256

v. micans Panz. F. Germ. 29. 9
v. armata Payk. F. Suec. 2. 194
♂ discolor Panz. l. c. 29. 4
v. nymphaeae F. Ent. Syst. 2. 116
aenea Hoppe Enum. 44
v. tenebricosa Westh. 256
luctuosa Westh. l. c.
v. violacea Gyll. Ins. 3. 660
discolor Panz. Ws. 47 *E.*
comari Suffr. St. 1846. 84
Proteus Kunze Mon. 29
v. Lacordairei Perris A. 1864. 300 *Hi.*

*

braccata Scop. Ws. 49 *E.md.b.Ca.*
nigra F. Lac. 171
consimilis Schrank Ws. 50 *E.*
discolor Hoppe Enum. 45
v. variabilis Kunze Mon. 39 *E.m.*
rustica Kunze Ws. 51 *Ga.E.or.*
v. planicollis Kunze Mon. 34 *G.*
abdominalis Oliv. Ent. V. gen. 75. 9 *E.occ.*
affinis Kunze Ws. 53
v. pallipes Kunze Mon. 35 *G.*

Criocerini.

Syneta
Lacordaire.

betulae F. Lac. 230 *E.b.H.*

Zeugophora
Kunze.

scutellaris Suffr. Ws. 56 *Ga.G.*
v. frontalis Suffr. St. 1840. 100 *Su.Ti.*
subspinosa F. Lac. 238 *E.*
Weisei Reitt. D. 1889. 43 *Ca.*
Turneri Power Ws. 57 *Br.Sc.*
rufotestacea Kraatz B. 1871. 162 *G.*
flavicollis Marsh. Lac. 239 *E.*
v. australis Weise 58

Lema
Lacordaire.
Oulema Gozis.

cyanella L. Ws. 61 *E.*
puncticollis Curt. Ent. 7. 323
rugicollis Suffr. Lac. 362
Erichsoni Suffr. Lac. 366 *E.md.b.*
(m.)Lipperti Gredl. Käf. Tir. 405
septentrionis Weise 63 *G.Su.*
lichenis Voet Ws. 63 *E.*
cyanella Suffr. St. 1841. 102
gallaeciana Heyd. Reis. Sp. 164
v. obscura Steph. Man. 285
nigra Westh. et Delherm
flavipes Suffr. Lac. 367 *E.md.*
melanopus L. Lac. 393 *E.*
v. atrata Waltl Ws. 65
Duftschmidi Redtb. ed. 3. 2. 446
nigricans Westh.
Hoffmannseggi Lac. 396 *Ga.m.Lu.*
rufocyanea Suffr. Ws. 66 *G.Ga.H.*
cyanipennis Duft. Faun. 3. 243 *A.*

Crioceris
Geoffroy.
Lema Fabricius.

stercoraria L. Ws. 69 *E.m.*
v. laeviuscula Weise 69 *Hi.*
lilii Scop. Ws. 69 *E.*
merdigera F. Syst. Ent. 120
liliorum Thoms. Sk. 8. 138
merdigera L. Ws. 70 *E.*
brunnea F. Ent. Syst. 1. 2. 6
v. rufipes Herbst Arch. 4. 67
v. Suffriani Schmidt St. 1842. 27
v. collaris Lac. 577
v. abdominalis Comolli Col. nov. 45
Faldermanni Guér. Ws. 70 *Ca.*
cornuta Fald. Mém. Mosc. 5. 323
tibialis Villa Ws. 72 *Alp.*
alpina Redtb. ed. 1. 517

*

12-punctata L. Ws. 72 *E.*
v. dodecastigma Suffr. St. 1841. 40 *E.*
14-punctata Scop. Lac. 584 *E.or.*
5-punctata Scop. Lac. 586 *Ga.G.R.*
bicruciata Sahlb. Ws. 75 *R.m.*
distincta Lac. Mon. 587 *Gr.*
v. decorata Moraw. B. M. 1860. 1. 299
paracenthesis L. Lac. 587 *E.m.*
v. suturalis Grav. Uebers. Syst. 139 *Lu.*
v. cruciata Bon. Spec. subalp. 15 *I.*
v. Dahli Lac. 589 *Si.*
asparagi L. Ws. 77 *E.*
pupillata Ahr. Schrift. Hall. 2. 30
v. campestris L. Ws. 78
maculipes Gebl. B. M. 1834. 171
macilenta Weise 79 *E.m.*
campestris Rossi F. Etr. 107 *I.*
v. Simoni Weise D. 1883. 251 *Hi.*
vittigera Costa Asp. 42. 125 *I.*

Camptosomata.

Lacordaire Monogr. 1848

Clytrini.

Lefèvre A. 1872.

Labidostomis
Lacordaire.

taxicornis F. Lac. 32 *Ti.E.m.*
lusitanica Germ. Ws. 87 *Ga.m.Hi.*
tibialis Lac. 36 *Lu.*
Lacordairei Reiche Lef. 70
v. meridionalis Lac. 38
pyrenaea Kraatz B. 1872. 197 *P.*
4-maculata Motsch. B.M. 1849. 149 *Hi.S.*
bigemina Suffr. Lef. 73
*
asiatica Fald. Lac. 42 *Ca.*
propinqua Fald. Lac. 40 *R.m.*
binotata Waltl Isis 1838. 472 *Gr.*
♀ Steveni Lac. 48
? sulcicollis Lac. 49
rufa Waltl Lac. 43 *T.Gr.*
maculipennis Lef. 87 *R.m.*
Kindermanni Kraatz B. 1872. 201
diversifrons Lef. 90 *R.m.*
speculifrons Kraatz l. c. 200
Oertzeni Ws. D. 1889. 58 *Rhodus*
decipiens Fald. Lac. 46 *R.m.*
v. ♀ lineola Redtb. Russegg. R. 2 990
subfasciata Ws. D. 1885. 313 *Casp.*
tridentata L. Ws. 89 *E.*
Leithneri Redtb. ed. 3. 2. 448
v. Kluczyckii Now.Käferf.1872.34. *Hu.*
humeralis Schneid. Lac. 64 *E.md.*
lucida Germ. Ws. 92 *Ga.G.E.m.*
v. sareptana Kr. Hor. 8. 29 *R.m.*
v. axillaris Lac. 69 *A.Hu.T.*
brevipennis Fald. Lac. 61 *R.m.*
taurica Lac. 62
Beckeri Weise 93 *R.m.*
metallica Lefèvr. 83 *R.m.*
senicula Kraatz Hor. 8. 29 *R.m.*
uralensis Lac. 73 *R.or.*
rugicollis Lef 86 *R.m.*
longimana L. Lac. 70 *E.*
v. dalmatina Lac. 71 *E.m.*
Reitteri Ws. D. 1885. 314 *Lenkoran*
hispanica Lac. 74 *Hi.*
Ghilianii Lac. 77 *Hi.*
centromaculata Géné Lac. 75 *C.S.*
v. syriaca Lac. 75
v. quadrinotata Oliv. Ws. 95
v. Damryi Ws. 95
*
pallidipennis Gebl. Ws. 97 *A.E.m.*
chalybeicornis Brull. Exp Mor. 3. 268
v. distinguenda Rosh. Beiträg. 63 *Ti.*
v. pilicollis Lac. 52 *Hu.T.R.*
cyanicornis Germ. Lac. 53 *A.Ga.*
tridentata Redtb. ed. 3. 2. 448 *Hu.I.*
lepida Lefèvre 94 *R.m.*

Chlorostola Weise.

Guerini Bassi Lac. 79 *Si.*
v. trifoveolata Desbr. Ws. D. 1889. 419
hordei F. Lac. 80 *Lu.Hi.*

Macrolenes
Lacordaire.

ruficollis F. Ws. 101 *E.m.*
v. bimaculata Rossi F. Etrusc. 91
v. salicariae Mén. B. Petr. 1. 151
Bellieri Reiche Ws. 101 *Si.*

Titubaea
Lacordaire.

sexmaculata F. Lac. 143 *E.m.*
v. nigricollis Heyd. Senckenb 1886. 49
v. parviceps Lac. 148 *Hi.m.*
macropus Illig. Lac. 146 *Ga.Hi.A.R.*
biguttata Oliv. (♂) Enc. 6. 34 *E.m.*
♀ sexpunctata Oliv. Entom. 6. 852
v. dispar Luc. Kr. B. 1872. 207
♀ maculicollis Brull. Kr. l. c. 208
8-punctata F. Lac. 163 *Lu.*
nigriventris Lef. 136 *R.m.*

Barathraea
Lacordaire.

cerealis Oliv. Lac. 165 *Hi.m.*
tripunctata Schneid. Ws. 106 *?Hi.*
straminipennis Luc. Lef. 316 *?Si.*

Lachnaea
Lacordaire.

paradoxa Oliv. Lac. 172 *Si.*
v. vicina Lac. 173 *Hi.m.*
tristigma Lac. 183 *Ga.m.Hi.I.*
puncticollis Chevr. Lac. 187 *Hi.*
hirta F. Ws. 111 *Hi.*
hirtipes All. A. 1864. 383
Suffriani Kr. B. 1872. 210
tripunctata Lac. 189

pubescens Duf. Ws. 111 *Ga.md.m.Hi.*
palmata Lac. 175
macrodactyla Lac. 177
orientalis Ws. 111 *Gr.Cret.*
sexpunctata Scop. Ws. 107 *A.Hu.*
longipes F. Lac. 178 *E.m.*
glabricollis Suffr. St. 1851. 210 *I.*
brachialis Küst. Kraatz. B. 1872. 210
italica Ws. 108 *Ti.I.C.S.*
6-punctata Petagna Ins. Cal. 11
cylindrica Lac. 186 *Ga.m.Hi.I.*
variolosa L. Lac. 184 *Hi.m.*

Clytra
Laicharting.

valerianae Mén. Lac. 211 *R.m.Gr.*
v. tetrastigma Schmidt St. 1841. 151
dissimilithorax Dsbr. Ab. 1870. 129 *T.*
laticollis Ws. D. 1889. 63 *Rhodus*
9-punctata Oliv. Lac. 214 *E.m.*
elata Ws. 117
v. aleppensis Redtb. Russegg. Reis. 2.
globulosa Lef. 147 989 *Cy.*
quadripunctata L. Lac. 202 *E.*
4-signata Märkel Kr. B. 1872. 213
v. dissimilis Ws. Hor. 23. 563
appendicina Lac. 208 *I.Alp.*
v. arida Ws. Hor. 23. 563 *P.*
laeviuscula Ratzeb. Lac. 205 *E.md.m.*
v. connexa Fricken D. 1888. 125
v. antistita Ws. Hor 23. 563
nigrocincta Lac. 200 *Ca.? T.*
v. ovata Lac. 200
atraphaxidis Pallas Lac. 217 *E.m.*
maculifrons Zoubk. Lac. 219 *R.m.*

Gynandrophthalma
Lacordaire.

Otiocephala Lefèvre.

quadrinotata F. Mant. 1. 70. Bed. A. 85. 89
opaca Rosh. Lef. 319 *Hi.m.*
andalusica Heyd. Sp. 165

Calyptorrhina Lac.

chloris Lac. 83 *Hu.m.*
v. banatica Ws. 123

Gynandrophthalma i. spec.

Oberthuri Lef. A'. 1876. 75 *And.*
? baetica Ws. 123 *Hi.m.*
nigritarsis Lac. 297 *Ga.m.Hi.*

*

limbata Stev. Lac. 294 *T.Gr.R.m.*
v. cincta Lef. A'. 1876. 73 *Ca.*
amabilis Lac. 292 *Lu.Hi.*
concolor F. Lac. 290 *Ga.I.Hi.*
aenea Germ. Ins. 547 *Lu.*
hypocrita Lac. 288 *T.R.m.*
tibialis Brull. Lef. 330. Kr. 214 *Gr.*
v. hellenica Marseul Ab. 1868. 205
v. bioculata Lac. 289
v. liturata Ws. 128
unipunctata Oliv. Ent. 6. 96. 870 *Cau.*
Menetriesi Ménétr. Lac. 295
v. venusta Lef. 337
Raffrayi Desbr. Lef. 344 *C.*
brevicornis Lef. 351 *Lu.*

*

salicina Scop. Lef. 349 *E.*
cyanea F. Lac. 300
transsylvanica Friv. Termt. 1877. 14 *Tr.*
flavicollis Charp. Lac. 301 *Ga.Alp.*
diversipes Letzn. Ws. 130 *Sil.*
thoracica Lac. 299 *Hi.Lu.*
[illegible] Gené Lac. 296 *C.S.*
graeca Lef. 346. Kraatz B. 1872. 217 *Gr.*
aurita L. Lac. 303 *E.md.*
affinis Hellw. Lac. 303 *E.*
manicata Lef. 341 *Hi.*
xanthaspis Germ. Lac. 306 *E.md.*
thoracica Küst. Kf. 5. 99
Reyi Bris. Lef. 357. Ws. 128 *Hi.*

Chilotoma
Lacordaire.

erythrostoma Fald. Lac. 341 *Ca.*
musciformis Goeze Lef. 358 *E.md.m.*
bucephala Schall. Lac. 343

Coptocephala
Lacordaire.

apicalis Lac. 361 *R.m.*
chalybaea Germ. Ws. 131 *A.Hu.R.*
unicolor Lac. Ws. 140 *Si.*

*

5-notata Lefèvre 364 *C.*
Gebleri Gebl. Lac. 358 *R.m.*
fossulata Lef. 372 *I.Si.*
unifasciata Scop. Ws. 132 *E.*
4-maculata L. Kraatz B. 1872. 219
v. 4-maculata Lac. 354
v. fallax Ws. Z. Bresl. 1887. 96 *G.*
v. maculiceps Kraatz 232
v. femoralis Kraatz 232
punctata Ws. D. 1889. 336 *Hi.*

scopolina L. Ws. 133 *G.A.E.m.*
v. Küsteri Kraatz 230 *D.C.Si.*
melanocephala Küst. Käf. 9. 100
v. plagiocephala F. Ent. Syst. 1. 2. 60
rubicunda Laich. Kr. 226 *Ga.A.*
tetradyma Küst. Käf. 2. 89 *G.*
floralis Oliv. Lac. 356 *Hi.*
v. bistrimaculata Küst. Käf. 15. 100
cyanocephala Lac. 348 *S.D.*

Cryptocephalini.

Cryptocephalus
Geoffroy.
Suffrian, Linnaea entom.

*

Homalopus Chevrol. i. l.
Loreyi Solier Suffr. 2. 62 *Alpes*
v. ♀ major Comoll. Ws. 142
informis Suffr. 2. 66 *Alp.occ.*
tricolor Rossi Ws. 144 *H.I.*
florentinus Oliv. Suffr. 2. 68
prusias Suffr. 8. 95 *Ca.*

*

carinthiacus Suffr. 3. 1 *Alp.md.*
sinuatus Harold Ws. 146 *P.Alp.occ.*
fasciatus H. Schäff. Suffr. 2. 95
v. abietinus Gaut. A. 1861. 194 *H.*
excisus Seidl. Ws. 144 *Hi.*
erosus Seidl. B. 1867. 189
4-punctatus Oliv. Suffr. 2. 93 *Ga.P.*
v. Stierlini Ws. 147 *H.*
lusitanicus Suffr. 2. 98 *Lu.Hi.*
v. lividimanus Kiesw. A. 1851. 651
floribundus Suffr. Ws. 146 *P.*

*

coryli L. Suffr. 2. 100 *E.*
v. temesiensis Suffr. 2. 101 *Hu.*
cordiger L. Suffr. 2. 71 *E.*
octopunctatus Scop. Ws. 149 *E.*
variabilis Schneid. Suffr. 2. 80
sexpunctatus L. Suffr. 2. 83 *E.*
v. thoracicus Ws. 151
v. pictus Suffr. 2. 87
v. separandus Suffr. 2. 87
v. Gyllenhali Ws. 152
signatus Laich. Ws. 153 *Mus.E.md.*
interruptus Suffr. 2. 88
v. rubellus Weise 154
cribratus Suffr. 2. 90 *T.Ca.*
trapezensis Tapp. A. 1871. 266 *Ca.*
variegatus F. Suffr. 2. 77 *Alp.*

♂ axillaris Charp. Hor. 1. 239
v. Strasseri Ws. D. 1889. 416
distinguendus Schneid. Suffr. 2. 74 *E.m.*
v. humeralis Ws. 156
albolineatus Suffr. Ws. 157
v. Suffriani Suffr. St. 1849. 18
Perrieri Fairm. A. 1861. 649
v. Bischoffi Tappes A. 1869. 8
laevicollis Gebl. Suffr. 2. 91 *T.R.*
v. viennensis Ws. 159 *A.*
bimaculatus F. Suffr. 2. 58 *Alp.P.*
v. lissopterus Gozis Rech. 34
v. bisbipustulatus Suffr. 8. 93
agraphus Gozis Rech. 34
infirmior Kraatz Ws. 161 *I.Ga.m.*
primarius Harold Ws. 162 *G.Ga.I.*
imperialis F. Suffr. 2. 49 *A.Hi.*
v. rufolimbatus Suffr. 2. 51
?v. Manueli Tappes Ws. 164
pexicollis Suffr. 2. 51 *Hi.Ga.m.*
cicatricosus Luc. Suffr. 8. 90 *Si.*
sexmaculatus Oliv. Suffr. 2. 32 *H.Ga.m.*
tristigma Charp. Suffr. 2. 34 *Lu.Hi.*
hirticollis Suffr. 2. 35 *I.Si.*
ilicis Oliv. Suffr. 2. 36 *E.m.*
v. etruscus Weise 162
imperialis Laich. Ws. 164 *E.md.m.*
bistripunctatus Germ. Suffr. 3. 32
trimaculatus Rossi Ws. 165 *Ga.G.*
salicis F. Suffr. 3. 29 *E.m.*
bipunctatus L. Suffr. 3. 33 *E.*
v. cautus Ws. D. 1891
v. sanguinolentus Scop. Ws. 167
lineola F. Suffr. 3. 35
v. 4-notatus H. Schäff. t. 22. f. 135
paradoxus Suffr. 3. 35
v. Thomsoni Weise 167
biguttatus Scop. Ws. 168 *E.*
bipustulatus F. Mars. Mon. 197

*

coronatus Suffr. 2. 53 *R.m.*
14-maculatus Schneid. Ws. 169 *A.*
coloratus Suffr. 2. 102 *Hu.R.*
v. Pilleri Schrank Kraatz D. 1879. 263 *T.*
v. coloratus F. Supplem. 108
floralis Krynicki Ws. 170 *R.m.*
halophilus Suffr. 2. 105
flavicollis F. Ws. 170 *R.m.*
nigritarsis Suffr. 2. 107
Suffriani Dohrn Ws. 170 *R.m.*
Beckeri Moraw. B. M. 1860. 299
Reitteri Weise 172 [illegible]
halophilus Gebl. Suffr. 2. 105 *R.m.*
rubi Ménétr. Suffr. 2. 114 *Ca.*

astracanicus Suffr. Ws. 173 *R.m.*
tamaricis Solsky Hor. 4. 183
gamma H. Schäff. Ws. 174 *R.m.*
sesquistriatus Kryn. B. M. 5. 174
ypsilon Suffr. 2. 111
ergenensis Moraw. Ws. 174 *R.m.*
Beckeri Suffr. St. 1864. 265
sareptanus Moraw. Ws. 174 *R.m.*
flexuosus Kryn. Suffr. 2. 109 *R.m.*
bohemius Drap. Ws. 175 *G.A.R.*
Böhmi Germ. Suffr. 2. 117 *Hu.*
apicalis Gebl. Ws. 176 *Hu.R.*
flavoguttatus Suffr. 2. 180 *T.*
v. eburatus Weise 176
lateralis Suffr. 8. 108 *R.m.*

*

laetus F. Suffr. 2. 46 *E.md.m.*
?v. salisburgensis Moll Füssl. Mag. 2. 43
rugicollis Oliv. Ws. 178 *E.m.*
v. humeralis Oliv. Ent. 6. 798
v. verrucosus Suffr. 2. 43
v. sexnotatus F. Ent. Syst. 1. 2. 53
virgatus Suffr. 2. 43
v. Wagneri Küst. Käf. 2. 95
v. baeticus Suffr. 2. 38 *Hi.m.*

Proctophysus Redtb.

Schäfferi Schrank Ws. 179 *Ga.G.*
♂ lobatus F. Ent. Syst. 1. 2. 63 *I.T.*
unicolor Oliv. Enc. 4. 608 *R.*
♀ haemorrhoidalis Oliv. l. c.
cyanipes Suffr. 2. 146 *Ga.alp.Ti.H.I.b.*
villosulus Suffr. 2. 148 *H.A.Hu.*

*

sericeus L. Suffr. 2. 129 *E.*
bidens Thoms. 10. 274
aureolus Seidl. F. Balt. 475
robustus Suffr. 8. 113 *Ca.*
v. pratorum Suffr. 131
v. coeruleus Weise 183
v. mozambanellus Mars. Mon. 130
intrusus Weise 183
globicollis Suffr. 2. 141 *Ga.I.Hi.*
aureolus Suffr. 2. 132 *E.*
sericeus Küst. Seidl. l. c.
v. coerulescens Schilsky D. 1888. 322
hypochoeridis L. Suffr. 2. 137 *E.*
v. cristula Duf. Ossau 113 *E.m.*
rugulipennis Suffr. 8. 111
v. cyanescens Ws. D. 1891 *A.Su.*
praticola Ws. W. 1889. 1 *R.m.Ca.*
asturiensis Heyd. Span. 166 *Hi.b.*
concolor Suffr. 2. 127 *Ca.R.m.*
duplicatus Suffr. 2. 126 *Ca.centr.*

violaceus Laich. Suffr. 2. 121 *E.*
v. smaragdinus Suffr. 2. 124
virens Suffr. 2. 125 *A.Hu.R.m.*

*

tibialis Bris. Ws. 191 *Ga.md.P.Hi.*
poeciloceras Heyd. Reis. Span. 168
elongatus Germ. Suffr. 2. 120 *A.R.*
tetraspilus Suffr. 8. 121 *Ga.m.Hi.*
♀ lepidus Muls. Op. 1. 8
Ramburi Suffr. 2. 183 *Hi.m.*
marginellus Oliv. Suffr. 2. 168 *Ga.A.*
v. pictus Ragusa Sic. 1. 51 *Si.*
v. inexspectus Fairm. A'. 1861. 11 *GaI.*
nitidulus F. Ws. 193 *E.md.b. [R.*
ochrostoma Harold B. 1873. 170
nitidus L. Ws. 194 *E.*
nitens L. Suffr. 2. 162
modestus Suffr. 3. 107 *R.m.or.*
punctiger Payk. Suffr. 3. 11 *E.md.b.*
pallifrons Gyll. Suffr. 3. 26 *Ga.md.G.F.*
m. insignis Payk. Faun. 3. 453 *Su.*
janthinus Germ. Suffr. 3. 12 *E.md.m.*
parvulus Müll. Ws. 198 *E.*
nigrocoeruleus Goeze Beitr. 1. 320
violaceus Fourcr. Ent. Par. 92
flavilabris F. Mant. 1. 84
fulcratus Germ. Suffr. 3. 15
coerulescens Sahlb. Ws. 200 *F.G.*
flavilabris Suffr. 3. 16 *A.P.*
androgyne Mars. Mon. 184
?Pelleti Mars. 185
v. flavilabris Thoms. Sk. 8. 304
concinnus Suffr. 8. 129 *Hu.R.m.*
biguttulus Suffr. 3. 24 *R.m.*
rufilabris Suffr. 8. 128. Ws. 201 *R.m.*
marginatus F. Suffr. 3. 19 *E.md.m.*
v. terminatus Germ. Suffr. 21
?v. palliatus Suffr. Ws. 202 *I.*
Grohmanni Suffr. 3. 22 *Si.*

*

fulmenifer Reitt. D. 1889. 376 *Ca.*

*

cynarae Suffr. 2. 27 *Lu.Hi.*
v. 12-plagiatus Fairm. A'. 1859. 151
curvilinea Oliv. Suffr. 2. 29 *Hi.Si.S.C.*
v. inops Weise 204
5-punctatus Harrer Ws. 203 *A.Ga.*
12-punctatus F. Suffr. 2. 150 *Hu.*
v. 8-maculatus Rossi F. Etr. 1. 96
v. 8-notatus Schneid. N. Mag. 1. 2. 210
v. testaceus Villa Col. 36 *I.*
v. stramineus Suffr. 2. 153 *R.m.*

*

pini L. (Disopus) Ws. 205 *E.*
abietis Redtb. ed. 3. 2. 465
v. abietis Suffr. 2. 160
tardus Ws. D. 1888. 368 *MR.*
Simoni Ws. 205 *Ind.*
podager Seidl. B. 1867. 190 *Hi.md.*
laevigatus Suffr. 2. 156 *R.m.*
sulphureus Oliv. Suffr. 2. 155 *Ga.m.Hi.*

*

10-maculatus L. Ws. 207 *E.*
10-punctatus L. Suffr. 3. 3
v. solutus Weise 207
v. scenicus Weise 207
v. moestus Weise 208
v. bothnicus L. Weise 208
betulaenanaeSchill.Schles.Ges.37.99
v. ornatus Herbst Ws. 208
v. barbareae L. Suffr. St. 1866. 161
frenatus Laich. Ws. 209 *E.md.*
v. callifer Suffr. 3. 9
v. flavescens Schneid. Suffr. 3. 7
v. seminiger Weise 209
v. Fabricii Weise 209

*

4-guttatus Richter Fn. 1820. 12 *G.Hu.*
v. maurus Suffr. 3. 108 *R.m.*
Kowarzi Gradl. Ent. N. 1881. 307
creticus Suffr. 2. 178 *D.Creta*
4-pustulatusGyllh.Sffr.2.178 *E.md.b.Ca.*
v. similis Suffr. 8. 123
apicalis Mars. Mon. 161
v. rhaeticus Heyd.Stierl.Sch.M.1863.64
bisignatus Suffr. 2. 175
v. aethiops Weise 212
flavipes F. Suffr. 2. 170 *E.*
Wydleri Fald. M. M. 5. 388
v. nigrescens Gradl Ent.Nchr.1881.307
v. dispar Weise 214
v. signatifrons Suffr. 2. 172
turcicus Suffr. 2. 173 *Ti.D.T.C.*
pistaciae Suffr. 8. 124 *Gr.Ga.m.*

*

chrysopus Gmel. Ws. 216 *E.md.b.*
Hübneri F. Suffr. 3. 84
limbifer Seidl. B. 1867. 190 *Hi.m.*
Czwalinae Ws. 216 *I.b.*
frontalis Marsh. Suffr. 3. 100 *E.md.b.*
scapularis Suffr. 3. 99 *I.*
mystacatus Suffr. 3. 94 *Lu.Hi.*
♂ larvatus Suffr. 3. 98
saliceti Zebe Ws. 219 *Mnt.G.Alp.*
ocellatus Drap. Ws. 219 *E.md.m.*
geminus Gyllh. Suffr. 3. 92
Lederi Ws. W. 1889. 259 *Ca.*

carpathicus Friv. Term. 1883. 15 *Hu.*
ochropezus Suffr. 8. 144 [illegible]
querceti Suffr. 3. 96 [illegible]
labiatus L. Suffr. 3. 86 *E.*
? longicornis Thoms. Sk. 8. 311 [illegible]
v. exilis Steph. Man. 306
v. digrammus Suffr. 3. 88
v. ocularisHeyd.Graub.1863.46 *Eng.*[illegible]
variceps Ws. D. 1884. 161 [illegible]
exiguus Schneid. Ws. 223 *E.m*[illegible]
Wasastjernae Gyll. Suffr. 3. 90

*

Moraei L. Suffr. 2. 185 *E.*
v. vittiger Mars. Mon. 165
v. bivittatus Gyll. Ins. 3. 619
cruciatus Mars. l. c.
v. arquatus Weise 225
Mariae Muls. Ws. 224 [illegible]
signatus Oliv. Suffr. 2. 189
v. pyrenaeus Weise 224
crassus Oliv. Ws. 226 *I.Ga.Hi.*
gravidus H. Schäff. Suffr. 3. 43
v. tenebricosus Weise 226
stragula Rossi Mars. Mon. 198 *I.Ga.m.*
v. princeps Rottb. B. 1871. 248 *Si.*
anticus Suffr. 3. 37 [illegible]
Koyi Suffr. 3. 46 [illegible]
v. Martinezi Weise 227
6-pustulatus Ross. Suffr. 3. 38 *E.*[illegible]
8-guttatus Schneid. N. Mag. 1. [illegible]
v. oneratus Weise 227 [illegible]
v. omissus Weise 227
Rossii Suffr. 3. 48 *Ga.m.L*[illegible]
v. centrimaculatus Suffr. St. 1849. 20
v. Graëllsi Weise 228
v. hirtifrons Graëlls M. Map. 1858. 98
v. gaditanus Mars. Mon. 206
vittatus F. Suffr. 3. 51 [illegible]
v. negligens Weise 229
celtibericus Suffr. 3. 53 [illegible]
bilineatus L. Suffr. 3. 58 [illegible]
v. moestus Weise 230
v. armeniacus Fald. Kr. D. 1879. 265
Spitzyi Suffr. 3. 59
elegantulus Grav. Ws. 231 *Ga.G.*
tessellatus Germ. Suffr. 3. 55 *Hu.*
v. jucundus Fald. Suffr. 8. 140 *H.R.*
strigosus Germ. Ws. 232 [illegible]

*

pygmaeus F. Suffr. 3. 66 [illegible]
v. amoenus Drap. Ws. 233 [illegible]
vittula Suffr. 3. 63 [illegible]
v. orientalis Weise 233
capucinus Suffr. 8. 141 [illegible]

connexus Ol. Suffr. 3. 61 *A.Hu.R.*
v. subconnexus Weise 235
v. arenarius Weise 235
signaticollis Suffr. 3. 68 *Ga.m.D.I.Gr.*
v. succinctus Weise 234
v. apricus Weise 235
blandulus Harold Ws. 235 *Ga.m.Hi.*
pulchellus Suffr. 3. 71
Fausti Weise 236 *R.m.*
fulvus Goeze Ws. 236 *E.*
minutus F. Suffr. 3. 73
v. fulvicollis Suffr. 74
equiseti Costa Mem. Nap. 1885. 27 *S.*
cognatus Costa l. c. 28 *S.*
politus Suffr. 8. 143 *I.Ga.m.Hi.*
Mayeti Mars. Ws. 238 *Ga.m.*
macellus Suffr. 14. 53 *E.md.m.*
ochroleucus Suffr. St. 1868. 171
alboscutellatus Suffr. 8. 118 *C.S.*
v. ♀ nigridorsum Chevrol. Ws. 239
planifrons Weise 239 *A.Hu.R.*
ochroleucus Fairm. Mars. 230 *Ga.G.*
fallax Suffr. St. 1868. 174
luridicollis Suffr. Ws. 240 *Ga.m.*
maculicollis Muls. A. Lyon 1860. 343
Reyi Tappes A. 1871. 253
? plantaris Suffr. St. 1868. 174 *Si.*
lineellus Suffr. Ws. 240 *Hi.m.*
populi Suffr. 3. 76 *Ga.G.Hi.*
pusillus F. Suffr. 3. 78 *E.*
raphaelensis Gautier
v. immaculatus Westh. Ws. 243
v. Marshami Weise 243
marginellus Marsh. Ent. 211
gracilis Redtb. Faun. II 461
v. viduus Ws. D. 1889. 218
rufipes Goeze Ws. 244 *E.*
gracilis F. Suffr. 3. 82
alnicola Costa Mem. Nap. 1884. 49 *S.*

---

sonchi Schrank Fn. boic. 552 *G.m.*
bicolor Eschsch. Germ. Mag. 4. 399 *Ca.*

Pachybrachys
Suffrian.

Pachystylus Rey Rev. ent. 2.

scriptidorsum Mars. Ws. 248 *R.m.*
scripticollis Suffr. 3. 129
v. lugubris Ws. 248
creticus Ws. D. 1886. 21 *Creta*
hieroglyphicus Laich. Ws. 248 *Su.E.md.*
v. ictericus Ws. 249
v. tristis Laich. Verz. Tyrol 184
histrio F. Spec. 145
v. posticinus Rey
v. italicus Ws. 249
apicalis Rey 272 *Ga.m.*
Suffriani Schauf. Ws. 251 *Hi.b.*
carpathicus Rey 271 *Tr.*
terminalis Suffr. Ws. 251 *Lu.*
piceus Suffr. Ws. 252 *R.m.*
suturalis Ws. 252 *G.Ga.*
v. gallicus Ws. 253
v. reductus Rey 275
v. 4-maculatus Rey 275
v. 2-maculatus Rey 275
v. subtilis Rey 275
flexuosus Ws. 254 *Ti.Si.Gr.*
v. viennensis Ws. 256 *A.*
Oertzeni Ws. D. 1886. 22 *Gr.*
pallidulus Kiesw. Ws. 254 *P.*
Kraatzi Ws. 255 *Hi.m.*
fulvipes Mars. Mon. 269
scriptus H. Schäff. Ws. 254 *I.C.S.*
v. erycinus Géné Ws. l. c.
v. Hellwigi Ws. 254
lineolatus Suffr. Ws. 254 *Hi.m.*
pteromelas Graëlls Ws. 255 *Hi.md.*
testaceus Perris Ws. 255 *C.S.*
v. riguus Mars. Mon. 287
anoguttatus Suffr. Ws. 255 [illegible]
laetificus Mars. Ws. 256 *R.m.*
scripticollis Fald. Ws. 256 [illegible]
israelita Tapp. A. 1871. 267
glycirrhizae Oliv. Ws. 256 *Ca.*
vermicularis Suffr. Ws. 256 *R.m.*

*

haliciensis Mill. Ws. 258 *Hu.Tr.T.*
v. rufimanus Ws. 258 *G.*
sinuatus Muls. Rey 283 *Ga.m.*
hippophaës Suffr. Ws. 260 *Alp.*
v. lignosus Ws. 260
tessellatus Oliv. Ws. 262 [illegible]
histrio Oliv. Enc. 6. 618 [illegible]
bisignatus Redtb. Faun. II. 465
tauricus Suffr. 3. 137 *R.m.*
v. picturatus Rey 291
v. aethiops Ws. 262
v. ♀ exclusus Rey 291 *Ga.m.*
etruscus Ws. D. 1886. 23 *I.*
picus Ws. 264 *G.A.*
histrio Redtb. Faun. II. 466
limbatus Ménétr. Ws. 264 *T.Gr.*
v. maculatus Suffr. 3. 139
v. ater Ws. 264
cinctus Suffr. Ws. 265 *C.S.*
fimbriolatus Suffr. Ws. 265 [illegible]
tristis Oliv. Ent. 6. 810 [illegible]

Mulsanti Perris *Ga.m.*
v. pteromelas Mars. Mon. 274
probus Ws. 267 *R.m.*
mendax Suffr. Ws. 268 *R.m Ca.*
fulvipes Suffr. Ws. 268 *Hi.m.*
pradensis Mars. Ws. 268 *Ga.alp.P.*
baeticus Ws. 269 *Hi.m.*

Chloropachys Rey.

viridissimus Suffr. Ws. 269 *Hi.*
v. regius Schauf. A. 1862. 312
azureus Suffr. Ws 269 *Ga.m.Hi.*
v. aeruginosus Ws. D. 1891

Stylosomus
Suffrian.

flavus Mars. Mon. 295 *Gr.R.m.*
tamaricis H. Schäff. Ws. 271 *E.m.Istr.*
v. cruciatus Ws. l. c.
corsicus Rey Rev. ent. 2. 319 *C.Ga.m.*
macer Ws. 271 *R.m.*
erythrocephalus Mars. Mon. 294
cylindricus Moraw. Ws. 272 *R.m.*
xantholus Rey Rev. ent. 1885 274 *Ga.*

*

(Microstylus Rey).

ericeti Kiesw. Ws. 273 *Hi.*
bituberculatus Desbr. Heyd. Span. 169
ilicicola Suffr. Ws. 273 *Ti.Ga.Hi.*
v. rugithorax Abeille A'. 1877. 49
minutissimus Germ. Ws. 274 *A.E.m.*
depilis Ab. l. c.

Cyclica,

Eumolpini.

Lamprosoma
Kirby.

Oomorphus Curtis.

concolor Sturm Ws. 282 *E.md.*

Pachnephorus
Redtenbacher.

pilosus Rossi Ws. 284 *E.md.m.*
arenarius Panz. Fn. Germ. 39
lepidopterus Küst. Käf. 4. 94
tessellatus Duft Ws. 285 *E.md.m.*
v. sabulosus Gebl. B. M. 1848. 3. 39
arenarius Küst. Käf. 4. 94

v. villosus Fairm. A. 1861. 587
v. villosus Redtb. Fn. ed. 3. 2. 454
ruficornis Lefèvr. Ws. 285 *T.Ca.*
canus Ws. 285 *Si.R.m.*

*

villosus Duft. Ws. 287 *A.I.T.*
aspericollis Fairm. A. 1861. 588
rugaticollis Mill. W. Mon. 72. 281
v. chalybeus Ws. 289
baeticus Ws. 287 *Andal.*
impressus Rosh. Ws. 287 *E.m.*
Schlumbergeri Duf. Soc. Linn. 51
cylindricus Luc. Ws. 288 *Ga.m.Hi.*
v. corinthius Fairm. l. c. 590
v. hipponensis Desbr. Sch. M. 3. 358
Brucki Fairm. Ws. 288 *Ga.m.I.*
laevicollis Fairm. A. 1861. 590 *Si.*
robustus Desbr. Ws. 288 *R.m.*

Colaspidea
Laporte.

Dia Redtb.

Saportae Grenier Cat. 119 *Provincia*
metallica Rossi F. Etr. 84 *I.*
aeruginea F. Ent. S. 1. 330
sphaeroides Fairm. A. 1861. 590
grossa Fairm. A. 1866. 73 *Andal.*
globosa Küst. Ws. 293 *Ga.m.Hi.*
globata Redtb. ed. 3. 2. 455
aeruginea Fairm. l. c. 591
nitida Luc. Expl. Alg. 515
metallica Lefèvr. Synops. 17
abbreviata Desbr. Sch. M. 1871. 358
oblonga Blanch. Ws. 292 *I.Ga.m.Gr.*
nitida Redtb. ed. 3. 2. 455
proxima Fairm. A. 1861. 591

Adoxus
Kirby.

Eumolpus Redtb.
Bromius Redtb.

obscurus L. Ws. 295 *E.*
v. epilobii Ws. l. c.
v. Weisei Heyd. Nassau 36. 120 *Ems*
v. vitis F. S. Ent. 108 *E.md.m.*

Chloropterus
Morawitz.

Nodostoma Redtb.
Heterocnemis Moraw.

versicolor Moraw. Ws. 278 *R.m.*
Lefevrei Reitt. W. 1890. 197 *Arax.*

Bedelia
Lefèvre.

angustata Lef. A'. 1875. 11 *Armen.Ca.*

Nodostoma
Motschulsky.

lenkorana Reitt. D. 1890. 164 *Casp.*

Chrysochares
Morawitz.

asiatica Pallas Ws. 278 *R.m.*

Chrysochus
Redtenbacher.

pretiosus F. Ws. 297 *Ga.A.E.m.*

Eupales
Lefèvre.

Pales Redtb.

ulema Germ. Ws. 279 *Hu.T.Gr.*

Pseudocolaspis
Laporte.

cylindrica Küst. Käf. 4. 92 *Hi.m.*
  setosa Luc. Expl. Alg. 518
rubripes Schauf. A. 1862. 311 *Gr.*
  setosa Duv. Gen. 260 *Creta*
  graeca Lef. Synops. 4

Callipta
Lefèvre.

Calliope Weise.

Fausti Weise 280 *Ca.*

Chrysomelini.

Colaphus
Redtenbacher.

sophiae Schall. Ws. 305 *E.md.*
  viennensis Schrank Enum. 74
Höfti Ménétr. Ws. 305 *R.m.Ca.*

Colaspidema
Laporte.

atrum Oliv. Ws. 304 *E.occ.*
  barbarum F. Ent. Syst. 1. 326
v. maculicolle Lef. A. 1874. 347
Dufouri Perez Ins. Esp. 1865. 22 *Hi.*
rufifrons Oliv. Ent. 6. 532 *Lu.Hi.*

Gastroidea
Hope.

Gastrophysa Redtb.

viridula Deg. Ws. 307 *E.md.b.*
  raphani Herbst Arch. 5. 59
v. pennina Ws. 307
  alpina Kiesw. B. 1861. 392
analis Reitt. D. 1890. 306 *Bosn.*
unicolor Marsh. 185 *Lu.Hi.*
  janthina Suffr. Linnaea 5. 240
  Nacciroi Graëlls Mem. 1858. 100
polygoni L. Ws. 308 *E.*
v. ruficollis F. Mant. 1. 71 *R.m.*

Cyrtonastes
Fairmaire.

Weisei Reitt. D. 1884. 121 *Corfu*
corcyreus Mars. Ab. 24. 405 *Corfu*
seriatoporus Fairm. A. 1880. 243 *Creta*

Entomoscelis
Chevrolat.

adonidis Pall. Ws. 310 *Ga.m.G.E.m.*
sacra L. Ws. 312 *A.E.m.*
  dorsalis F. Gen. Ins. Mant. 240
suturalis Weise 312 *Gr.R.m.*
rumicis F. Ws. 313 *Hi.m.*

Timarcha
Latreille.

Fairmaire, Révis. A. 1873.
Marseul, Abeille 21. 1883.

balearica Gory Ws. 318. Mars. 78 *Bal.*
Kiesenwetteri Kr. Ws. 318. M. 79 *Hi.m.*
sericea Fairm. Mars. 79 *Hi.m.or.*
v. Ehlersi Ws. 319
lugens Rosh. Ws. 319. M. 83 *Hi.m.*
nevadensis Fairm. Esp. 1884. 82 *Hi.m.*
strepitans Ws. D. 1888. 124 *Hi.m.*
Piochardi Fairm. Mars. 80 *Barcelona*
  Brulerici Fairm. 154
fallax Perez Mars. 83 *Hi.*
calceata Perez Mars. 90 *Hi.*
hispanica H. Schäff. Mars. 84 *Hi*
  rugipennis Perez Fairm. 157 *Hi.md.*
vermiculata Fairm. Mars. 85 *Lu.*
laevisterna Fairm. Mars. 87 *Hi.md.*
sobrina Fairm. Esp. 84. 85 *Hi.*
transversicollis Fairm. l. c. 87 *Corduba*
tenuicornis Fairm. Mars. 88 *Hi.md.o.*
erosa Fairm. Mars. 86 *Lu.*
marginicollis Rosh. Mars. 81 *Hi.m.*
insparsa Rosh. Mars. 82 *Hi.m.*

parvicollis Rosh. Mars. 77 *Hi.m.*
coarcticollis Fairm. Mars. 75 *Hi.m.*
apricaria Waltl Ws. 320 *Hi.m.*
Paulinoi Kraatz l. c. Mars. 74 *Lu.*
Seidlitzi Kraatz l. c. Mars. 76 *Hi m.*
splendida Perez Ws. 321 *Hi.md.or.*
Heydeni Ws. 321. Mars. 77 *Nevada*
melitensis Ws. 318. Mars. 81 *Malta*

*

tenebricosa F. Ws. 321 *E.md.m.*
laevigata Duft. Faun. 3. 161
validicornis Fairm. Mars. 50
angulicollis Mot. B.M.1849.3.151 *Hi.*
subcyanea Motsch. l. c. 152 *R.m.*
iberica Motsch. l. c. *Ca.*
v. semipolita Chevrol. Cat. Gren. 120 *I.*
v. angusticollis Fairm. 170 *P.*
gravis Rosh. Mars. 47 *Hi.m.*
chalcosoma Fairm. 525 *Bal.*
Camoensi Fairm. 171 *Lu.*
nicaeensis Villa Ws. 324 *Ti.Ga.m.*
italica H. Schäff. Synops. 22 f. *I.T.*
? intermedia H. Schäff. l. c. 3
venosula Ws. 325 *Carn.Istr.*
scabra Oliv. Ws. 325 *Hi.m.*
scabripennis Fairm. Mars. 42
pimelioides H. Schäff. Mars. 48 *S.Si.*
v. amethystipes Chevr. A.1873.206 *I.m.*
laevigata L. Mars. 48 *?Hi.m.*
rugosa L. Mars. 43 *?Hi.m.*
sardoa Villa Mars. 64 *C.S.*
Prunneri H. Schäff. Synops. 22 e
sicelidis Reiche Mars. 65 *Si.*
sublaevis Fairm. Mars. 52 *C.*
montana Fairm. Mars. 65 *T.*
pratensis Duft. Ws. 329 *A.I.D.*
violaceonigra Deg. Ws. 331 *E.*
coriaria Laich. Tyrol. 143
angusticollis Duft. Fn. 3, 163
v. aerea Fairm. 185
v. purpurascens Mars. 55
v. rugosa Duft. Fn. 3. 162
v. normanna Reiche A'. 1876. 176
Brulerici Bellier A'. 1870. 27 *Ga.m.*
gallica Fairm. Mars. 54
laevigata H. Schäff. Synops. 22
? scutellaris Waltl Reis. Span. 84 *Hi.*
parnassia Fairm. Ws. 332 *Gr.*
interstitialis Fairm. Mars. 69 *P.*
monticola Dufour Mars. 61 *P.*
v. cyanescens Fairm. 185
v. recticollis Fairm. 185
globipennis Fairm. Mars. 63 *Madrid*
rugosula Rosh. And. 321 *Andalus.*

Pontavicei Mars. 67 *Hi.md.*
catalaunensis Fairm. Esp. 84. 100 *Barcel.*
elliptica Fairm. Mars. 68 *[illegible]*
maritima Perris Mars. 71 *Ga.occ.*
geniculata Germ. Mars. 73 *Lu.Hi.b.*
sinuatocollis Fairm. Mars. 62 *P.*
Leseleuci Mars. 62 *Hi.*
strangulata Fairm. Mars. 54 *P.*
Olivieri Fairm. Mars. 56 *T.*
coriaria Oliv. Ent. 5. 91. 509
oblongula Fairm. Mars. 57 *Hi.*
rugulosa H. Schäff. Ws. 334 *Hu.T.*
v. Lomnickii Mill. W. z. b. 1867.503 *A.*
globata Fairm. 177. Mars. 53 *Hu.*

*

corinthia Fairm. Mars. 97 *D.*
Hummeli Fald. Ws. 336 *Ca.*
v. armeniaca Fald. Mars. 99
metallica Laich. Ws. 336 *Mont.E.*
v. splendens Matzek Arb. Bresl. 1842.
gibba Hoppe Ws. 338 *Carn.* [154
globosa H. Schäff. Synops. 23 c
lusitanica Oliv. Mars. 96 *Lu.*
scortea Germ. Ws. 336
occidentalis H. Schäff. Synops. 23 a
trapezicollis Fairm. Mars. 93 *Lu.*
sphaeroptera Fairm. Mars. 95 *Hi.*
Gougeleti Fairm. Ws. 337 *Hi.b.*
geniculata H. Schäff. Synops. 24 b
janthinipes Fairm. Mars. 97 *Hu.*
chloropus Germ. Mars. 94 *Lu.*
gallaeciana Chevr. Rev. Z. 1840. 17
asturiensis Kr. D. 1879. 384 *Astur.*
v. convexifrons Fairm. Mars. 95 *Hi.*
semilaevis Fairm. Esp. 84. 105 *Hi.Lu.*

---

immarginata H. Schäff. Ws. 337 *?*
aerea H. Schäff. Synops. 24 a *D.*

Cyrtonus
Latreille.

Fairmaire, Anales espan. 1883.

major Fairm. 252 *Alicante*
plumbeus Fairm. 253 *Cartagena*
Fairmairei Rosenh. Fairm. 253 *Andalus.*
gratiosus Rosenh. F. 253 *Junquera*
Pazi Fairm. 254 *Alicante*
conformis Fairm. 254 *Ronda*
contractus Fairm. 255 *Andalus.*
Ehlersi Fairm. D. 1884. 361 *Murcia*
dorsolineatus Fairm. 256 *Andalus.*
rotundatus H. Schäff. F. 256 *Ga.m.Hi.oc.*
punctipennis Fairm. 257 *P.or.*
coruscans Vuillefr. Fairm. 257 *I.*

elegans Germ. Fairm. 258 *Lu.*
denticulatus Chevr. Fairm. 258 *Hi.md.*
montanus Graëlls Fairm. 259 *Hi.md.*
thoracicus Fairm. 259 *Hi.m.*
curtus Fairm. 260 *Asturia*
brevis Fairm 261 *Montserrat*
puncticeps Fairm. 261 *Albarracin*
curtulus Fairm. 262 *Ebora*
strictus Fairm. 262 *Toledo*
cupreovirens Perez Fairm. 263 *Aragon.*
versicolor Mars. F. 270 *Lissabon*
sycophanta Fairm. 263 *Alicante*
scutellatus Fairm. 264 *Lu.*
Arcasi Fairm. D. 1884. 361 *Granada*
Martorelli Fairm. 265 *Estremadura*
Heydeni Fairm. D. 1884. 361 *Asturia*
Dufouri Dufour Fairm. 266 *P.Lu.*
coarctatus Muls. M. Lyon 47. 413 *Ga.m.*
canalisternus Mars. Frm. 269 *Bragança*
ruficornis Graëlls Fairm. 266 *Hi.md.m.*
eumolpus Fairm. 267 *Hi.*
angusticollis Fairm. 267 *Andalus.*
minor Fairm. 267 *Ronda*
punctulatus Fairm. 268 *Guarda*
oomorphus Fairm. 268 *Pajares*
cylindricus Mars. Fairm. 271 *Granada*

Crosita
Motschulsky.

altaica Gebl. Motsch. Schrenck 190 *R.or.*

Chrysomela
Linné.

atra H. Schäff. Ws. 343 *Si.Ist.*
helopioides Suffr. Ws. 344 *Andalus.*
fimbrialis Küst. Ws. 344 *A.Hu.*
v. molluginis Redtb. ed. 1. 544
fimbrialis Fuss. V. Siebenb. 1861. 1
v. hungarica Fuss l. c.
cribrosa Ahr. Ws. 346 *Istr.Cro.D.*
Milleri Ws. D. 84. 162 *Carn.Cro.*
obscurella Suffr. Ws. 347 *Ga.m.*
pelagica Chevr. Gren. Cat. 120 *I.*
tagana Suffr. Ws. 347 *Lu.Hi.*
timarchoides Bris. A'. 1882. 179 *P.or.*
Weisei Friv. Term. 1883. 16 *Hu.*
coerulea Oliv. Ws. 347 *Alp.Cp.Ca.*
globipennis Suffr. Ws. 349 *Cp.*
lichenis Richt. Ws. 349 *Sil.Cp.*
ahena Germ. Ins. 586 *Alp.Tr.*
v. nigerrima Ws. 350
v. quadricollis Ws. 350
v. moraviaca Ws. 350
v. islandica Germ. Ins. 585 *Alp.*
lichenis Duft. Faun. 3. 177.
v. carpathica Fuss. Verh. Siebb. 56. 25
v. Hopffgarteni Ws. D. 1890. 30 *Tr.*
Schneideri Ws. 349 *Cp.*
rufa Duft. Ws. 352 * *G.A.Cp.Tr.*
♂ Dahli Suffr. Mon. 28
opulenta Suffr. Mon. 30
squalida Suffr. Mon. 31
menthae Duft. Faun. 3. 187
porphyrea Fald. Ws. 352 *Ca.*
caspica Ws. (emend.) *Ca.*
caucasica Ws. (olim) 352
marcasitica Germ. Ws. 354 *Alp.A.*
subincrassata Duft. Faun. 3. 179
distincta Küst. Käf. 1. 89
v. turgida Ws. 355 *Sil.*
marcasitica Bach. Faun. 3. 82
v. pannonica Ws. 355 *Cp.T.*
purpurascens Germ. Ws. 357 *G.Cp.*
crassimargo Duft. Faun. 3. 178 *Alp.*
v. avia Ws. D. 1887. 185 *Cp.*
crassimargo Germ. Ws. 359 *Alp.*
v. viridis Ws. l. c. *Tr.*
hemisphaerica Germ. Ws. 360 *Alp.Cp.*
v. laeta Ws. l. c.
v. banatica Ws. D. 1891 *Hu.m.*
crassicollis Suffr. Ws. 361 *Alp.Cp.*
olivacea Suffr. Ws. 362 *G.Cp.*
v. umbratilis Ws. D. 1887. 185
globosa Panz. Ws. 363 *Alp.A.*
? v. aerea Duft. Faun. 3. 187
vernalis Brull. Ws. 365 *E.m.*
bicolor Germ. Mag. 1. 2. 148
v. Heri H. Schäff. Faun. 164. 2 b
v. florea H. Schäff. Faun. 157. 7 a
? incerta H. Schäff. l. c. 7 b
v. gallica Ws. 365 *P.*
v. ottomana Ws. (emend.)
turca Ws 365
v. italica Ws. 365 *I.*
atrovirens Friv. Ws. 370 *Bazias*
pyrenaica Dufour Ws. 366 *P.*
carbonaria Suffr. Mon. 49
bigorrensis Fairm. Mars. 267 *P.*
turca Fairm. A. 1865. 74 *T.*
cantabrica Heyd. Ws. 366 *Asturia*
subaenea Suffr. Ws. 366 *P.*
cretica Oliv. Ws. 365 *Creta*
v. Olivieri Ws. 365
orientalis Oliv. Ws. 366 *T.Gr.*
Sahlbergi Mars.
Sahlbergi Ménétr. Ws. 369 * *Ca.*
cupreopunctata Reiche A. 1858. 30

haemoptera L. Ws. 368 *E.*
acuticollis Fairm. A. 1878. 179
?v. Cameranoi Piolti Atti Tor. 15. 378 *Pe.*
v. unicolor Suffr. Ws. 369 *Ti.I.*
hyacinthina Suffr. Ws. 369 *Si.*
v. cribellata Suffr. Mon. 46
rossia Illig. Ws. 370 *Ga.A.E.m.*
limitata Küst. Käf. 2. 72 *Spalato*
mactata Fairm. Ws. 371 *Lu.Hi.*
diluta Germ. Ws. 370 *E.m.*
femoralis Oliv. Ws. 371 *P.Alp.*
v. Tagenii H. Schäff. Fn. 157. 9 b *Lu.*
confusa Suffr. Mon. 47 *Ga.*
v. laeta Ws. 372
affinis F. Ws. 373 *Ga.Hi.*
caliginosa Oliv. Suffr. 48
v. baetica Suffr. Mon. 16
v. varipes Suffr. Mon. 17
rufofemorata Heyd. Ws. 373 *Asturia*
goettingensis L. Ws. 374 *E.*
v. Sturmi Westhof Käf. 268
v. polonica Ws. D. 1883. 253 *R.*
limbata F. Ws. 375 *E.*
v. limbifera Küst. Käf. 4. 91 *R.m.*
v. Hochhuthi Suffr. Mon. 72 *R.m.*
v. Findeli Suffr. 70 *Ist.Cr.*
discipennis Fald. Ws. 377 *Armen.*
Besseri Kryn. Suffr. 73 *R.m.*
cruentata Suffr. 74 *Lu.*
lurida L. Ws. 378 *E.md.Ca.*
Reitteri Ws. 378 *Ca.*
Banksi F. Ws. 379 *E.m.*
v. chlorizans Ws. 379
lepida Suffr. Mon. 16
staphylea L. Ws. 380 *E.*
v. daurica Gebl. l. c. *Ca.*
v. Lederi Ws. 381 *Ca.*
v. subferruginea Suffr. l. c.
stachydis Gené Ws. 382 *I.P.Hi.*
variolosa Petagna Ws. 382 *I.Si.*
melanostigma H. Schäff. Faun. 157
sicula Lefeb. A. Lin. Par. 1827
Sparshalli Curt. A. Hist. 1840. 282 *Br.*
gypsophilae Küst. Ws. 382 *E.md.m.*
v. Gaubili Luc. Expl. Alg. 535 *E.m.*
v. lucidicollis Küst. Käf. 2. 73
sanguinolenta L. Ws. 384 *E.*
*
marginalis Duft. Ws. 385 *Su.E.md.*
interstincta Suffr. Ws. 386 *I.*
v. depressa Fairm. A. 1854. 317 *Ga.m.*
v. subseriata Suffr. Mon. 80
carnifex F. Ws. 386 *E.md.*
v. Konowi Ws. D. 1889. 127 *G.b.*

v. coerulescens Suffr. Mon. 76 *Rhenan.*
v. provincialis Harold Col. H. 1874. 152
aethiops Oliv. Suffr. 18 *Ga.*
armeniaca Fald. Ws. 389 *Ca.*
curvilinea Ws. 389 *Aranjuez*
hyrcana Ws. 389 *Daghestan*
cinctipennis Harold Cat. 3416 *R.m.*
circumducta Suffr. 77 *Hu.*
Besseri Mars. Ab. 24. 230
Graëllsi Perez Ws. 390 *H[illegible]*
v. fossulata Suffr. A. 1853. 101
marginata L. Ws. 391 [illegible]
luteocincta Fairm. A. 1863. 647
v. cinctella Gyll. Ins. 4. 650
dierythra Rottb. B. 1871. 243 *Si.*
v. solitaria Ws. 391
v. glacialis Ws. 391 *Alp.*
v. songorica Gebl. Ws. 391 *R.or.*
sulcata Fisch. Suffr. 82
analis L. Panz. Ws. 393 *E.*
schach F. Ent. S. 1. 326
v. lomata Herbst Arch. 4. 54
schach Oliv. Ent. 5. 565
v. prasina Suffr. 85 [illegible]
fuliginosa Oliv. Ws. 394 *G.H.Ga.*
opaca Suffr. A. 1853. 124
v. galii Ws. 394 *Ga.G.occ.*
molluginis Suffr. Mon. 57 *A.*
coriacea Suffr. Ws. 395 *Hi.Lu.*
v. rugipennis Har. Col. H. 14. 140
Reuleauxi Brenske Ent. Nachr. 1899. 14
lepida Oliv. Ws. 395 *Ga.Hi.[I.m.*
v. Gastoni Fairm. A. Genova 75. 538
erythromera Luc. Ws. 396 *E.m.*
Schotti Suffr. 39 *A.*
? meridionalis H. Schäff. Fn. 157. 6a
v. peregrina H. Schäff. l. c. 6 c
orichalcia Müller Ws. 398 *E.*
v. lamina F. Suffr. 120
Hobsoni Steph. Man. 309
v. laevicollis Oliv. *Ga.Br.*
morio Kryn. Ws. 399 *R.*
chalcites Germ. Ws. 399 *Istr.D.R.m.*
rufoaenea Suffr. Ws. 400 *Ga.G.Hi.*
v. fallaciosa Ws. 401
brunsvicensis Grav. Ws. 401 *E.md.m.*
duplicata Zenk. Germ. Mag. 1. 2. 148
subseriepunctata Dietr. St. 1857. 135
geminata Payk. Ws. 403 *E.b.md.*
v. cuprina Duft. Faun. 3. 177
corcyrica Suffr. Ws. 403 *Gr.Si.*
quadrigemina Suffr. Ws. 405 *Ga.A.I.*
gemellata Rossi Duft. Fn. 3. 176
v. indigena Ws. 405

v. alternata Suffr. 127 *E.m.*
hyperici Forst. Ws. 406 *E.*
fucata F. Spec. Ins. 1. 126
gemellata Fourcr. Gyll. Ins. 4. 647
viridula Laich. Verz. Tyrol 147
v. ambigua Ws. 407
v. privigna Ws. 407
didymata Scriba Ws. 408 *Ga.G.Hu.E.m.*
salviae Germ. Ws. 409 *A.E.m.*
sculptipennis Fald. Mém. M. 1837.
cuprina Redtb. ed. 1. 548 [359 *Ca.*
grata Fald. Mosc. 1837. 361 *Ca.*
bicolor F. Ws. 411 *E.m.*
regalis Oliv. Ent. 5. 538
v. dolorosa Fairm. Rev. Z. 1873. 359
v. mima Mars. Ab. 24. 207
americana L. Ws. 411 *E.m.*
v. lesinae Ws. 411 *D.*
v. Desdoueti Mars. Ab. 24. 211
v. Ubertini Mars l. c. 212 *C.*
cerealis L. Ws. 413 *E.*
luxurians Oliv. Ent. 5. 516
v. fulgens Duf. Soc. Bord. 17. 304 *P.*
Kiesenwetteri Mot. Schrenck 2. 227
v. alternans Panz. Faun. Germ. 67. 16
Megerlei F. Syst. El. 439
mixta Suffr. Mon. 112
rufolineata Motsch. 227
v. ornata Ahr. Suffr. 109
laminula H. Schäff. Faun. 157
cyaneoaurata Motsch. Schrnck. 2. 227
ericae Motsch. l. c.
v. 8-vittata Schrank Naturf. 24. 66
v. livonica Motsch. l. c. 227
v. mixta Küst. Käf. 1. 87
violacea Schall. Hall. Ges. 1783. 270
v. melanaria Suffr. Mon. 115 *Ga.m.*
relucens Rosh. Ws. 417 *Ti.*
aurichalcea Mannh. Ws. 418 *R.or.*
elevata Suffr. 189 *?Br.*
v. asclepiadis Villa Ws. Arch. 87. 181 *G.*
v. eurina Friv. Term. 83. 17 *Hu.m.* [*Alp.*
coerulans Scriba Ws. 420 *E.md.*
violacea Panz. Faun. Germ. 44. 8
oblonga Duft. Faun. 3. 188
v. subfastuosa Motsch. Schrenck 226
v. angelica Reiche A. 1858. 33 *Ca.*
splendorifera Motsch. l. c. 226
fastuosa Scop. Ws. 422 *E.*
v. speciosa L. ed. 12. 588
galeopsidis Schrank Fn. boic. 532
cupreonitens Mars. Ab. 24. 154
ventricosa Suffr. Ws. 422 *Neapolis*
graminis L. Ws. 424 *E.*
fulgida Letzn. Bericht 1841. 105
artemisiae Motsch. Schrenck 225
v. fulgida Fabr. Duft. Fn. 3. 191
menthastri Suffr. Ws. 426 *E.md.*
fulminans Suffr. 92. pars.
graminis Duft. Fn. 3. 189
caucasica Motsch. Schrenck 225 *Ca.*
blanda Motsch. l. c. 226 *Ca.*
v. herbacea Duft. l. c. 192
recticollis Motsch. 225 *Ca.*
v. rugicollis Weidb. Bericht 1859. 84
v. croatica Ws. 426 *Croat.*
v. resplendens Suffr. St. 1855. 144 *E.m.*
ignita Suffr. Mon. 94
fulminans Suffr. pars.
fulgida Motsch. 226
viridana Küst. Ws. 426 *E.m.*
palustris Suffr. 96
chloris Luc. Expl. Alg. 536
v. sardoa Ws. 426
v. aurocuprea Fairm. A. 1859. 282 *C.*
v. cupreopurpurea Costa *S.*
?ignita Oliv. Ent. 5. 524
varians Schaller Ws. 428 *E.*
hyperici Thoms. Sk. 8. 251
margarita Oliv.
v. centaura Herbst Arch. 4. 56
centaurei Fabr. Panz. Fn. 44. 10
v. pratensis Ws. 429
hyperici Deg. Ins. 5. 312
v. aethiops Fabr. Ent. Syst. 1. 309
polita L. Ws. 430 *E.*
Suffriani Fairm. Ws. 430 *C.S.*
grossa F. Ws. 431 *Ga.m.Ti.I.*
v. illita Ws. 432 *Hi.*
chloromaura Oliv. Ws. 431. *Gallaec.Lu.*
gallega Fairm. A. 1861. 595
laevipennis Suffr. Ws. 433 *I.*
lucida Charp. Küst. Käf. 2. 79
lucida Oliv. Ws. 433 *Ga.m.Hi.*
dichroa Dufour Vall. Ossau, 107
chloromaura Charp. Küst. Käf. 2. 78
bivittata Schrank Naturf. 24. 66 *A.*
obscurata F. Duft. Fn. 3. 195 *A.*
lepida Brull. Exp. Mor. 3. 270 *Gr.*
Dahli H. Schäff. Faun. 157. 5 c *Istr.*
praticola Duft. Fn. 3. 173 *A.*

Orina

Chevrolat.

Alpaeixena, Dlochrysa Motsch.

tristis Fabr. Ws. 441 *P.Alp.Cp.*
luctuosa Oliv. Suffr. 182 *Fennia*

haemoptera Panz. Fn. 44. 7
v. smaragdina Ws. 441
v. cuprina Ws. 441
v. auricollis Stierl. Societ. 87. 138 *M.R.*
v. tenebrosa Ws. 441 *[Alp.mar.*
rugulosa Suffr. Ws. 443 *Tr.Ban.*
tristis Baly Trans. 18. 3. 183. pars.
? nobilis Waltl Isis 1839. 226 *Passau*
intricata Germ. Ws. 444 *Sil.Cp.A.*
v. seminigra Ws. 444
v. amethystina Ws. l. c.
v. Anderschi Duft. Fn. 3. 166 *Alp.*
aurulenta Suffr. Mon. 179 *Tr.*
intricata Baly Trans. S. 1879. 182
cacaliae Duft. l. c. 165
alpestris Schumm. Ws. 446 *Sil.Cp.*
intricata var. Suffr. *Tr.Voges.*
v. punctatissima Suffr. Mon. 174 *Cp.*
v. rivularis Ws. 446
v. fontinalis Ws. 447
v. olivacea Ws. l. c.
v. moesta Ws. 447
v. bicolora Ws. 447
v. bannatica Ws. 447
v. polymorpha Kr. Monatsbl. 1880. 35
speciosa Suffr. pars. *Silesia[Thur.*
v. umbrosa Ws. 447
v. nigrina Suffr. Ws. D. 1891 *P.*
v. Putoni Ws. D. 1891 *P.*
gloriosa F. Suffr. Ws. 450 *Alp.*
phalerata Redtb. ed. 1. 549
pretiosa Redtb. ed. 3. 2. 474
speciosa Baly Trans. Soc. 79. 175
v. virgo Ws. 450
v. nubila Ws. 450
v. pretiosa Suffr. Mon. 167
speciosa Suffr. pars.
v. superba Oliv. Enc. 5. 705
v. venusta Suffr. Mon. 175. pars.
v. atramentaria Ws. D. 1891
nigrina Ws. 451
v. excellens Ws. 451 *Vales.M.Rosa*
superba Suffr. Mon. 168 *Alp.md.*
speciosa F. Panz. Fn. 23. 15
variabilis Ws. 455 *Alpes*
gloriosa Baly Trans. 1879. 178 *Balk.*
v. balcanica Ws. 455
pretiosa Ws. D. 1883. 245
liturata Scop. Ws. 457 *Cr.Carn.*
phalerata Germ. Faun. 16. 13
speciosa var. Baly l. c. 176
vittigera Suffr. Ws. 458 *Alp.*
?v. bifrons Duft. Fn. 3. 193
v. glacialis Ws. 459

bifrons F. Ws. 461 *Alp.*
monticola Duft. 167
v. Stussineri Ws. 461 *Carn.*
vittigera Baly l. c. 179
v. aerosa Ws. 461 *H.Digne.*
luctuosa Baly l. c.
v. aenescens Suffr. Mon. 161
v. decora Richter Ws. 462 *Sil.Cp.*
virescens Ws. D. 1883. 213
v. aurata Ws. 462
v. cyanescens Ws. 462
viridis Duft. Ws. 465 *Alp.*
nivalis Heer Suffr. Mon. 163
v. Heeri Suffr. 164
v. ignita Comoll. Col. Novocom. 49
splendens Suffr. 164
v. lugubris Ws. 465 *Voges*
v. mirifica Ws. 465 *Alp.or.*
v. Merkli Ws. 466 *Banat*
v. transsylvanica Ws. 466 *Tr.*

*

virgulata Germ. Ws. 468 *Mt.E.md.*
alcyonea Suffr. Mon. 156
v. serena Ws. 468
v. candens Ws. 468
v. praefica Ws. 468
v. Papei Ws. D. 1887. 364 *Ti.*
Ludovicae Muls. Ws. 470 *P.*
nigriceps Fairm. A. 1856. 545
melanocephala Duft. Ws. 471 *Alp.*
nigriceps Suffr. *GranSasso*
melanocephala Suffr. pars.
♂ Peirolerii Bassi A. 1834. 465
commutata Suffr. St. 1861. 435 *Cr.*
plagiata Suffr. Ws. 473 *Cp.Tr.*
melanocephala Fuss Siebb. 1852. 136
v. distinctissima Ulanowski Societ. 1886
v. dorsalis Ws. D. 1887. 186 [22
melancholica Heer Ws. 472 *H.*
?v. Peirolerii Suffr. Mon. 158
melanocephala Sffr. St. 1861. 433 pars.

splendidula Fairm. Ws. 475 *P.*
Fairmairiana Gozis (emend.)
v. Fairmairei Ws. 475
cacaliae Schrank Ws. 475 *Alp.*
gloriosa Germ. Ins. 595
v. coeruleolineata Duft. 3. 169
v. sumptuosa Redtb. ed. 1. 550
tristis Duft. Fn. 3. 165
v. tussilaginis Suffr. Mon. 155 *P.*
v. nubigena Ws. 476
v. macera Ws. 476
v. bohemica Ws. D. 1889. 127 *Bohem.*

v. senecionis Schumm. Ws. 476 *Siles.*
Gleissneri Suffr. Mon. 151 *Cp. Thur.*
v. cyanipennis Ws. 476
v. tristicula Ws. l. c.
v. fraudulenta Ws. l. c.
speciosissima Scop. Ws. 480 *Alp. P.*
gloriosa Duft. pars.
speciosa Germ. Ins. 596
v. Letzneri Ws. *Siles. Thuring.*
ignita Letzn. Arb. Schles. 1852. 1
v. viridescens Suffr. Mon. 143
v. Schummeli Ws. 480
tristis Oliv. Ent. 5. 550
v. violacea Letzn. l. c.
v. fuscoaenea Schumm. Ws. 480
v. nigrescens Letzn. l. c.
v. silesiaca Ws. 481 *Schneekoppe*
fusco-aenea Suffr. Mon. 141
v. juncorum Suffr. 144 *Tr.*
v. carpathica Kraatz B. 1859. 287 *Cp. Tr.*
v. convergens Suffr. 145 *P.*
v. pyrenaica Ws 481 *P.*
v. troglodytes Kiesw. B. 1861. 391 *H. Pe.*
elegans Aragona Col. 30. 27 *Alp. occ. m.*
Genei Suffr. Mon. 147
elongata Suff. Ws. 485 *Alp.*
aenea Suffr. Mon. 147
v. cyanea Suffr. 147
frigida Weise 487 *Alp. or. md.*
monticola Suffr. Mon. 149
v. rhaetica Ws. 487
v. Kiesenwetteri Ws. 487
v. cupreata Ws. D. 1887. 364

Phytodecta
Kirby.
Gonioctena Redtb.

viminalis L. Ws. 491 *Su. E. md.*
signata Scop. Ent. Carn. 74
fridrichsdalensis Müll. Fn. Frid. 8
oculata Gradl Katter E. N. 82. 329
collaris Gradl l. c.
v. Gradli Heyd. Katter E. N. 83. 53
fulva Gradl l. c.
munda Ws. 491
viminalis Panz. Fn. 78. 3
v. bicolor Kraatz Z. Breslau 79. 49
v. 10-punctata L. Kr. l. c. 48
nigripes Deg. Ins. 5. 296
basipunctata Gradl l. c.
4-maculata Heyd. l. c.
4-punctata Heyd. l. c.
v. Baaderi Panz. ♂ Fn. 24. 14
v. cincta Ws. 492
Baaderi Panz. — ♀ nigrescens Gradl
v. calcarata F. Ent. Syst. 1. 2. 18
haemorrhoidalis Scop. Carn. 72
nigerrima Gradl l. c.
rufipes Deg. Ws. 495 *E.*
fulvipes Duft. Faun. 3. 199
v. sexpunctata Fabr. Mant. 1. 70
flavicornis Suffr. Ws. 496 *G. Voges. Alp.*
v. Kaufmanni Mill. W. z. b. 80. 7 *G. Carn.*

*

Linnaeana Schrank Ws. 498 *E. md. b.*
triandrae Suffr. Mon. 216
tibialis Duft. pars. Fn. 3. 202
v. decostigma Duft. l. c. 203
decempunctata Schrank Enum. 75
v. orientalis Ws. 498
v. Kraatzi Westh. Käf. 273
v. nigricollis Westh. l. c.
v. Satanas Westh. ibid.
v. nigrolocana Czwal. D. 85. 256 *Boruss.*
affinis Schönh. Ws. 500 *L. Su.*
nivosa Suffr. Ws. 500 *Alp.*
affinis Gradl Katter E. N. 1882. 330
v. rufula Kraatz Z. Bresl. 1879. 54 *Ti.*
v. ruficollis Ws. D. 1891
v. bicolor Heyd. Katter E. N. 1883. 53
personata Ws. 501
v. stenomera Duf. Soc. Lin. Bord. 1851
apicalis Heyd. l. c.
Eppelsheimi Ws. 501
v. aethiops Heyd. l. c.
funesta Ws. 501

Spartophila Chevrol. Küst.
Goniomona Motsch.

variabilis Oliv. Ws. 503 *Hi.*
capreae Illig. Mag. 1. 413 *Lu. Ga. m.*
v. icterica Ws. D. 1891
v. 6-notata Fabr. Suppl. 86
v. spartii Oliv. Ent. 5. 569
v. aegrota Fabr. Suppl. 87
v. irrorata Ws. D. 1891
v. Koltzei Ws. l. c.
Weisei Reitt. D. 1886. 71 *Lu.*
fornicata Brüggm. Ws. 503 *G. A. E. m.*
6-punctata Panz. Fn. 26. 2
v. innotata Ws. 505
v. sexpunctata Küst. Käf. 13. 91
v. picea Ws. 505
olivacea Forst. Ws. 506 *E.*
v. flavicans Fabr. Mant. 1. 72
v. litura Fabr. Syst. Ent. 102
v. nigricans Ws. 507
5-punctata F. Ws. 508 *E. md.*

dispar Gyll. Ins. S. 3. 482. pars
sorbi Grimmer Steierm. Col. 47
v. unicolor Ws. 508
dispar Duft. Fn. 3. 204
v. flavicollis Duft. 206
v. sorbi Ws. 508
v. obscura Grimmer l. c. 48
pallida L. Ws. 510 *Mont. E.md.*
dispar Gyll. pars. *E.b.*
v. decipiens Ws. 510
v. borealis Oliv. Ent. 5. 591
v. nigripennis Ws. D. 1887. 364
v. frontalis Oliv. Ent. 5. 591

Machomena
Dubois.
Acanthodon Weise.

lineata Géné Ws. 504 *C.S.*

Phyllodecta
Kirby.
Phratora Redtb.

Chaetocera Weise.

vulgatissima L. Ws. 514 *E.*
coerulescens Küst. Käf. 14. 100
v. aestiva Ws. 515
v. obscura Ws. 515

Phyllodecta i. spec.

tibialis Suffr. Mon. 259 *E.md.*
viennensis Ws 517
v. coerulea Ws. 517
v. Cornelii Ws. 517
polaris Schneid. Troms. Mus. 86. 66 *Norv.*
vitellinae L. Ws. 518 *E.*
angusticollis Motsch. Schrenck 230 *R.*
v. brevicollis Motsch. l. c.
? funesta Fald. M. Mosc. 5. 363
v. nigrica Motsch. l. c. 230
v. major Stierl. Sch. M. 1863. 65 *Alp. E.m.*
Fairmairei Bris. A. 1866. 423 *Hi.b.*
laticollis Suffr. Ws. 520 *E.*
cavifrons Thoms. Sk. 8. 278
atrovirens Cornel. Ws. 522 *E.md.b.*

Hydrothassa
Thomson.
Eremosis Gozis.

aucta F. Ws. 525 *E.*
v. glabra Herbst Arch. 4. 60
egena Gyll. Ins. 4. 649
Umhangi Wnck. Catal. 133
v. hispanica Graëlls M. Madrid 51. 152
planiuscula Ws. D. 87. 188 *Hi.md.* [*Hi.*
Suffriani Küst. Ws. 526 *C.S.*
pumila Reiche A. 1862. 298
flavocincta Brull. Ws. 526 *T.Gr.*
marginella L. Ws. 527 *E.md.b.*
hannoverana F. Ws. 528 *E.md.b.*
ranunculi Herbst Arch. 4. 55
v. potentillae Herbst l. c. 55
v. calthae Ws. 528
v. germanica Ws. 528

Prasocuris
Latreille.
Helodes Payk.

phellandrii L. Ws. 531 *E.*
v. sii Ws. 532
v. cicutae Ws. 532
distincta Luc. Ws. 531 *E.m.*
v. suturella Reiche A. 1858. 38
v. marginicollis Suffr. Mon. 270
junci Brahm. Ws. 533 *E.*
beccabungae Illig. Suffr. 272
violacea F. Duft. Fn. 3. 237
v. atra Duft. l. c. 237
vicina Luc. Ws. 534 *Si.*
litigiosa Rosh. And. 323 *Lu.Hi.*
v. chalybea Suffr. Mon. 271
v. hispanica Ws. 534

Sclerophaedon
Weise.

carpathicus Ws. 537 *Cp.*
v. Kenderesyi Kiesw. D. 1879. 256 *Tr.*
carniolicus Germ. Ws. 536 *Mt.E.md.*
v. obscurus Ws. 536
v. transsylvanicus Fuss Siebb. 61. 169 *T.*
orbicularis Suffr. Mon. 243 *G.A.*

Phaedon
Latreille.
Emmetrus Motsch.

Sternoplatys Motsch.

segnis Ws. 540 *Alp.Cp.Tr.*
pyritosus Duft. Fn. 3. 211
hederae Kraatz D. 1876. 185
v. obscurus Ws. 540

Phaedon i. spec.

pyritosus Rossi Oliv. Ws. 541 *E.md.m.*
graminicola Drap. Duft. l. c. 214
orbicularis Redtb. Fn. ed. 3. 2. 482
laevigatus Duft. Ws. 543 *Mnt.E.md.*
sabulicola Suffr. Mon. 248
grammicus Redtb. ed. 1. 555

galeopsis Seidl. Fn. Balt. 486
v. violaceus Ws. 543
v. caucasicus Ws. 543 *Ca.*
grammicus Duft. Ws. 544 *A.R.m.*
cochleariae F. Ws. 545 *E.*
omissus Sahlb. Ins. F. 2. 203
galeopsis Letzn. Bericht 1848. 10
grammicus Redtb. Fn. ed. 3. 2. 483
erucae Panz. Fn. 21. 2 (Altica)
v. neglectus Sahlb. Kraatz D. 1876. 187
v. hederae Suffr. Mon. 253
v. obesus Ws. 546
grammicus Suffr. Mon. 254
tumidulus Germ. Ws. 545 *Br.Ga.P.*
armoraciae L. Ws. 547 *E.md.b.*
betulae Küst. Suffr. 250
cochleariae Panz. Gyll. Ins. 3. 479
parvulus Duft. Fn. 3. 213
v. salicinus Heer Suffr. 254 *Alp.P.*
v. concinnus Steph. Ws. 547 *Br.G.R.*

tatricus Mars. Ab. 24. 400 *Tatra*
Szmolayi Mars. l. c. 401 *Hu.*

Plagiodera
Redtenbacher.

versicolora Laich. Ws. 550 *E.*
armoraciae F. Suffr. 242
salicis Thoms Sk. 8. 271
v. clavicornis Steph. Man. 313

Melasoma
Stephens.
Lina Redtb.

Linaeidea Motsch.

aenea L. Ws. 554 *E.*
fuscicornis Fabr. Spec. Ins. 126
v. vitellinae Scop. Carn. 72
v. haemorrhoidalis L. Kr. D. 1882. 156
betulae Scop. 71
violacea Oliv. Enc. 5. 718
amethystina Gmel. ed. Linn. 1688
coeruleoviolacea Deg. Mém. 5. 316

*

(Microdera Steph.)

cuprea F. Ws. 555 *E.md.Su.*
ruficaudis Deg. l. c. 305
v. sarmatica Ws. Wiegm. Arch. 87. 187
lapponica L. Ws. 546 *E.b.Mt.E.md.[R.*
v. curvilinea Deg. l. c. 305
v. litura Mars. Ab. 24. 311
v. bulgharensis F. Gyll. Ins. 3. 466
coerulea Gradl Katter E.N. 1881.306
unicolor Mars. 311
20-punctata Scop. Ws. 558 *E.md.*
v. diluta Mars. Ab. 24. 308
incontaminata Heyd. Hor. 21 (Sep. 21)
v. pustulata Ws. 559
v. costella Mars. l. c. 308
collaris L. Ws. 560 *E.md.b.*
Escheri Heer Obs. ent. 31
v. geniculata Duft. Fn. 3. 185
v. thoracica Ws. 560
v. salicis F. Ent. Syst. 1. 319
v. daurica Motsch. Schrenck 224
alpina Zett. Ws. 560 *Norv.L.*

Melasoma i. spec.

populi L. Ws. 563 *E.*
tremulae F. Ws. 564 *E.*
longicollis Suffr. Mon. 199
saliceti Ws. 565 *E.*
tremulae Suffr. Mon. 198

Galerucini.

Galeruzae.

Agelastica
Redtenbacher.

alni L. Ws. 580 *E.*

Malacosoma
Chevrolat.

lusitanica L. Ws. 583 *Ti.E.m.*

*

collaris Humm. Ws. 583 *R.m.*
luteicollis Gebler Ledeb. 2. 219 *Ca.*
cyanoptera Kryn. B. M. 5. 166
lepida Küst. Käf. 16. 92
triumphans Fald. M. Mosc. 5. 335
v. flavipes Heyd. Leder 336 *Ca.*
thoracica Redtb. Ws. 583 *Syria.*
v. Gaudioni Reiche A. 1862. 545 *Gr.*

Aulacophora
Chevrolat.

Rhaphidopalpus Redtb.

abdominalis F. Ws. 574 *E.m.*
foveicollis Luc. Explor. Alg. 542
signata Kirsch Ws. 575 *Si.*

Phyllobrotica
Redtenbacher.

quadrimaculata L. Joann. Mon. 111 *E.*
4-punctata Ws. (err. typ.) 585

bimaculata F. Panz. Fn. 48. 16
v. munda Ws. 585

*

elegans Kraatz Ws. 587 *T.Ca.*
v. trimaculata Ball.Soc.Ent. 90.129 *Ca.*
adusta Creutz. Ws. 587 *A.Hu.R.*

Luperus
Geoffroy.
Joannis, Abeille 3. 1866.

Calomicrus Steph.

nigrofasciatus Goeze Ws. 600 *E.md.m.*
spartii Koch Ent. H. 2. 76
circumfusus Marsh. Joannis 118
brassicae Panz. Faun. 21. 18
suturalis Joann. 119 *Hi.md.m.*
fallax Joann. 123 *Andalus.*
sordidus Kiesw. Ws. 592 *Andalus.*
flavipennis Luc. Alg. 543 *Alg.*
flavus Rosh. And. 330 *Hi.md.m.*
foveolatus Rosh. Ws. 593 *Hi.m.*
pinicola Duft. Ws. 601 *E.md.Su.*
v. silvestris Ws. 601
gularis Gredl. Ws. 602 *Ti.Carn.*
Rottenbergi Ragusa B. Ital. 73. 234 *Si.*
cous Ws. D. 1889. 64 *Sporad.*

Luperus i. spec.

Kiesenwetteri Joann. 146 *R.m.*
nigripes Kiesw. Ws. 602 *Alp.*
v. geniculatus Joann. 151
lydius Ws. 594 *?Gr.*
orientalis Fald. B. Mosc. 5. 336 *Ca.*
oxypterus Fald. Ws. 595
♂ amoenus Fald. Joann. 148
Revelierei Perris Joann 137 *C.*
abdominalis Rosh. Joann. 138 *Hi.m.*
pygmaeus Joann. 140 *Ti.I.*
pyrenaeus Germ. Joann. 155 *P.*
sulphuripes Graëlls Ws. 596 *Hi.Lu.*
xanthopus Schrank Ws. 602 *E.md.*
? rufipes Scop. Ent. Carn. 73
pallipes Bach Käferf. 3. 135
armeniacus Kiesw. Ws. 597 *Ca.*
saxonicus Gmel. Ws. 604 *G.*
rufipes Fabr. Mant. 1. 89
xanthopus Kiesw. B. 1861. 393
rugifrons Ws. 595 *Cp.Tr.*
floralis Fald. Joann. 139 *Ca.*
longicornis Fabr. Ws. 605
? rufipes Scop. l. c.
betulinus Joann. 143
diniensis Bellier A'. 1870. 27
aetolicus Kiesw. B. 1861. 393 *D.Gr.*

graecus Ws. 598 *D.Gr.*
niger Goeze Ws. 606 *E.md.*
♂ rufipes Goeze Beitr. 1. 322
dispar Redtb. ed. 3. 2. 492
Maerkeli Motsch. B. M. 1850. 368
betulinus Fourcr. Ent. Par. 1. 90
carniolicus Kiesw. Ws. 607 *Carn.*
flavipes L. Ws. 608 *E.md.*
v. megalophthalmus Joann. 147
maculicornis Desbr. Ws. 598 *C.*
laevis Kiesw. B. 1873. 30
discolor Fald. Joann. 133 *Ca.*
cyanipennis Küst. Ws. D. 1889. 416 *D.Mnt.*
caucasicus Ws. 599 *Ca.*
v. mixtus Ws. 599
viridipennis Germ. Ws. 608 *Ga.I.*
coerulescens Duft. Fn. 3. 233 *A.G.*
laricis Motsch. A. Petr. 1859. 236
Garieli Aubé A. 1862. 74
v. varicollis Ws. 609
Biraghii Ragusa Ws. 599 *Si.*
aetnensis Rottb. B. 1871. 244

Arima
Chapuis.

marginata F. Spec. Ins. 328 *Ga.m.I.*
brevipennis Illig. Mag. 4. 168
v. cincta Ws. 574
v. brachyptera Küst. Käf. 1. 61 *I.m.*

Lochmaea
Weise.

capreae L. Ws. 611 *E*
polygonata Laich. Verz. Tyr. 193
v. scutellata Chevrol. Joann. 75 *Ga.Hi.*
v. luctuosa Ws. 611
v. pallidipennis Küst. Joann. 71 *T.Ca.*
suturalis Thoms. Ws. 613 *Su.E.md.*
capreae Gyll. Joann. 78
v. nigrita Ws. 614
crataegi Forst. Duft. Ws. 615 *E.*
sanguinea F. Joann. 76
♂ tibialis Duft. Fn. 3. 224 *A.*
femoralis Duft. 225
? pallida Joann. Mon. 77
♀ crataegi Duft. 223
v. ♂ binotata Duft. 222

Galerucella
Crotch.
Galeruca auct.

Pyrrhalta Joann.
Trirrhabda auct.

viburni Payk. Ws. 621 *E.md.b.*

Galerucella i. spec.
nymphaeae L. Ws. 622 E.
v. aquatica Fourcr. Ent. Par. 1. 103
sagittariae Joann. 92
sagittariae Gyll. Ws. 624 E.
? maculicornis Fald. M. Mosc. 5. 332
v. grisescens Joann. 98 Si.
lineola F. Ws. 626 E.
verna Laich. Verz. Tyr. 194
luteola Müll. Mél. Turin 3. 187 E.
xanthomelaena Schrank Ws. 627
calmariensis F. Gyll. Ins. 3. 508
crataegi Bach Joann. 84
calmariensis L. Ws. 629 E.
aquatica Müll. Prodr. 83
v. lythri Gyll. Ins. 3. 513
pusilla Duft. Ws. 631 E.
tenella Joann. Mon. 93
tenella L. Ws. 632 E.
minima Weidenb. Bericht 1859. 84

Diorhabda
Weise.
elongata Brull. Ws. 635 E.m.
v. sublineata Luc. Expl. Alg. 542
v. carinata Fald. M. Mosc. 5 329 R.m.
costalis Muls. Opusc. 1. 176
carinulata Desbr. Ab. 1870. 134
*
persica Fald. Ws. 636 Ca.
sareptana Strl. B. M. 63. 4. 501 R.m.
damascena Joann. Mon. 96
turcica Stierl. Sch. M. 2. 226
Fischeri Fald. Ws. 636 Ca.
v. subnigra Weise 636

Leptosonyx
Weise.
silphoides Dalm. Anal. ent. 77 R.m.

Galeruca
Geoffroy.
Adimonia Laicharting.
Joannis, Abeille 3. 1866.
monticola Kiesw. Joann. 45 P.
rugipennis Duf. Soc. Bord. 1851. 352
sicana Reiche Joann. 23 Si.
nebrodensis Rag. Sic. 1887. 216 Si.
tanaceti L. Ws. 646 E.
declivis Joann. 49 Serb.
Bonvouloiri Joann. 65 R.m.
cicatricosa Chevrol. Ab. 1872 N. 32 Hi.
v. gibbosa Reiche Joann. 44 E.m.
Macchoi Joannis 28 Gallaecia
Miegi Perez An. esp. 1874. 151 Hi.b.
Haagi Joann. 63 Hi.m.Lu.
hamaticollis Fairm. A. 1868. 500
v. tenebricosa Ws. 641
sardoa Géné Joann 19 Hi.S.
barbara Er. Joann. 22 Andalus.
angusta Küst. Joann. 50 Hi.Si.
interrupta Oliv. Ws. 648 E.
armeniaca Ws. 643 Armen.
lobata Joann. 46 T.
circumdata Duft. Ws. 650 A.
florentina Redtb. ed. 1. 522 I.R.
? circumcincta Mannh. Joann. 60 F.
v. oelandica Boh. Joann. 51 Su.
hungarica Friv. Adatok 1876. 340
v. jucunda Fald. Joann. 55 Ca.
v. sicelidis Ws. 650 I.m.Si.
corsica Joann. 43 C.
v. aterrima Ws. 644
artemisiae Rosh. Joann. 25 Hi.Creta
Reichei Joann. 40 Si.
littoralis F. Mant. 1. 74 I.
luctuosa Joann. 30 Ga.Hi.b.
abbreviata Joann. 66 Pe.
obscura Joann. 31 Gr.D.
rugosa Joann. 37 Cro.
Javeti Joann. 64 ?
brevis Joann. 68 Ill.
Pomonae Scop. Ws. 652 E.
rustica Schall. Joann. 33
dispar Joann. 34 Ga.
rufescens Joann. 34 Ga.m.
? Aubei Joann. 70 Ga.m.
v. alpestris Ws. 652 Alp.
? v. Gredleri Joann. 41 Ti.
v. anthracina Ws. 653 P.H.A.
rustica Thoms. Sk. 8. 148 Su.
littoralis Joann. 26 I.
v. cretica Ws. D. 1889. 65 Creta
circassica Reitt. W. 1889. 104 Ca.
erratica Joann. 69 P.
fuliginosa Joann. 48 Gr.T.
orientalis Osculat. Joann. 21 Armen.
v. Pelleti Joann. 28 T.
spectabilis Fald. Joann. 24 R.m.Ca.
laticollis Sahlb. Ws. 655 E.md.
fontinalis Boh. Thoms. Sk. 8. 146 Su.
flava Küst. Käf. 28. 86
v. Villae Comolli Joann. 62 I.
Dahli Joann. 36 E.md.

Emarhopa Weise.
rufa Germ. Ws. 657 A.Hu.G.Tr.
reticulata Küst. Käf. 1. 65 R.m.

Haptoscelis Weise.

melanocephala Ponza Ws. 658 *Ga.*
aptera Bon. Joann. 73 *G.I.Hu.T.*
haematidea Germ. Ins. 603 *A.*

Sermyla
Chapuis.

halensis L. Ws. 661 *E.md.*
nigricornis F. Syst. Ent. 119
v. cuprina Ws. 662

Euluperus
Weise.

xanthopus Duft. Ws. 663 *A.Hu.*
violaceus Harold Col. H. 15 *R.m.Ca.*
rufipes Ratzeb. Forstins. 245
Chevrolati Joann. 128 *Ca.*
fossulatus Joann. 131 *Cri.*
v. virescens Ws. 665 *Ca.*
v. fuscipes Ws. 665 *Ca.*
cyaneus Joann. 129. Ws. 665 *D.*
costalis Joann
v. major Ws. 665 *T.*

Monolepta
Erichson.

erythrocephala Oliv. Ws. 576 *Ga.m.*
terrestris Rosh. And. 381 *Hi.*
verticalis Reitt. D. 1886 72 *Lu.*
dubia Motsch. B. M. 1838. 2. 179 *R.m.*

Halticae.

Foudras, Mon. Altisides 1859—60.
Allard, Mon. Ab. 3. 1860.
Kutschera Mon. W. Monat. 1859—61

Podagrica
Foudras.

fuscipes L. Ws. 681 *E.*
v. metallescens Ws. 682
v. Foudrasi Ws. 682
malvae Illig. Ws. 683 *E.md.m.*
v. aenescens Ws. 683
saracena Reiche Ws. 684 *Ca.*
semirufa Küst. Ws. 684 *Ga.m.*
italica All. A. 1860. 542 *I.C.*
intermedia Kutsch. Ws. 684 *E.m.*
v. rufa All. W. 1884. 248
chrysomelina Waltl Ws. 686 *Hi.m.Si.*
fuscicornis L. Ws. 685 *E.*
rufipes Payk. Faun. Su. 2. 97
v. meridionalis Ws. 685
Menetriesi Fald. Ws. 686 *Ca.*
discedens Boield. Ws. 686 *E.m.*
rudicollis Foudr. Mon. 341

Derocrepis
Weise.

rufipes L. W. 688 *E.*
ruficornis F. Ent. Syst. 1. 2. 32
v. obscura Ws. 688
sodalis Kutsch. Ws. 689 *G.Ti.I.*
serbica Kutsch. Ws. 690 *Serb.*
strangulata All. Mon. 188 *T.*
v. bicolor Ws. 690
v. caucasica Ws. l. c. *Ca.*

Aeschrocnemis
Weise.

graeca All. Ws. 855 *Gr.*

Crepidodera
Chevrolat.

Peirolerii Kutsch. Ws. 693 *Alp.*
v. superba Ws. 693
v. moesta Ws. 663
femorata Gyll. Ws. 694 *Mont.E.md.*
femoralis Duft. Fn. 3. 271 *Su.*
v. aeneipennis Ws. 694
melanopus Kutsch. Ws. 695 *H.Ti.P.*
infuscipes Foudr. 326 *Auvergne*
transsylvanica Fuss. Ws. 694 *Tr.*
frigida Ws. 696 *Alp md.*
corpulenta Kutsch. Ws. 697 *Tr.I.b.*
rhaetica Kutsch. Ws. 697 *Alp.occ.md.*
norica Ws. D. 1890. 30 *Cr.Carn.*
melanostoma Redtb. Ws. 698 *Alp.*

*

cyanescens Duft. Ws. 698 *Alp.*
cyanipennis Kutsch. Ws. 700 *Alp.*

*

transversa Marsh. Ws. 700 *E.md.m.*
impressa Duft. Fn. 3. 270
exoleta Panz. Fn. 21. 14
ferruginea Steph. Man. 294
impressa F. Ws. 702 *GörzE.m.*
rufa Küst. Käf. 15. 91
marginicollis Küst. 15. 92
peregrina Harold Ws. 703 *Hi.I.*
laevigata Foudr. Mon. 331
ferruginea Scop. Ws. 703 *E.*
exoleta F. Gyll. Ins. 3. 551
flava L. Faun. Suec. 1. 535
crassicornis Fald. All. Mon. 486 *Ca.*

Arrhenocoela
Foudras.

lineata Rossi Ws. 676 *Ga.Hi.I.*

Ochrosis
Foudras.

ventralis Illig. Ws. 706 *E.m.*
abdominalis Küst. Käf. 15. 93
v. nigriventris Bach St. 1856. 245
Krüperi Ws. 706 *Cr.*
rubicunda Perris Ws. 707 *C.*
corsica All. Mon. 184
pisana All. Ws. 707 *I.*
salicariae Payk. Ws. 707 *E.md.*
striatella Illig. Mag. 6. 159 *I.*
v. picicollis Ws. 707

Epitrix
Foudras.

pubescens Koch Ws. 710 *E.*
v. ferruginea Ws. 710
atropae Foudr. Ws. 711 *E.md.*
v. nigritula Ws. 711
v. 4-maculata Ws. 711
intermedia Foudr. Ws. 712 *Ca.*
? atropae Kutsch. Mon. 116

Chalcoides
Foudras.
Foudrasia Gozis.

nitidula L. Ws. 715 *Su.E.md.*
metallica Duft. Ws. 716 *Sil.Alp.*
v. sapphirina Ws. 716 *Thuring.*
v. aeruginosa Ws. 716
v. cuprea Ws. 716
splendens Ws. 718 *E.md.Ca.*
helxines Foudr. Mon. 316
v. laeta Ws. 718
v. gaudens Steph. Man. 295
cyanea Ws. 717
helxines L. Ws. 719 *E.*
smaragdina Foudr. Mon. 319
v. picicornis Ws. 719
v. fulvicornis F. Ent. Syst. 1. 2. 30
v. cyanea Marsh. Ent. 196
v. jucunda Ws. 719
aureola Foudr. Ws. 720 *Ga.m.*
aurata Marsh. Ws. 720 *E.*
versicolor Kutsch. Mon. 77
helxines Ratzeb. Forstins. ed. 2. 243
v. pulchella Steph. Man. 295
v. nigricoxis All. Leder 340 *Ca.*
chloris Foudr. Ws. 722 *Su.Ga.G.*
v. Foudrasi Ws. 722

Hippuriphila
Foudras.

Modeeri L. Ws. 724 *E.*
v. bimaculata Ws. 725
v. chalybaea Ws. 725
nigritula Gyll. Ws. 726 *Su.Ga.G.*
ovulum Duft. Fn. 3. 274 *A.*
simplicipes Kutsch. Ws. D. 1888. 110 *St.*

Orestia
Germar.
Reitter, Wien z. b. 1879.

Pyladia Weise.

punctipennis Luc. Alg. 545 *C.Hi.Lu.*
sierrana Heyd. D. 82. 48 *Hi.m.*

Orestia i. spec.

Kraatzi All. Mon. 203 *D.*
puncticollis Reitt. 55 *Tr.*
Hampei Mill. Ws. 733 *Cr.St.Cro.*
alpina Germ. Ws. 735 *St.Carn.*
Merkli Ws. 732 *T.*
caucasica Reitt. 487 *Ca.*
carniolica Ws. 732 *Carn.*
Aubei All. Ws. 736 *Carn.Hu.m.*
andalusiaca All. Ab. 5. 476 *Hi.*
arcuata Mill. W. z. b. 68. 32 *Cp.*
carpathica Reitt. 55 *Cp.*
Paveli Friv. *Hu.m.*
Pandellei Allard Mon. 205 *P.*
Electra Gredler Ws. 737 *Hi. Ti.*
apennina Ws. 733 *I.b.*

Hypnophila
Foudras.
Minota Kutsch.

obesa Waltl Ws. 739 *Mnt.E.md.*
caricis Märkel St. 1847. 86
impuncticollis All. Ws. 741 *P.*

Mantura
Stephens.
Balanomorpha Foudr.
Cardiapus Curtis.

cylindrica Mill. Ws. 743 *D.E.m.*
Matthewsi Curt. All. Mon. 289 *Br.*
aeraria Foudr. 275 *Ga.G.*
v. bicolor Ws. 743
v. aeraria Kutsch. 176
lutea All. 290 *Ga.Hi.Si.*
obtusata Gyll. Ws. 744 *Su.E.md.*
ambigua Kutsch. Ws. 744 *Ga.G.*
chrysanthemi Koch Ws. 745 *E.*
v. Crotchi All. 501
rustica L. Ws. 746 *E.*
semiaenea F. Gyll. Ins. 3. 577
v. suturalis Ws. 746

Chaetocnema
Stephens.
Plectroscelis Redtb.

Exorhina Weise.

major Duv. All. Mon. 275 *E.m.*
chlorophana Duft. Ws. 755 *Ga.G.*
dentipes Oliv. Ent. 6. 711 *E.m.*
v. laeta Ws. 756
v. amoena Ws. 756
v. Kolbei Ws. 756
Coyei All. Mon. 276 *Gr.T.R.m.*
Scheffleri Kutsch. Ws. 757 *A.T.*
laevicollis Thoms. Sk. 8. 229 *Su.*
semicoerulea Koch Ws. 757 *E.md.*
v. femoralis Ws. 758 *E.m.*
v. saliceti Ws. 758
concinna Marsh. Ws. 759 *E.*
dentipes Koch Foudr. 101
longula Ws. W. 1890. 111 *Ca.*
tibialis Illig. Ws. 760 *Ga.A.E.m.*
breviuscula Fald. Mém. M. 5. 349 *Ca.*

*

conducta Motsch. Ws. 761 *Ga.Hi.A.R.*
Foudrasi Bauduer
orientalis Bauduer A. 1874. 162 *Hu.Gr.*
depressa Boield. Ws. 763 *Ga.md.m.*
chrysicollis Foudr. Mon. 105 *Alp.*
nebulosa Ws. 753 *E.m.*

Chaetocnema i. spec.

procerula Rosh. Ws. 764 *Ga.G.*
compressa Foudr. 109 *A.Hi.*
v. aenescens Ws. 764
compressa Letzn. Ws. 765 *G.*
tarda Foudr. 112 *Ga.A.Gr.R.m.*
angustula Rosh. Ws. 766 *Alp.P.*
balanomorpha Boield. A. 1859. 481
v. alpicola Ws. 767 *Bad.I.*

rhombea Ws. 768 *G.*

*

meridionalis Foudr. Ws. 769 *Ga.A.*
obesa Boield. A. 1859. 480 *Hu.*
v. unicolor Ws. 768
insolita Rey Opusc. 1875. 18
confusa Boh. Ws. 770 *E.md.Su.*
Mannerheimi Gyll. Ws. 771 *E.md.*
v. fallax Ws. 771
arenacea All. Mon. 282 *Ga.Hi.*
subcoerulea Kutsch. Ws. 773 *A.G.*
punctulata Rey Opusc. 16. 18 *Ga.Br.*
aridula Gyll. Ws. 774 *E.*
arida Foudr. Ws. 775 *E.md.*
v. aestiva Ws. 775

Sahlbergi Gyll. Ws. 776 *E.md.b.*
insolita Foudr. Mon. 118
Fairmairei Boield.
v. cyanescens Ws. 777
Sahlbergi Foudr. 118
hortensis Fourcr. Ws. 778 *E.*
aridella Payk. Illig. Mag. 6. 162
scabricollis All. Mon. 283 *Ga.m.*
aerosa Letzn. Ws. 779 *E.md.[Hi.I.*
punctatissima Graëlls M. Map 53. 96

Psylliodes
Latreille.

Semicnema Weise.

Reitteri Ws. 792 *A.*

Macrocnema Weise.

cucullata Illig. Ws. 793 *E.*
angustata Waltl Isis 1835. 82
spergulae Gyll. Ins. 3. 571
Heydeni Ws. 785 *Lu.*
petasata Foudr. Mon. 64 *P.*
minima All. A. 1860. 824

Psylliodes i. spec.

Kiesenwetteri Kutsch. Ws. 794 *Cr.Istr.*
petasata Kutsch. 423 *D.*
inflata Reiche Ws. 795 *Ti.E.m.*
?callinota Fald. M. Mosc. 5. 348 *Ca.*
gibbosa All. Ws. 796 *Ti.Carn.E.m.*
sicula Strl. Sch. M. 1866. 228 *Si.*
ventricosa Rottb. B. 1871. 246
Gougeleti All. Mon. 485 *Astur.Lu.*
Frivaldszkyi Ws. 786 *Cp.Tr.*
glabra Duft. Ws. 797 *Alp.*
alpina Redtb. Foudr. 51
subaenea Kutsch. Ws. 798 *A.Tr.*
valida Ws. W. 1889. 2 *Ca.*

*

latifrons Ws. 799 *Alp.*
picipes Foudr. 49 *I.*
rufilabris All. 465
attenuata Koch. Ws. 801 *E.md.m.*
v. picicornis Steph. Man. 301
vicina Redtb. ed. 3. 2. 513
cupreata Duft. Ws. 802 *E.md.*
coerulea Ws. 789 *Hi.m.*
chrysocephala L. Ws. 802 *E.*
v. Allardi Bach. Käferf. 3. 355
rufilabris All. A. 1860. 806
v. erythrocephala L. ed. 10. 373
(v.) sordida Steph. Man. 300
v. catinensis Rottb. B. 1871. 245 *Si.*
v. collaris Ws. 803

cyanoptera Foudr Mon 47
v. anglica F. Syst. Ent 114 *E.md.*
nigricollis Marsh. Foudr. 73
v. nucea Illig. Mag. 6. 175 *E.m.*
laevicollis Duf. Soc. Bord. 51. 354
Kunzei Foudr. Mon. 75
cyanoptera Illig. Ws. 806 *E.*
elongata Gyll. pars. Ins. 3. 570
v. tricolor Ws. 806
laticollis Kutsch. 388 (358) *Si.Hi.m.*
napi Fabr. Ws. 807 *E.*
rapae Illig. Mag. 6. 174
ecalcarata Redtb. ed. 1. 537
v. flavicornis Ws. 807 *Sil.*
v. asturiensis Ws. 807 *Astur.*
picipes Redtb. Ws. 809 *A.*
Milleri Kutsch. 390 (360) *Gr.*
laevata Foudr. All. 447 *Ga.*
thlaspis Foudr. Ws. 810 *Ga.A.*
fusiformis Redtb. ed. 1. 538
obscura Duft. Ws. 811 *A.E.m.*
herbacea Foudr. Mon. 23
cupronitens All. A. 1860. 815
cuprea Koch Ws. 812 *E.md.m.*
Foudrasi Bach Käferf. 3. 355
fusiformis Illig. Ws. 813 *Ga.G.A.*
luteipes Küst. Käf. 17. 96 *E.m.*
luridipennis Kutsch. Ws. 814 *Br.Ga.occ.*
pyritosa Kutsch. Ws. 814 *G.A.I.Gr.*
persica All. 457 *Ca.*
instabilis Foudr. Ws 815 *E.md.*
aerea Foudr. Ws. 815 *Ga.A.*
lauticollis All. 468 *Ga.Si.*
affinis Payk. Ws. 816 *E.*
exoleta Illig. Mag. 6. 78
atricilla Panz. Fn. 21. 8
circumdata Redtb. Ws. 817 *Ga.I.A.*
v. integra Ws. 817
Lethierryi All. Mon. 463 *Alg.*
sicana Rey Ws. 818 *Si.*
marcida Illig. Ws. 818 *E.mar.*
operosa Foudr. Mon. 76
pallidipennis Rosh. All. 469 *Hi.*
marcida Foudr. M. 72 *Ga.*
dulcamarae Koch Ws. 819 *E.*
hyoscyami L. Ws. 821 *E.md.*
v. cupronitens Först. Rheinl. 1849. 27
v. coerulescens Ws. 821
v. chalcomera Illig. Mag. 6. 75
brunnipes Duft. Fn. 3. 280
v. cardui Ws. 821
puncticollis Rosh. All. 477 *Hi.*
crassicollis Fairm. A. 1857. 641 *I.*
dilatata Foudr. 67 *Ga.*
algirica All. 477 *Si.*
luteola Müller Ws. 823 *E.md.m.*
propinqua Redtb. ed. 1. 536
nana Duft. Fn. 3 285
pallida Steph. Man. 301
obscuroaenea Rosenh. And. 342 *Hi.*
cretica Ws. 791 *Creta*
picina Marsh. Ws. 824 *E.md.*
picea Redtb. Foudr. 65
rufilabris Koch. Ent. H. 2. 33
v. melanophthalma Duft. Fn. 3. 284
rufopicea Letzn. Schles. Ges. 1848. 83
laevifrons Kutsch. 414 (384) *Hi.I.*

Oedionychis
Latreille.

cretica Jacoby St. 1886. 216 *Creta.*

Lithonoma
Rosenhauer.

cincta F. All. Mon. 175 *Ga.m.Hi.*
marginella F. Syst. El. 1. 436 *Lu.*
v. lusitanica Ws. 677
v. dorsalis Ws. l. c.
limbata F. Suppl. 96 *Hi.*
andalusica Rosh. And. 333
africana Clark Mon. 272
v. abbreviata Ws. D. 1891
andalusica All 176
Favieri Fairm. Ws. 677 *Hi.m.*
cyanea Tourn. Pt. nouv. 1875. 475

Haltica
Geoffroy.
Graptodera Chevr.

quercetorum Foudr. Ws. 832 *E.md.*
erucae Oliv. All. Mon. 211
v. brevicollis Foudr. 296
coryli All. A. 1860. 77
oleracea Ratzb Forstins. 242
ampelophaga Leesb. Tijdschr. 25. 148
v. azurescens Ws. 833
bicarinata Kutsch. Ws. 834 *Armen.*
saliceti Ws. 835 *G.A.*
ampelophaga Guér. Ws. 836 *Ga.Ti.*
consobrina Foudr. *E.m.*
v. hispana Allard Ab. 5. 477 *Hi.*
ericeti Allard Ws. 837 *Hi.Ga.Gr.*
longicollis Allard Mon. 217 *P.or.*
lythri Aub. Ws. 837 *E.md.*
erucae Duft. Faun. 3. 251
indigacea Steph. Man. 295
v. aenescens Ws. 837
tamaricis Schrank Ws. 839 *Su.G.R.*
hippophaës Aub. Foudr. 290 *Ga.I.*

consobrina Duft. Kutsch. 11 (60)
erucae F. Ent. Syst. 1. 2. 28
articulata Beck Beitr. 17
globicollis Ws. Hor. 1889. 635 *Armen.*
viridula Ws. ibid. 636 *Batum*
carinthiaca Ws. 840 *Cr.*
fruticola Ws. 842 *G.A.H.E.m.*
carduorum Guér. Ws. 843 *Alp.E.m.*
palustris Ws. 844 *G.*
oleracea L. Ws. 845 *E.*
pusilla All. 219
potentillae All. A'. 1859. 166
? basalis All. A'. 1859. 168
? sicula All. ibid. 167
v. nobilis Ws. 845
? splendens Rey Opusc. 1875. 40
v. lugubris Ws. 845
Hampei All. Mon. 499 *Crimea*
pusilla Duft. Ws. 847 *Mut.E.md.*
cognata Kutsch. Mon. 17 (66)
helianthemi All. Mon. 217
v. montana Foudr. Mon. 295

Hermaeophaga
Foudras.
Linozosta All.

mercurialis F. Ws. 851 *Su.E.md.*
cicatrix Illig. ibid. *Ga.Lu.Hi.*

Orthocrepis Weise.

ruficollis All. Ws. 850 *Hi.Si.*

Batophila
Foudras.

rubi Payk. Ws. 853 *E.md.b.*
aerata Marsh. ibid. 854 *Br.Alp.*
Bertolinii Gredl. Käf. Tir. 438 *E.m.*
v. fallax Ws. 854 *Ca.*
pyrenaea All. Ws. 855 *P.*

Phyllotreta
Foudras.

armoraciae Koch Ws. 865 *E.md.*
nemorum F. Spec. Ins. 1. 136
v. vittata Steph. Man. 292
sisymbrii Ws. 860 *Ca.*
exclamationis Thunb. Ws. 866 *E.*
brassicae Illig. Mag. 6. 149
4-pustulata Payk. Fn. Suec. 2. 99
v. vibex Ws. 866
ochripes Curt. Ws. 867 *E.*
excisa Redtb. ed. 3. 2. 499
v. caucasica Har. Col. H. 16. 231 *E.m.*
v. cruciata Ws. 867
?horticola Richt. Ws. 868 *G.*

flavoguttata Kutsch. Ws. 862 *Gr.*
tetrastigma Com. Ws. 869 *E.*
flexuosa Duft. Fn. 3. 263
v. dilatata Thoms. Sk. 8. 192
flexuosa Illig. Ws. 870 *E.md.m.*
fallax All. A. 1860. 834
tetrastigma Thoms. Sk. 8. 191
v. fenestrata Ws. 870
sinuata Steph. Ws. 871 *E.*
v. monticola Ws. 871 *Cr.Carn.*
v. discedens Ws. 871
variipennis Boield. Ws. 872 *E.m.*
varians Foudr. Mon. 248 *Els.Ti.*
v. guttata Ws. 872
ruficollis Ws. 859 *Ca.*
rugifrons Küst. Ws. l. c. *S.Si.*
bimaculata All. A'. 1859. 100 *Ga.Hi.*
biguttata Foudr. 251
parallela Boield. All. Mon. 255 *Ga.m.*
humeralis Foudr. 235 *Hi.*
lativittata Kutsch. All. 258 *Gr.Hi.*
undulata Kutsch. Ws. 874 *E.*
flexuosa Foudr. Mon. 238
v. bilineata Ws. 874
vilis Ws. 861 *T.Gr.I.*
Seidlitzi Ws. 861 *T.I.*
vittula Redtb. Ws. 873 *E.*
nemorum L. Ws. 875 *E.*
rivularis Motsch. B.M. 1849. 3. 147 *R.m.*

*

atra F. Ws. 876 *E.*
aterrima Schrank Fn. boic. 561
melaena Illig. Mag. 6. 60
punctulata Marsh. Ent. 200
cruciferae Goeze Ws. 878 *E.*
obscurella Illig. Mag. 6. 154
poecilocera Comoll. All. 253
colorea Foudr. 258
punctipennis Weidb. Bericht 1859. 85
aerea All. Ws. 878 *A.E.m.*
punctulata Foudr. 252
crassicornis All. Ws. 879 *G.A.Ga.I.R.m.*
diademata Foudr. Ws. 880 *E.md.m.*
consobrina Curt. Ws. 881 *E occ.*
melaena Foudr. 259
Foudrasi Bris. A'. 1873. 65 *Ga.m.*
dentifera Guilleb. Echange 1885 N. 7
denticornis Ws. W. 90. 112 *R.m.*
fucata Ws. ibid. *R.m.Arm.*
nitidicollis Ws. 863 *I.m.Si.*
corrugata Reiche All. 252 *Ga.E.m.*
nodicornis Marsh. Ws. 883 *E.md.m.*
antennata Hofm. Ent. H. 2. 67
procera Redtb. Ws. 884 *E.md.m.*

nigripes F. Ws. 882 *E.*
lepidii Koch, Ent. II. 2. 64

Aphthona
Chevrolat.

cyparissiae Koch Ws. 897 *E.md.m.*
nigriventris All. Mon. 224
nigriscutis Foudr. 375
laevigata F. All. 226 *E.m.*
abdominalis Duft. Ws. 898 *Alp.*
albinea Thoms. Sk. 8. 182 *Ga.G.A.I.*
flaviceps All. Ws. 899 *Ga.A.*
straminea Foudr. 363 *E.m.*
variolosa Foudr. Ws. 900 *Ga.m.*
pallida Boield. A. 1859. 478
pallida Bach Ws. l. c. *Gr.G.A.*
placida Kutsch. 472 (442)
v. geranii Ws. D. 1891
suturella Ws. 890 *Ca.*
nigriceps Redtb. Ws. 902 *A.E.m.*
sicula Foudr. 365
decorata Kutsch. Mon. 240 *Cret.*
lutescens Gyll. Ws. 903 *E.*

*

pseudacori Marsh. Ws. 904 *E.m.i.*
violacea Koch Ent. II. 2. 56
sublaevis Bohem. Vet. Ak. 1831. 233
v. discolor Ws. D. 1889. 112
venustula Kutsch. Ws. 906 *E.md.*
euphorbiae All. Mon. 236
cyanella Foudr. 370
? punctiventris Rey Op. 16. 46 *Ga.m.*
picipes Ws. 894 *Ca.*
armeniaca Ws. W. 1889. 260 *Arm.*
attica Ws. W. 1890. 113 *Gr.*
melancholica Ws. 893 *Astur.Lu.*
pygmaea Kutsch. Ws. 907 *E.*
atrocoerulea Thoms. Sk. 8. 202
v. nigella Kutsch. 247 (159) *E.m.*
euphorbiae Foudr. 371
? orientalis Rey 49
cyanella Redtb. Ws. 909 *E.md.m.*
atrocoerulea All. 237
Erichsoni Zett. Ws. 910 *G.E.b.*
curvifrons Bach Käferf. 3. 144
sicelidis Ws. 892 *Si.*
Czwalinae Ws. 911 *G.b.R.*
v. coerulescens Ws. D. 1889. 420 *R.*
punctatissima Ws. 893 *I.b.*
coerulea Fourcr. Ws. 912 *E.*
nonstriata Harold Cat. 3512
v. aenescens Ws. 912
hyoscyami Panz. Fn. 21. 4
v. asthmatica Ws. 912 *Car.Görz*

Heydeni All. Heyd. Span. 172 *Ronda*
metallica Ws. D. 1889. 415 *G.occ.*
carbonaria Rosenh. Ws. 894 *Andalus.*
euphorbiae Schrank Ws. 913 *E.*
hilaris All. Mon. 242
virescens Foudr. 375
v. cyanescens Ws. 914
v. subaptera Rey Op. 1875. 52 *Ga.m.I.*
aeneomicans All. Ab. 12. 439 *Ga.alp.*
delicatula Foudr. 373 *Lyon*

*

semicyanea All. 229 *Ga.m.Carn.D.R.*
Reitteri All. Ws. 895 *Ca.*
Albertinae All. 230 *Hi.b.*
Allardi Bris. A. 1866. 424
ovata Foudr. Ws. 916 *Alp.*
euphorbiae Redtb. ed. 3. 2. 501
Stussineri Ws. 918 *Carn.*
Perrisi All. Ab. 5. 477 *C.*
puncticollis All. 240 *Pyr.*
hispana All. Ws. 895 *Hi.*
brunnipes All. Nouv. I. 50 *Hi.*
aenea All. Ws. 895 *Landes*
atrovirens Först. Ws. 918 *Mont.E.md.*
tantilla Foudr. 374 *Ga.*
subimpressa Rey Opusc. 1875. 51 *Ga.m.*
atratula All. 235 *Ga.md.m.*
punctigera Rey 48
herbigrada Curt. Ws. 919 *Mont.E.md.*
campanulae Redtb. ed. 3. 2. 502
v. laevicollis Rey 53
v. dimidiata Rey 53
? fossulata All. A'. 1859. 101 *Ga.m.*
v. gibbula Ws. D. 1891
sardoa Allard Ws. 895 *S.*
lacertosa Rosenh. Ws. 921 *Hi.F.*
divaricata Redtb. ed. 1. 531 *A.*

gracilis Fald. All. 490 *Ca.*

Longitarsus
Latreille.

Thyamis Steph.
Teinodactyla Chevr.

pubescens Ws. W. 1890. 114 *Ca.*
Lederi Ws. W. 1889. 3 *Ca.*

*

echii Koch Ws. 927 *E.md.m.*
v. tibialis Duft. Fn. 3. 258
v. coerulescens Ws. 928
v. nigrescens Ws. 928
v. peregrinus Ws. 928 *P.*
v. dimidiatus All. Mon. 329

Linnaei Duft. Ws. 929 *Ga.I.*
v. amoenus Ws. ibid. *A.R.m.*
v. fallax Ws. ibid. *I.Hu.*
v. scrutator Ws. W. 1890. 115 *Arax.*
fusco-aeneus Redtb. Ws. 931 *A.Serb.*
aeneus Kutsch. Ws. 932 *A.E.m.*
v. cuprinus Kutsch. 108 (188) *E.m.*
fusco-aeneus Foudr. 132
? involucer Ws. 932
corynthius Reiche A. 1858. 47 *E.m.*
metallescens Foudr. 133 *Ga.m.*
mediterraneus All. 332
anchusae Payk. Ws. 933 *E.*
ater Laich. Verz. Tir. 202
? pulex Schrank Enum. 85
v. punctatissimus Foudr. 138 *H.A.Hu.*
Bonnairei All. Mon. 344 *C.[Cro.*
pinguis Ws. 935 *H.Ti.Serb.*
? ater Illig. *Gr.?G.*
truncatellus Ws. W. 1890. 115 *Gr.*
brachypterus Ws. l. c. 116 *Arax.*
absinthii Kutsch. Ws. 936 *Mont.E.md.*
niger Bach Käferf. 3. 149
? absinthii Thoms. Sk. 8. 168 *Su.*
obliteratus Rosh. Ws. 938 *E.md.m.*
consociatus Först. V. Rheinl. 6. 38
pulex Foudr. 139
v. meridionalis Ws. 938 *Hi.Ca.*
niger Koch Ws. 940 *Mont.E.md.m.*
elongatus Bach Käferf. 3. 147 *Su.*
rectilineatus Foudr. Ws. 941 *Alp.Hu.*
parvulus Payk. Ws. 942 *E.*
pumilus Illig. Mag. 6. 170
ater Leesb. Tijdschr. 25. 162
v. concinnus Ws. 942 *Carn.Bosn.*
nigerrimus Gyllh. Ws. 943 *E.b.Br.Ga.G.*
holsaticus L. Ws. 944 *E.md.b.*
v. pulicarius L. Gyll. Ins. 3. 534
v. discoideus Ws. 945 *R.m.*
quadriguttatus Pontopp. Ws. 946 *E.*
4-pustulatus F. Syst. Ent. 114
4-maculatus Koch Ent. H. 2. 128
cynoglossi Marsh. Ent. 205
v. binotatus Ws. 947
v. immaculatus Ws. 947
v. vittatus Ws. 947
apicalis Beck Ws. 948 *E.md.b.*
analis Duft. Fn. 3. 264 *R.m.*
v. 4-maculatus Ws. 948
brunneus Duft. Ws. 950 *E.*
castaneus Foudr. 150
v. picinus Ws. 950
v. laevicollis Ws. 950 *P.*
v. robustus Ws. 950 *Ga.*

? submaculatus Kutsch. 154 (205) *F.*
fulgens Foudr. Ws. 952 *E.md.*
v. exhaustus Ws. 952
v. tristis Ws. 952 *R.m.*
rubellus Foudr. Mon. 156 *Alpes*
gravidulus Kutsch. All. Ws. 954
brunneus All. pars. A. 1860. 129
languidus Kutsch. D. 1890. 24 *A.*
rubellus All. Ws. 955
luridus Scop. Ws. 956 *E.*
brunneus Redtb. ed. 3. 2. 505
castaneus Duft. Fn. 3. 260
pratensis Koch Ent. H. 2. 88
? fusculus Kutsch. 273 (294) *Br.*
v. nigricans Ws. 957
luridus Gyll. Thoms. Sk. 8. 189
v. cognatus Ws. 957 *E.md.m.*
luridus Foudr. Kutsch. 156 (207)
v. 4-signatus Duft. Fn. 3. 259
conspiciabilis Fald. All. 496 *Ca.*
Bedeli Uhag. An. Esp 1887. 399 *Hi.md.*
pallidicornis Kutsch. Ws. 960 *A.*
minusculus Foudr. Ws. 961 *Ga.G.A.*
gibbosus Foudr. All. 341 *Ga.P.*
ventricosus Foudr. All. 336 *Ga.*
subrotundus All. A. 1860. 100 *P.*
dorsalis F. All. 375 *E.occ.*
stragulatus Foudr. All. 376 *Ga.Hi.Mainz*
circumseptus All. A. 1860. 105 *S.Si.*
lateripunctatus Rosh. All. 409 *Ga.*
biguttatus Foudr. 172 *E.m.*
v. personatus Ws. 960 *A.Hu.*
nasturtii F. All. 390 *E.*
circumscriptus Bach Fn. 3. 150
v. auctumnalis Ws.
suturalis Marsh. All. 391 *E.*
nigricollis Foudr. 161
aeneicollis Fald. D. 1889. 419
v. rubenticollis All. 392 *Hi.Lu.*
? v. papaveris All. 394 *Ga.*
atricillus L. Gyll. Ins. 3. 540 *E.*
fuscicollis Steph. Man. 296
suturalis Duft. Fn. 3. 261
v. declivis Ws.
fuscicollis Foudr. 175
v. similis Ws.
suturellus Duft. Fn. 3. 262 *Mont.E.md.*
thoracicus Steph. All. 393
melanocephalus Kiesw. St. 1847. 85
v. paludosus Ws. *G.b.Holl.*
v. macer Ws. *Görz E.m.*
piciceps Steph. Kutsch. 308 *Mont.E.md.*
atricapillus Redtb. ed. 1. 534 *Su.E.m.*
picipes All. 385

senecionis Bris. A. 1873. 218
longiseta Ws. D. 1889. 420 *Sil.Alp.*
nigriceps Foudr. 175
vidnus All. 940 *Ga.G.A.*
subquadratus All. 434 *Hu.*
? sternalis Rey Op. 16. 29 *Ga.m.*
curtus All. 410 *Mont.E.md.*
pratensis All. A. 60. 137
v. monticola Kutsch. W. Mon. 1864. 41
? moscovita All. 415 *R.*
melanocephalus Deg. All. 313 *E.*
atricapillus Duft. Foudr. 176
atricillus Marsh. Ent. Br. 200
v. atriceps Kutsch. l. c. 38
atricillus Foudr. 164
distinguendus Rye M. M. 1872. 157 *Br.*
nigrocillus Mot. B. M. 1849. 3. 140 *E.m.*
subterlucens Foudr. 168 *Ga.m.*
longipennis Kutsch. Mon. 306 *A.Cro.*
femoralis Redtb. ed. 1. 545
pulmonariae Ws. *Thuring.*
? femoralis Foudr. Mon. 188 *Lyon*
? pratensis All. 316 *Ga.b.*
exoletus L. ed. 10. 373 *E.*
femoralis Marsh. All. 356
boppardiensis Bach. Käferf. 3. 152
pratensis Foudr. 186
pectoralis Foudr. 196 *A.Ga.*
Foudrasi Ws. (emend.) *Ga.m.*
pallens Foudr. 211
gracilicornis Rey Opusc. 16. 34 *Ga.Si.*
brevinsculus Rey Op. 16 *P.or.*
verbasci Panz. Faun. Germ. 21. 17 *E.*
tabidus Waterh. Trans. ent. 1861. 27
v. dorsalis Rossi Fn. Etr. Mant. 1. 32
thapsi Marsh. Ent. 1. 202
borealis Zett. Ins. Lapp. 233
v. sisymbrii F. Ent. Syst. 1. 2. 31
agilis Rye M. M. 1868. 178 *Br.*
lateralis Illig. Mag. 6. 68 *E.md.m.*
sisymbrii All. A. 1860. 112
suturatus Foudr. Mon. 180 *Ga.m.Hi.*
patruelis All. Mon. 298 *Ga.*
lateralis All. A. 1860. 110
crassicornis Foudr. Mon. 213 *Ga.*
nebulosus All. Mon. 495 *C.*
lycopi Foudr. Mon. 193 *E.md.m.*
abdominalis All. Mon. 411
tantulus Foudr. 125 *Ga.H.A.*
brunniceps All. A. 1860. 108 *E.m.*
lycopi Thoms. Sk. 8. 179 *Su.*
obsoletus Rey Opusc. 16. 26 *Ga.m.*
pratensis Panz. Fn. Germ. 21. 10 *E.*
spinellus Gyll. Ins. suec. 3. 549

scutellaris Rey Opusc. 16. 27
Reichei All. Mon. 366
? medicaginis All. l. c. *Ga.*
medicaginis Kutsch. W. Monat. 143
v. collaris Steph. Ill. 4. 313
v. funereus Rey Opusc. 16. 28
v. minimus Kutsch. Mon. 144
ballotae Marsh. Foudr. 191 *E.md.*
juncicola Foudr. 189 *E.md.*
substriatus Kutsch. W. Monat. 43
pratensis Gyll. Thoms. Sk. 8. 185 *Su.*
v. seriatus Kutsch. l. c. 154 *Alp.A.*
v. Waterhousei Kutsch. l. c. 274 *Br.*
lividus Fauv. R. 1888. 251 *Ga.*
livens Rey (nec Lec.) Opusc. 16. 31
australis Rey l. c. 23 *Ga.*
ferrugineus Foudr. 216 *Ga.G.E.m.*
rutilus Illig. Mag. 6. 67 *Ga.Hi.*
tabidus F. Panz. Fn. 21. 15 *E.*
jacobaeae Waterh. Catal. 94
laevis Duft. Faun. 3. 261
rufulus Foudr. 205 *E.m.*
aeruginosus Foudr. 203 *E.md.*
laevis All. A. 1860. 121
rudipennis All. Mon. 358 *C.*
succineus Foudr. 218 *E.*
laevis Kutsch. W. Monat. 1864. 162
candidulus Foudr. 207 *Ga.m.Hi.*
rubiginosus Foudr. 204 *E.md.*
flavicornis All. Mon. 359
ochroleucus Marsh. Foudr. 208 *E.*
pellucidus Foudr. 210 *E.*
testaceus All. A. 1860. 127
albineus Foudr. 198 *Ga.*
? v. paleaceus Rey Opusc. 16. 32
canescens Foudr. 215 *Ga.*
helvolus Kutsch. W. Mon. 1864. 269 *A.*
membranaceus Foudr. 222 *Br.Ga.*
tencrii All. A. 1860. 139 *G.A.R.*
vitreus Kutsch. l. c. 270 *A.Hu.*
cerinus Foudr. 219 *Ga.*
ordinatus Foudr. 221 *Ga.*
nanus Foudr. 225 *Ga.A.*
brevicollis Kutsch. W. Mon. 1864. 271
gracilis Kutsch. l. c. 275 *Br.Ga.*
Poweri All. 408
liliputanus All. Mon. 948 *Ga.*

Dibolia
Latreille.

femoralis Redtb. Foudr. 83 *Ga.G.*
aerata Dahm. Anal. 1823. 41
v. aurichalcea Först. V. Rheinl. 6. 37
erythrogaster All. Mon. 420 *Hi.m.*

occultans Koch Foudr. 88 *E.*
paludina Foudr. 90 *Ga.*
Försteri Bach All. Mon. 428 *Ga.G.*
buglossi Foudr. 86
Foudrasi Rey Opusc. 16. 15 *Ga.*
depressiuscula Letzn. All. Mon. 429
laevicollis Foudr. 89 *[E.md.*
cryptocephala Koch Foudr. 92 *Ga.*
cynoglossi Koch Foudr. 91 *E.md.Hi.*
rugulosa Redtb. Foudr 87 *E.md.*
Pelleti All. Mon. 422 *Ga.m.*
Schillingi Letzn. All. 424 *E.md.m.*
punctillata Foudr. 84
timida Illig. Foudr. 85 *Ga.G.E.m.*
eryngii Bach Käferf. 3. 163
Chevrolati All. Mon. 432 *R.m.*

metallica Motsch. B. M. 1845. 107 *Ca.*

Apteropeda
Chevrolat.

globosa Illig. Kutsch. Mon. 451 *Mt.E.md.*
conglomerata Illig. Mag. 6. 161
globus Duft. Fn. 3. 288
majuscula Foudr. 281
nigroaenea Weidenb. Ber. Augsb. 85
orbiculata Marsh. Foudr. 279 *E.md.*
graminis Koch Ent. Hft. 2. 47
ciliata Oliv. All. Mon. 291
ovulum Illig. Mag. 6. 65 *Lu.*
splendida All. Mon. 202 *P.Alp.*
globosa Foudr. 278

Mniophila
Stephens.

muscorum Koch Foudr. 285 *Su.E.md.*
v. Wroblewskii Wankow. A. 1880. 118

Sphaeroderma
Stephens.

testaceum F. All. Mon. 248 *Su.E.md.*
rubidum Graëlls All. 248 *E.m.*
cardui Gyll. All. 247 *Su.E.md.*

Argopus
Fischer.

Dicherosis Foudr.

bicolor Fisch. Foudr. 346 *R.Hu.*
discolor Bielz V. Siebb. 1852. 16 *Tr.*
nigritarsis Gebl. All. Mon. 245 *R.m.*
Ahrensi Germ. Reis. Dalm. 206 *Ga.G.A.*
hemisphaericus Duft. Foudr. 348
brevis All. 246 *H.Ga.m.*
punctatus Schauf. Nq. ot. 2. 124 *Tiflis*

Cryptostoma.

Hispini.

Hispa
Linné.

H i s p e l l a Chapuis.

atra L. ed. 12. 603 *A.*
aptera Motsch. Schrenck 2. 238

H i s p a i. spec.

testacea L. l. c. 603 *Ga.A.E.m.*

Monochirus
Chapuis.

inermis Zoubk. B. M. 1833. 337 *Ca.*
caucasicus Heyd. Led. 343

Leptispa
Baly.

Leptomorpha Germ.

filiformis Germ. Faun. Eur. 22. 10 *I.m.S.*

Cassidini.

Cassida
Linné.

Boheman, Monogr. II.
Kraatz, B. 1874. 83.

O d o n t i o n y c h a Weise.

viridis L. Illig. Kf. Pr. 480 *E.*
equestris F. Boh. 474
nigriceps Fairm. Boh. 476 *Lu.Hi.*
Cori Fairm. A. 1880. 244 *Creta*
canaliculata Laich. V. Tirol 169 *E.md.m.*
austriaca F. Boh. 357
speciosa Brahm Ins. Kal. 1790. 74
illyrica Boh. l. b.
v. graminis Suffr. St. 1844. 97
immutabilis Boh. l. c.
fastuosa Schall. Abh. Hall. 1783. 259 *E.*
vittata F. Boh. 360
v. nigrina Ws.
vittata Ahr. Neu Schr. Hall. 2. 2
bella Fald. Boh. 404 *R.m.*
brevis Ws. D. 1884. 159 *T.Gr.*

C a s s i d a i. spec.

murraea L. Boh. 358 *E.*
v. maculata L. Illig. Kf. Pr. 476

sanguinosa Suffr. Boh. 370 *E.md.*
prasina Herbst Käf. 8. 221.
sareptana Kr. Horae 10. 126 *R.m.*
rubiginosa Müll. Boh. 373 *E.*
vibex Harold Catal. 3659
viridis F. Ent. Syst. 1. 291
singularis Steph. Man. 287
prasina F. Syst. El. 1. 388
? alpina Bremi St. 1856. 197 *H.*
vibex L. Suffr. St. 1844. 146 *E.*
liriophora Kirby Trans. 1797. 8
dorsalis Herbst Käf. 8. 227
v. pannonica Suffr. St. 1844. 147
graeca Kr. B. 1874. 104 *Gr.*
ferruginea Goeze Beytr. 213 *E.*
thoracica Fourcr. Ent. Par. 141
viridis Payk. Faun. 2. 46
deflorata Suffr. Kraatz 97 *E.m.*
herbea Luc. Expl. Alg. 513
? ♂ lata Suffr. Kraatz 101
humeralis Kraatz B. 1874. 103 *Hi.m.*
inquinata Brull. Kraatz 99 *E.m.*
Bohemani Bris. A. 1860. 346 *Ga.*
v. depressa Suffr. St. 1844. 141
seladonia Gyllh. Kraatz 86 *E.*
filaginis Perris A'. 1855. 79
rotundicollis Bris. A. 1860. 348
sordida Bris. l. c. *Hi.*
algirica Luc. Kraatz 98 *E.m.*
prasina Boh. 381
hexastigma Suffr. Boh. 382 *E.m.*
chloris Suffr. Kraatz 92 *E.md.*
languida Cornel. St. 1851. 88
corallina Boh. 4. 306 *Hi.*
artemisiae Bris. A. 1880. 234
stigmatica Suffr. Kraatz 88 *E.md.m.*
rufovirens Suffr. Boh. 386 *Ga.G.*
denticollis Suffr. Kraatz 88 *Su.E.md.*
rosea Bohem. 387 *St.*
sanguinolenta Müll. Kraatz 90 *E.*
v. prasina Illig. Käf. Pr. 481
viridana Herbst Käf. 8. 224
flaviventris Kr. Horae 10. 127 *R.m.*
ornata Creutz. Ent. Vers. 118 *Ga.G.Hi.*
azurea F. Boh. 411
v. lucida Suffr. St. 1844. 215
lineola Creutz. l. c. 119 *A.Hu.R.*
♂ russica Herbst Käf. 8. 232
♀ signata Herbst l. c. 234
nebulosa L. Boh. 451 *E.*
affinis F. Syst. Ent. 88
tigrina Degeer Mém. 5. 168
v. nigra Herbst Kraatz 85

subferruginea Schrank Beytr. 62 *E.*
ferruginea F. Boh. 453
fusca Laich. Tyrol 1. 112
meridionalis Boh. 454 *Ga.md.E.m.*
flaveola Thunb. Ins. Suec. 8. 103 *E.*
obsoleta Illig. Boh. 455
nebulosa F. Syst. Ent. 89
pallida Payk. Faun. 2. 50
exculpta Charp. Hor. ent. 1825. 231
berolinensis Suffr. Boh. 458 *G.R.*
atrata F. Boh. 470 *G.A.R.*
suberosa Ws. Brünn 1889. 42 *Arax.*
seraphina Mén. Boh. 491 *T.Gr.*
v. hablitziae Motsch. Boh. 490 *Ca.*
testudo Suffr. St. 1844. 284

? angusticollis Hagenb. Kraatz. 100 *H.*
plana Charp. Hor. ent. 1825. 232 *P.*

Chelysida Fairmaire.

Oxylepis Desbrochers.
Cassidula Weise.

mollis Boh. 437 *Lu.*
pusilla Waltl Boh. 438 *Ga.m.Hi.I.*
puncticollis Suffr. St. 1844. 257
pupillata Boh. 439 *Si.*
vittata Villers Ed. Linn. 93 *E.*
oblonga Illig. Boh. 422
nobilis L. Boh. 423 *E.*
v. laevis Herbst Käf. 8. 250
v. pulchella Panz. Faun. Germ. 39. 15
margaritacea Schall. Boh. 432 *E.*
superba Gmel. Ed. Linn. 1. 4. 1644
subreticulata Suffr. Boh. 436 *Ga.G.A.*
v. splendidula Suffr. St. 1844. 223 *I.*
parvula Boh. 428 *R.m.*
navicula Boh. 429
hemisphaerica Herbst Boh. 484 *E.*
concinna Steph. Man. 288

*

desertorum Gebl. B. M. 1833. 305 *R.m.*
gibbula Boh. 430
Jakowleffi Reitt. D. 1889. 288 *R.m.*
araxicola Reitt. l. c. 287 *Arax.*
elevata Reitt. D. 1890. 175 *Arax.*
deflexicollis Boh. 4. 333 *Ga.m.*
suedae Halid. Bull. Soc. Ital. 1. 2 *Si.*
involuta Fairm. Mus. Genov. 1880. 419
capucina Desbr.

Coccinellidae.

Mulsant, Sécuripalpes 1846, Species 1851.
Weise, Best. Tab. 2. 1885.

Phytophagae.

Epilachna
Redtenbacher.

chrysomelina F. Muls. Séc. 195 *Ga. G. E.m.*
11-maculata Redtb. ed. 3. 2. 535 *A.*
Costae Ws. T. 8 *I. Gr.*
v. hieroglyphica Sulz. Gesch. Ins. 31 *E.m.*
nigrescens Ws. T. 8
elaterii Rossi Mant. App. 85 *I. Hi.*
furva Ws. T. 8
Argus Fourcr. Muls. Séc. 192 *E.m.*
11-maculata F. Mant. 1. 57 *Ga. G.*
chrysomelina Redtb. 536 *A.*
v. Bedeli Sicard Coléoptériste 1891. 60
angusticollis Reiche A. 1862 545 *Hi. | Ga.*

Subcoccinella
Huber.

Lasia Muls.

24-punctata L. ed. 10. 366 *E.*
globosa Schneid. Muls. Sec. 199
saponariae Huber Mém. Genève 9. 363
4-notata F. Mant. 1. 56
v. meridionalis Motsch. Muls. Spec. 882
25-punctata Rossi Faun. Etr. 66
v. zonata Heyd. E. Nachr. 1883. 53
v. haemorrhoidalis F. Muls. Séc. 205
centrimaculata de Rossi V. Rheinl. [1882

Cynegetis
Redtenbacher.

impunctata L. Muls. Séc. 208 *E.*
aptera Payk. Faun. Suec. 2. 11
punctum Herbst Arch. 7. 161
v. palustris Redtb. ed. 1. 536 *Mt. A.*

Aphidiphagae.

Hippodamiini.

Hippodamia
Mulsant.

tredecimpunctata L. Muls. Séc. 31 *E.*
padana Muls. l. c.
v. signata Fald. M. Mosc. 5. 398 *Ca.*
xanthoptera Muls. Spec. 10
v. 11-maculata Harrer Beschreib. 82
incomta Ws. T. 11
4-punctata de Rossi V. Rheinl. 1882.
Cornelii de Rossi l. c. [214
8-punctata Schneid. Z. Bresl. 1881. 11
laeta Ws. l. c.
scutellaris Ws.
v. triloba Ws. T. 11
v. contorta Ws. l. c.
v. Gyllenhali Ws. l. c.
v. sellata Ws.
v. borealis Weise T. 12 *G. Su.*
v. Eichhoffi Seidl. Fn. Tr. 291
7-maculata Deg. Muls. Spec. 11 *Voges. G.*
segetalis Naëzen Ths. Sk. 8. 335 *Su. R.*
v. rubra Ws. T. 12 *Cr. G.*
v. oblonga Herbst Arch. 4. 43
v. baltica Ws. T. 12
v. Paykulli Ws. ibid. *Carn.*
v. continua Ws. T. 12 *G.*

Adonia
Mulsant.

variegata Goeze Beytr. 1777. 246 *E.*
mutabilis Scriba Muls. Séc. 39
v. immaculata Gmel. Ed. Linn. 4. 1644
? signata Grav. Zool. Syst. 124
v. 5-maculata F. Mant. 1. 56
v. 6-punctata F. Spec. Ins. 1. 96
v. constellata Laich. Verz. Tyr. 121
obversepunctata Schrank Enum. 53
mediopunctata Sajo E. N. 1881. 273
v. carpini Fourcr. Ent. Par. 144
9-punctata Scopol Ent. Carn. 76
arenariae Sajo l. c.
biconstellata Sajo l. c.
v. neglecta Ws. T. 13
v. ustulata Ws. T. 13
confluens Sajo l. c.
v. maculigera Ws. T. 13
v. corsica Reiche A. 1862. 299 *Ga. C. S.*
v. orientalis Ws. T. 13 *T. Gr.*
v. limbata F. Sp. Ins. 2. App. 497
arctica Schneid. Muls. Spec. 44 *L.*

Anisosticta
Duponchel.

19-punctata L. Muls. Séc. 36 *E.*
Weisei de Rossi Rheinl. 1882. 214
v. egena Ws. D. 1887. 335 *Ca.*
(v.) athesis Ws. T. 14 *Ti.*
pallida Rossi Faun. Etr. 66 *I.*
v. Tiesenhauseni Ws. T. 14 *Ti. R.m.*
v. thoracica Ws. T. 14
v. conjuncta Ws. T. 15

Westhoffi de Rossi l. c.
v. irregularis Ws. T. 15
intermedia Schneid. Z. Bresl. 1881. 11.
strigata Thnb. Muls. Mon. 26 *L. Ga. [Sil.*
v. Dohrniana Muls. Opusc. 7. 136 *Hu.*

Semiadalia
Crotch.

notata Laich. Tyrol 119 *Mt. E. md.*
inquinata Muls. Séc. 67
v. elongata Ws. T. 16
v. 5-signata Friv. T. 16 *T. Gr.*
11-notata Schneid. Muls. Séc. 63 *E. md m.*
v. graminis Ws. T. 16
bipunctata Sajo Ent. Nachr. 1881. 273
hungarica Sajo l. c.
v. 9-punctata Fourcr. Ent. Par. 144
fulvimana Motsch. M. Mosc. 1837. 423
distincta Redtb. Tentam. 25
apicalis Ws. W. z. b. 1879 486 *Ca.*
maritima Mén. Cat. rais. 240 *Lenkoran*
Schneideri Ws. Leder 347 *Ca.*
rufocincta Muls. Spec. 59 *MR. Pe.*

Coccinellini.

Adalia
Mulsant.
Idalia Muls. olim.

obliterata L. Syst. Nat. ed. 10. 367 *E.*
obsoleta Schneid. Neu Mag. 1. 147
M-nigrum F. Illig. Käf. Pr. 430
pallida Thunb. Act. Upsal. 4. 9
v. livida Deg. Muls. Séc. 44
v. 6-notata Thunb. l. c. 9
v. fenestrata Ws. T. 19
? formosa Grav. Zool. Syst. 224
v. fumata Ws. T. 19
Illigeri Ws. l. c.
bothnica Payk. Muls. Séc. 48 *E. md. b.*
Faldermanni Humm. Essais 5. 38
? [illegible] Mäkl [illegible] Mag. 2. 126
v. destituta Ws. T. 19
v. decas Beck Beitr. 16
v. crucifera Ws. T. 19
connexa Schneid. Z. Bresl. 1881. 11
bicruciata Schneid. l. c. 12
tricruciata Schneid. l. c. 12
intermedia Schneid. l. c. 12
v. reticulum Ws. T. 20
bipunctata L. Muls. Séc. 51 *E.*
bioculata Say Ac. Phil. 4. 94
dispar Schneid. Neu Mag. 1. 174
v. Herbsti Ws. T. 20
v. unifasciata F. Gen. Mant. 216
v. perforata Marsh Ent. 151
v. annulata L. ed. 12. 579
v. pantherina L. ed. 10. 368
tripustulata Zschach Mus. Lesk. 12
v. semirubra Ws. T. 21
v. conjuncta Schneid. T. 21.
v. 6-pustulata L. ed. 10. 367
v. 4-maculata Scop. Ent. Carn. 80.
v. Simoni Ws. l. c.
v. marginata de Rossi T. 21
v. sublunata Ws. T. 21
v. lugubris Ws. l. c.
frigida Schneid. Neu Mag. 1. 172 *E. b.*
v. parvula Ws. T. 22
v. pulchella Ws. T. 22
v. hyperborea Payk. Muls. Spec. 53
v. arctica Thunb. Dissert. 9. 108
alpina Villa Muls. Séc. 61 *Alp.*
v. tirolensis Weise T. 23
fasciatopunctata Fld. Mls. Spec. 51 *Sibir.*
stictica Muls. Spec. 50 *Ca.*
Revelierei Muls. Mon 40 *E. m.*
v. Damryi Ws. T 23
v. sardiniensis Ws. ibid.
v. ottomana Ws. T. 24
v. decipiens Ws. T. 24

Coccinella
Linné.

7-punctata L. Muls. Séc. 79 *E.*
v. lucida Ws. T. 26
v. floricola Ws. T. 26
v. atomaria Ws. ibid.
v. zapluta Ws. ibid.
v. maculosa Ws. ibid.
v. divaricata Oliv. Ent. 6. 1001 *E. m.*
v. anthrax Ws. T. 27
5-punctata L. Muls. Séc. 76 *E.*
v. Rossii Ws. T. 27
tripunctata Rossi Fn. Etr. 1. 61
v. simulatrix Ws. T. 27
v. jucunda Ws. ibid.
v. multipunctata Ws. T. 28
v. arcuata Ws. l. c.
v. Elberti Flach W. 1888. 298
transversoguttata Fld. Mls. Sp. 117 *Sibir.*
v. 5-notata Krb. Fn. b. Amer. 4. 230 *Amer.*
ephippiata Zett. Ins. Lapp. 235 *L. [b.*
nivicola Er. Muls. Spec. 109 *Grusia.*
undecimpunctata L. Muls. Séc. 71 *E.*
v. Menetriesi Muls. Spec 104 *E. m.*
aegyptiaca Reiche A. 1861. 212
v. pura Ws. T. 29

v. tripunctata L. Muls. Séc. 72
4-maculata F. Mant. 1. 56
v. vicina Ws. T. 29
v. 9-punctata L. Muls. 73
oculata Westm. Thunb. Diss. 107
v. brevifasciata Ws. T. 30
v. nigrofasciata Rossi Muls. 74
distincta Fald. M. Mosc. 5. 404 *Ca.R.m.*
v. magnifica Redtb. Tentam. 24 *E.*
labilis Muls. Séc. 84
v. domiduca Ws. T. 30
v. intertexta Ws. l. c.
trifasciata L. Muls. Spec. 119 *E.b.*
v. fennica Ws. T. 31
hieroglyphica L. Muls. Séc. 87 *E.*
hastata Oliv. Enc. 6. 77
8-pustulata Thunb. Dissert. 9. 112
v. brunnea Ws. T. 31
v. lineolata Marsh. Ent. 153
v. sinuata Naëz. Muls. 89
v. flexuosa F. Gen. Mant. 217
v. marginemaculata Brahm Kalend. 1.
ribis Scriba Beitr. 1790. 104 [30
fuliginosa Ws. T. 32
bistriverrucata Haw. Steph. Nom. 80
v. areata Panz. Fn. 24. 7
decempunctata L. ed. 10. 365 *E.*
variabilis F. Gen. Mant. 218
v. lutea Rossi Mant. App. 89
v. 4-punctata L. ed. 12. 580
subpunctata Schrank Enum. 51
v. 6-punctata L. ed. 12. 580
trigemina Ws. T. 32
6-maculata Thunb. Dissert. 9. 106
Saalmülleri Heyd. E. Nachr. 1883. 53
8-punctata Müll. Faun. Fridr. 6
silesiaca Schneid. Z. Bresl. 1881. 13
relicta Heyd. l. c.
12-punctata Müll. Z. Dan. Prodr. 66
13-maculata Forst. Cent. Ins. 18
14-punctata Müll. l. c.
v. humeralis Schall. Ab. Ges. Hall. 1. 266
pantherina Deg. M. Ins. 5. 392
(v.) austriaca Schrank Beitr. 62
v. Scribae Ws. T. 34
unifasciata Scriba Beitr. 1. 107
v. bimaculosa Herbst Arch. 7. 39
inconstans Schauf. Isis 1861. 52
thoracica Schneider Z. Bresl. 1881. 14
v. 10-pustulata L. ed. 10. 368
obliquata Reiche A. 1862. 300
consolida Ws. T. 34
(v.) guttatopunctata L. ed. 10. 367
v. bimaculata Pont. Nachr. Dän. 203
bipustulata Herbst Arch. 5. 48
v. nigrina Ws. T. 35

Harmonia Mulsant.

4-punctata Pont. Nachr. Dän. 203 *E.*
marginepunctata Schall. Muls. Séc.
(v.) rustica Ws. T. 36 [108
v. sordida Ws. l. c.
v. 16-punctata F. Spec. Ins. 1. 100
multimacula Heyd. E. Nach. 1883. 53
conglobata L. ed. 10. 366 *E.*
18-punctata Scop. Ent. Carn 77. T. 37
impustulata Illig. Käf. Preuss. 459
v. contaminata Mén. Ins. Lehm. 2. 56 *R.*
buphthalmus Muls. Spec. 90 [*m.or.*
v. vandalitiae Ws. T. 37 *H.*
v. rosea Deg. Mém. 5. 378
v. gemella Herbst Arch. 5. 44
v. dubia Ws. T. 37
v. impustulata L. Muls. Séc. 115
specularis Bon. Mem. Torin 1812. 182
nigra Croiss. R. 1887
v. caucasica Motsch. M. Mosc. 5. 423 *Ca.*
viridula Hampe St. 1850. 356 *I.Tr.*
Doublieri Muls. Séc. 118 *E.m.*
v. gaditana Ws. T. 38 *Hi.*
v. scripta Ws. l. c.
14-pustulata L. Muls. Séc. 93 *E.*
variabilis Fairm. Col. Eur. f. 364
v. effusa Ws. T. 39
v. nigropicta Ws. ibid.
sinuatomarginata Fald. M. Msc. 5. 404 *Ga.*
14-pustulata Costa Fn. Nap. Cocc. 26
v. ambigua Gredl. Kf. Pass. 2. 74 *Alp.*
Ghilianii Bell. A'. 1870. 27
lyncea Oliv. Ent. 6. 1056 *E.m.A.*
agnata Rosh. Beitr. 64
v. 12-pustulata Oliv. Enc. 6. 78 *Ga.G.*
v. remota Ws. T. 40
v. pullata W. T. 40
v. Weisei Sicard Coléoptériste 1891. 59
v. asiatica Ws. T. 40 *Transcauc.*
v. persica Fald. M. Mosc. 5. 406 *Gr.*

Bulaea
Mulsant.

Lichatschovi Humm. Essais 6. 43 *R.*
19-notata Gebl. Muls. Spec. 69 *Hu.T.*
v. pallida Motsch. B. M. 1849. 3. 154 *Hi.*
lividula Muls. Spec. 1060
v. suturella Ws. T. 41 *T.*
pallida Muls. Spec. 73
v. salina Ws. l. c. *Gr.*
v. coronata Ws. T. 41 *Ca.*

Chelonitis
Weise.

venusta Ws. Z. Bresl. 1879. 126 *P. Alp. occ.*
rufocincta Crotch Revision 102 *I.*

Micraspis
Redtenbacher.

Tytthaspis Crotch.

sedecimpunctata L. Faun. Suec. 156 *E.*
v. 12-punctata L. Muls. Séc. 168
v. flavidula Ws. T. 42
v. italica Ws. l. c.
v. Poweri Ws. ibid.
phalerata Costa Muls. Spec. 213 *I., oc. Si.*
lineola Gebl. B. Petr. 1843. 40 *R.m.*
Gebleri Muls. Spec. 1026

Mysia
Mulsant.

oblongoguttata L. Muls. Séc. 129 *E.*
v. Mulsanti Schauf. Isis 1861. 52 *Hi.*
Vogeli Schauf. l. c. 50

Anatis
Mulsant.

ocellata L. Muls. Séc. 133 *E.*
15-punctata Deg. Mém. 5. 376
dominula Heyd. E. Nachr. 1883. 53
v. bicolor Ws. T. 43
v. Böberi Cederjh. Prodr. 50
badensis Heyd. l. c.
v. hebraea L. ed. 10. 365 *Ga.G.R.*

Halyzia
Mulsant.

Sospita, Calvia, Myrrha, Vibidia, Thea, Propylea Muls.

sedecimguttata L. Muls. Séc. 148 *E.*
12-guttata Poda Muls. 150 *E.*
bis-sex-guttata F. Illig. Kf. Pr. 432
v. tarnensis Sicard Coléoptériste I. 59
v. patricia Ws. T. 45
v. hispanica Ws. ibid. *Hi.*
v. elarnea Bell. A'. 1870. 28 *Ga.Hi.*
decemguttata L. Muls. Séc. 113 *E.*
v. imperfecta Muls. Mon. 117 *Colchis G.*
v. hololeuca Muls. Spec. 1024 *Ch.Ti.*
15-guttata F. Gen. Ins. 217 *E.*
bis-7-guttata Schall. A. Hal. 1. 265
bis 7-punctata Persh. Dict. pitt. 2 299
v. 12-gemmata Herbst Kf. 5. 376
14-guttata L. Muls. Séc. 140 *E.*
v. ocelligera Ws. T. 47
v. exoleta Ws. ibid.
v. scutulata Ws. ibid.
vigintiguttata L. ed. 10. 367 *E.*
v. tigrina L. Muls. Séc. 137
v. Linnei Ws. T. 47
Kochi Heyd. E. Nachr. 1883. 53
v. trigaria Ws. l. c.
octodecimguttata L. Muls. Séc. 125 *E.*
v. ornata Herbst Arch. 4. 47
v. silvicola Ws. T. 47
v. formosa Costa T. 48 *Hi.I.*
v. inundata Ws. T. 48 *Hi.*
vigintiduopunctata L. Muls. Séc. 159 *E.*
v. 27-punctata Mot. B. M. 1849. 3. 154
flaviventris Schauf. Isis 1861. 50 / *E.m.*
v. 20-punctata F. Syst. Ent. 84 *E.*
v. signifera Ws. T. 48
circularis Schneid. Z. Bresl. 1881, 15
14-punctata L. ed. 10. 366 *E.*
conglobata Illig. Kf. Preuss. 462. T. 48
tessulata Scop. Ent. Carn. 78
conglomerata Laich. Verz. Tyr. 127
v. tetragonata Laich. l. c. 125
tessulata Ws. T. 49
angularis Sajo Ent. Nachr. 1881. 273
palustris Sajo l. c.
v. parumpunctata Sajo ibid.
v. conglomerata F. Syst. Ent. 84
suturalis Ws. Z. Bresl. 1879. 125
Frivaldszkyi Sajo ibid.
v. fimbriata Sulz. Abg. Gesch. 32
perlata Ws. T. 49

Synonychini.

Chilomenes
Chevrolat.

vicina Muls. Spec. 440 *Sy.*

Chilocorini.

Chilocorus
Leach.

renipustulatus Scriba Muls. Séc. 165 *E.*
similis Harold Cat. 3770 Ws. T. 51
similis Rossi Fn. Etr. 1. 68 *Plan.*
bipustulatus L. Muls. Séc. 170 *E.*

Exochomus
Redtenbacher.

4-pustulatus L. Muls. Séc. 173 *E.*
4-verrucatus F. Ent. S. 1. 1. 288
v. bilunulatus Ws. T. 52
v. distinctus Brull. Expd. 273 *E.m.*

v. ibericus Motsch. T. 52 *Si Ca.*
v. 6-pustulatus Kraatz B. 1873. 192 *E.m.*
v. Koltzei Ws. T. 53 *D.Gr.*
Reitteri Schneider Z. Bresl. 1881. 16
v. floralis Motsch. M. Mosc. 5. 423 *E.m.*
unicolor Schauf. Isis 1861. 50
haematideus Costa Fn. Napol. 62
undulatus Ws. T. 53 *Ca.*
flavipes Thunb. Nov. spec. 21 *E.m.*
nigromaculatus Goeze Beitr. 248
auritus Scriba Muls. Séc. 176
v. collaris Küst. Käf. 27. 100 *D.Hu.Ca.*
pyrenaeus Kraatz B. 1873. 194 *P.*
v. nigripennis Er. Wiegm. Arch. 43. 267
russicollis Muls. Spec. 1033
melanocephalus Zoubk. B. M. 1833. 310 *R.*
minutus Kraatz B. 1873. 195 *Thur.* [*m.Ca.*
pubescens Küst. Käf. 13. 94 *Hi.m.*
flavilabris Mot. B. M. 1849. 3. 155
v. Gestroi Fairm. A. Civ. Gen. 1875. 540
apicatus Fairm. A. B. 1884. C. 69

Brumus
Mulsant.

octosignatus Gebl. Ledeb. 1830. 225 *R.m.*
desertorum Gebl. Muls. Spec. 493 *Si.*
desertus Motsch. B. M. 1844. 175 *T.Gr.*
v. lasioides Ws. T. 55 *C.*
oblongus Weidenb. Ber. Augsb. 1859. 60 [*G.Ti.*

Platynaspis
Redtenbacher.

luteorubra Goeze Beytr. 247 *E.*
villosa Fourcr. Muls. Séc. 216
v. confluens Muls. T. 55 *E.m.*
v. Karamani Ws. T. 55 *D.*

Hyperaspini.

Oxynychus
Leconte.

erythrocephalus F. T. 59 *?G.b.*
Karpowkae Humm. Essais 6 15 *R.m.*
6-pustulatus Motsch. M. Mosc. 5. 421
Fabricii Muls. Séc. 182 *Hu.*
caucasicus Crotch Revision 236 *Ca.*

Hyperaspis
Redtenbacher.

reppensis Herbst Muls. Séc. 182 *E.*
Motschulskyi Muls. Spec. 689
pseudopustulata Muls. Opusc. 3. 104
v. subconcolor Ws. T. 57 *E md.*
v. marginella F. Syst. El. 1. 378 *E.m.*
Hoffmannseggi Grav. Zool. Syst. 127

histeroides Fald. M. Mosc. 5. 408
v. illecebrosa Muls. Séc. 181 *Hi.L.*
v. femorata Motsch. M. Mosc. 5. [illegible]
4-maculata Redtb. Tent. 16 [illegible]
variabilis Rossi Fn. Etr. 69 [illegible]
6-guttata Bris. A. 1866. 425 [illegible]
inaudax Muls. Opusc. 3. 103 [illegible]
v. effusa Ws. T. 58 [illegible]
campestris Herbst Muls. Séc. 185 [illegible]
v. concolor Suffr. St. 1843. 93 [illegible]
desertorum Ws. T. 58 [illegible]
femorata Muls. Spec. 681
vittata Gebl. B. Petr. 1845. 106 *R.m.* [illegible]
vittifera Muls. Spec. 680
transversoguttata Ws. T. 60 [illegible]
Bellieri Chevr. T. 61 [illegible]

Rhizobiini.

Coccidula
Kugelann.

scutellata Herbst Muls. Séc. 268 *E.*
5-punctata F. Mantissa 1. 52
v. subrufa Ws. T. 61
v. arquata Ws. T. 61
conferta Reitt. D. 1890. 176 [illegible]
rufa Herbst Muls. Séc. 269 *E.*
pectoralis F. Ill. Käf. Preuss. 420
v. unicolor Reitt. D. 90. 176 *Casp.* [illegible]
lithophiloides Reitt. l. c. [illegible]

Rhizobius
Stephens.
Nundina Redtb.

litura F. Muls. Séc. 262 *E.*
testaceus F. Ent. Syst. 4. 446
pallidulus Muls. Spec. 1006
lividus Oliv. Enc. 4. 261
fasciatus F. Supplem. 74
Aurora Panz. Faun. 35. 5
hypomelaenus Marsh. Ent. 77
lineatellus Muls. Séc. 263
nigriventris Thoms. Sk. 8. 331
marinus Muls. Spec. 1006
v. chrysomeloides Herbst Kf. 4. [illegible]
v. discimacula Costa T. 62 *E.m.*
subdepressus Seidl. F. balt. 193 *E.*

Scymnini.

Novius
Mulsant.

cruentatus Muls. Séc. 214 *E.m.*
v. 10-punctatus Kr. B. 1862. [illegible] *E.m.*
cruentatus Perris A. 1862. [illegible]

Scymnus
Kugelann

P u l l u s Mulsant.

ferrugatus Moll Füssl. Mag. 1785.183*E.*
analis F. Muls. Séc. 250
ruficollis Oliv. Enc. 6. 81
haemorrhoidalis Herbst Muls. Séc. 252
analis Rossi Mant. 2. 88 *E.*
minimus Rossi l. c. 89 *E.*
capitatus F. Muls. Séc. 248
v. tibialis Bris. Gren. Cat. 123 *P.*
Brisouti Crotch Revis. 248 *Ga.m.*
rufipes Bris. l. c. 123
Oertzeni Ws. D. 1886. 25 *Gr.*
subvillosus Goeze Beytr. 247 *E.*
fasciatus Fourc. Muls. Séc. 242
transversepustulatus Muls. T. 70
v. juniperi Motsch. M. Mosc. 5. 419*Ca.*
v. pubescens Panz. Fn. 24. 13
aurantiacus Panz. Index 112
argutus Muls. Spec. 980 *R.m.Armen.*
impexus Muls. Spec. 979 *Mt.E.md.*
abietis Muls. Sec. 247
globosus Ws. T. 71 *Hu.I.D.Gr.*
v. piceus Ws. T. 72 *Cro.*
testaceus Motsch. Muls. Spec. 992 *Ca.*
(v.) quercus Muls. Spec. 982
v. scutellaris Muls. *E.md.*
v. concolor Ws. Wiegm. Arch. 1887. 213
fraxini Muls. Spec. 991 *Ca./G.*
suturalis Thunb. Dissert. 9. 106 *E.*
discoideus Illig. Muls. Séc. 255
atriceps Steph. Manual 319
v. limbatus Steph. Waterh. l. c. 134
fulvicollis Muls. Sec. 259 *Ga.m.C.I.*
fennicus Sahlb. Meddel. Faun. F 1888. 156
atricapillus Bris. Gren. Cat. 124 *Ga./F.*
pallidivestis Muls. T. 73 *E.m.*
nanus Muls. A. Soc. Lyon 1859. 360
? lividus Bold. Trans. North. 1871 109
celer Ws. (emend.) *E./Br.*
ater Kugelann Muls. Séc. 254
zigzag Costa Ac. Napoli 1882. 311 *S.*

C l i t o s t e t h u s Weise.

arcuatus Rossi Muls. Séc. 245 *E.md.m.*
v. Hausmanni Gredl. T. 74 *Ti.*
Abeillei Ws. T. 74 *Ga.m.*

S t e t h o r u s Weise.

punctillum Ws. (emend.) *E.*
minimus Payk. Muls. Séc. 260
gilvifrons Müll. Spec. 995 *E.m.Triest*

S i d i s Mulsant.

biguttatus Muls. Spec. 991 *R.m.or.Ga.m.*
bipustulatus Ws. T. 75
v. semirufus Ws. l. c.
v. anomus Muls. Op. 2. 87
v. infirmior Ws. T. 75
anomus Ws. l. c.
guttifer Muls. T. 75 *Ga.m.*
alpestris Muls. Opusc. 286 *Ga.alp.*
biflammulatus Motsch. Muls. 995 *Ca.*
tristis Ws. T. 76 *And.C.*

S c y m n u s Mulsant.
A n i s o s c y m n u s Crotch.

ater Thunb. Diss. Ins. Suec. 9. 105 *E.*
nigrinus Kugelann Muls. Séc. 220
morio Payk. Fn. Suec. 2. 8
abietis Payk. Muls. Spec. 975 *E.md.b.*
rubromaculatus Goeze Beytr. 247 *E.*
pygmaeus Fourcr. Muls. Séc. 221
femoralis Gyll. Ins. Suec. 4. 196
Damryi Ws. Z. Bresl. 1879. 149 *C.*
rufipes F. Supplem. 80 *E.m.md.*
Ahrensi Muls. Séc. 231
(v.) corpulentus Muls. Spec. 967 *Ca.*
? v. major Costa T. 77 *S.*
frontalis F. Muls. 232 *E.*
bimaculatus Mot. M. Mosc 5.416*Ca.*
v. 4-pustulatus Herbst Kf. 7. 344
? spectabilis Fald. M. Mosc. 5. 410
v. Suffriani Ws. T. 77
v. immaculatus Suffr. St. 1843. 330*Hi.*
pallipes Muls. Spec. 966 *Ca.*
Apetzi Muls. Séc. 228 *E.md.m.*
arcuatus Fairm. Gen. 4. 288
Ahrensi Fairm. l. c. 280
? stigmatopterus Fald. M. Mosc. 5. 409
v. incertus Muls. l. c.
interruptus Goeze Beytr. 247 *E.*
marginalis Rossi Muls. Séc. 224
v. flavicollis Redtb. Tentam. 19
v. flexuosus Ws. T. 78
v. basalis Redtb. Tentam 20
v. rufescens Ws. T. 79
v. inundatus Ws l. c.
v. laetificus Ws. l. c. *Si.*
Levaillanti Muls. Spec. 964 *Hi.Si.*

N e p h u s Mulsant

Ludyi Ws. D. 1879. 153 *D.Gr.C.P.or.*
Kiesenwetteri Muls. Spec. 963 *Hi.S.*
v. siculus Ws. T. 80 *C.Si.*
sannio Ws. T. 80 *Si.*
binotatus Bris. Gren Cat. 122 *Ga.m.*

pulchellus Herbst Kf. 7. 345 *E.*
4-lunulatus Illig. Muls. Séc. 237
v. obliquus Ws. T. 81
v. bilunulatus Ws. T. 81 *I.Hi.*
bipunctatus Kugel. Schneid. Mag. 4. 547 *E.*
biverrucatus Panz. Muls. Séc. 239
bisignatus Boh. A. Holm. 1849. 237
bipustulatus Motsch. M. Mosc. 5. 417
v. nigricans Ws. T. 82 *E.m.*
plagiatus Ws. T. 82 *Ca.*
Redtenbacheri Muls. Séc. 240 *E.md.*
Mulsanti Waterh. Trans. ent. S. 1862.
v. unicolor Ws. T. 82

Diomus Mulsant.
rubidus Motsch. M. Mosc. 5. 418 *Ca.*

Pseudococcinellidae.

Pharus
Mulsant.
Fleischeri Ws. T. 64 *[illegible]*

Coelopterus
Mulsant.
salinus Muls. Ws. D. 1887. 183 *Ga.m.Hi.*

Addenda.

Pag. 7 col. 1. Carabus auronitens (v.) signifer Haury Le Nat. 1889. 31 prope (n.) atratus Heer.
„ „ „ 1 Carabus auronitens v. Zwicki Heer Käf. Schw. II. 12 *H.* Joerini Stierl. Mit. Sch. VIII. Heft 6. prope (v.) laevipennis Seidl.
„ 9 „ 1 Carabus Scheidleri, v. erythromerus Dej. Schm. 150 *R.m.* prope v. Goldeggi Dft.
„ 10 „ 1 Ad Car. v. contractus Geh. syn: Nisseni Beuth., Kraatzianus Beuth., pulcherrimus Beuth. E. N. 1889. 274.
„ 16 „ 1 Dyschirius halophilus Fauv. R. 1890. 34 *Ga.m.* rufipes Fauv. ol. Fg. II. 15 prope luticola Chaud.
„ 21 „ 1 Bemb. aeneum Germ *E.occ.b.Br.* prope vicinum Luc.
„ 22 „ 2 Scotodipnus rialensis Guilleb. A^F. 1890. 15 *P.or.*
„ 26 „ 1 Deltomerus circassicus Reitt. D. 1890. 354 *Ca.occ.* prope tibialis [Reitt.
„ 26 „ 1 Ad Syrdenus Grayi Woll. syn. dilutus Fairm.
„ 27 „ 2 Ad Platynus Mülleri Herbst, v. chalybeus Gradl E. N. 1881. 303 *G.*
„ 30 „ 1 Ante Pseudopristonychus Schauf. lege:

Cryptotrichus Schauf.
alpinus Dej. Schauf. 43 *Bass.-Alp.Pe.*
chalybaeus Dej. Sp. III. 59
janthinus Duft. Schaum 385 *Carn.Cro.*
Sturmi Schauf. 45
purpuratus Schauf. 44
v. amethystinus Dej. Schm. 385 *Ti.Alp.m.Tr.*
janthinus Schauf. 46
v. coeruleus Dej. Spec. III. 53 *Pe.*
complanatus Schauf. 47
v. graecus Schauf. 44 *Gr.*
dalmatinus Dej. Schauf. 47 *D.*

„ [illegible] „ 1 Ad Tapinopterus protensus Schaum syn. punctatostriatus Heyd W. 1886. 119.
„ 42 „ 2 Ante Zabrus Clairv. lege: Zabrini.
„ [illegible] 3 1 Ad Panagaeus crux major L. leg. (v.) Putzeysi Borre A. B. 187[illegible].
„ 57 „ 1 Zuphium vibex Motsch. *Si.* prope Faillac Reitt. (Fauv.) [Olli
„ 71 „ 2 Hydraena sicula Kiesw. Kuw. T. 20. 132 *Si.* prope cordata Schauf.

Pag. 77 col. 2 Heterocerus humilis Rey Echange 1890. 163 *Ga.m.* prope sericans Kiesw.

" 78 " 2 Prope Chilopora rubicunda Er.: rugipennis F. Sahlb. Medd. Fn. Fl. Fenn. XVII. 1890 *F.*

" 84 " 2 Inter Aleochara (Ceranota) Melichari et adusta: consors Epp. W. 1890. 217 *Ca.*

" 85 " 1 Oxysoma Reitteri Fauv. ined. *Araxes.*

" 87 " 1 Ad Liogluta micans Rey syn: hypnorum Rey Br. 1873. 609.

" 87 " 1 Prope Liogluta alpestris Heer: funesta Epp. W. 1890. 218 *Ca.*

" 88 " 2 Prope Atheta (Metaxya) frigida F. Sahlb.: sibirica Mäkl. Finsk. 1880. 82 *R.b.*

" 89 " 1 Ad Atheta (Traumoecia) nigricornis Thoms. syn.: laetipes Rey Br. 1873. 430

" 89 " 2 Prope Atheta (Bessobia) occulta Er.: callicerina Epp. W. 1890. 219 *Araxes*

" 90 " 1 Prope Atheta (Microdota) Rebecca Saulcy: filicornis Epp. W. 1890. 221 *Ca.*

" 90 " 2 Prope Atheta (Hydrosmecta) tenuissima: seorsicornis Hochh. B. M. 1871. 108 *R.m.*

" 92 " 1 Ad Bolitochara v. caucasica Epp. W. 1890.: 161

" 92 " 2 Ad Leptusa Ludyi Epp. W. 1890: 205.

" 92 " 2 Prope Leptusa ruficollis Er: laevigata Bris. A. 1866. 355 *Hi.*

" 93 " 1 Ad Leptusa granulicauda Epp. W. 1890: 206

" 93 " 2 Prope Leptusa infirma Weise: laticornis Fauv. Rev. 1890. 184 *P.or.*

" 93 " 2 Ad Homalota truncata Epp.: D. 1890. 203.

" 95 " 1 Ad Myllaena intermedia Er. syn.: dubia Rey Br. 1873. 49

" 95 " 1 Ad Oligota pusillima Grv. syn.: minutissima Heer H. 334.

" 95 " 1 Ad Oligota flavicornis Lac. (non Luc.) *E.* sp. pr.

" 96 " 2 Ad Tachyporus hypnorum F.: v. nigriceps Mannh. Br. 59 *F.*

" 96 " 2 Prope Tachyporus corpulentus F. Sahlb.: pusillus Grv. Mon. 9 *E.* et syn. piceus Mäkl. B. M. 1846. 174.

" 99 " 1 Ad Quedius heterodoxus Epp. W. 1890: 208

" 99 " 2 Prope Quedius cruentus Ol.: mixtus Epp. W. 1890. 222 *Casp.*

" 102 " 1 Ad Anodus edentulus: v. rubidus Verhoeff, Verh. Rheinl. 1890. 17 *Rhen.*

" 102 " 1 Ad Tasgius ater: v. rufipes Verhoeff, Verh. Rheinl. 1890. 17 *Rhen.*

" 103 " 2 Prope Philonthus Scribae Fvl.: fuscus Grav. Micr. 29 *E.md.b.*

" 104 " 1 Prope Philonthus femoralis Hochh.: Reitteri Epp. W. 1889. 18 *Ca.occ.*

" 105 " 1 Ad Othius fulvipennis F. syn.: fulvopterus Fourcr. Ent. Par. I. 107.

" 106 " 1 Ad Xantholinus linearis Ol. syn.: laevigatus Jacobsen, Förh. Sk. Natf. V. 1847. 678.

" 107 " 2 Ad Lathrobium elegantulum Kr. syn.: xanthomerum Kr. ibid. 681 *I.*

" 107 " 2 Ad Lathrobium filiforme Grv.: v. suturale Wenck. Col. Als. 1866. 127.

" 107 " 2 Prope Lathrobium pallidum Nordm.:
sibiricum Fauv. Cat. syst. XXI *Ural*
abbreviatum Solsky Hor. XI. 1876. 273.

" 107 " 2 Ad Achenium caucasicum Lap. syn.: ustulatum F. Sahlb. Sv. 17. 4. 75.

" 108 " 1 Pone gen. Achenium genus:

Scimbalium

Erichson.

Micrillus Raffray.

anale Nordm. Symb. 153 *Ga.I.A.Tr.*
planicolle Er. Gen. 580 *Ca.*

testaceum Er. Gen. 581 *E.m.*
grandiceps Duv. A. 1852. 699
longicolle Rey Op. II. 77
trapezicolle Uhag. A. Esp. V. 70
Saintpierrei All. Diagn. 1868. 12
pubipenne Fairm. A. 1869. 158 *Ga.m.*
longipenne Bris. Cat. Gren. 35
minimum Epp. D. 1888. 408 *T.*

Pag. 108 col. 1 Ad genus Medon Steph. syn.: Sunius Stephens.
„ 108 „ 1 Ad Medon ferrugineus Er. syn.: Branesiki Epp. St. 1880. 287 *H.*
„ 109 „ 2 Ante genus Sunius Stephens genus:

Ctenomastax
Kraatz.

Kiesenwetteri Kr. Heyd. Sp. 1870. 84 *Hi.m.*

„ 110 „ 2 Ad Stenus biguttatus L.: ? v. bipustulatus Thoms. V. A. 1857. [illegible]
„ 111 „ 1 Prope Stenus nanus Steph.: denticulatus Epp. W. 1890. [illegible]
„ 111 „ 1 Ad Stenus calcaratus Scriba syn.:
♀ inspector Mäkl. Finsk. XXX. [illegible]
„ 111 „ 2 Prope Stenus albipilis Rey: ignotus Epp. W. 1890. 226 [illegible]
„ 112 „ 1 Ad Stenus arctulus Hochh. syn.: sulcifrons Epp. St. 1878. 118.
„ 112 „ 1 Ad Stenus piscator Saulcy syn.: externus Rey Br. 1884. [illegible]
„ 113 „ 1 Ad Stenus suramensis Epp.: v. confrater Epp. W. 1890. 227 [illegible]
„ 113 „ 2 Prope Leptotyphlus Revelierei Saulcy:
cribratus Fauv. Rev. 1890. 356 *Alp.mar.*
Grouvellei Fauv. ibid. *Alp.mar.*
„ 113 „ 2 Ad genus Cylindrogaster Fauvel: olim.
„ 115 „ 1 Prope Bledius denticollis Fauv.:
arcticus F. Sahlb. Medd. Fa. Flor. Fenn. XVII. 1890 [illegible]
„ 115 „ 2 Ad Bledius Baudii Fauv. syn. ♀ agricultor Heer l. c.
„ 116 „ 1 Prope Trogophloeus Motschulskyi Hochh.: pilosellus Epp. W. 1890. 228 [illegible]
„ 116 „ 1 Prope Trogophloeus rufipennis Epp.: apicalis Epph. W. 1890. 229 [illegible]
„ 117 „ 2 Prope Coprophilus lateralis Fauv.: sellula Solsky Hor. III. 8 [illegible]
„ 118 „ 1 Ad Geodromicus antennatus Reitt. W. 1890: 189
„ 119 „ 1 Ad Lathrimaeum atrocephalum Gyll. syn.: Baudii Kr. B. 1860. [illegible]
„ 120 „ 2 Ad Omalium vile Er.: v Heeri Rey Br. 1880. 218 *[illegible]*
„ 121 „ 1 Ad Anthobium Starki Reitt. W. 1890.: 190.
„ 123 „ 1 Ad Faronus Lafertei Aubé: v. bicolor Pic Échange 1890. [illegible]
„ 123 „ 2 Trimium Raffrayi Guillebeau R. 90. 32 *G.Cr.* prope expandum Reitt.
„ 126 „ 2 Ad Machaerites Mill.: syn. Facetus Schaufuss.
„ 127 „ 1 Bythinus Ravouxi Grilat Éch. 89. 75 *Ga.m.* prope latebrosus Reitt.
„ 130 „ 1 Ad Euthia Schaumi Kiesw.: syn. abbreviatella Thoms.
„ 130 „ 1 Euthia parallela Fairm. A. 89. 161 *I.b.* prope clavicornis Reitt.
„ 130 „ 1 Cephennium maritimum Reitt. syn. lantosquense Croiss. Col. I. 53.
„ 130 „ 1 „ Argodi Croissand. l. c. 53. *Drôme.* prope maritimum Reitt.
„ 130 „ 1 „ cribrum Croiss. l. c. 55. *Balk.* prope Argodi Croiss.
„ 130 „ 2 „ dubium Croiss. l. c. 54 *Ca.A.H.* (species dubia).
„ 130 „ 2 „ Grouvellei Croiss. l. c. *Nizza.* prope Lesinae Reitt.
„ 130 „ 2 „ ibericum Croiss. l. c. 55 *Hi.* prope caucasicum Reitt.
„ 132 „ 1 Ad Cyrtoscydmus collaris Müll.: syn. minutus Sahlb.
„ 138 „ 1 Ptomaphagus Rosenhaueri Uhag. An. Madrid 1890. 41 *Hi.* prope ruthenus Reitt.

Pag. 138 col. 2 Ad Colon appendiculatum Sahlb.:
v. subinermis J. Sahlb. En. Col. Brach. Fen. 1889. 52 *F.*
? armipes Thoms.
„ 138 „ 2 Ad Colon viennense Herbst.: v. nigriceps J. Sahlb. l. c. 50 *F.*
„ 141 „ 1 Liodes insularis Sahlb. l. c. 34 *F.* prope rectangula Reitt.
„ 141 „ 1 Ad Liodes dubia Kugelann: syn. consobrina Sahlb.
„ 141 „ 1 Ad Liodes punctulata Gyll.: syn. multistriata Sahlb.
„ 142 „ 1 Ad Agath. badium Er.: v. bicolor J. Sahlb. 38 *F.*
„ 147 „ 2 Ad Scaphosoma boleti Panz.: syn. assimile Thoms.
„ 148 „ 1 Ad Phalacrus substriatus Gyll.: syn. millefolii Sahlb.
„ 148 „ 1 Ad gen. Stilbus Seidl.: syn. Eustilbus Sharp.
„ 154 „ 2 Ad Coluocera formicaria Motsch.: syn. subterranea Motsch.
„ 160 „ 1 Ad Epuraea rufomarginata Steph.: syn. limbata Sahlb.
„ 163 „ 1 Ad gen. Pityophagus Shuck.: syn. Ipogiton Gozis.
„ 170 „ 1 Anthrenus x-signum Reitt. T. III. 66 *C.* prope rotundulus Reitt.
„ 180 „ 2 Aphodius lituratus Rey Échange 1890. 164 *Ga.* prope [sticticus Panz.
„ 182 „ 2 Ad Rhyssemus germanus L.:
v. Reyi Reitt. emend.
obsoletus Rey (praeoc.) Échange 1890. 170 *Ga. Alg.*
„ 187 „ 2 Ad gen. Lasiopsis Er.: syn. Asceptonycha Kr.
„ 187 „ 2 Ad gen. Cyphonotus Fisch.: syn. Microphylla Kr.
„ 188 „ 1 Anoxia Rosinae Reitt. D. 1891. 36 *Cuença.* prope suturalis Reitt.
„ 188 „ 1 Polyphylla macrocera Reitt. l. c. *Cuença.* prope Lesinae Reitt.
„ 191 „ 1 Ad Hoplia coerulea Drury: v. griseola Rey Échange 1890. 172 *H.*
„ 194 „ 2 Ad Chalcophora mariana L.: v. intermedia Rey l. c. 171 *C.*
„ 195 „ 2 Ad Poecilonota variolosa Payk.: v. lugdunensis Rey l. c. 172 *Lyon.*
„ 195 „ 2 Ad Poecilonota rutilans F.: v. immaculata Rey l. c. *Ga.*
„ 198 „ 2 Sphenoptera Christophi Jakowl. Horae 21. 73 *Arax.* prope glabrata Mén.
„ 198 „ 2 „ parnassica Jakowl. ibid. 74 *Gr.* prope Christophi.
„ 198 „ 2 „ thoracica Jakowl. ibid. 80 *Ca.* prope foveola Gebl.
„ 198 „ 2 „ sculpticollis Jakowl. ibid. 53 *Ca.* prope rauca F.
„ 198 „ 2 „ incerta Jakowl. ibid. *Arax.* prope rauca F.
„ 199 „ 1 „ signata Jakowl. ibid. 65 *R.m.* prope cuprifrons Fald.
„ 199 „ 1 „ Krüperi Jakowl. ibid. 81 *Gr.* prope metallica F.
„ 199 „ 1 „ Sieversi Jakowl. ibid. 82 *Ca.* prope Krüperi Jakowl.
„ 198 „ 1 „ pilosula Jakowl. ibid. 69 *Hi.m.* prope hispidula.
„ 199 „ 1 Subg. Chrysoblemma Jakowl. ante Sphen. jewlachensis Reitt.
„ 199 „ 1 Ad. Chrysobothris Solieri Lap.:
v. quadridens Rey Échange 1890. 172 *Ga.m.*
„ 203 „ 1 Ad Aeolus atricapillus Germ.:
? v. Ballioni Heyd. D. 1885. 287 *Ca.m.or.*
„ 206 „ 1 Ad gen. Athous Esch. syn. Harminius Fairm.
„ 207 „ 1 Athous dasycerus Buyss. A. 1890. 157 *T.* prope infuscatus Eschsch.
„ 209 „ 1 Ad Ludius ferrugineus L.: v. tenebrosus Buyss. Col. l. 1890. 18 *Ga.*
„ 211 „ 2 Agriotes dalmaticus Cand. IV. 395 *Croatia.* prope ustulatus Cand.
Starki Koenig i. l.
„ 212 „ 1 Ad Cyphon variabilis Thunb.: syn. pubescens Gyll. nec F.
„ 213 „ 1 Ad gen. Dictyopterus Muls.: syn. Eros auct.
„ 217 „ 1 Ad Malthinus filicornis Kiesw.: v. marginipennis Bourg. Fg. 164.
„ 218 „ 1 Malthodes Liegeli Weise D. 1890. 346 *Cr.* prope tristis Kiesw.
„ 218 „ 2 „ exiguus Weise *Siles.* prope debilis Kiesw.
„ 218 „ 2 Ad Malacogast. Passerinii Bassi: syn. mauritanicus Luc. ♀ (Drilus)
„ 219 „ 1 Subgen. Atelestodes Ab.: ante Atelestus Peragalloi Perr.

Pag. 220 col. 2 Attalus gracilentus Rey Col. Fr. 204 *Ga.m.* prope lusitanicus Er. ? barbarus Motsch.
„ 222 „ 2 Cyrtosus Schneideri Ab. R. 1890. 35 *Ca.* prope flavilabris Waltl.
„ 225 „ 1 Ad gen. Dasytiscus Kiesw. syn. Chaetomalachius Kr. (D. 1882. 96).
„ 248 „ 1 Ad gen. Phaleria Latr. synopsis: Rey R. 1890. 327—329.
„ 248 „ 1 Phaleria insulana Rey R. 1890. 329 *C.* prope acuminata Küst.
„ 248 „ 2 Ad Platydema violacea F.: syn. dytiscoides Rossi.
„ 249 „ 2 Ad gen. Sitophagus Muls. syn. Ulosonia Lac.
„ 249 „ 2 Ad Melasia gagatina Muls signum ? ×
„ 255 „ 1 Ad Cteniopus granatensis Rosenh. syn. luteus Muls.
„ 265 „ 1 Ad Phytobaenus amabilis Sahlb. syn. scapularis Mars.
„ 271 „ 1 Ad Otiorrhynchus geniculatus Germ.:
v. Ganglbaueri Apfelb. Glasnik 1889. 72 *Bosn.*
v. aurosignatus Apfelb. ibid. *Bosn.*
v. Eppelsheimi Apfelb. ibid. *Bosn.*
v. herbiphagus Apfelb. ibid. *Bosn.*
„ 271 „ 1 Ad Otiorr. truncatus Stierl. v. viridilimbatus Apfelb. Glasnik 1889. 73 *Bosn.*
„ 271 „ 1 Otiorr. Halbherri Stierl. M. Schw. 1890. 243 *MB.* prope apenninus Stierl.
„ 272 „ 1 „ niveipictus Apfelb. Glasnik 1889. 70 *Bosn.* prope crinipes Mill.
„ 272 „ 1 „ „ v. serajevoensis Apfelb. ibid. 71.
„ 282 „ 2 Leucodrusus pauper Stierl. M. Schw. 1890. 244 *Hu.* prope sicanus Chevrl.
„ 282 „ 2 Ad Eudipnus mollis Stroem: v. rubens Sterl. M. Schw. 1890. 241 *Castilia.*
„ 282 „ 2 Eustolus Korbi Stierl. ibid. *Andal.* prope inustus Germ.
„ 283 „ 2 Ad Eustolus impressifrons Gyll. v. angustipennis Stierl. M. Schw. 1890. 241 *Castilia.*
„ 286 „ 1 Caulostrophus aberrans Frm. T. 13. 61 *Lu.* prope subsulcatus Boh.
„ 290 „ 2 Geonemus caudulatus Fairm. A'. 1891. 7 *Balear.*
„ 295 „ 1 Cyphocleonus Korbi Stierl. M. Schw. 1890. 242 *Andal.*
„ 310 „ 2 Acalles Korbi Stierl. ibid. 243 *Andal.*
„ 315 „ 2 Ceutorrhynchus Pazlovskyi Kuthy, Term. 1890. 7 *Hu.* prope submuricatus Hochh.
„ 317 „ 1 Balaninus hispanus Stierl. l. c. 246 *Hi.* prope pellitus Boh.

Corrigenda.

Pag. 4 col. 1 Carabus v. multicostis Reitt.
v. septemlineatus Reitt.
v. subexaratus Reitt. transfer. ad exaratus Quens.
„ 4 „ 1 „ v. [illegible]
v. fischtensis Reitt. transfer. ad septemcarinatus Motsch.
„ 8 „ 1 „ Ssommeri Thoms. leg. Sommeri Thoms.
„ 9 „ 2 „ v. Frivaldszkyi Kr. D. 1887. 341, non 50.
„ 10 „ 2 „ carinthiacus Strm. dele *Ca.*, leg. *Ti. Salisb.*
„ 11 „ 1 „ v. Weisei Reitt. dele *Bosn.*, leg. *Herzegow.*
„ 12 „ 2 Nebria Heegeri Dej. transfer. prope nivalis Payk.
„ 13 „ 1 „ rubripes Dej. leg. rubripes Serv. Fn. Fr. 1 ed. 68.
„ 13 „ 1 „ pictiventris Fauv. transfer. prope fontinalis Dan.

Pag. 13 col. 2 Nebria delphinensis Dan. — pictiventris Fauv.
„ 13 „ 2 „ Chevrieri Heer = angustata Dej.
„ 18 „ 1 Bemb. cyaneum Chaud. *Ca.* sp. pr.
„ 19 „ 2 „ adusticauda Costa. = combustum Mén.
„ 19 „ 2 „ ? lucidipenne Gaut. leg. luridipes Gaut.
„ 20 „ 1 „ volgense Becker, leg. Ab. 14. 4 Nouv.
„ 21 „ 1 „ Dejeani Heyd. (nec Putz) = Heydeni Gnglb. (nom. nov.)
„ 23 „ 2 Trechus ?v. brevipennis Heer, leg. laevipennis.
„ 26 „ 1 Deltomerus triseriatus Putz. = fulvipes Motsch.
„ 26 „ 1 „ ? dubius Chaud. = validus Chaud.
„ 28 „ 1 Europhilus Motsch., leg. Europhilus Chaud.
„ 29 „ 1 Bedelius Ragusa = Calathus Bon. sectio.
„ 33 „ 1 Pseudopedius planidorsis Reitt. = baetica Ramb. (sp. pr.)
„ 33 „ 1 „ crenatipennis Duv. sp. pr.
„ 35 „ 1 Haptoderus molopinus Chaud. transfer. prope Tapinopterus laticornis Fairm.
„ 36 „ 1 Arachnoideus microphthalmus Delar. sp. pr. prope Merkli Friv.
„ 37 „ 2 Abax Hetzeri Müll. = oblongus Dej. Spec. V. 777 (non 477.)
„ 42 „ 2 Acorius v. salinarius Pantel transfer. ad Ghilianii Baudi.
„ 43 „ 2 Daptus vittatus Fisch. = pictus Fisch. (prior.)
„ 44 „ 1 Acinopus cylindraceus Fairm. sp. pr. *Si.* elongatus Pioch. (nec Luc.)
„ 44 „ 1 „ elongatus Luc. = megacephalus Rossi ♀
„ 46 „ 2 Harpalus semipunctatus Dej. pr. pr. prope aeneus F.
„ 46 „ 2 „ limbopunctatus Fss. leg. v. limbopunctatus Fuss.
„ 49 „ 1 Dichirotrichus praeustus Dieck. et syn. transfer. prope Ophonus cordatus Duft.
„ 53 „ 2 Lebia pubipennis Duft. leg. pubipennis Duf.
„ 53 „ 2 „ numidica Luc. Chaud. 234, leg. 134.
„ 54 „ 1 „ holomera Chaud. = humeralis Dej. (W. 1889. 202.)
„ 66 „ 2 Orectochilus involvens Seidl. T. 18 (nec Fald.) = villosus F. (Regimb.)
„ 66 „ 2 „ Reitteri Seidl. = villosus F. var.
„ 76 „ 1 Riolus sodalis Kiesw. (nec Er.) = subviolaceus Müll. var.
„ 76 „ 1 „ auronitens Kiesw. = sodalis Er. sp. pr.
„ 78 „ 2 Calodera flavipes Mots. = Ilyobates forticornis Lac.
„ 81 „ 1 Oxypoda flavipes Mots. leg. Hochh.
„ 85 „ 1 Acrotona muscorum Bris. = parva Sahlb. var.
„ 85 „ 2 Subgenus Pseudosipalia Seidl. = Usipalia Gozis.
„ 87 „ 1 Atheta armeniaca Epp. = Judith Sauley A. 1864. 621.
„ 89 „ 1 Dimetrota villosula Kr. = nigripes Thoms.
„ 89 „ 1 „ cauta Er. = parvula Mannh.
„ 90 „ 2 Dilacra fallax Kr. leg. *E.md.m.*
„ 93 „ 1 Leptusa cordicollis Fauv. leg. *Apenn.*
„ 94 „ 1 Placusa infima Er. = tachyporoides Waltl.
„ 95 „ 1 Myllaena valida Rey Br. leg. 1873.
„ 95 „ 2 Microcera dele Thoms. leg. Mannh.
„ 95 „ 1 Tribus Tachyporides ante genus Hypocyptus promovenda est.
„ 96 „ 1 Typhlocyptus Pandellei Sauley leg. *C.*
„ 100 „ 2 Quedius fallaciosus Kr. = sp. pr.
„ 101 „ 1 Staphylinus chrysocephalus Fourcr. = flavocephalus Goeze.
„ 101 „ 1 „ lutarius Grv. = flavopunctatus Latr.
„ 101 „ 2 Ocypus quadriceps Fald. prope nitens Schrk. collocandus est.
„ 104 „ 2 Philonthus lucens Er. = Mannerheimi Fauv.

Pag. 104 col. 2 Philonthus marginatus leg. Stroem Act. Nidr. IV. n. 13.
„ 104 „ 2 „ bipustulatus Woll. = fenestratus Fauv.
„ 105 „ 1 Othius fulvipennis F. = punctulatus Goeze.
„ 106 „ 2 Scotonomus etruscus Saulcy = Raymondi Fauv.
„ 109 „ 2 Genus Sunius Steph. = **Astenus** Steph.
„ 110 „ 1 Genus Paederus Gravenhorst leg. Fabricius.
„ 110 „ 1 Paederus Schoenherri leg. Czwal. (ined.)
„ 111 „ 1 Stenus ♀ subglaber Thoms. = sp. pr. *F.Su.Ga.b.*
„ 112 „ 2 „ politus Aub. = cribratus Kiesw.
„ 113 „ 2 GenusCylindrogaster(nom.praeoccup.) = **Cylindropsis**Fauvel.
„ 115 „ 2 Bledius agricultor leg. ♂ Heer.
„ 116 „ 2 Trogophloeus subrugulosus leg. ? subr.
„ 117 „ 1 Genus Ochthephilus = Ancyrophorus.
„ 117 „ 1 Pholidus insignis leg. Muls. Rey.
„ 117 „ 1 Genus Compsochilus = Planeustomus.
„ 117 „ 2 Coprophilus lateralis Fauv. = ♀ sellula Solsky l. c. *R.m.*
„ 117 „ 2 „ pennifer Mots. B. M. leg. 1857. 503.
„ 119 „ 2 Arpedium alpinum Fauv. (cum syn. Heydeni Kr. I. D. II. 958) = quadrum. Grav. v.
„ 119 „ 2 „ v. Heydeni Heer = quadrum.
„ 121 „ 1 Genus Oncognathus Lac. = Hadrognathus Schaum.
„ 123 „ 2 Philus Aubé leg. Philus Saulcy.
„ 124 „ 2 Amauronyx brevipennis Saulcy transfer. ad Trichonyx (Fauv.
„ 126 „ 2 Subgen. Decatocerus Saulcy, gen. pr.
„ 128 „ 1 Tychus olbiensis Guilleb. = Fournieri Saulcy.
„ 131 „ 2 Cyrtoscydmus Poweri Fowl. = scutellaris Müll. v. (Croiss.)
„ 138 „ 1 Ptomaphagus tenuicornis Rosenh. = sericatus Chaud. (Uhagon)
„ 138 „ 1 „ tenuicornis Reitt. Seidl. (nec Rosenh.) = Rosenhaueri Uhagon.
„ 141 „ 2 Ad Liodes fracta Seidl.: syn. ? simplex Thoms.
„ 170 „ 1 Trogoderma fuscicorne Muls. leg. fusicorne Muls.
„ 173 „ 2 Hister striolá Sahlb. sp. pr.
„ 173 „ 2 „ succicola Thoms. = striola Sahlb.
„ 177 „ 2 Dorcus v. Truquii Muls. del. *Alp.mar.* leg. *Apenn.*
„ 178 „ 1 Gymnopleurus obtusus Muls. = Sturmi M. Leay.
„ 183 „ 1 Psammodes scutellaris Muls. = plicicollis Er.
„ 198 „ 2 Acmaeodera pellitula Reitt. dele ibid. leg. E. N. 1890. 344.
„ 199 „ 2 Sphenoptera excisa Jakowl. dele i. l. leg. Hor. 21. 68.
„ 200 „ 1 Aphanisticus siculus Muls. = pygmaeus Luc.
„ 206 „ 2 Athous ? murinus Reiche = vittatus, v. dimidiatus Drap.
„ 207 „ 1 „ brevicornis Desbr. = corsicus Reiche.
„ 207 „ 1 „ corsicus Reiche transfer. prope villiger Muls.
„ 207 „ 2 „ Lavergnei Reiche = circumductus Mén. ♂
„ 207 „ 2 „ delphinas Reiche = circumductus Mén.
„ 207 „ 2 „ thessalonicus Reiche transfer. prope olbiensis.
„ 207 „ 2 „ agnatus Reiche = melanoderes Muls. ♂
„ 207 „ 2 „ Peragalloi Reiche = castanescens Muls.
„ 209 „ 1 Ludius globithorax Reitt. leg. sphaerithorax Reitt.
„ 209 „ 2 Agriotes v. brevis Cand. sp. pr.
„ 211 „ 2 Helodes sericea Kiesw. del. Brg., leg. B.
„ 211 „ 2 „ Tournieri Kiesw. del Brg., leg. B.
„ 212 „ 1 Cyphon pubescens F. sp. prop.
„ 212 „ 1 „ punctipennis Sharp. sp. pr.
„ 212 „ 2 Scyrtes v. attenuatus Baudi dele Brg. leg. B.

Pag. 212 col. 2 Eubria Shuckard lege Latreille.
„ 212 „ 2 Homalisus unicolor Costa adde *P.or.C.S.*
„ 213 „ 1 Gen. Dictyoptera Latr. (praeoc.) leg. **Dictyopterus** Muls.
„ 213 „ 2 Lampyris Raymondi Muls. (1859) = lusitanica Motsch. (1854.)
„ 214 „ 1 Podabrus v. annulatus Kiesw. leg. v. annulatus Fisch. Humm. Essais 28.
„ 215 „ 1 Cantharis fulvipennis Germ. dele ♀, leg. ♂.
„ 215 „ 1 „ v. pallida Goeze et syn. sp. pr.
„ 215 „ 2 „ turcica Mars. et. syn. transfer. prope Metacantharis haemorrhoidalis F.
„ 215 „ 2 „ rufimana Mén., ibidem.
„ 215 „ 2 „ unguiculata Baudi, ibidem.
„ 215 „ 2 Gen. Metacantharis Bourgeois (dele Fauv.) = Cantharis sectio.
„ 216 „ 2 Rhagonycha araxicola Reitt. transfer. prope Metacantharis turcica Mars.
„ 216 „ 2 Pygidia laricicola Kies. = distinguenda Baudi.
„ 217 „ 1 Malthinus rubricollis del. Muls., leg. Baudi *Ga.Ti.Ist.Gr.C.*
„ 217 „ 1 „ alpinus del. Muls. leg. Rey = Malthodes flavoguttatus Kiesw. var. (Bourg.)
„ 217 „ 1 „ facialis Thoms. = seriepunctatus Kies. var. (Bourg.)
„ 217 „ 2 Malthodes spretus Kiesw. transfer. ad Malthinellus Seidl.
„ 218 „ 1 „ sanguinolentus Gyll. dele Sch. syn. I. 2. 75, leg. Ins. Su. I. 1808. 343.
„ 218 „ 1 „ ordubadensis Reitt. transfer. prope Malthinellus quadrifidus Weise.
„ 218 „ 1 „ discicollis Baudi transfer. prope maurus Lap.
„ 218 „ 1 „ meridianus, dele Muls. leg. Rey.
„ 218 „ 1 „ alpicola Kiesw. transfer. prope Malthinellus guttifer Kiesw.
„ 218 „ 1 „ affinis, dele Muls. leg. Rey = Malthinel. spretus Kies.
„ 218 „ 2 Malthodes nigriceps Muls. transfer. prope brevicollis Payk.
„ 219 „ 1 Drilus fulvicollis Audouin Brg. Fg. dele 85
„ 219 „ 1 „ venustus Guér. Ic. règn. dele 48, leg. pl. 14. f. 6.
„ 219 „ 1 Troglops corsicus Perr. = verticalis Er. (Ab.)
„ 220 „ 1 Alloceps alicianus Duv. leg. Alicianus Duv.
„ 220 „ 1 Ebaeus thoracicus, del. Oliv., leg. Geoffr. in Fourcr. Ent. Par. I. 63.
„ 220 „ 1 Antholinus pulchellus del. Muls., leg. Rey.
„ 221 „ 2 Malachius marginellus del. Ol. leg. F.
„ 223 „ 1 Henicopus hirsutulus Fald. transfer. ad. gen. Dasytes. (Bourg.)
„ 223 „ 1 Dasytes marginicollis Reitt. transfer. ad gen. Dasytiscus, ante D. armeniacus.
„ 224 „ 2 Haplocnemus rufomarginatus Perr. et. syn. = limbipennis Kiesw.
„ 224 „ 2 „ xanthopus Kiesw. = limbipennis Kiesw.
„ 225 „ 1 „ limbipennis Kiesw. transfer. pone impressus Mrsh.
„ 225 „ 2 Dasytiscus affinis Moraw. Bourg. A. 1885. 255 *R.m.* sp. pr.
„ 245 „ 2 Colpotus sulcatus Muls. = sulcatus Mén. (Fauv.)
„ 248 „ 1 Phaleria Revelierei Muls. = dorsigera F. var.
„ 248 „ 1 „ insulana Desbr. = i. l., = Baudi i. l. = insulana Rey.
„ 272 „ 1 Otior. intrusicollis Rosenh. transfer ad subgen. Cryphiphorus.
„ 277 „ 1 „ v. recticollis Boh. leg. reticollis Bohem.
„ 282 „ 2 Leucodrusus v. robustus Desbr. = v. Mariae Faust.
„ 282 „ 2 „ asturiensis Chevrl. et brevipennis Kirsch transfer. ad subgen. Homapterus.

Pag. 284 col. 1 Subgen. Chiloneus, Stasiodis, Sciaphilus et Pleurodirus sunt genera teste Faust St. 1890. 447.
" 284 " 1 Chiloneus costulatus Kiesw. et asperatus cum syn. = transf. ad gen. Sciaphilus.
" 284 " 1 Stasiodis Hampei Seidl. et Sciaphilus afflatus Boh. transfer. ad gen. nov. **Paophilus** Faust.
" 284 " 1 Sciaphilus claviceps Reitt. transfer. ad gen nov. Reitteria Fst. (= **Edmundia** Faust W. 1891. prope gen. Pholicodes Schh.
" 287 " 1 Brachyderes ophthalmicus Frm. = Caulostrophus aberrans Frm.
" 299 " 1 Rhytirrhinus Krüperi Stierl. = deformis Reiche.
" 315 " 1 Subgen. Hypurus Rey = Coeliodes sectio.
" 320 " 2 Rhynchaenina leg. Orchestina.
" 320 " 2 Gen. Rhynchaenus Clairv. = Orchestes Illig.

Delenda.

Pag. 24 col. 2 Trechus planiusculus Costa.
" 83 " 1 Oxysoma Schaumi Kr. (= Reitteri Fauv. ined.)
" 93 " 1 Leptusa Grouvellei Fauv. i. l. (= difformis Rey)
" 116 " 1 Trogophloeus niloticus Er. (= sp. africana.)
" 122 " 1 Protinus Mäklini Fauv. (= sp. americana.)
" 129 " 1 Tyropsis Chevrolati Saulcy (= Gen. Aplodea Reitter ex Chili.)
" 208 " 1 Ludius paradoxus Koenig (= e Sergiopol, Turkestan.)
" 248 " 1 Phaleria nigriceps Muls. sp. pr. e Smyrna.
" 302 " 2 Amaurorrhinus andalusiacus Dieck i. litt.

Index Generum.